

ROM
at could
ave your life,
see page 40IS 7.

120-MHZ PENTIUMS!

MAY 1995



BYTE

Borland's Delphi

Lab Test:
29 Business Printers

IBM's Butterfly: The Smallest
ThinkPad Sprouts Wings PAGE 119

THE MAGAZINE OF TECHNOLOGY INTEGRATION

YOUR NEXT MAINFRAME


THE FUTURE OF MISSION-CRITICAL COMPUTING

PLUS

OUR UNHAPPY DIGITAL
VIDEO EXPERIENCE PAGE 97

6 LOW-COST
TELEPHONY CARDS

CREATE AD HOC WORKGROUPS
WITH VIRTUAL LANS PAGE 181



IBM's PC
Server 720

International Edition



9 770360 528018

05 >

£2.20 U.K./Lit.8,000 ITALY/ASH 94
\$3.50 U.S.A./A McGraw-Hill Publication/0360-5280

STELLAR PERFORMANCE

Micron is fast becoming the industry leader in personal computer design, engineering and manufacturing. Right off the production line, Micron PCs are receiving awards and critical acclaim for exceptional quality, record-breaking speed and dependable performance. Everywhere you turn, Fortune 500 corporations, mid-size businesses and home offices are discovering the benefits of buying a Micron computer.

P240 POWERSERVER SMP

- Dual Intel™ 120MHz Pentium™ processors
- 512K write-back cache, Flash BIOS
- Slots: 5 EISA, 2 PCI, 1 EISA/PCI
- PCI 32-bit Fast SCSI-2 controller
- 4X SCSI-2 CD ROM drive, 3.5" floppy
- PCI 64-bit graphics accelerator (2MB)
- Full-size tower with 10 drive bays
- Microsoft Mouse, 101-key keyboard
- Microsoft Windows NT Workstation CD

A • 32MB RAM • 2GB SCSI-2 hard drive
• 15" Micron 15FGx, 1024NI, .28mm
\$6,999 (Business Lease \$229/month)

B • 64MB RAM • 4GB SCSI hard drive
• 17" Micron 17FGx, 1280NI, .26mm
\$8,999 (Business Lease \$294/month)

P90 POWERSERVER SMP

- Intel 90MHz Pentium processor
- Dual Pentium SMP ZIF sockets
- 512K write-back cache, Flash BIOS
- Slots: 5 EISA, 2 PCI, 1 EISA/PCI
- PCI 32-bit Fast SCSI-2 controller
- 4X SCSI-2 CD ROM drive, 3.5" floppy
- PCI 64-bit graphics accelerator (2MB)
- Full-size tower with 10 drive bays
- Microsoft Mouse, 101-key keyboard
- MS DOS & Windows for Workgroups

A • 16MB RAM • 1GB SCSI-2 hard drive
• 14" Micron 14FG, 1024NI, .28mm
\$3,699 (Business Lease \$126/month)

B • 32MB RAM • 2GB SCSI-2 hard drive
• 15" Micron 15FGx, 1280NI, .28mm
\$4,999 (Business Lease \$170/month)



P75 POWERSTATION

- Intel 75MHz Pentium processor
- 256K write-back cache, Flash BIOS
- 4X EIDE CD-ROM drive, 3.5" floppy
- SoundBlaster 16 stereo sound & speakers
- PCI 64-bit graphics accelerator (2MB)
- Tool-Free mini-tower or desktop
- Microsoft Mouse, 101-key keyboard
- MS-DOS & Windows for Workgroups

A • 8MB RAM • 540MB EIDE hard drive
• 15" Micron 15FGx, 1280NI, .28mm
• MS Works Multimedia CD
\$1,999 (Business Lease \$71/month)

B • 16MB RAM • 850MB EIDE hard drive
• 15" Micron 15FGx, 1280NI, .28mm
• MS Office Pro 4.3 & Bookshelf CDs
\$2,499 (Business Lease \$89/month)

C • 32MB RAM • 1.2GB EIDE hard drive
• 17" Micron 17FGx, 1280NI, .26mm
• MS Office Pro 4.3 & Bookshelf CDs
\$3,499 (Business Lease \$119/month)

With Pentium 90MHz Processor..... add \$100
With Pentium 100MHz Processor..... add \$200
With Pentium 120MHz Processor..... add \$700

P100 POWERSTATION PLUS

- Intel 100MHz Pentium processor
- 256K write-back cache, Flash BIOS
- PCI 32-bit Fast SCSI-2 controller
- 4X EIDE CD-ROM drive, 3.5" floppy
- SoundBlaster 16 stereo sound & speakers
- PCI 64-bit graphics accelerator (2MB)
- Tool-Free mini-tower or desktop
- Microsoft Mouse, 101-key keyboard
- MS-DOS & Windows for Workgroups
- MS Office Pro 4.3 & MS Bookshelf CDs

A • 16MB RAM • 1GB SCSI-2 hard drive
• 15" Micron 15FGx, 1280NI, .28mm
\$3,199 (Business Lease \$109/month)

B • 32MB RAM • 2GB SCSI-2 hard drive
• 17" Micron 17FGx, 1280NI, .26mm
\$4,299 (Business Lease \$146/month)

C • 64MB RAM • 4GB SCSI-2 hard drive
• 17" Micron 17FGx, 1280NI, .26mm
\$6,299 (Business Lease \$206/month)

D • 128MB RAM • 9GB SCSI-2 hard drive
• 21" Micron 21FGx, 1600NI, .28mm
\$12,299 (Business Lease \$395/month)

*Option D not available in desktop
With Pentium 120MHz Processor..... add \$500

4100PCI MAGNUM

- Intel 100MHz-DX4 processor
- 256K write-back cache, Flash BIOS
- 2X EIDE CD-ROM drive, 3.5" floppy
- SoundBlaster 16 stereo sound & speakers
- PCI 64-bit graphics accelerator (1MB)
- Tool-Free mini-tower or desktop
- Microsoft Mouse, 101-key keyboard
- MS-DOS & Windows for Workgroups

With 66MHz-DX2 Processor.....subtract \$100

A • 8MB RAM • 540MB EIDE hard drive
• 14" Micron 14FG, 1024NI, .28mm
• MS Works Multimedia CD
\$1,699 (Business Lease \$61/month)

B • 16MB RAM • 850MB EIDE hard drive
• 15" Micron 15FGx, 1280NI, .28mm
• MS Office Pro 4.3 & Bookshelf CDs
\$2,299 (Business Lease \$82/month)

MICRON



January 26,
1993
MAGNUM



June
1994
MAGNUM



April 26,
1994
MAGNUM



October
1994
MAGNUM



When
your
486 just
doesn't
cut it.



THE P75 HOME MPC

Your Best Value in Pentium Power

Windows applications have revolutionized the way you do business and even the way you live. From presentation packages and word processing to financial management and spreadsheets, increased computing speed and processing power have become basic necessities. But when it comes to action-packed games and dynamic multi-media CDs, you need more than just horsepower. Micron's new Pentium-based Home MPC™ is your answer! And since it's from Micron, it's not only loaded with power, it's also packed with standard features that the other guys add as extras, which usually means more money. Only the Micron Home MPC features 8MB of Micron RAM; a super-fast 4x EIDE CD-ROM drive; and full exploding stereo sound with the

CREATIVE™
CREATIVE LABS, INC.



January 1995
HOME MPC

*"... an unbeatable
combination of high
performance and
features for the price."*

SoundBlaster 16, including Koss speakers and a lightning-quick 14.4 Fax/Modem. And when you buy a Micron Home MPC, you'll also receive *Bob*, Microsoft's new user-friendly home interface. Microsoft Bob includes eight essential applications--including a calendar, letter writer, checkbook, and more--that are linked together to make everyday computing tasks easy. With Bob around, you'll really get things done! Plus you'll receive fully-loaded Microsoft software packages, Intuit's *Quicken Deluxe Edition* CD and trial subscriptions for *CompuServe*, *America OnLine* and *Prodigy*... all in one super Micron deal! Virtually redefine your definition of value. Cut loose with some real excitement and check out the Micron Home MPC.

- Intel™ 75MHz Pentium™ Processor
- 256K Write-back cache, Flash BIOS
- 8MB RAM, 540MB EIDE hard drive
- 4X EIDE CD-ROM drive, 3.5" floppy
- SoundBlaster 16 stereo sound & speakers
- 14.4 Fax/Modem & WinFax Lite
- PCI 64-bit graphics accelerator (2MB)
- 14" Micron14FG.1024NI, 28mm
- Tool-Free mini-tower or desktop

- Microsoft Mouse, 101-key keyboard
- MS-DOS & Windows for Workgroups CD
- Microsoft Bob CD
- Microsoft Scenes
- Microsoft Works Multimedia CD; Microsoft Encarta 95 CD; Quicken Deluxe Edition; CD Microsoft Dangerous Creatures CD; Microsoft Golf Multimedia CD; Trial Subscriptions for CompuServe, America OnLine & Prodigy.

\$1,999
Complete!

90MHz Processor..... add \$100
100MHz Processor..... add \$200
120MHz Processor..... add \$700

Micron Computer, Inc., 900 E. Karcher Road, Nampa, ID 83687 • Mon-Fri 7AM-8PM Sat 8AM-5PM (MT)
208-463-3434 • FAX 208-463-3424 • Purchase Order FAX 208-467-5384

International Phone
208-465-8970



International FAX
208-465-8993



From Mexico Call
208-465-8970



From Puerto Rico Call
800-708-1756



From Canada Call
800-708-1758



EXCLUSIVELY FROM MICRON

- Next Day Shipping on Selected Systems
- 30-Day Risk-Free Money Back Guarantee
- One-Year Express Parts Replacement
- Lifetime Toll-Free Technical Support
- On-Site Service or System Replacement


It's Your Call!

MICRON
COMPUTER, INC.

800-233-7027

© 1995 Micron Computer, Inc. All rights reserved. All prices and specifications subject to change without notice. Micron Computer, Inc. cannot be responsible for omissions and/or errors in typography or photography. "Mark Your Place With The Leader" is a service mark of Micron Computer, Inc. Intel, Intel Inside, and Pentium are registered trademarks of the Intel Corporation. Microsoft is a registered trademark and Windows, Windows NT and the Windows logo are trademarks of Microsoft Corporation. All other company trademarks are trade names of each respective company. Prices do not include shipping and handling. 30-day risk-free money back guarantee does not include return freight and original shipping/handling charges, applies only to Micron brand products, and begins from date of shipment. All returns require RMA numbers and must be shipped in the original condition prepaid and insured. Lease prices based on 36-month lease.

COMPUTING FOR THE NEXT 1000 YEARS





THE MICRON MILLENNIA

"A full 20% faster than the average 100-MHz Pentium system."

And the reason for the Micron P100's amazing ability to far outperform the competition? It's exclusive dynamic combination of Micron's EDO (Extended Data Out) Memory and SyncBurst™ cache, providing significant performance gains over previous memory designs.

Once again, another major breakthrough in computing performance innovation from Micron, the technology leader.

P100 MILLENNIA

- Intel™ 100MHz Pentium™ processor
- 256K Micron SyncBurst Cache
- 4X EIDE CD-ROM drive, 3.5" floppy drive
- **NEW SoundBlaster 16 with stereo speakers**
- PCI 64-bit graphics accelerator (2MB)
- "Tool-free" desktop or mini-tower
- Microsoft® Mouse, 101-key keyboard
- MS-DOS® & Windows® for Workgroups

- A** • 8MB Micron EDO RAM, 540MB EIDE hard drive
 • 15" Micron 15FGx, 1280NI, .28mm
 • Microsoft Works Multimedia CD

\$2,499 (Business Lease \$89/month)

- B** • 16MB Micron EDO RAM, 850MB EIDE hard drive
 • 15" Micron 15FGx, 1280NI, .28mm
 • Microsoft Office Pro 4.3 CD & MS Bookshelf CD

\$2,999 (Business Lease \$107/month)

- C** • 32MB Micron EDO RAM, 1.2GB EIDE hard drive
 • 17" Micron 17FGx, 1280NI, .26mm
 • Microsoft Office Pro 4.3 CD & MS Bookshelf CD

\$3,999 (Business Lease \$136/month)

"...nothing short of the most capable PC we've ever seen."

PC Magazine Labs tested the leading 100-MHz Pentium desktop



systems and came up with an "unprecedented Winstone 95 benchmark score for the Micron P100 Millennia." The numbers clearly tell the Micron story.



MICRON
COMPUTER, INC.


800-233-7027

Circle 131 on Inquiry Card.

WILL YOUR DEVELOPMENT TEAM TAKE TWO STEPS FORWARD TODAY,

• You navigate along a thin line to keep your team on track. Fortunately, for C++ developers creating applications for Windows® 95, Microsoft® has a core set of products designed to ensure they continue moving ahead.

• Microsoft® Visual C++™ development system provides a powerful, tightly integrated tool set, including the Microsoft Foundation Class Library: 70,000 lines of pre-built, pre-tested code to give you a head start. With a



Visual C++ Subscription, three times a year you're updated on the latest tools and technologies, including new features for Windows 95 development. That way, you'll get applications up and running quickly, and Windows 95 ready.



• Microsoft SourceSafe® and Microsoft Test keep your team on course. SourceSafe's project oriented approach to source code control promotes code reuse and management of multiple releases for development teams of any size. Test is an automated testing tool which evaluates applications throughout the development process. Together, they help find errors and regressions while identifying where the problems occurred.



• By joining the Microsoft Developers Network, via quarterly CDs, you'll get in-depth technical information, operating systems and software development kits. Right there on your desktop. More importantly, you can get a pre-release version of Windows 95 operating system and the SDK. • These are just part of our line of products and services designed for your development teams. For more information and the name of your local reseller, call 1-800-719-5577, Dept. NYY. We'll even send you a free CD, the Microsoft Roadmap to Developer's Products & Services, describing all our tools and programs. That way, you'll have everything you need to continue in the only direction you want to go.

Microsoft®

WHERE DO YOU WANT TO GO TODAY?™



OR

ONE STEP BACKWARDS?

News & Views

PC DATABASES

Desktop Databases Pack More Power.....22

PC database vendors are touting their products' ability to scale from the desktop to the enterprise. But vendors' definitions of scalability vary widely.

120-MHZ PENTIUM PCS

Pentium Dream Systems Arrive....23

An early look at two of the first 120-MHz Pentium machines reveals more than just a fast processor inside the box.

VIRTUAL REALITY

VR Can Improve Your Health26

Virtual reality is fundamentally altering and improving the way medical care is taught and delivered.

POWER MAC

RISC Invades the School and Home30

Apple's Power Mac 5200 beefs up the LC line for the school and home with a new PowerPC processor.

DESKTOP PCS

Compaq Reduces Cost of Ownership.....30

Compaq Computer is making it easier for LAN management software vendors with its new line of Deskpro PCs.

INTERNATIONAL NEW PRODUCTS



BYTE Picks CeBIT's Best.....34

BYTE editors scoured the CeBIT show for the best in new international products.

INTERNET

Companies Cut Phone Bills.....36

Companies are starting to use the Internet as a pseudoprivate backbone to carry fax and voice traffic.

IMAGE ACQUISITION TRENDS

OCR Fuels Slow Paper Burn40

OCR is getting easier, and who knows, maybe the elusive paperless office will one day become reality. Naaaaah.

NEW PRODUCTS

What's New202

The PageCard Wireless Messaging System keeps you up-to-date anywhere; PaperPort 2.0 for Windows converts documents into editable text; and more.

Cover Story

MAINFRAMES OF THE FUTURE

Your Next Mainframe

BY ANDY REINHARDT

PCs are becoming as powerful as mainframes, and mainframes are being made from PC parts. But the mainframe of the future won't be a gigantic PC; it will be software and a network.



Features

TEXT RETRIEVAL

Solutions Focus: The British Library's Catalog Is On-Line 62

BY DICK POUNTAIN The British Library computerizes its paper catalogs.



PRODUCTS

1995 Readers' Choice Awards 75

BYTE readers anoint the best hardware and software on the market today.

PANORAMIC VIDEO

See You Around 85

BY TOM R. HALFHILL A look at how the panoramic-video technology used by Apple's QuickTime VR and Microsoft's Surround Video can open up a wraparound, photo-quality, virtual-reality world right on your computer screen.



State of the Art


DIGITAL VIDEO

Beyond Hollywood

BY ALAN JOCH

It's getting easier to bring digital video to your desktop.

95




BYTE's Video Workshop

BY STANFORD DIEHL

BYTE sets up a digital video studio to test the viability of corporate video production on the PC desktop. Using Windows tools for digital and analog video production, we address the major issues of developing and deploying video content.

97

Reviews



PAGE 121



PAGE 125



PAGE 131

Compression Scorecard 107

BY JOHN BRYAN

Compression's more efficient than ever if you pick the right codec. Our scorecards compare compression quality and speed of seven leading choices.

SUBNOTEBOOKS

- Incredible Expanding Keyboard** 119
BY ALAN JOCH
IBM's revolutionary ThinkPad 701C fits a full-size keyboard and a 10.4-inch LCD screen into a subnotebook. You must see it to believe it.

NETWORK MANAGEMENT

- The Benefits of Recentralization** 121
BY ETHAN WILANSKY
There's a move to consolidate network management tools. Microsoft fields a powerful entry in Systems Management Server, which rounds up and controls network resources from multiple vendors.

COMPUTER TELEPHONY

- Small-Scale Telephony** 125
BY TOM YAGER
Multifunction telephony cards can cost-effectively make your small business sound big. We test six.

PDAS

- Apple's Improved MessagePad** 131
BY TOM THOMPSON
With bug fixes, more memory, and third-party support, Apple's new MessagePad 120 strengthens its position in the PDA marathon.

APPLICATIONS DEVELOPMENT

- Good News from Delphi** 133
BY RAYMOND GA CÔTÉ
With its quick object-oriented Pascal compiler, extensible development environment, and integrated database access, Borland's Delphi is a powerful base for prototyping and developing applications.

QUANTITATIVE ANALYSIS

- Mathematica Meets Warp** 137
BY DOUG TAMASANIS
It's no surprise that the new OS/2 version of Mathematica runs faster than the Windows version on IBM's 32-bit OS.

DOCUMENT MANAGEMENT

- Software Roundup: Document Image Managers** 143
BY DAVID SEACHRIST
NSTL surveyed eight document image managers for converting paper documents into electronic form and found promising programs with much room for improvement.

PRINTERS

- Lab Report: 29 Printers That Mean Business** 154

Acquire speed and pizzazz with a printer from this month's Lab Report. We test color ink-jets, 6- to 10-ppm laser printers, 11- to 30-ppm lasers for networks, and a few select color lasers.



- 11- to 30-PPM Laser Printers—156
Honorable Mentions—158
6- to 10-PPM Laser Printers—160
Color Ink-Jet Printers—162
Color Laser Printers—164

Opinions

- Pournelle: Prizes and Surprises** 187
BY JERRY POURNELLE A visit to Microsoft finds Jerry coming away favorably impressed.

- Books and CD-ROMs: Risky Business and Private E-Mail** 43
BY RUSSELL KAY, RICH FRIEDMAN, AND TOM THOMPSON An on-line forum in book form, secure communications, a CD-ROM to help you travel in Europe cheaply, and a major work on Mac programming.

- Commentary: So, Where's the IT Payoff?** 260
BY JESSICA KEYES Flawed technology and advice can seriously affect the bottom line.

- Editorial** 12
BY RAPHAEL NEEDLEMAN
Blasts from the Past 41
Highlights from two decades of covering the PC revolution.



- Letters** 17
This month's letters discuss computers in education, Internet attitudes, and SGML, as well as clarify results in our Lab Report on tape drives.

- International Section** 40IS 1

- Reader Survey** 194

READER SERVICE

- Editorial Index by Company 258
Alphabetical Index to Advertisers 254
Index to Advertisers by Product Category 256
Inquiry Reply Cards: 112A, 256A

- BUYER'S GUIDE** 211

- Mail Order
Hardware/Software Showcase
Buyer's Mart

PROGRAM LISTINGS

- From BIX: Join "listings/frombyte95" and select the appropriate subarea (i.e., "may95").

- From the UUNET:ftp to ftp.uu.net, log on as "anonymous," and enter your user ID as your password. Type "cd/published/byte" and type "DIR." Files appear in subdirectories by month.

- From the BYTE BBS at 1200-9600 bps: Dial (603) 924-9820 and follow the instructions at the prompt.

BYTE (ISSN 0360-5280) is published monthly by McGraw-Hill, Inc. U.S. subscriber rate \$29.95 per year. In Canada and Mexico, \$34.95 per year. European surface mail subscriptions \$60, airmail \$85. Non-European subscriptions, \$60 surface mail or \$85 airmail. All foreign subscriptions are payable in U.S. funds that can be drawn on a U.S. bank. Single copies \$3.95 in the U.S., \$4.95 in Canada. Executive, Editorial, Circulation, and Advertising Offices: One Phoenix Mill Lane, Peterborough, NH 03458. Second-class postage paid at Peterborough, NH, and additional mailing offices. Postage paid at Winnipeg, Manitoba. Canada Post International Publications Mail Product Sales Agreement No. 246492. Registered for GST as McGraw-Hill, Inc., GST #123075673. Printed in the United States of America. **Postmaster:** Send address changes and fulfillment questions to BYTE Subscriptions, P.O. Box 552, Hightstown, NJ 08520.

Core Technologies

CPUS

- ColdFire: A Hot Architecture** 173
BY JOE CIRCELLO A new architecture for 68000 processing means low cost and high power for embedded applications.



OPERATING SYSTEMS

- NetWare 4.1 Forges Ahead** 175
BY BARRY NANCE Can NetWare 4.1 stand up to strong competition from NT Server 3.5 and LAN Server 4.0?



- Video Connections** 113
BY JEFFREY FRITZ
Isochronous Ethernet and ATM race to bring video to your desktop.

PROGRAMMING

- Adding Apple Events to Your Mac Application: Part 1** 177
BY TOM THOMPSON How to make your application a good neighbor to other applications—and thus of value to your customer.

NETWORKS

- Virtual LANs Get Real** 181
BY SALVATORE SALAMONE
Virtual LANs meet rapidly changing business environment needs.

Bulk Rate
US Postage
PAID
McGraw-Hill

Third class mail enclosed, edition codes: W1G, W1H, W1I, W1J, W3G, W3H, W3I, W3J

Experience the ultimate in multimedia... the **ViewSonic 15GA** and **17GA PerfectSound™** multimedia monitors. Be prepared for a blast of sight and sound that engulfs you with rich, lifelike tones, directed towards YOU. Plus, since you don't need separate speakers, you'll save valuable desk space.

The explosion from ViewSonic's multimedia monitors will revolutionize the industry... especially business, entertainment and teleconferencing applications. With the latest dome speaker technology and microhole speaker grills integrated into the monitor bezel you'll hear full high fidelity stereo sound. We thought of everything — even a built-in microphone, headphone jack and external microphone port. And, when the phone rings, you can mute the sound with the touch of a button.

In addition to the terrific sound, these new 15" and 17" CRTs (14.0" and 16.0" diagonal viewable areas respectively) both feature a Super Contrast screen, 0.27mm dot pitch, resolutions up to 1,280 x 1,024 and an ultra high refresh rate of 86Hz at 1,024 x 768. You'll be proud of the beautiful, brilliant, photo-quality screen images. Our OnView™ controls allow you to make image *and* audio adjustments right on the screen. Plus these monitors are *Plug & Play* +* for Windows '95, which automatically provide the utmost in screen image capabilities.

In keeping with today's concerns for radiation, safety and the environment, these monitors not only exceed MPRII and EPA Energy Star requirements, but have also adopted the most stringent Swedish TCO standards for reduction of heat emissions and exposure to electromagnetic fields.



ViewSonic multimedia monitors ... a sound investment.

**COMDEX
BOOTH
M4922**




ViewSonic®
See The Difference!™
and Hear


Tel: (800) 888-8583 Ext. #244 or (909) 869-7976
Fax: (909) 869-7958
Call FaxSonic at (909) 869-7318 (fax-on-demand)
Request Doc. 143 (15GA), 150 (17GA)
Applelink: VIEWSONIC Compuserve: 73374, 514

*Requires a 100% compatible video card.
All products and trademarks are brand names of their respective companies.
Specifications subject to change without notice.

Circle 120 on Inquiry Card (RESELLERS: 121).



SOUND EXPLOSION



This page presents the articles in this issue according to computing platform.

DOS/WINDOWS

Desktop Databases Pack More Power22

Here's an update on the state of scalability in PC database development.

Pentium Dream Systems Arrive.....23

We take an early look at two of the first 120-MHz Pentium systems: Micron's P120 Millennium and Gateway 2000's P5-120.

Code Talk: Toolbars to Go....36

Rick Grehan tries out a Windows development system for building toolbars.

OCR Fuels Slow Paper Burn...40

Building the bridge between the paper world and the electronic world is getting easier and less expensive thanks to improvements in OCR software.

The British Library's Catalog Is On-Line.....62

Here's how the British Library converted its massive paper catalogs into an on-line, easily searchable resource.

See You Around85

We compare Apple's QuickTime VR panoramic-video authoring tools with Microsoft's Surround Video and explore the world of panoramic-video technology.

BYTE's Video Workshop97

We set up our own desktop video production suite and create an in-house multimedia product to uncover the requirements, problems, and issues of desktop video production.

Incredible Expanding Keyboard119

IBM's revolutionary ThinkPad 701C fits a full-size keyboard and a 10.4-inch LCD screen into a subnotebook. You must see it to believe it.

The Benefits of Recentralization.....121

Microsoft puts a powerful Windows front end on disparate network management tools with Systems Management Server.

Small-Scale Telephony125

With the right software, a multifunction telephony card can give your small business a big-league sound. Here are six.

Good News from Delphi.....133

Borland's new Delphi development environment takes on both low-end Microsoft Visual Basic and high-end 4GL products. Delphi combines an object-oriented Pascal compiler, an extensible visual-design environment, and strong database-access tools.

Software Roundup: Document Image Managers.....143

This month's NSTL software roundup finds a mixed bag in the fledgling but important category of document image managers.

Lab Report: 29 Printers That Mean Business.....154

We use our standard suite of DOS-, Windows-, and Mac OS-based printer tests to choose winners in four categories: color ink-jets, 6- to 10-ppm lasers, 11- to 30-ppm lasers, and color laser printers.

OS/2

Mathematica Meets Warp...137

OS/2 users don't have to depend on Win32 emulation to run Mathematica anymore. You'll still want the included Windows-based front end, however.

Pournelle: Prizes and Surprises187

Jerry shares his experiences using OS/2 Warp.

MACINTOSH

RISC Invades the School and Home.....30

Apple expands its LC line of systems for the education and home markets with a new PowerPC model.

See You Around85

A new technology, panoramic video, brings photo-quality virtual reality to your computer screen. We look at Apple's QuickTime VR and Microsoft's Surround Video.

Apple's Improved MessagePad.....131

With bug fixes, more memory, and third-party software and peripherals, Apple's new MessagePad 120 strengthens its position in specialty and vertical markets.

Lab Report: 29 Printers That Mean Business.....154

We review 29 printers that are excellent for business use and pick the winners based on our Mac, DOS, and Windows test suite.

ColdFire: A Hot Architecture.....173

A small core size, plenty of processing power, and a high-density instruction-set architecture make ColdFire a very efficient design.

Adding Apple Events to Your Mac Application: Part 1.....177

Here's part 1 in a two-part series by Tom Thompson on how to make your application communicate with other Mac applications.

UNIX

Your Next Mainframe.....48

As PCs and Unix systems become more sophisticated, the traditional three-tier model—desktop PCs, a mainframe at the center, and a middle layer of Unix-based application and database servers—could fold into two layers, or even one.

NETWORKS

Compaq Reduces Cost of Ownership30

Compaq implemented APIs in the ROM of its new Deskpros so that management applications can easily manage and troubleshoot the new PCs.

Your Next Mainframe.....48

Clustered servers and new OSes are replacing many functions previously handled by mainframes. This downsizing means your next mainframe will most likely be software and a network.

Video Connections113

Multimedia over the network is coming your way. The question is, what route will it take to your desktop—synchronous Ethernet or ATM?

The Benefits of Recentralization.....121

Microsoft's Systems Management Server centralizes and controls multiple-vendor networks.

NetWare 4.1 Forges Ahead175

NetWare 4.1 faces strong competition from NT Server 3.5 and LAN Server 4.0.

Virtual LANs Get Real.....181

Here's a look at some of the different approaches to creating virtual LANs.

| | |
|---------------------|--|
| Alpha | 48 |
| Awards | 34, 75 |
| Books | 43 |
| CD-ROM | 43, 97, 125, 187 |
| Codecs | 107 |
| Color | 154 |
| Communications | 36, 125 |
| Compression | 107 |
| Computer telephony | 125 |
| CPUs | 23, 30, 48, 173 |
| Databases | 22, 121, 133 |
| Digital video | 26, 85, 95, 97, 107, 113 |
| Document management | 143 |
| DSPs | 125 |
| Macintosh | 30, 85, 131, 154, 173, 177, 187 |
| Memory | 187 |
| Multimedia | 26, 85, 95, 97, 107, 113, 125 |
| Networks | 23, 30, 48, 113, 175, 181 |
| OCR | 40 |
| OS/2 | 48, 137, 187 |
| PDA's | 131 |
| Pentium | 23, 48 |
| PowerPC | 30 |
| Printers | 154 |
| Programming | 36, 133, 177 |
| RISC | 30, 173 |
| Servers | 48 |
| Storage | 52, 107 |
| Subnotebooks | 119 |
| Text retrieval | 62 |
| Unix | 48 |
| Video | 26, 85, 95, 97, 107, 113 |
| Virtual reality | 26, 85 |
| Windows | 36, 40, 48, 62, 85, 97, 121, 125, 133, 143, 154, 187 |
| Windows NT | 48 |
| Wireless | 23, 187 |

RECORDABLE CD!

The Pinnacle RCD-1000 is 3 Drives in 1

1. **2X** Recordable CD System
2. Double-speed CD-ROM Player
3. Tape Backup Replacement



The **RCD-1000™** is virtually 3 drives in 1 - making it the ultimate storage device for only **\$1995**.

With the flexibility of Pinnacle's RCD-1000, the applications are endless. As a **CD Recorder**, the RCD-1000 allows you to master your own CD that can be easily transported across town - or to the end of the world. As a **double-speed CD-ROM player**, it can read virtually thousands of educa-

tional, multimedia or audio CDs. And, with Pinnacle's own **Backup Software Utility**, you can now replace your tape drive with a system that provides a more reliable solution and fast random access to your data for only

\$29 per disc, or **4 cents** per megabyte. Each disc holds 650 MB of data, audio and video storage.

The RCD-1000 is perfect for creating and mastering your own multimedia titles, interactive games, or even mixing your own audio CD of your favorite tunes. You can backup accounting records, business plans, charts and graphs, or confidential information on CDs for decades - safe and secure.

The RCD-1000 system is simply **the best** way to store, archive, distribute and create information. Best of all, it's now affordable - it's recordable!

Pinnacle Micro. The Optical Storage Leader.

All Trademarks and Registered Trademarks of Their Respective Owners.


TO REACH THE PINNACLE CALL: 800-553-7070

Tel: 714-789-3000 Fax: 714-789-3150

Circle 99 on Inquiry Card (RESELLERS: 100).




PINNACLE MICRO
THE OPTICAL STORAGE COMPANY



© 1995 Intel Corporation. †Source: iCOMP®: A Simplified Measure Of Relative Microprocessor Performance. Intel Corporation, 1992. ††The 63-MHz Pentium OverDrive processor for most 50-MHz and 25-MHz Intel486™ CPU-based systems is available now. The 83-MHz Pentium OverDrive processor for most 66-MHz and 33-MHz Intel486 CPU-based systems will be available later in the year. *Other trade names referenced are the property of their respective holders.

Run your 486 faster with the



The OverDrive® processor is a single-chip CPU upgrade that maximizes the performance of most Intel486™ processor-based PCs.



OverDrive processors boost CPU performance as much as 263%, making your software run much faster.




The family of IntelDX2™, IntelDX4™, and newly released Pentium® OverDrive processors†† gives you several affordable upgrade options for your i486™ CPU-based PC—each of them fully software compatible.



Contact your PC reseller for more information about OverDrive processors, or dial the FaxBack® service at 1-800-525-3019, document #9306. Or call 1-800-538-3373, ext. 295.

OverDrive® processor.

Let's Put on a Show!



We send seven editors and 10 portables to CeBIT. Hilarity ensues.

Every year, BYTE sends a passel of editors to the mammoth CeBIT trade show in Hannover, Ger-

many. This year, we did something new—we inaugurated the Best of CeBIT awards. The reason: Technology is global. There's no reason for us to limit our awards to the ones we give at Comdex in the U.S. and Computex in Taiwan.

I am delighted with the awards we presented. You'll find a full report on page 34, but let me state now and for the record that some of the new products I saw at CeBIT are absolutely stunning. The two that most impressed me are the programming environment called Wizdom Pro, which won our Best of Show award, and Taylor II, an amazing simulation engine for designing and troubleshooting the flow of physical goods. Neither of these products are currently available in the U.S., which means that those of us based here will not see them at the same time our European colleagues do. That's a shame, but it's also a reflection of an important market dynamic: The computer industry is strong and growing in the U.S., but it's growing even faster elsewhere.

It wasn't easy coordinating our coverage for this show. We had 10 portable computers and two printers among us, but, alas, at the guesthouse where we were all staying, we had only one reliable phone line back to the states.

Unfortunately, we couldn't plug our modems into the guesthouse's system, so we had to use the acoustic coupler that I had thrown into my briefcase at the last minute. We had better luck at the trade show itself, where we could plug our modems directly into the phone system, just like back home.

Having just seven editors to cover a trade show consisting of 6178 exhibitors with more than 700,000 attendees was a daunting proposition. Thus, in recognition of the BYTE editorial staff's hard work, I want to point out just a few of the people who made our comprehensive coverage of this show possible:

First, I'd give a gold medal to Dennis Barker, our chief of correspondents. In addition to organizing and coordinating the awards planning before the show, he demonstrated a real dedication to the magazine by eschewing sleep in the last critical hours before our awards cere-

mony. He was still up writing the awards script when I retired Thursday night at 2:00 a.m. And when I came down for breakfast at 7:00 a.m. on Friday, he was still there, pounding away at his computer. Dennis clinched this award, however, by skipping the beer-hall bash after the awards ceremony so he could write the press release.

Then there was Dave Andrews, a news editor. Dave is a great guy and a gifted reporter, but he has the *worst* travel karma of anybody I've ever met. First, he missed his Lufthansa flight to Germany, although he did manage to find an alternate route via KLM. When he arrived in Hannover, unfortunately, his luggage was nowhere to be seen. After two days of wearing the same jeans, Dave went out to buy clothes, but the store didn't take credit cards, and worse, he couldn't find any shirts that fit right.

Our Frankfurt bureau chief, Rainer Mauth, presented half the prizes. He had agreed to do this beforehand and did a great job. What he didn't tell me, however, was that before CeBIT, he had never spoken before a crowd of people in English. You'd never know it. Rainer had excellent presence on the stage, and his comments about the winning products were incisive and articulate.

CeBIT was a rewarding trip for the BYTE editorial brain trust. When I got on the plane to head home, however, I discovered the adventure wasn't quite over.

On the flight back, I had the good fortune to sit in the cockpit of the Airbus 340 during takeoff. The Airbus is a technological masterpiece—it's a fly-by-wire airplane, which means that all the pilot's commands are relayed to the control surfaces and engines via computers and electronics, not direct hydraulics, as in older planes. The Airbus has three flight computers that "vote" on all critical commands; if one of the computers gives a different result, the remaining two override it.


Before takeoff, I tried to break the ice with the pilot by finding some common interests. "I hear this plane is a flying computer," I said. Bad move. The pilot tensed up. He said, "I am not too interested in computers." He likes flying—not running a computer console. Fortunately, he proved to have excellent mastery of the Airbus 340; the flight was glass-smooth and uneventful. And Dave Andrews' luggage even made it back on the same flight. ■

A stylized, handwritten signature of Raphael Needleman.

RAPHAEL NEEDLEMAN, EDITOR IN CHIEF
(rafe@bix.com)

TEXTBRIDGE

PROFESSIONAL EDITION



True document understanding

In any OCR package the true test is accuracy.

TextBridge Professional Edition not only delivers the highest quality of accuracy but also does much more besides. It actually re-constructs your documents just as if they had been re-typed – that goes for tables, columns and graphics as well as text – so not only do your scanned documents look the same, but you can edit them as well!

That's *true* document understanding.


■ Advanced technology from Xerox delivers true accuracy

■ One key stroke is all it takes to recognise faxes, photocopies and dot matrix pages

■ Exclusive DocuRT™ technology re-creates cell tables to match the original, and even allows you to edit them

■ Instant Access OCR™ enables you to use TextBridge from within your current Windows™ application

Call now on +44 (0)1734 668421 to learn about the latest OCR technology from Xerox.



THE DOCUMENT COMPANY
XEROX

Unit 8, Suttons Business Park, Reading RG6 1AZ
Tel: +44 (0)1734 668421 Fax: +44 (0)1734 261913


The Optimal Choice



Jakob Nielsen

Paperback, £22.95, 480 pp.
ISBN: 0-12-518408-5


**NEW
RELEASE**



Jan Ozer

Paperback, £29.95, 387 pp.
ISBN: 0-12-531940-1
Includes one CD-ROM.

**NEW
RELEASE**




Steve Heller

Foreword by
Jeff Duntemann

Paperback, £29.95, 415 pp.
ISBN: 0-12-339095-8
Includes one 3.5" disk.

**NEW
RELEASE**



**Deni Connor
Mark Anderson**
Foreword by
John McCann


Paperback, £24.95, 412 pp.
ISBN: 0-12-194480-8
Includes one 3.5" disk.



Arch C. Luther


Paperback, £24.95, 297 pp.
ISBN: 0-12-460432-3
Includes one CD-ROM.

**NEW
RELEASE**




Michael J. Young

Paperback, £29.95, 303 pp.
ISBN: 0-12-773750-2
Includes one 3.5" disk.




**Ed Tittel
Margaret Robbins**

Paperback, £19.95, 298 pp.
ISBN: 0-12-691397-8



**Ed Tittel
Margaret Robbins**

Paperback, £19.95, 374 pp.
ISBN: 0-12-691393-5



Jeff Alger

Paperback, £29.95, 388 pp.
ISBN: 0-12-049940-1
Includes one 3.5" disk.


**NEW
RELEASE**



Peter Wayner

Paperback, £29.95, c. 350 pp.
ISBN: 0-12-738765-X

**NEW
RELEASE**



AP PROFESSIONAL

FREE
ISBN: 0-12-000016-4
CATALOG

Available From Your Local Bookseller

tel: +44 (0)171 267 4466 fax: +44 (0)171 485 4752

e-mail: app@apuk.co.uk

RYAN/AC/JM/ST/APP/LONDON 05055 3/95

AP PROFESSIONAL

24-28 Oval Road
London NW1 7DX

Our Best-Selling AP PROFESSIONAL Titles Are Available At These Fine Bookstores

| AUSTRIA | FINLAND | Köln | Waltmann | SLOVAKIA | UNITED KINGDOM |
|--|---|--|---|---|---|
| <p>Wien FRIC Technische Fachbuchhandlung 0222 317 8911 Lehrmittelzentrum 0222 587 10 06 Management Book Service 0222 317 8911</p> | <p>Helsinki Akateeminen Kirjakauppa 121 214 Suomalainen Kirjakauppa 651 855</p> | <p>J. F. Lehmanns Fachbuchhandlung e-mail: bestellung@jfl-lehmanns.de 0221 428153</p> | <p>Den Haag Boekhandel Verwijs 070 363 9718</p> | <p>Bratislava Manz 37 53 73</p> | <p>BRANCHES OF: Austick's Bookshops Blackwell's Retail Bookshop Group James Thin Limited John Smith & Son Limited Ottakars Bookshop Group Parks Bookshops Limited Students' Bookshop Limited The Modern Book Company Waterstone's Booksellers Limited Computer Manuals Limited 021 706 6000</p> |
| BELGIUM | FRANCE | Mainz | Eindhoven | SOUTH AFRICA | |
| <p>Angleur Office International de Librairie 32 41 67 83 85</p> | <p>Bordeaux Librairie Mollat 56 56 40 40</p> | <p>Johannes Gutenberg - Buchhandlung 06131 387011</p> | <p>Van Piere Boeken 040 44 4045</p> | <p>Cape Town Technical Books 021 216 540</p> | <p>Northlands Intersoft 011 7880953-4-5</p> |
| <p>Bruxelles Office International de Librairie 32 25 13 66 75</p> | <p>Grenoble Librairie Harel 76 54 53 62</p> | <p>Mannheim Löffler Fachbuch 0621 107830</p> | <p>Groningen Scholten's Writers Academic 050 139 788</p> | <p>Northlands Intersoft 011 7880953-4-5</p> | <p>Pretoria Haum Bookshop 012 437 382</p> |
| <p>Genf Boekenfonds Marnix 092 25 10 92</p> | <p>Lyon Librairie Decitre 72 40 54 82</p> | <p>Mönchengladbach Buchhandlung Peter Weda 02161 181674</p> | <p>Leiden Kooyker Boekhandel 071 16 0500</p> | <p>Maastricht Academische Boekhandel 043 8830 15</p> | <p>Rotterdam J. H. Donner Boekhandel 010 413 2070</p> |
| <p>Leuven Wouters Import (Wholesalers) 19 32 16 40 49 00</p> | <p>Nantes Librairie Medicale & Scientifique 40 47 06 66</p> | <p>München Universitätsbuchhandlung Lachner 089 521340</p> | <p>Utrecht Braese Kemink 030 31 3804</p> | <p>Madrid Libreria Castineira 533 82 01</p> | <p>Barcelona Diaz de Santos 93 212 86 47</p> |
| <p>Louvaine-La-Neuve Office International de Librairie 32 10 45 29 47</p> | <p>Paris Lavoisier 42 65 39 95</p> | <p>Stuttgart Buchhandlung Konrad Wittwer 0711 2507190 / 682709</p> | <p>Norway ABC Fagbokhandel 22207420</p> | <p>Oslo ABC Fagbokhandel 22207420</p> | <p>Belfast The Bookshop at Queen's 0248 353531</p> |
| <p>Croatia Algoritam Ltd 041 450 550 / 041 425 532</p> | <p>Toulouse L'Informatique 61 63 03 12</p> | <p>Italy Libreria Marzocco 55 282873</p> | <p>Poland Gambit 012 215911</p> | <p>Sweden Eckersteins 171100</p> | <p>Brighton Robinson's 0273 329012</p> |
| <p>Czech Republic Knithy Peroutka a Fiala 69 370 722</p> | <p>Germany Buchhandlung Kiepert KG (Hardenburgstr. 3-5) 030 3110090</p> | <p>ICELAND Boksala Studenta 91 615961</p> | <p>Trondheim Tapir 73593221</p> | <p>Warsaw A.B.E. 638 25 60</p> | <p>Bristol William George's 0272 276 602</p> |
| <p>Denmark FTU Boghandel 86 100 338</p> | <p>Darmstadt Hochschulbuchhandlung Wellnitz 06151 76548</p> | <p>Latvia Apperto Libro 283 810</p> | <p>Portugal Livaria Barata 1 848 16 31</p> | <p>Stockholm Akademibokhandeln 126284</p> | <p>Cambridge Galloway & Porter Ltd 0223 62876</p> |
| <p>Eire The Mercier Bookshops Limited 021 504 022</p> | <p>Erlangen Mencke-Blaesing Universitätsbuchhandlung 09131 78060</p> | <p>Luxembourg Librairie Promoculture Sarl 352 380691</p> | <p>Romania Books Unlimited 056 140 498</p> | <p>Switzerland Librairie Ellipse 41 22 731 5878</p> | <p>Colchester Hatchards Ltd 0206 561307</p> |
| <p>Finland Akateeminen Kirjakauppa 121 214</p> | <p>Frankfurt am Main Fachbuchhandlung für Informatik & Elektronik 069 280225</p> | <p>Netherlands Roodveldt Import BV 020 622 8035</p> | <p>Slovenia Knjigarna MK Konzorcij 61 159 7527</p> | <p>Umea Akademibokhandeln 121260</p> | <p>Coventry Warwick University Bookshop 0203 523388</p> |

EDITOR IN CHIEF
Raphael Needleman

Editor in Chief's Assistant: Linda Higgins

EXECUTIVE EDITORS
Rich Friedman, Jon Udell

CHIEF OF CORRESPONDENTS
Dennis Barker

MANAGING EDITOR
Lauren Stickler Thompson

ASSISTANT MANAGING EDITOR
Tom Kevan

NEWS
Peterborough:
News Editors: David L. Andrews,
Martha Hicks
New York:
News Editor: Salvatore Salamone
San Mateo/West Coast:
Bureau Chief: Andrew Reinhardt
Senior Editor: Tom Halffill
Frankfurt:
Senior Editor: Rainer Mauth

PRODUCT REVIEWS
Director: Stanford Diehl
Senior Technical Editors: Rick Grehan,
Douglas Tamasanis
Technical Editors: Rex Baldazo,
Selinda Chiquoine, David Essex,
Dave Rowell
Reviews Assistant: Lisa O'Neil

STATE OF THE ART/FEATURES
Peterborough:
Senior Editor: Alan Joch
Technical Editor: Russell Kay
Lexington:
Senior Editor: Edmund X. DeJesus

SENIOR TECHNICAL EDITOR
At Large: Tom Thompson

SENIOR RESEARCHER
Rowland Aertker

ASSOCIATE TECHNICAL EDITORS
Susan Colwell, Cathy Kingery,
Mark Reynolds, Warren Williamson

SENIOR CONTRIBUTING EDITOR
Jerry Pournelle

CONTRIBUTING EDITORS
Stephen Apik, Dick Pountain

CONSULTING EDITORS
Nicholas Baran, Raymond GA Côté,
Trevor Marshall, Stan Miastkowski,
Barry Nance, Roberta Pournelle,
Ellen Ullman, Peter Wayner

EDITORIAL ASSISTANTS
Tammy Grenier, June Sheldon

DESIGN
Design Director: Roger Goode
Associate Design Director/Design & Photography: Sharon Price
Associate Design Director/Graphics: Joseph A. Gallagher
Production Manager: David R. Anderson
Desktop Prepress Manager: Virginia Reardon
Designers: Barbara Busenbark, Jan Muller,
Donna Sweeney
Design Assistant: Cindy Sands

FINANCE AND OPERATIONS
Director: Claudia Flowers

ADVERTISING PRODUCTION
Advertising Production Manager: Linda Fluhr
Senior Advertising Services Representative: Lyda Clark
Advertising Services Representatives: Dale J. Christensen, Karen Cilley,
Rod Holden
Operations Assistant: Lisa Jo Steiner
Advertising Graphics Manager: Susan Kingsbury
Graphics Production Coordinator: Christa Patterson

FINANCE
Senior Financial Analyst: Kathleen Deguise
Systems Administrator: Peggy Dunham
Junior Financial Analyst: Diane Henry
Production Assistant/Purchaser: Agnes Perry

MARKETING AND PLANNING
Director: L. Bradley Browne
Administrative Assistant: Arja Neukam
Marketing Communications Manager: Rob Mitchell
Marketing Art Director: Stephanie Warnesky
Market Research Manager: William Zhao
Copyrights Manager: Faith Kluntz
Assistant Manager, Marketing Events: Carol Sanchioni

CIRCULATION
Director: Glyn Standen
Subscriptions Manager: Paul Ruess
Assistant Manager: Lynn Lagasse
Subscription Source Specialist: Christine Tourgee
Newsstand Manager: Vicki Weston
Assistant Manager: Karen Desroches
Back Issues: Jill Wood
Direct Accounts Coordinator: Ellen Dunbar

PUBLISHER
David B. Egan

Publisher's Assistant: Donna Nordlund

ADVERTISING SALES
NATIONAL ACCOUNTS
Kim Norris, Director (212) 512-2645
Jon Sawyer (603) 924-2665

NEW ENGLAND
Sanford L. Fibish (617) 860-6344
Merle Model (617) 860-6221

MID-ATLANTIC
Michael Feinberg (212) 512-4811
Susan Rastellini (617) 860-6265

SOUTHEAST
Mary Ann Goulding (404) 843-4782
Margot Swanson (603) 924-2651

MIDWEST
Lori Silverstein (614) 899-4908
Ed Ware (603) 924-2664

SOUTHWEST, ROCKY MOUNTAIN
Jennifer Walker (214) 701-8496
Kevin Lary (603) 924-2527

SOUTH PACIFIC
Beth Dudas (714) 753-8140
Mark Speros (714) 753-8140
Brad Dixon (603) 924-2574

NORTH PACIFIC
Roy J. Kops (415) 513-6861
Susan Werner (415) 513-6862
James Bail (603) 924-2662

INSIDE ADVERTISING SALES
Director of Sales Operations: Diane Lieberman
Assistants: Susan Monkton, Vivian Bernier

THE BUYER'S MART (1 x 2) and
HARDWARE/SOFTWARE SHOWCASE
Ellen Perham (603) 924-2598
Mark Stone (603) 924-2695

REGIONAL
Brian Higgins (603) 924-2596

BYTE DECK
Brian Higgins (603) 924-2596

EURO-DECK
Joseph Mabe (603) 924-2533

INTERNATIONAL ADVERTISING SALES STAFF
See listing on page 255.

PERSONNEL
Human Resources Administrator: Patricia Burke
Assistant: Fran Wozniak
Receptionist: Beverly Goss

How to Contact the Editors

We welcome your questions, comments, complaints, kudos, and submissions.

MAIN OFFICE: One Phoenix Mill Lane, Peterborough, NH 03458, (603) 924-9281.

San Mateo: 1900 O'Farrell St. #200, San Mateo, CA 94403, (415) 513-6912.

New York: 1221 Avenue of the Americas, New York, NY 10020, (212) 512-3175.

Lexington: 24 Hartwell Ave., Lexington, MA 02173, (617) 863-5100.

GERMANY/EUROPE: Liebigstrasse No. 19, 60323 Frankfurt, Germany, +49 69 7140 7123.

ELECTRONIC MAIL: On BIX, send to "editors." All BYTE editors and columnists also have individual mailboxes on BIX for easy access.

MCI: 250-0135 BYTE Magazine. Many editors also have individual MCI addresses in their own name.

OTHERS: Many editors also are reachable through unet, AppleLink, CompuServe, and numerous other services.

U.S. fax: Editorial: (603) 924-2550

Advertising: (603) 924-7507

U.K. fax: +44 71 495 6734

SUBMISSIONS:

Authors: We welcome article proposals and submissions. Unacceptable manuscripts will be returned if accompanied by sufficient return postage. Not responsible for lost manuscripts or photos.

Vendors: We welcome news of your new products; please call the News department or the BYTE Lab at the earliest possible date. We cannot be responsible for unsolicited product samples.

ARTICLE REPRINTS:


For price quotations on customized reprints of BYTE articles, contact Susan Monkton, reprints manager, at (603) 924-2618. (Minimum quantity: 500.)

Subscription Customer Service

Inside U.S. (800) 232-BYTE; outside U.S. +609 426 7676. International subscribers may also contact our international customer service facility in Galway, Ireland, by calling +353 91 752792 or via fax: +353 91 752 793. **For a new subscription, (800) 257-9402 U.S. only,** or write to BYTE Subscription Dept., P.O. Box 555, Hightstown, NJ 08520. Subscriptions are \$29.95 for one year, \$54.95 for two years, and \$74.95 for three years in the U.S. and its possessions. In Canada and Mexico, \$34.95 for one year, \$64.95 for two years, \$87.95 for three years. In Europe, £42 (US\$60) for fast surface delivery, £55 (US\$80) for air delivery. Non-European countries US\$60 for surface mail, or US\$85 for air mail. Single copy price is \$3.95 in the U.S. and its possessions, \$4.95 in Canada. Foreign subscriptions and sales should be remitted in U.S. funds drawn on a U.S. bank. Please allow six to eight weeks for delivery of first issue.

PHOTOCOPY PERMISSION:

Where necessary, permission is granted by the copyright owner for those registered with the Copyright Clearance Center (CCC), 222 Rosewood Dr., Danvers, MA 01923, to photocopy any article herein for personal or internal reference use only for the flat fee of \$1.50 per copy of the article or any part thereof. Correspondence and payment should be sent directly to the CCC, 222 Rosewood Dr., Danvers, MA 01923. Specify ISSN 0360-5280, \$1.50. Copying done for other than personal or internal reference use without the permission of McGraw-Hill, Inc., is prohibited. Requests for special permission or bulk orders should be addressed to Faith Kluntz, copyrights manager, (603) 924-2525. BYTE is available in microform from University Microfilms International, 300 North Zeeb Rd., Dept. PR, Ann Arbor, MI 48106 or 18 Bedford Row, Dept. PR, London, WC1R 4EJ, U.K.

Copyright © 1995 by McGraw-Hill, Inc. All rights reserved. BYTE and  are registered trademarks of McGraw-Hill, Inc. Trademark registered in the United States Patent and Trademark Office.

 Member Audit Bureau of Circulation

Founder: James H. McGraw (1860-1948).

BIX Interactive On-line Service

MANAGING EDITOR
Christine Taylor

EXCHANGE EDITORS
Amiga Exchange: Joanne Dow
Entertainment and Leisure Exchange: Rich Taylor
IBM Exchange: Barry Nance
Programmers Exchange: Bill Nicholls
Professionals Exchange: David Reed
Tajiri Exchange: Jerry Pournelle
WIX Exchange: Karen Kenworthy
Writers Exchange: Wayne Rash Jr.

TECHNICAL ASSOCIATE
Mark Lavi

BIX, owned and operated by Delphi Internet Services Corporation, is a worldwide, low-cost, on-line information service featuring industry news, downloadable software, powerful electronic mail, previews of upcoming BYTE articles, the full text of published issues of BYTE, and source and/or executable code for BYTE benchmarks and noncommercial software mentioned in feature articles. BIX also offers unmatched "conferences" on virtually every computer-related topic imaginable, where you can share information with thousands of other computer pros. To subscribe via modem, set your communications software to full duplex, 7 bits, even parity, 1 stop bit, and then call (800) 695-4882 or (617) 491-5410, or telnet to x25.bix.com and type "bix" at the USERNAME prompt. At the Name? prompt, type bix.ville. For more information, call (800) 695-4775 or (617) 354-4137 (voice); send a fax to (617) 491-6642; or send Internet mail to info@bix.com.

MEMBER SERVICES MANAGER
Kevin Plankey

OFFICERS OF MCGRAW-HILL, INC.:

Chairman and Chief Executive Officer: Joseph L. Dionne; **President and Chief Operating Officer:** Harold W. McGraw III; **Executive Vice President, General Counsel, and Secretary:** Robert N. Landes; **Executive Vice President and Chief Financial Officer:** Robert J. Bahash; **Senior Vice President, Treasury Operations:** Frank D. Penglase; **Executive Vice President, Publication Services:** Norbert Schumacher.

Integrating Computers in Schools

Andy Reinhardt's article "New Ways to Learn" (March) is an excellent introduction to current computer technology in schools and the possibilities it entails. It will greatly aid my mission to get administrators and teachers in our middle school to discover these resources. My years of experience with this issue very much parallels what Reinhardt reports, including using much of the same software he mentions.

Gary Mattson
Marina Middle School
San Francisco, CA

I've been reading BYTE for almost 20 years because of its well-earned reputation for factual evaluations of hardware and software. Your issue on education is the antithesis. Computers belong in the classroom, not in a computer technology magazine. My wife, who teaches third graders, uses computers effectively by concentrating on what they do best for students. In 1994, her third-grade students competed against fifth graders in a national NASA/NSTA science contest and placed first and second in California and second in the nation. She *does not* use any of the "edutainment" materials by the parfait providers featured in your multimedia splash.

Larry Severson
science@macropress.com

Editorializing

I found Rafe Needleman's March Editorial about the Pentium—and life for that matter—to be a great insight on the human learning condition. Flaws sometimes have to be accepted as fact—as real as taxes and death.

Greg Zerkis
zerkis@radiomail.net

Rafe Needleman incorrectly excuses Intel for the Pentium division error. While I agree that certain classes of bugs are inevitable even after a rigorous test suite, the floating-point divide glitch was inexcusable. This is not some esoteric bug that would only show up after an odd combi-

nation of instructions was executed. It requires less than a second to determine that each element of a lookup table is correct.

John Waring
Orleans, Ontario, Canada

8-mm Tape Blunder

Our March Lab Report, "26 Safeguards Against LAN Data Loss" does injustice to Exabyte. In 1987, Exabyte adapted tape drive transport mechanisms and media for 8-millimeter tape systems from the consumer video industry. Since then, Exabyte has completely redesigned the systems for data processing, so the drives are no longer videocassette products. In comparing 8-mm tapes to DLT tapes (page 154), we should have stated 16,000 hours for the head life of an 8-mm tape rather than the 2000 hours of earlier models. Another innovation is that Exabyte's drives with the XL suffix, such as the EXB-8505XL drive we tested, hold 7 GB of uncompressed data, as stated in our roll call but not in the article's introduction. We apologize to Exabyte and to other vendors of 8-mm tape drives for these errors.—Eds.

Simplifying WWW Publishing with SGML

In the text box "A Vision for a More Sophisticated HTML" (News & Views, March, page 30), the idea that different browsers support different levels of HTML is just plain crazy. It would be much simpler to have all HTML browsers accept *full SGML* tagging rather than to create more versions of HTML. All browsers would render all tag sets, including all varieties of HTML and even incompatible HTML versions and tag sets that haven't even been developed yet. Documents could have a unique tag set, and authors and users would gain control of the rendering. The rendering table should be dynamically loaded; it is not necessary to have full SGML smarts in an SGML-rendering browser.

Bob Goldstein
Computer Center
University of Illinois at Chicago
bobjg@uic.edu

The Internet Mirrors Society

In the March Commentary "Bosnia On-Line," I was dismayed to see George Bond uncritically swallow Canter and Siegel's self-serving pose as victims of "antibusi-

ness bias." Thousands of businesses operate on the Internet without incident by observing basic Internet courtesies. If Bond really wants to see the Internet become more civilized, he ought to support its taboos against antisocial behavior. Treating people whose conduct earns them scorn and ostracism as victims isn't good for real-world society, and it wouldn't be any better for Internet society.

Stephen Brinich
Arlington, VA
steve-g@digex.net

Putting Pattern Recognition Technology to Work


Edmund DeJesus' February article "Face Values" was interesting and inspiring. I think I'll keep a Bill Gates photo handy when ATMs with facial recognition become operative.

Alberto Quario
Computer Science Dept. of
Milan State University, Italy
quario@dsi.unimi.it

The Pentium FPU Bug Unveiled

Tom Halfhill's "The Truth Behind the Pentium Bug" (March) is the most accurate piece I have seen on the subject. Much has been written about the Pentium processor episode, most of it flat wrong. Good work.

Mike Barton
Manager of Technical Applications
Intel Software Technology Lab



Native-Mode Benchmark Requests

Rick Grehan's March article on BYTE's new native-mode cross-platform benchmark suite was well written, and I look forward to trying it on several of our systems that have our new IDT/Mips R4700 processor. The earlier suite was always one of the first things we ran when a new system became available, and several

We want to hear from you. Address correspondence to Letters Editor, BYTE, One Phoenix Mill Lane, Peterborough, NH 03458; or you can send E-mail via the Internet or BIX to editors@bix.com. Letters may be edited.

OEM's included the results in marketing brochures. Please send me the suite.

Scott Gardner
Manager, Systems Technology Group
Integrated Device Technology
Santa Clara, CA

To receive a copy of BYTE's new low-level cross-platform benchmarks, send E-mail to editors@bix.com and include your mailing address with a list of the platforms you'd like. Each platform description should state the CPU type and OS. We'll send you disks that include full documentation and source code with DOS executable files. You may compile the tests for new platforms as you need them. We do have a few stipulations regarding how to report results, so please read the read.me file carefully. Soon we will post these benchmark tests at an ftp site, on CompuServe, and on the World Wide Web. If you have technical problems or questions, contact Rick Grehan at rick_g@bix.com or send E-mail to editors@bix.com. We will also appreciate feedback concerning your experiences putting these tests to work.—Eds.

Vines on the Enterprise

Your February software roundup entitled "Networks for the Enterprise" proposed to deal with the major "enterprise" NOSes (network operating systems), but it did not include an evaluation of Banyan Vines. The reason? "Hardware incompatibility forced us to drop the product from our evaluation." Banyan *invented* enterprise networking and Vines is the *only* NOS that is up to the demands of the enterprise.

John Daggan
Senior Network Analyst
727-1881@mcimail.com

BYTE's Past

I found Jon Udell's February article on NetWare informative, but my interest was piqued when I read that the original server was named Guernsey. I was born and raised in the Channel Island of Guernsey, 20 miles off the coast of France. What possessed you to use such an unusual name?

Rob Fulwell
miser@maxwell.ee.washington.edu

The BYTE building, in scenic downtown Peterborough, New Hampshire (pop. <5000), was the original headquarters of the American Guernsey Cattle Club. When BYTE moved in, many boxes of cattle registrations and breeding records moved out. For a while, our editors enjoyed free Guernsey milk from the vending machines. Incidentally, we named one of our servers Ourtown because Peterborough was the location that inspired Thornton Wilder's *Our Town*.—Jon Udell

The OS/2 and Windows War

Barry Nance's "Big Blue's Speed Trip" (March) sounded like it was written by a politician. OS/2 advocates are getting scared of Windows 95, just like politicians up for reelection with the polls against them. Nance states that "Warp is a more mature operating system than... Windows 95," and "Unlike Warp, Windows 95 will have a hard time running in 4 MB of RAM." Not only are these statements false but his article doesn't substantiate them. I'm running Windows 95 on a 386 with 4 MB of RAM, emulating a NetWare server. Granted, our 386 runs about one-fifth the speed of our \$40,000 Compaq server, but that's pretty good for a \$500 machine.

Earl and Cathy Malmrose
malmrose@cyberspace.com

What a pleasant surprise to read your thorough article on OS/2 (aka Warp). I was a reluctant convert to OS/2 when 2.0 was released, and I wasn't prepared for the difference a robust OS would make in the day-to-day use of my computer. I went with OS/2 to use SAS Institute's Statistical Analysis System for OS/2. I stayed with OS/2 because I couldn't believe the difference it made for my DOS applications. That was on a 20-MHz 386SX with 8 MB of RAM. With Warp and 16 MB on a Pentium, it's even nicer. But the performance improvement from changing hardware pales compared to the difference that moving from DOS (and intermittent use of Windows) made. That was three years ago. Those who make the shift now will be even more favorably impressed by OS/2.

Michael S. Lundy, M.D., M.S.
76420.1554@compuserve.com

Why I'm a 20-Year Subscriber

I read a variety of PC magazines but subscribe to only a few. BYTE is on that short list, and the March issue exemplifies why: In the Lab Report, your explanation of how each of the tape systems work filled a gap in my understanding. Also, George Bond's "Bosnia On-Line" reminded me that as the technical becomes more commonplace, the trials and tribulations of the real world will intrude. Finally, "New Ways to Learn" helped me think of better ways to use my organization's PC tools to improve employees' skills.

Theron Patrick
TheronP@aol.com

FIXES

In the Lab Report's roll call (March, page 160), the first number cited in the column entitled Sustained Transfer Rate Compressed KBps is the Average Access Time in MBps.

In testing many IBM ThinkPads, we found that in our March review of the ThinkPad 755CD (page 129), the indexes for the Integer Index and the Floating-Point Index are wrong. Its integer index is .626 (not .26), and the FPU index is .37 (not 0.14).

In our February issue (page 24), the phone number for Vitec (France), winner of last Comdex's Best Multimedia Hardware award, included a typo. The correct phone number is +33 1 46 73 06 06. ■

COMING UP IN JUNE

• DIGITAL CASH

Six proposed standards for secure transactions over the lines.

• SUPPORTING VIRTUAL OFFICES

How Xerox supports and manages its remote work force.

• 39 V.34 MODEMS

Test results of 39 sets of 28.8-Kbps modems, both external and PCMCIA models.

• SPECIAL REPORT: MOBILE COMPUTING

The technical challenges facing developers of portable hardware and networking solutions.


• SPREADSHEETS FOR OS/2

If you have just chosen Warp, this review will help you choose a spreadsheet that runs on it.


If you think Exabyte is just 8mm, think again. Today, Exabyte is Everywhere.

- ▶ High capacity
- ▶ Superior reliability
- ▶ Software compatibility
- ▶ Worldwide support
- ▶ Tape media products
- ▶ Certified service

8 MILLIMETER



4 MILLIMETER



QUARTER-INCH



LIBRARIES



It's easy to think of Exabyte as the company that pioneered helical-scan 8mm tape backup and restore technologies. But today, Exabyte is much more. We offer customers worldwide a full line of backup and restore products—8mm, 4mm and quarter-inch minicartridge tape drives, automated tape libraries, certified media products and service—all with the Exabyte name.

We're not just 8mm anymore. Today, Exabyte is Everywhere.

EXABYTE® 

In North America, call our office at 1-800-EXABYTE. In Europe, call The Netherlands office at 31-3403-51347. Or in Asia, call our Singapore office at 65-2716331.

©1995 Exabyte Corporation. Exabyte is a registered trademark and "Exabyte is Everywhere" is a trademark of Exabyte Corporation. Exabyte Corporation, 1685 38th Street, Boulder, Colorado 80301 USA. Phone (303) 442-4333.

Circle 77 on Inquiry Card (RESELLERS: 78).



PHILIPS INVENTS

Brilliance 21A Monitor with CyberScreen® Technology

It's hard to imagine how


you can improve the picture quality of a Brilliance Monitor. But take a look at the new Brilliance 21A with CyberScreen Technology and you'll see that Philips' latest invention has just done that. Philips 21 inch with CyberScreen Technology is the world's first totally digitalized monitor. This means that it gives you unparalleled monitor performance in terms of digital convergence correction and colour

and brightness uniformity right to the very edge of the screen. This degree of accuracy is absolutely essential for design work, DTP, CAD/CAM and all operations where colour matching is critical. CyberScreen Technology also features the magnetometer which completely neutralizes magnetic variations. So take a look at the Philips 21A with CyberScreen Technology and you'll be amazed just how clever Brilliance can be. **CyberScreen®**
TECHNOLOGY

Look how clever Brilliance

BRILLIANCE®
HIGH RESOLUTION MONITORS

®Brilliance and CyberScreen are registered trademarks of Philips Electronics N.V.



can be.

**PHILIPS
INVENTS
FOR
YOU**



PHILIPS

Circle 524 on Inquiry Card.

News & Views

PC DATABASES

Desktop Databases Pack More Power

PC database vendors are touting the ability of their products to scale from the desktop to the enterprise. But a closer look at today's PC databases reveals that vendors' definitions of scalability vary widely.

BY JANE RICHTER

You're going to hear a lot about database scalability in the coming months. The PC's ever increasing capabilities let vendors deploy powerful database applications on the business desktop. But a close examination of PC databases reveals that definitions of scalability can vary widely.

An early definition of *scalability* referred to a Scalable Processor ARChitecture (the ANSI/SPARC standard) used to implement different technologies with hardware components of potentially many different sources and sizes. To be scalable, a system must have the ability to add or replace components in the system architecture. In today's software market, two complementary forms of scalability exist.

In its first form, scalability refers to the ability of an application to support multiple, concurrent processors. This horizontal scaling allows users to increase processing power without having to change applications, operating systems, or even computers. In this scenario, when you add a CPU, the system transparently handles data location and transaction distribution.

In its second form, scalability is the ability to create an application for potential use on many different computers and platforms. In the strictest sense, this type of scalability, called *vertical scaling*, refers to the ability to move an application among multiple computing platforms.

Vertical scaling's success requires equivalent database prod-

ucts across all platforms and depends upon the consistency of the languages and APIs between platforms. Only a limited number of products support this type of vertical scaling for the PC user. Ashton Tate, creators of dBase, published equivalent versions of dBase for the DOS, Mac, and Unix platforms (Borland, which acquired Ashton Tate, has yet to do so). Gupta's SQLBase also supports vertical scaling between its DOS, NLM (NetWare loadable module), Windows, NT, SunOS, and OS/2 offerings. Oracle's Workgroup 2000 (Personal Oracle7, Oracle Objects for OLE, and the upcoming Oracle Power Objects) allows applications to run interchangeably between Windows, Mac, and OS/2 versions.

However, many other database vendors define scalability as the ability to use a single application, or front end, to access data and services on multiple computing platforms, or back ends. With front-end scalability, applications designed on a single platform (typically DOS, Windows, or Mac) access data stored on a variety of back-end products and platforms. In addition to consistency between languages and APIs, front-end scalability also requires tools to support communication and reliable data transfer between various hardware platforms and software packages.

Many full-featured database products, such as Borland's Paradox and dBase software, Lotus Approach, Microsoft Access, and FoxPro (including the forthcoming Visual FoxPro), allow front-end application development and offer access to data stored on a variety of database servers, including MS SQL Server, Oracle, Sybase, and those offering ODBC (Open Database Connectivity).

Database Checklist

The four primary considerations when evaluating a complex database system are interoperability, affordability, adaptability, and scalability. Interoperability allows you to pick the best components—both hardware and software—and know that they will work well together. Adaptability guarantees the system will accommodate advances in technology. Affordability takes advantage of the plummeting prices in the personal computer and LAN markets. Scalability ensures the ability to add or reduce components to a system to adjust for changing business requirements. Scalability ensures that a database system will always meet your business needs. If your company downsizes, your database application downsizes with you. If your company grows, your system grows.

Microsoft takes Access one step further with an Upsizing Wizard that converts stand-alone database applications to an Access front-end and a Microsoft SQL Server back-end. In addition, a whole genre of products, such as Gupta's SQLWindows and Sybase's PowerBuilder, are designed specifically for scalable front-end development.

To implement front-end scalability, cross-vendor software solutions rely on standards, and standards typically lag behind technology. Both the SQL Access Group's SQL standard and Microsoft's vendor-neutral ODBC standard make it possible to develop applications using sophisticated database server software while taking advantage of the ease of use and relatively low cost of hardware and software on the personal computer platforms. The problem: To take advantage of nonstandard functionality (which typically includes vendor-specific features and recent innovations), the developer must sacrifice scalability. This is why many vendors refer to ODBC as the least-common-denominator approach. For example, neither the SQL Access Group nor ODBC take advantage of triggers or stored procedures.

Single-vendor front-end development (using front-end and back-end software from the same vendor) guarantees both language and API consistency. Though single-vendor solutions tend to rely on proprietary technologies, which creates a dependency on that vendor, these solutions let developers take full advantage of the vendor's extended feature set.

These homogenous solutions introduce one more exciting prospect for the PC database developer: the possibility of developing truly scalable database applications (not just front ends) on the PC. Gupta's continued development of SQLWindows, Sybase's purchase of Powersoft (publishers of PowerBuilder), and the release of the Personal Oracle7 products bode well for future scalability in PC database development.

Wireless Bridges Grow as Campus Link

Wireless interbuilding LAN hardware products:
Revenue forecast, in millions, U.S. dollars



Source: Frost and Sullivan (Mountain View, CA (415) 961-9000), 1994

Frost and Sullivan expects businesses to increasingly turn to wireless bridges from companies like Solectek, Windata, Persoft, Proxim, and Cylink for building-to-building (aka campus) networking. Wireless bridges, unlike a frame relay or T1 link, don't require you to dig trenches to link two buildings.

Proxim (Mountain View, CA (415) 960-1630) recently introduced a line of low-cost wireless bridging solutions that range in price from \$2975 to \$3725 per antenna and offer throughput ranging from 500 Kbps to 1.2 Mbps. The initial install of a 1.5-Mbps T1 line can cost about \$11,000, and customers must also pay monthly fees of about \$300.

120-MHZ PENTIUM PCS

Pentium Dream Systems Arrive


PCs based on Intel's new 120-MHz Pentium should quench the most demanding power user's need for speed. In addition to the faster processor, the first of these new systems that BYTE tested offer a wealth of features while preparing users for the next generation of multimedia applications. The new systems based on the 3.3-V, 120-MHz processor should start shipping in April from vendors (in reduced quantities until June).

BYTE looked at early 120-MHz units from Micron (Nampa, ID, (800) 233-7027 or (208) 463-3434) and Gateway 2000 (N. Sioux City, SD, (800) 846-2000 or (605) 232-2000). Both systems use Intel's Triton PCI chip set to support fast EDO (extended data out) memory (16 MB standard on both systems) and 256 KB of synchronous burst cache. This chip set also prepares the systems for future native signal processing applications (see BYTE's March 1995 issue, page 38).

Micron's P120 Millennia miniature tower case includes a Micronics motherboard and a 1.3-GB Conner IDE drive, quad-speed Enhanced IDE Sony CD-ROM drive, and bundled Microsoft software. The \$3799 price also includes a 15-inch monitor, Diamond Stealth 2-MB VRAM graphics card, and SoundBlaster 16 audio card.

At \$4299, Gateway 2000's P5-120 tower system includes luxuries like a 1.62-GB Western Digital IDE hard drive, a three-disc, quad-speed Sanyo CD-ROM drive, 17-inch Vivitron monitor, 2-MB VRAM ATI

New Pentium systems such as Micron's (lower left) and Gateway's offer plenty of power.



Mach 64 card, 28.8-Kbps modem with TelePath IIv telephone answering device, Esoniq 16-bit sound card, Altec Lansing ACS-31 speakers, and bundled Microsoft software. Gateway uses an Intel motherboard.


Running BYTE's Native-Mode benchmarks showed precisely what one would expect for a 120-MHz Pentium machine. On the integer test, the ratio of the scores to our baseline 90-MHz Dell system's score was 1.33 and 1.32, the same as the 120-to-90 ratio of clock speeds. The 120-MHz Pentium chip, which currently sells for \$935, is 1.71 times the price of the 90-MHz Pentium (\$546). However, power users will find much to like in these new systems; more patient users will likely wait for Intel to lower the price it charges system vendors for the new 120-MHz part.

—Rick Grehan

120-MHz Pentium systems' integer and floating-point benchmark results.
(A 90-MHz Pentium Dell XPS/90 scores a 1.00 on both tests.)

| | MICRON | GATEWAY |
|----------------|--------|---------|
| Integer | 1.33 | 1.32 |
| Floating Point | 1.30 | 1.29 |

THE NEW SATELLITE MULTIMEDIA TO GO AT



You only need one computer:
With an optional Port Replicator
you have one-step connection to
your desktop environment.



Multimedia to go: You can now perform
interactive multimedia presentations, retrieve information
from large databases and run the hottest educational and
entertainment software – wherever you go.

Built-in power supply:
Engineered for ultimate portability,
there's no bulky external AC adapter
to carry, just a slim power cord.



Expansion capabilities:

Two stacked PCMCIA slots
(two Type I-II or one Type III) make
room for on-the-road data/fax
modems, networking adapters, hard
drives and many more options.



The power of multimedia is all packed
up and ready to go. The affordable new
Toshiba Satellite Pro™ T2150CD Series
with a built-in CD-ROM drive is the ulti-
mate in performance and portability. It has a
super-quick 75MHz processor and an AccuPoint™

Satellite Pro™
\$3749*

Prices starting at

integrated pointing device. Plus it's
loaded with everything you need for
dynamic multimedia presentations,
including built-in stereo sound and
a brilliant 10.4" diagonal color display.

Call 1-800-457-7777 for your nearest dealer.

T2150CDT

- 10.4" dia. color active matrix display
- 8MB RAM expandable to 32MB

T2150CDS

- 10.4" dia. color DSTN dual-scan display
- 4MB RAM expandable to 28MB

BOTH MODELS

- 75MHz Intel DX4™, 3.3v
- 520 Million Bytes (=500MB) HDD

- Integrated 5.25" CD-ROM drive
- Integrated math coprocessor
- 16KB of cache
- Two stacked PCMCIA (PC Card) slots (two Type I-II or one Type III)
- AccuPoint™ integrated pointing device
- VL local-bus video
- Integrated graphics accelerator
- External 3.5" floppy drive included

- NiMH battery with Toshiba MaxTime™ Power Management
- Audio jacks: headphone/speaker, microphone
- Sound Blaster™ Pro compatible, WAV and MIDI sound support
- Pre-installed software: MS-DOS®, Microsoft Windows™ or Windows for Workgroups®, Video for Windows™, Run Time and Indeo™ video

- 6.9 lbs.
- Multimedia help kit
- 3 year limited warranty
- Toll-free Technical Support – 7 days a week, 24 hours a day



PRO™ WITH CD-ROM. A PRICE YOU CAN TAKE.




In Touch with Tomorrow
TOSHIBA

©1995 Toshiba America Information Systems, Inc. The Intel Inside logo is a trademark of Intel Corporation. All products indicated by trademark symbols are trademarked and/or registered by their respective companies. ★ T2150CDS. Reseller prices may differ. All prices and specifications are subject to change. Shipping, handling, and applicable sales tax not included.

Circle 117 on Inquiry Card.

VIRTUAL REALITY

VR Can Improve Your Health



Virtual reality can help surgeons preview a patient's internal anatomy. A Silicon Graphics Onyx RealityEngine2 generated this simulation in preparation for laparoscopic surgery.

Medical education and surgery professionals are using VR (virtual reality), a technology often associated with interactive, computer-generated graphics and immersive environments, to fundamentally alter and improve the way medical care is taught and delivered. Whether used for remote education or to improve surgical skills, VR is impacting a variety of medical disciplines.

One such discipline is the innovative medical procedure called laparoscopic (aka key hole) surgery. In this minimally invasive procedure, a doctor performs an operation by guiding an elongated surgical instrument through a tiny hole in the patient. Laparoscopic surgery can eliminate ugly postsurgical scars, but it is a difficult skill to perfect. To help doctors hone their skills, several companies are developing laparoscopic simulators.

These simulator systems typically feature a mannequin into which real laparoscopic instruments—or some other apparatus that operators can manipulate—are inserted. Surgeons look at a video monitor as they would in actual surgery but view a computer-generated

anatomy instead of the real thing. As the surgeon maneuvers the instruments to cut, stitch, and perform other tasks, force feedback controls in the mannequin simulate such realistic responses as resistance to encounters with bone or bleeding from an incision.

Laparoscopic simulators are now being integrated into instructional training systems. At the third annual "Virtual Reality Meets Medicine" conference recently held in San Diego, companies such as Cine-Med (Woodbury, CT (203) 263-0006), Ethicon Endo-Surgery (Cincinnati, OH (513) 786-7000), and High Techsplinations (Rockville, MD (301) 984-3706) all described laparoscopic simulator systems that should be available for evaluation in teaching hospitals this year. These first-generation simulators will likely be used to teach residents basic laparoscopic skills and measure their performance. These systems can improve training in a safe and controlled environment.

Applications that simulate human response to medication can benefit other medical dis-

ciplines. For example, CAE Electronics, Inc. (Binghamton, NY (607) 721-4552) and Loral Data Systems (Sarasota, FL (813) 371-0811) sell life-like simulator systems to help train anesthesiologists. As with some laparoscopic simulators, these systems feature a fully instrumented mannequin that breathes and reacts just like a human patient. By creating this virtual patient environment, anesthesiologists can practice emergency techniques or rare event scenarios. Systems such as this are analogous to mature flight simulator systems used to train pilots.

In neurosurgery, new navigation and multimodality imaging tools can precisely guide surgical tools through brain tis-



A new stereotactic surgical microscope from Carl Zeiss (Thornwood, NY) can superimpose diagnostic images, such as MR (Magnetic Resonance) data, into the eyepiece of the microscope, thus helping surgeons detect the boundaries of a tumor, navigate precisely, and zoom through the MR data to preview what they will encounter next.

sue to the site of a tumor. A new stereotactic surgical microscope from Carl Zeiss (Thornwood, NY (914) 681-7768) can superimpose diagnostic images, such as MR (Magnetic Resonance) data, into the eyepiece of the microscope. This image corresponds exactly to the part of the brain on which the microscope is focused, letting the surgeon see

the tissue in two modes. This helps detect the boundaries of the tumor, which are not always visible to the eye. By focusing the microscope forward, surgeons can zoom through the MR data to preview what they will encounter next. Precise navigation improves effectiveness and reduces trauma and damage.

Virtual reality technology is also impacting an area called telemedicine, in which advanced telecommunication systems deliver medical care to remote sites. Dozens of states and organizations are working on demonstration systems, including ones devoted to telesurgery. While the military is funding most early development, researchers see civilian applications for rural emergency surgical care as well.

Prototype telemedicine systems feature two stations: one at which the surgeon sits and a remote station that manipulates instruments to actually perform the surgery. The system features a live 3-D video and audio link and a data channel that carries data to precisely mimic the surgical instrument's movements at the remote site. Developers have already demonstrated systems that can perform delicate surgical procedures.

Head-mounted displays are often more practical than monitors in surgery. They are typically the see-through type or the type that occlude only part of the surgeon's vision, as do bifocal glasses. Experts see these as a more natural interface for a new generation of 3-D endoscopes now coming to market. Such systems promise to help improve hand-eye coordination over the current 2-D laparoscopic environment.

—Chris Chincock

A Database Server Should Expand Your Horizons, Not Your Budget.

Presenting Watcom SQL, the industrial strength database server that makes widespread deployment of PC client/server applications both simple and inexpensive. Watcom SQL's advanced technology offers you unparalleled performance and flexibility, making it ideal for single user, workgroup and departmental applications — from branch office systems to mobile field force automation.

Installed and Running in Minutes. Setting up Watcom SQL is quick and easy. But for real convenience, many users build it right into the installation process of their own applications. Imagine, SQL database deployment so easy end-users may not even realize they've installed it.

High Performance Right Out of the Box. The high speed query optimizer of Watcom SQL is the key to its impressive performance. Not only does it tune each query individually, it delivers high performance without expert attention. Better still, it comes as standard equipment in every box.

Big Performance. Small Footprint. Watcom SQL is as efficient as it is powerful. Because it was designed for PC environments, it minimizes its use of disk and memory. Watcom SQL also runs quite comfortably on the same machine as an application —

particularly important in mobile, standalone and peer-to-peer networks. Of course, on advanced servers, Watcom SQL shines even brighter by taking full advantage of increased memory and RAID storage.

Yes, The Price Really is That Low. Watcom SQL is priced to make widespread deployment inexpensive. A 6-user network server is only \$795*. And for volume deployments, our "Gold Disk" licenses offer significant savings.

Your horizons become limitless using Watcom SQL. From one server to a hundred thousand — on Windows, Windows NT, OS/2 or NetWare. With hundreds of thousands already installed, Watcom SQL is the proven choice for widespread deployment.

Expand your horizons. Call us today for the opportunity to try Watcom SQL 4.0 free for 30 days, or to reserve your seat at a free half day seminar on "Cost-effective Widespread Deployment of Client/Server Solutions" in a city near you.

1-800-395-3525

Circle 123 on
Inquiry card.

Watcom

A Powersoft Company

Watcom and the Lightning Device are trademarks of Watcom International Corporation. Other trademarks are the properties of their respective owners. Copyright 1995 Watcom International Corporation. *Prices in US dollars.



Come see us at
Booth #428

Circle 123 on Inquiry Card.

IF THIS IS HOW YOU



● Datapro on CD-ROM

Now you gain virtually instant access to Datapro's product and technology services from your own PC, with Datapro on CD-ROM.

Menu-driven software makes it simple to browse through the table of contents or search by keywords and subject to get fast answers to all your technology questions. And you can simultaneously view multiple reports and cut and paste between applications to custom-tailor analyses. Available in both Windows and DOS.

KEEP PACE WITH THE NEWEST INFORMATION TECHNOLOGIES, YOU NEED PROFESSIONAL HELP

PRESENTING THE FULL LINE OF DATAPRO INFORMATION SERVICES

Downsizing. Wireless. Client-server computing. Multimedia. ATM. Strategic planning and sound business decisions depend upon keeping up with the latest information technologies.

But you probably need a supercomputer to sort through all the publications that end up on your desk. Sure, consultants can help, as long as you're willing to pay as you go.

Isn't it time you turned to Datapro information services?

For over two decades Datapro's unmatched information services have helped users, buyers, and managers of information technology plan effectively. And Datapro has been there every step of the way—from mainframes and dumb terminals, through the PC revolution, to the rise of internetworks.

Today, with its staff of over 400 specialists and more than 100 expert analysts, Datapro has the resources to address virtually every critical issue in computing and communications.

An essential resource for anyone who must evaluate, implement, or manage technology.

Whether you want a quick overview or are looking to build a complete library of research materials, Datapro's comprehensive information technology services can help you make decisions quickly. Charts, tables, and graphs make it a snap to compare product features, functions, and prices. And once your system is up and running, Datapro is there to help you manage and maintain it.

That's why IT professionals use Datapro to stay up to date. Sales and marketing professionals count on us to help them track trends. And vendors turn to Datapro to size up the competition.

Datapro's line of comprehensive information services can meet all your needs.

With Datapro's complete line of information services, you're always in the know no matter what your concerns.

Product and Technology Services

● *First Looks.* Keep tabs on major developments in information technology

● Available on CD-ROM.

until a complete report is available.

● *User Ratings.* Get beyond the hype and find out which vendors can really deliver on their promises.

● *Technology Concepts.* Stay ahead of the game when it comes to vendor strategies and other vital issues.

● *Market Overviews.* Discover the market's promising vendors and products.

● *Comparison Columns.* The effortless way to make side-by-side appraisals.

● *Competitive Outlooks.* Put products and underlying technology in perspective.

● *Product Reports.* An in-depth look at specs, features and functions, pricing, interoperability, and other issues.

● *Management Reports.* Practical advice from professionals that takes the mystery out of managing information technology.

Business Services

Datapro Online. Tap into three online databases from the office, at home, or even on the road.

Reprints. A cost-efficient way to deliver your product message and verify product features and benefits.

Feature Reports. Cull just what you need from Datapro's database of information services and put a sharp focus on strategic business decisions.

Custom Publishing. Package the latest product information in a convenient, single source tailored to keep sales personnel one step ahead of the competition.

Consulting Services

Help Desk. A telephone inquiry service to help you make the best use of your Datapro information service.

Assist On Demand. Pay only for the

information you need about a specific product, vendor, or technology.

Surveys. Determine the strengths and limitations of your products—and your competitors'—from actual users.

On-Call Consulting. Fast answers to most inquiries within minutes—via phone, fax, or electronic mail.

Educational Services

On-Site Seminars. Custom-tailor a curriculum in any aspect of information technology right where you do business.

Computer-Based Training. Get a grounding in the fundamentals or master advanced topics right on your own PC.

Teleconsulting. Let a conference call between students and instructors address implementation issues that come up in later stages of a project.

International Services

● *Datapro International.* Get up-to-the-minute industry analyses and in-depth evaluations into the hands of professionals whose responsibilities extend beyond the U.S.

Market Research Services

Northern Business Information. A Datapro subsidiary, Northern Business Information is the world's foremost strategic telecom research company.

Send for a free demo disk today.

DATAPRO

Datapro USA, 600 Delran Parkway, Delran, New Jersey USA
08075, Tel: 800-328-2776, Fax: 609-764-2812

Datapro International, McGraw-Hill House Shoppenhangers
Road, Maidenhead, Berkshire, England SL6 2QL,
Tel: +44 (0) 628 773277, Fax: +44 (0) 628 773628



Please send me more information on the following Datapro services:

Product & Technology Services

- ☐ Computer Systems
☐ Communications
☐ Free Demo Disk

Business Services

- ☐ Datapro Online
☐ Reprints and Feature Reports
☐ Custom Publishing

Consulting Services

- ☐ Help Desk
☐ Assist On Demand
☐ Surveys
☐ On-Call Consulting

Other Services

- ☐ Educational Services
☐ Datapro International
☐ Northern Business Information

☐ I'm interested in learning more about Datapro on CD-ROM ●

Name Title
Organization Telephone
Address
City Code Country


POWER MAC 5200/75

RISC Invades the Home and School

Apple is driving RISC technology into the home and education markets with its new Power Mac 5200/75. The new system builds upon the LC line while offering more processing power and more features. The 5200/75 uses a PowerPC 603 RISC processor, which delivers roughly the same performance as the PowerPC 601 found in existing Power Macs, but at a lower cost and using less power. The 5200/75 also borrows hardware from the Quadra/Performa 630 to provide versatile multimedia capabilities.

Apple's line of LC Macs addresses the needs of the education market: They're inexpensive and feature a compact design. The latter is important in schools, because the LC's all-in-one design packs the monitor and computer into a single box, which eliminates setup and theft problems. At first glance, the system looks

The first PowerPC 603-based Mac offers a simple, clean design that's loaded with features.



like a monitor on a tall swivel stand. But you'll also find stereo speakers, the floppy drive, and a CD-ROM drive on the monitor bezel. A closer examination reveals monitor control buttons (contrast and brightness), built-in microphone, and head-phone jacks.

When you pivot the monitor around, the usual gaggle of I/O ports come into view: one ADB (Apple Desktop Bus) port for the keyboard and mouse, two mini DIN-9 serial ports, a DB-25 SCSI port, two

sound I/O ports, and covers where you add expansion boards. To set up this system, you simply plug in the keyboard, the mouse, and the power cord.

The heart of the 5200/75 is a 603 processor beating at 75 MHz.

The processor, Mac ROMs, and 256-KB level 2 cache sit on a 64-bit bus.

The ROMs and cache RAM are both mounted on a single SIMM. This tight integration of ROM and cache were necessary because the Power Mac's 68LC040 emulator, which runs parts of the Mac OS and existing applications, was finely tuned for the 601's 32-KB unified cache. This emulator floods the 603's smaller 8-KB caches, unless the level 2 cache is used.

The 5200/75 uses a 32-bit bus to communicate with its peripherals. A second 72-pin SIMM socket lets you add memory up to 64 MB without scrapping existing memory SIMMs. The system uses the same custom ASIC (the Valkyrie) that provides the integrated video support found in the Quadra 630. The 15-inch monitor has an on-the-fly adjustable resolution of 640 by 480 pixels or 832 by 624 pixels and supports maximum display depths of 16 or 8 bits, respectively.

For expansion, the 5200/75 has an LC PDS (processor direct slot), plus slots that accept video-in boards, a TV tuner, and a modem or Ethernet board. Each slot is physically

different from the others to avoid setup problems when you install a board. The drawback to this design is that the vendors must build to different connectors depending upon the board's function. However, because the 5200/75 can use expansion boards from the LC, and video and communications boards from the Quadra 630, this problem might be overstated.

Apple intends to introduce faster versions of the 5200 later this year, and you can expect

HIGH MARKS FOR EDUCATION MAC

BYTE's native RISC benchmarks indicate that on most tests, the new Power Mac 5200 is faster than a Power Mac 6100/60 system. The 5200/75 has a secondary cache, but the 6100/60 does not. The 5200/75 also uses improved floating-point libraries.

| Index | Power Mac 5200/75 | Power Mac 6100/60 |
|-----------------|-------------------|-------------------|
| Integer Average | .780632759 | .635500506 |
| FP Average | .585809155 | .217984227 |

them to use the PowerPC 603e, which has larger on-chip caches and is pin-compatible with the 603. Other vendors are also expected to introduce PowerPC 603-based systems, including IBM, Motorola, FirePower Systems, and Mac clone vendor Power Computing.

The 5200/75 will ship with 8 MB of 70-nanosecond RAM, a 500-MB IDE drive, and a dual-speed CD-ROM drive as standard equipment, and it will cost \$1699 in K-12 markets. A Performa version for the home markets is expected later this year and will include bundled software and a 14.4-Kbps modem. It will probably sell in the \$2400 to \$2500 range. Apple has already sold over 1 million Macs. With the 5200/75, the company is poised to bring RISC into the home.

—Tom Thompson

Compaq Reduces Cost of Ownership

The typical PC network costs about \$2800 annually to manage per PC, according to the Gartner Group (Stamford, CT). The Desktop Management Task Force, a group of companies formed to help standardize and simplify PC network management, has raised awareness of this issue. Last year the DMTF released its DMI (Desktop Management Interface), but important elements are missing. Service layers, the intermediate software layers that manage access to the Management Information Files that hold software and hardware component data are available for DOS, Windows, and OS/2, but because they aren't embedded in the operating systems, they aren't ubiquitous. Also missing: a standard protocol to collect management information over the network and lots of DMI applications.

Compaq (Houston, TX (800) 345-1518) is making it easier for LAN management software vendors. The company implemented APIs in the ROM of its new Deskpros so that management applications can easily manage and troubleshoot the new PCs, their hard drives, and the latest Compaq monitors. Now numerous PC LAN management vendors can monitor the new PCs and access manufacturer, make, and serial number of compliant components. "The DMI service layer will become a great source of information for us once it is widely distributed," says Anne Gunn, vice president of Tally Systems (Hanover, NH (800) 262-3877), a vendor of asset management products and one of Compaq's many partners. "But Compaq is giving us a way to access its PCs now."

—Dave Andrews

COREL DRAW!™ 5

The Best in Graphics and Publishing



With the new lenses in CorelDRAW 5 users can create incredible photographic effects such as transparency, magnify, grayscale, brighten, invert, heat maps, and more. Dynamic special effects can also be created using morphing, artistic filters, and masking. With 60 new additional fractal textures, CorelDRAW 5 allows for unlimited design variations.





Exciting New Filters



Amazing Morphing

Excellence

Versatile Charting



Power Publishing

CorelDRAW 5 combines the graphics power of CorelDRAW and the advanced publishing capabilities of Corel VENTURA 5 within an integrated user interface. With a revolutionary color management system, major performance gains and hundreds of improvements, CorelDRAW 5 retains the ease of use for which Corel is renowned. CorelDRAW 5 is the most exciting value-packed graphics and publishing software available.

INCLUDES

- CorelDRAW 5
- Corel VENTURA 5
- Corel PHOTO-PAINT 5
- CorelCHART 5
- CorelMOVE 5
- CorelSHOW 5

PLUS

- 825 fonts
- 22,000 clipart images & symbols
- 100 high-resolution photos

CorelDRAW 5—"the best has gotten better!"

InfoWorld, August 1994-USA

"OUTSTANDING! CorelDRAW 5 really is the best graphics package ever!"

PC Answers, June 1994-UK



COMPUTER DISCOUNT WAREHOUSE™
800-279-4CDW

CD-ROM version
\$422.36*

OS/2™ **WARP**

CorelDRAW™ 5 for Windows is compatible with WIN OS/2 under OS/2 WARP

Circle 69 on Inquiry Card.

COREL

Call now for faxed literature!
1-613-728-0826 ext. 3080
Document #1071

New Back-UPS: \$119 blackouts, brownouts



MICROSOFT
WINDOWS
COMPATIBLE

Just don't have the time for power problems on your PC? Don't worry. They'll always make the time for you. It's not if a power problem will occur, but when. Due to household appliances, poor wiring, bad weather or even other office equipment, power problems are as inevitable as death and taxes. You can't run, but you can hide, behind APC protection.

That's why we've just introduced new models in our award-winning Back-UPS line, now delivering reliable protection for just \$119.



Source: Contingency Planning



Source: Bell Laboratories

IN THE NEXT THREE MONTHS, MORE THAN 30,000,000 PCs WILL BE HIT BY POWER PROBLEMS...

Who needs power protection? If you use a computer, you do. A study in a recent *PCWeek* showed that the largest single cause of data loss is bad power, accounting for almost as much data loss as all other causes combined. Every PC plugged into an outlet is vulnerable. In fact, you have better odds of winning the lottery than of escaping the sting of power problems. One study found a typical PC is hit over 100 times a month, causing keyboard lockups, hard drive damage, and worse.

Simply put, if power problems are the least of your troubles, you've got one chance to keep it that way. You insure your car and home with the best policy you can afford. It just doesn't make sense to leave your PC (which is at far greater statistical risk) vulnerable to loss or damage.

WHY A \$119 APC UPS COSTS LESS THAN A \$9.99 "SURGE PROTECTOR"...

Contrary to most people's belief, a PC alone already has more protection built into it than a low-end "surge suppressor," which is usually nothing more than a well-packaged extension cord. In other words, going without any protection is just as good as underspending on one of the most important PC decisions you'll make.



For extended brownout protection for advanced PC workstations call about APC's New Back-UPS Pro!

And since sags and blackouts represent more than 90% of power problems likely to hit your computer, even quality, high-performance surge suppressors are literally powerless to protect you from data loss.

PC World
Top 20
Upgrade


"Don't take chances. Get the ultimate protection... from APC."
--PCWorld

★★★★★ *Back-UPS should be standard on every desktop... effective, affordable, designed to last...* --PC Computing

"Never been cheaper or more convenient. A UPS can pay for itself the first time it saves your data." --MacUser



"The clear winner in price performance... it's unbeatable..." --PC Magazine UK



Protection against and other trials by fire

More than 3,000,000 satisfied customers count on APC reliability that goes above and beyond the call of duty

After a raging fire which took 18 trucks to subdue, Michael Benolkin, director of the Systems Division at Correa Enterprises, Inc. didn't expect much. "While rummaging through the ashes, we heard something beeping. Our four APC units were still in action, while two UPSes from another brand were history. We're still using these same APC units at our new office location - they still work like a charm! We're impressed with the ruggedness, reliability, and product support offered by APC."



Trial by Fire

Brian Krause, Network Manager for Goodyear Airship Operations, knows how critical APC protection can be. "The night of the All-star game a tornado came through our blimp hanger and took out our roof. Our airships demand absolute communication so I protect our local and remote servers with the most reliable protection I can find: APC. APC's PowerChute software shut our server down in an orderly way... closed out all files nice and neatly. When we reconnected, everything came back up perfectly, without a hitch."



Trial by Air

Doug Welch learns his reliability lessons well: "While still a Computer Science student, I was at home preparing a large spreadsheet for a final project when Anchorage experienced an all too common 5+ Richter earthquake. If not for my Back-UPS 400 it would have been back to square one! I'm now the Network Systems Manager at Charter College, in charge of three networks. I learned my UPS lesson well back in my student days. I've never been disappointed with APC and the product has had quite a work out."



Trial by Earth

Faced with a water main break, Mark Conley, Regional Manager of Novell's remote sales office in Detroit was amazed at APC's reliability. "The APC unit was sitting in an inch and a half of water, working just fine, as though nothing was unusual and we lost no data to this disaster. We've used APC here now for at least four years - more than a dozen units are all around the office, and we're well satisfied, so we were even more impressed to learn that the units are amphibious!"



Trial by Water



Back-UPS Award Winning FEATURES

- ▶ Unmatched surge/lightning protection for maximum hardware safety
- ▶ Site diagnostics automatically spot missing ground and reversed polarity
- ▶ LAN signaling allows simple shutdown with interface kits for automatic data protection (400 and above)
- ▶ User replaceable, hot swappable batteries insure uptime safe disposal. Batteries will last 3-5 years under normal use.
- ▶ \$25,000 lifetime Equipment Protection
- ▶ 10 minute runtime with specified applications. For longer runtimes choose next largest unit.

| Model | Application | Sugg. List |
|----------------|-------------------------|------------|
| 200 NEW | "Green" PCs | \$119 |
| 280 NEW | LAN Nodes | \$139 |
| 400 | Desktop 486/386 systems | \$199 |
| 450 | Tower 486/386 systems | \$254 |
| 600 | CAD/CAM workstations | \$359 |
| 900 | Longer runtime | \$529 |
| 1250 | Multiple systems | \$689 |

That's why you need instantaneous battery backup power from an APC Uninterruptible Power Supply to prevent keyboard lockups, data loss, and crashes. With an APC UPS, you get six times the protection of a high-end surge protector for little more than twice the price. And \$119 is much less expensive than false piece of mind. APC UPSs carry up to a \$25,000 lifetime guarantee against surge damage to your properly connected equipment, and are available to suit any application, from network servers and PCs, to fax and satellite systems.

PROTECT YOURSELF OR KICK YOURSELF...

It's been said that there are two types of computer users: those who have lost data, and those who are about to. Prevent the single largest cause of computer problems and join a fast-growing third category: those who protect their PC's

with the most reliable protection they can buy: APC UPSes. So ask for APC at your favorite reseller. At just \$119 an APC UPS is serious protection no serious computer user should be without.

APC has won more awards for reliability than all other UPS vendors combined...



APC™

AMERICAN POWER CONVERSION

Call 800-800-4APC

please reference Dept. A2

Tel: (401)789-5735

Fax: (401)788-2797

Compuserve: GO APCSUPPORT

Internet: apctech@apcc.com

INTERNATIONAL NEW PRODUCTS

BYTE Picks CeBIT's Best

HANNOVER, Germany—**B**YTE's editors honored innovative new products displayed at CeBIT '95, the world's largest technology exposition. BYTE's editors chose Wizard Pro as the most significant new product at the show. BYTE's awards recognized new products developed in Europe and the Middle East. Exceptional products developed in the Far East were also recognized.

Wizard Pro, from MLL Software & Computer Industries (Tel Aviv, Israel, 972-3-5656888; fax, 972-3-5613457) also won the Best Applications Development Software award. The Windows-based, Pascal-like tool lets you focus on the structure of your problem rather than on your applica-

tion's user interface. The Scenic Media PC, from Siemens-Nixdorf (Augsburg,



When you click the programmer subclass (at left), Wizard displays all related (encapsulated) members at right. You can zoom in, view, and modify the definition of any member.

Germany, 49-821-804-3680; fax, 49-821-804-3600), a PC with a wealth of integrated communications, won the Best System award.

The Mobile Assistant, from Solid Computer (Oberschleissheim, Germany, 49-89-31-57-19-0; fax, 49-89-3-15-91-46), won the Best Mobile System category. It integrates

several communications and computing components into a mobile office and real-time route guidance tool for vehicles. The Gypsy Card MNP, from Dr. Neuhaus Telecommunication (Hamburg, Germany, 49-40-55-30-4-356; fax, 49-40-55-30-4-180), won for best peripheral. The PCMCIA type 2 device provides wireless communications by connecting to a wide range of phones that use the digital cellular GSM (Global System for Mobile Communications) network.

Taylor II 3.0, from F&H Simulation (Tilburg, the Netherlands, 31-13-366344; fax, 31-13-427516), which won the Best Applications Software award, is process modeling/analysis software that simulates the flow of objects within a process. Gig3Dgo, from Electrogig

(Amsterdam, the Netherlands, 31-20-623-3495; fax, 31-20-622-6801) won in the Best Multimedia Software category for its SGI- and Sun-workstation-based 3-D modeling/animation software.

PCI Video board, from Fast Multimedia (Munich, Germany, 49-89-50-20-6-185; fax, 49-89-50-20-6-199) took the award as Best Multimedia Hardware. It packs a PCI (Peripheral Component Interconnect) graphics accelerator, a Windows video accelerator, a frame grabber, a TV tuner, and teletext capability onto an add-in card.

Cell-Master, an ATM (asynchronous transfer mode) multiplexer from CellWare (Berlin, Germany, 49-30-46-7082-0; fax, 49-30-46-307-658), took Best Hardware Connectivity honors. NM Elite, from Comtest (Kensington, London, England, 44-171-938-4591; fax, 44-171-938-1649), a program for analyzing and testing Ethernet LANs, won Best Connectivity Software.

BEST OF CEBIT FINALISTS

APPLICATIONS DEVELOPMENT SOFTWARE:

Object Engineering Workbench for C++, from Innovative Software (Frankfurt am Main, Germany, 49 69-23-6929; fax, 49 69-23-6930), is a Windows-based software tool that offers object browsing, reverse engineering, program analysis, and relationship modeling. MetaEdit Plus, a Unix-based case tool, lets you design your business processes and information systems simultaneously using a wide variety of popular methodologies (from MetaCase Consulting, Jyväskylä, Finland, 358-41-650-400; fax, 358-41-650-120).

BEST SYSTEM: The N6-670 Suprema, from Olivetti (Ivrea, Italy, 39-125-2500; fax, 39-125-522524), is a 120-MHz, PCI-based Pentium system slated for commercial availability by the end of June. The Power 120 is a prototype 120-MHz, PowerPC 601-based system from Peacock (Wuenneberg-Haaren, Germany, 49-2957-790; fax, 49-2957-799291).

BEST MOBILE SYSTEM: Olivetti's Echos 48 Color Plus notebook computer. The Psion 3A hand-held computer, (the new 2-MB version) from Psion, (London, England, 44-171-262-5580; fax, 44-171-258-7340).

PERIPHERAL: PolyCon/XS Matrix Control Unit, from PolyCon Data Systems (Bielefeld, Germany, 49-521-9861321; fax, 49-521-9861322) eliminates duplicate monitors, keyboards, and mice by letting you control multiple network servers (up to 16 per unit) from one to four management consoles. The worldwide version of the Linalyzer from Bytecom (Dion-Valmont, Belgium, 32-10-

223455; fax, 32-10-241730) is a device that analyzes and provides solutions to unpredictable power supply problems.

APPLICATIONS SOFTWARE:

ZyFilter 3.0, from Zylab Europe (Amsterdam, the Netherlands, 31-20-696-6277; fax 31-20-696-5175) lets your computer find the information you need from the Internet, fax, E-mail, or on-line news services. Run EDS, from Formula Systems (Nürnberg, Germany, 49-911-2879-115; fax, 49-911-2879-215) provides intuitive electronic schematic design and printed circuit board layout on six platforms.

MULTIMEDIA APPLICATIONS:

Vidix 3.5, from SYM Media (Calderara di Reno, Italy, 39-51-728-728; fax, 39-51-728-730) is a Windows-based multimedia authoring program. The Treasures of Russia, from Inter-soft (Moscow, Russia; fax, 7-095-278-6139) brings Russian art ranging from the Middle Ages to the avant-garde periods to CD-ROM.

MULTIMEDIA HARDWARE:

miroVideo 12 PD, from miro Computer Products (Braunschweig, Germany, 49-53121-13-427; fax, 49-53121-13-159) combines

affordable Windows graphics acceleration with full-screen AVI (Audio Visual Interleave) and MPEG playback. Play It, from Spea Software (Starnberg, Germany, 49-81-51-266-0; fax, 49-81-51-21258), is an inexpensive MPEG playback card.

CONNECTIVITY HARDWARE:

OnLan, from RadVision (Tel Aviv, Israel, 972-3-647-6661; fax, 972-3-647-6669) lets you connect existing meeting room videoconferencing systems to LANs and routs videoconferencing traffic over LANs and WANs. Etherterminal 4W from Igel (Augsburg, Germany, 49-821-7200-200; fax, 49-821-7200-199) is a secure multiprotocol terminal that supports Unix character, X Window applications, and Windows applications.


CONNECTIVITY SOFTWARE:

PayDay, from Lagercrantz Communication (Sollentuna, Sweden, 46-8-626-06-50; fax, 46-8-754-77-59) is a network management program for studying network usage and billing back users or departments for support costs. NextInfo for Windows, from VoiceBit (Oulu, Finland, 358-81-537-2353; fax, 358-81-537-2338) simplifies the development of interactive voice response scripts and systems.

CEBIT '95 SPECIAL RECOGNITION AWARDS

- The 6Plex six-speed CD-ROM drive (transfer rates of up to 900 KBps), from Plexor (Tokyo, Japan).
- The Pentimedia II notebook computer (video, CD-ROM, stereo sound, 100-MHz Pentium), from Dual Enterprises (Taipei, Taiwan).
- The AcerNote 950 notebook computer (stereo sound, CD-ROM drive, active matrix display, 90-MHz Pentium), from Acer Computer (Taipei, Taiwan).

Mirror, mirror on the wall, who's the toughest of them all?



No question, it's the Tadpole P1000. Unlike other notebooks bound in plastic shells, the P1000 is the only one armored with a magnesium alloy case — making it highly durable, yet elegant and lightweight.

The P1000 is not only the toughest notebook on the block, it's the fastest too. With 100MHz of pure Pentium™ power, it could even outrun your desktop.

And with built-in features such as 256KB Level 2 write-back cache and a PCI bus for high-speed access to graphics, PCMCIA, and SCSI interfaces, the difference between the P1000 and other notebooks is knight and day.

Most important, the P1000 is tough enough to stand the test of time...it can be upgraded to reflect your needs in the future. Removable SCSI-2 hard-disk drives are available with capacities up to 810MB, memory is available up to 128MB of RAM using industry-standard SIMMS, and the Pentium processor can be factory-upgraded to tomorrow's even faster processors.

Between now and then, you'll appreciate the P1000's creature comforts. Its Lexmark keyboard with integral pointer and three mouse buttons fits your hand like a glove...and its 10.4" active-matrix TFT true color screen is easy on the eyes. And for presentations, the P1000 has 1MB of video RAM for fast graphics response, 16-bit CD-quality sound, and resolutions up to 1024 X 768 on external displays and projectors to slay even the toughest crowds.

The P1000 is the first notebook built to last. Call **1-800-232-6656** today for more information!



United States: 512 219 2200
Fax: 512 219 2222
United Kingdom: 01223 428200
Fax: 01223 428201
France: 1 60 86 27 92
Fax: 1 60 86 27 89

Intel Inside and Pentium Processor Logos are trademarks of the Intel Corporation. All other trademarks used herein are the property of their respective corporations. ©1995 Tadpole Technology.

INTERNET

Companies Cut Phone Bills

Corporations rely on their leased-line, private networks to cut their telecommunications charges by sending voice and data over these fixed-price-per-month circuits rather than over the public telephone network.

However, many companies can't reap the financial benefits of using leased lines because they don't have enough traffic to make them practical. And some companies save a fraction of the amount they could because they link large regional data centers but don't use dedicated lease lines to connect smaller regional offices.

Whatever the reason for not using leased lines, companies still pay phone charges every time someone in one site faxes or calls a person in another site.

Many companies already use the Internet to send data across the globe. Now companies are starting to use the Internet as a pseudoprivate backbone to carry fax and voice traffic between sites.

Helping things along in this area are new products from the Brooktrout Networks Group (Richardson, TX (214) 907-0885) and VocalTec (Northvale, NJ (201) 768-9400). Both companies already offered products that save telecommunications charges by running over private networks (see "Brooktrout Cuts the Cost of Internal Faxing," February


BYTE). Their new offerings tap the Internet.

Brooktrout's IP/FaxRouter lets a company send a fax over the least expensive route: leased lines (when available), the Internet, or the public telephone network (see the figure), all the while retaining the simple-to-use interface of a common fax machine. The user simply dials the destination fax number, and the fax is transmitted over the least expensive link.

VocalTec's Internet Phone software uses three algorithms (one for compression, one that handles packets that arrive out of order, and one that smoothes out delivery based on Internet traffic loads) to let users hold phone conversations over the Internet. Each user requires a sound card, microphone (or telephone handset connected through the sound card) and a SLIP or PPP link into the Internet.

Phone conversations with Internet Phone are half-duplex, so only one person gets to speak at a time. The quality of the phone conversations is about that of a speaker phone, with some delays that make the conversations choppy. However, several users say this is acceptable, especially because they're saving the cost of a long distance phone call.

—Salvatore Salamone



CODE TALK

RICK GREHAN



Toolbars To Go

I am always happy to see new ways of telling a computer what to do without resorting to manual programming. But I'm leery of development systems that don't let you code. I'm forever nervous they'll stall on the steep ascent of a critical programming task. SmartPad's Professional Edition from SoftBlox (Atlanta, GA (404) 892-0202) lets you work without code if you wish or with code if you must.

SmartPad is a Windows' development system for building toolbars. You can then install your homemade toolbars wherever you want: out on

the desktop or inside an application.


Of course, a toolbar is just a dialog with buttons, but SmartPad lets you build "smart" buttons. Tooltip-like titles you define automatically pop up a few seconds after you position

your cursor over a button, and when you click on the right mouse button, balloon help appears. The toolbars themselves also have smarts: They reorder buttons when you resize them, and they let you move buttons around inside the toolbar or from one toolbar to another.

A SmartPad button can trigger one of seven actions. Probably the most common use is to launch an application. You can also program a button so that clicking on it touches off a series of keystrokes, activates a menu command, or even unleashes a macro that can be a mix of keyboard and/or mouse events. You can use SmartPad's macro recorder from the desktop or from within applications. Macros with lots of mouse movements can consume lots of memory. Thankfully, SoftBlox's recorder lets you selectively disable mouse events.

A SoftBlox button can activate a DDE (pacifying my nervousness) execute SoftBlox's SmartScript program. SmartScript is a programming language that looks so much like Visual Basic that, if you're familiar with one, you'll have no problem with the other. You can build dialogs; perform user and file I/O; and in short, build your own suite of toolbar-activated miniapplications. Even better, you can use SmartScript as a vehicle for automating complex activities within existing applications. The price of SmartPad Professional Edition is \$295, although as you read this, SoftBlox is selling it for a promotional \$199. The standard edition (which does not include SmartScript) is \$99.

Caution: It's easy to overdo toolbars, and SmartPad's simplicity makes that likely. Already I find myself swamped in active Excel toolbars, with little room left for the spreadsheet, and I haven't even started making SmartPad toolbars for Excel yet.



Looks like the whole world is getting Warped.

"OS/2® Warp is faster and prettier than ever before. It's reliable, and can give you 32-bit computing on your desktop today."

Personal Computer World, December 1994
(United Kingdom)

"OS/2 Warp...brings advantages which give it a significant technical lead..."

The European, October 14, 1994
(Europe)

"[OS/2] Warp is the natural upgrade for OS/2 for Windows™ users as it will run the latest versions of Microsoft's Windows software."

The Courier Mail, October 18, 1994
(Australia)

"Fast, dependable, able to work better with fewer resources...a viable candidate for standard operating software for the multiplatform PCs of the future."

PC Windows, September 1994
(Italy)

"With Windows 95 delayed...this is IBM's window of opportunity. OS/2 has always been technologically superior..."

Kevin Linfield, Computing Now! December 1994
(Canada)

"IBM's OS/2 has quietly evolved from a DOS replacement to a corporate-class, scalable family of desktop and server solutions."

PC Week, November 14, 1994
(USA)

"...no operating system product to date has offered as much out-of-the-box value as OS/2 Warp."

InfoWorld, November 14, 1994
(USA)

"...it's obvious that IBM® has put a great deal of time and effort into making [OS/2] Warp a highly-optimized, easy-to-install, and easy-to-use operating system..."

Stan Miastkowski, BYTE Magazine,
November 1994
(USA)

"The wizard of OS/2...the main feature of this new version is that it requires less memory and it provides better performance."

InfoCHANNEL, October 1994
(Mexico)

"OS/2 Warp will bring your system up to speed, hitting all cylinders by putting serious power under the hood."

Home Office Computing, February 1995
(USA)

"My personal favorite—perhaps the most useful productivity software available today—is IBM's superior operating system, OS/2."

FORTUNE®, March 6, 1995
(USA)

The 32-bit, multitasking, multimedia, Internet-accessed, crash-protected, Windows friendly, totally cool way to run your computer. **OS/2® WARP**



OS/2 Warp is available from IBM for \$89 by calling 1 800 3 IBM-OS2. OS/2 Warp with DOS and Windows application support is available from IBM for \$139. Reseller prices may vary. OS/2 Warp consists of BonusPak and OS/2 version 3. OS/2 Logo is a trademark of the International Business Machines Corporation. IBM, Operating System/2 and OS/2 are registered trademarks of the IBM Corp. Windows is a trademark of Microsoft Corporation. All others are registered trademarks of their respective companies. ©1995 IBM Corp. All rights reserved.

Circle 170 on Inquiry Card.



[The 4.2-pound Liberty™ DX4-100 BEST BUY features an impressive 10.4" screen, 720MB HD,

*Compaq® Elite™ and Toshiba™ Portege™ configuration, pricing and Ziff Davis' Winstone 95™ version 1.0 overall score are from January 24, 1995, PC Magazine. **Dell Latitude™ configuration and pricing are from March 1995, Windows Sources. Latitude Winstone 95 overall score is from January 24, 1995, PC Magazine. Compaq, Toshiba and Dell PCs use TFT displays. The Winstone 95 overall score for the Gateway 2000 Liberty DX4-100 Best Buy was achieved using a 100MHz Intel® 486DX4, 24MB, 256K L2 cache, 720MB HDD, local bus IDE, 64k disk cache, C&T 65545 1MB DRAM with C&T driver 3.11, MS-DOS 6.22 and Microsoft® Windows™ 3.11, SMARTDRV 2MB cache, and 640 x 480 pixels 256 colors. All products used in the test were shipping versions. The test was performed without independent verification by Ziff-Davis.

How does this humble
ARTHROPOD HAVE THE POWER
TO CARRY AN OBJECT 50 TIMES
ITS OWN body weight?

It's like the Liberty small notebook from
Gateway 2000®. It may be small in size, but
it packs a powerful punch that squishes the
competition!



24MB RAM, 256K L2 CACHE, 14.4 fax/modem, IR abilities and MS Office Professional for \$4,499]




8 0 0 - 8 4 6 - 2 0 5 8

610 Gateway Drive • P.O. Box 2000 • N. Sioux City, SD 57049-2000 • Phone 605-232-2000 • TDD 800-846-1778 • Fax 605-232-2023 • FaxBack 800-846-4526
Component Add-On Sales 800-846-2080 • Sales Hours: 7am-10pm Weekdays, 9am-4pm Saturdays (CDT)

©1995 Gateway 2000, Inc. Gateway 2000, black-and-white spot design, "G" logo and "You've got a friend in the business" slogan are registered trademarks, and Liberty, EZ Point and TelePath are trademarks of Gateway 2000, Inc. The Intel Inside Logo and Intel are trademarks or registered trademarks Intel Corporation. Winstone is a trademark of Ziff-Davis Publishing Company, L.P. All other brands and product names are trademarks or registered trademarks of their respective companies. All prices and configurations are subject to change without notice or obligation. Prices do not include shipping or applicable sales tax.

IMAGE ACQUISITION TRENDS

OCR Fuels Slow Paper Burn



Programs like Ligature Software's CharacterEyes for Windows that integrate with other Windows applications and offer one-button scanning and improved accuracy are bringing the elusive paperless office closer to reality.

An OCR scanner—when combined with a fax/modem-equipped computer, software, and a printer—could soon be replacing stand-alone fax or multifunction fax-copier machines in the business office. “It really is a hot time for image acquisition, including scanners and scanning software,” says Kristy Holch, director of scanning market strategies for market-analyst firm BIS Strategic Decisions (Norwell, MA).

Flat-bed, sheet-fed, and hand scanners are becoming more affordable. “Today, you can get a 24-bit, 300- by 600-dpi flatbed scanner for under \$600,” Holch says. That’s about \$200 below what most comparable units cost last

year. Primax (Campbell, CA) has developed a combination hand-held/motorized/sheet-fed 24-bit scanner for Windows called the ColorMobile Office, which sells for \$329. By June, the company expects to release an 8-bit, black-and-white hand scanner that will sell for just \$89. Flatbed 8-bit scanners are also available for about \$400.

The improved accuracy, usability, and ability to integrate with other core productivity programs of OCR software from companies like Xerox, Caere, and Ligature is also pushing demand for scanner solutions. OCR programs can still have problems correctly identifying small text in a smudgy fax. But software

developers continue to improve the accuracy of programs in converting bit-map images into editable text using such technology as neural-network-based recognition engines.

The scanner/PC/modem solution won’t appeal to everyone. Organizations who need to fax many documents—some paper-based and others PC-based—may prefer the combination of a fax machine connected to a network via an RS-232 serial port and a software fax server from a company such as LANsource Technologies (Toronto, Canada, (416) 535-3555). And magazines and other businesses are exploiting electronic distribution channels like the World Wide Web and E-mail for content publication instead of fax.

However, the move toward electronic distribution should increase demand for OCR and scanners. Many companies who have “legacy” documents (paper documents whose creating file is lost or not easily accessible) will need a bridge between the paper world and the electronic world. Building that bridge using OCR is getting easier and less expensive.

—Dave Andrews

NEW OCR PRODUCTS AT A GLANCE

TextBridge 3.0 (\$99) and TextBridge Pro 3.0 (\$349). These new versions of Windows OCR program offer improved accuracy. Pro version integrates with other applications, and its document recomposition preserves elements like document headers and footers within word processor or other applications. Power Mac versions are slated for later this year. Xerox Imaging Systems (508) 977-2000.

Primax Scanners Primax sells a range of portable scanners (see What’s New, page 204). Primax (408) 364-2800.

PaperPort 2.0 for Windows (See What’s New, page 203). Visioneer (415) 812-6400.

Delrina WinFax bundle (under \$350) This package will bundle WinFax Pro for Windows with 300-dpi, multi-

sheet-fed scanner from Fujitsu that connects to PC via parallel port. Delrina (408) 363-2345.

WordScan Plus 4.0 for Windows (\$595) This new version of an OCR package from Caere has a new engine with improved text recognition. The company also sells OmniPage Pro 5.0 for Windows and Power Mac (\$695) and PageKeeper document management/OCR software. Caere (408) 395-7000.

CharacterEyes for Windows 2.5 (\$79.95) and Pro version (\$495) The low-end version runs in systems with 4 MB of RAM. Pro version offers advanced deskewing (up to 20 degrees), support for Western European languages, trainable mode to read calligraphy and Greek letters. The Mac 680X0 version is to ship in May. Ligature (617) 238-6734.


Whatever Happened to...

Motif (see “Motif Offers Variation on LCD Theme,” April 1994 News and Views).

About a year ago, BYTE wrote about Motif’s active-addressing display technology that would offer active matrix quality at prices slightly higher than passive matrix displays. But in what analysts see as a setback to U.S. efforts to establish a domestic flat-panel display manufacturing base, the Wilsonville, OR-based company recently announced it has shut down its newly built LCD manufacturing line.

Motif vice president Kevin Cornelius says the company still plans to supply the ASICs its partners need to implement active addressing in their LCDs. Motif’s partners include Tottori Sanyo (Tokyo, Japan), Standish Industries (Lake Mills, WI), Kyocera (Kyoto, Japan), and Asahi/Optrex (Tokyo, Japan). “We mothballed the front end of our manufacturing process because additional investment was needed to bring manufacturing yields up to competitive levels,” Cornelius says. “A captive manufacturing facility is just not needed.”

Motif says it will continue to assemble panels obtained from its strategic partners into final products. Motorola will manufacture the ASICs, and first-generation samples were due out this spring. Active-addressed products are expected to cost about 30 percent more than comparable passive matrix products. Second-generation ASICs are now under development, which should reduce the price premium over passive matrix to about 25 percent. —Chris Chinnock



LCD Production Up, Prices to Come Down

Japanese manufacturers of flat-panel displays are increasing their yields and opening new plants. This will mean lower prices for active-matrix screens in notebooks. Korea and Taiwan are getting into the action, too.

page 40IS 4

International Edition




ILLUSTRATION: RAFAEL LOPEZ © 1995

◀ The Poison Disc

This disc could save your life. Working with botanists at the Royal Botanic Gardens, a U.K. team has assembled an expert system that can help medical personnel quickly solve cases of poisonous plants.

page 40IS 7

Spiderman Works While You Sleep


page 40IS 18



Is this a videotext service which I see before me? Europe's text-based services are going GUI.

page 40IS 3

THE SMART ALTERNATIVE..



Snap into the future with the LEO DESIGNNote which provides full flexibility and upgradeability in a modular package. The interchangeable LCD allows effortless upgrades from a mono STN display to either a color dual-scan STN or color TFT display. The removable HDD lets you swap drives with up to 500 MB of storage, and you can also replace the 3.5" FDD with additional modules. Integrated with VESA local bus VGA Graphics, a built-in trackball, a built-in microphone and speaker for on-board audio, ports for PCMCIA type II or III, a choice from a full line of CPUs, and a host of other innovative features, the LEO DESIGNNote is the most powerful and versatile notebook solution around.



... LEO DESIGNNote

Authorized Distributors:

BADER AL MULLA & BROTHERS CO.WLL.(KUWAIT)
TEL: 965-244-5040 FAX: 965-243-7285
AMERICAN TECHNOLOGIES, INC. (PHILIPPINES)
TEL: 63-2-774002 FAX: 63-2-788629
CENTERPRISE INTERNATIONAL LIMITED. (UK)
TEL: 44-256-463754 FAX: 44-256-843174
GOOD LUCK IMPORT EXPORT Co., Ltd. (THAILAND)
TEL: 662-2132800 FAX: 662-2125810

ICL (INTERNATIONAL COMPUTER (SA) (PTY) LTD. (SA)
TEL: 27-11-3141023 FAX: 27-11-314-2299
JETDATA AB. (SWEDEN)
TEL: 46-8-960985 FAX: 46-8-960069
MLL SOFTWARE AND COMPUTERS INDUSTRIES LTD. (ISRAEL)
TEL: 972-3-5785511 FAX: 972-3-7516615
NATION-TECH SDN.BHD. (MALAYSIA)
TEL: 60-3-9053878 FAX: 60-3-9051357

WIRAINDO MULTISAKTI SETIAPUTRA, P.T. (INDONESIA)
TEL: 62-21-6258975 FAX: 62-21-6010184
READ ARABI COMPUTER CORP. (JORDAN)
(LEO MIDDLE EAST REPRESENTATIVE)
TEL: 962-6-664343 FAX: 962-6-683754
SEH COMPUTER-SYSTEME-VERTRIEBS GMBH. (GERMANY)
TEL: 49-6184-95010 FAX: 49-6184-950188



6F, FORMOSA PLASTICS REAR BUILDING
201, TUNG HWA NORTH ROAD,
TAIPEI, TAIWAN
Tel: 886-2-7174500 Fax: 886-2-7182782
Telex 23056 Charlene

First International Computer, Inc.

| | | | | | |
|------------------------|---------------------|---------------------|-------------------|--------------------|--------------------|
| FIC EUROPE B.V. | Tel: 31-73-273300 | Fax: 31-73-231412 | FIC SPAIN | Tel: 34-1-6373502 | Fax: 34-1-6373863 |
| FIC USA | Tel: 1-510-2527777 | Fax: 1-510-2528888 | FIC HK | Tel: 852-2-3453599 | Fax: 852-2-7972408 |
| FIC AUSTRALIA | Tel: 61-2-7484566 | Fax: 61-2-7484633 | FIC CZECH | Tel: 42-5-41122643 | Fax: 42-5-41213144 |
| FIC JAPAN | Tel: 81-3-5461-2181 | Fax: 81-3-5461-2345 | FIC FRANCE | Tel: 33-1-46810203 | Fax: 33-1-45739885 |

Specifications subject to change without notice. The Intel Inside logo is a trademark of Intel Corporation.

Circle 529 on Inquiry Card.

International News & Views

FRANKFURT

GUI Look Coming to Videotex Services

A new toolkit will give Europe's older on-line services some multimedia pizzazz

RAINER MAUTH

The competition between on-line services is heating up in Europe. With newcomers like Europe Online and the Microsoft Network riding into town and CompuServe boosting its presence, the older systems are replacing their dated interfaces and limited graphics. A new window-based KIT (kernel for intelligent communication terminals) will help give the videotex services the graphical look people have on their desktop computers.


"KIT brings us closer to what a computer user is accustomed to," says Ed Lemaire at Videotex Netherlands. "As a GUI-based toolkit, KIT allows a videotex application—for example, on Windows—to appear in the same well-known robe as a native Windows application."

KIT's presentation protocol transfers "objects" defining the user dialogue. Representation of these objects on the client's computer depends on the GUI. An OS/2 user, for example, sees Presentation Manager-style screens, and a Windows user gets the Windows look. KIT applications also run on Macintosh, Solaris, AIX, and SCO Unix machines. An NT version is targeted for later this year.

KIT objects can be displayable items or meta code that tells the client's computer how to interpret an operation. Interactive parts of the user dialogue are treated locally, which increases performance and response time. When filling out a mail-order form on a standard Btx terminal, for example, the form is

stored on the Btx host, and every digit of the order process is transferred separately. However, a KIT application will handle the process on the local computer. The data is sent to the Btx host only after the form is filled out completely. Likewise, a KIT application could access data (including hyperlinked text or a large graphic) on the user's hard disk or CD-ROM.

During the second half of this year, about 100 Btx service providers will comply with this new multimedia standard for presenting information. Deutsche Telekom's



A KIT service—such as the 1&1 pilot project shown here—will have a look that's more like users are familiar with on their desktop GUI.

Btx/Datex-J service, which claims more than 700,000 customers, will be one of the biggest systems converting to KIT. France Telecom and Aus-

trian and Swiss Videotex also will support KIT and gradually get rid of their old presentation protocols.

"KIT is leading Btx to multimedia because it provides efficient methods to present sound and images," says Herman Stoll, one of the directors of 1&1 Telecommunications (Montabaur, Germany), whose Newsreader is a KIT pilot project. "In our Newsreader, we will present information using high-resolution graphics and sound," Stoll says.

KIT is independent of the transmitting network. "It is not restricted to the X.29 protocol of Btx," says Ad Wind, project manager at Powerframe (Ettlingen, Germany), whose KIT-Studio is one of the first KIT development tools. "In theory KIT could also run on the Internet," says Wind.

This network independence and the availability on all the major hardware platforms will definitely enhance KIT's popularity among Europe's videotex providers. And that popularity is likely to spread. According to a member of the KIT group, a Japanese on-line service is very interested.

KIT was developed by a group of telecommunications companies, which included Deutsche Telekom, Microsoft, Powerframe, 1&1, and IBM.

PARIS

Tune in Tomorrow: On-Line Access via Cable TV

French computer users should find it easier to hop on-line later this year. People in some cities may soon be going on-line via their cable TV hookup—and at access rates as fast as 30 Mbps in, 64 Mbps out.

The government's recent request for proposals from access and service providers drew hundreds of responses. Although it has yet to decide which it will officially support, there are some good bets.

Lyonnaise Communications, the country's largest cable TV operator, is planning trials for Paris and two suburbs. With partners, it will conduct a trial of multimedia services for 10,000 of its subscribers who have a 486 PC or Mac. In addition to net cruising at high speeds, home computer users will have access to cultural services, such as virtual museums, on-line newspapers (most likely *Le Monde*), video games, on-line

shopping, and home banking. "We believe [digital] multimedia is very important for the future of cable," says LC president Cyrille du Peloux.

Lyonnaise says its approach will mean speedy delivery of audio and graphics. Alain Maine, in charge of technical trials, says a Lyonnaise subscriber (with the appropriate communications card) will be able to download a 30-second music sample from the World Wide Web in about 5 seconds. Using a 14.4 modem and phone lines, however, it would take about 5 minutes, he says.

France Telecom's cable TV subsidiary will experiment with various multimedia services and tools. Large-scale trials are expected in Annecy, the Rhone Valley, and Nice, to name a few. A government spokesperson says decisions will be made soon on who is supported and how. Then, *mesdames et messieurs*, start your engines.

—Adele Hars

International News & Views

HONG KONG

LCD Production Up, Prices to Come Down


New production techniques and increased competition will push down the price of flat-panel color displays in the next year. This should in turn push down the cost of high-end color notebooks, because half their cost is due to the active-matrix LCD screen. Market researchers O'Mara & Associates (Palo Alto, CA) estimates that the price for 10.4-inch AMLCDs (active-matrix LCDs) will drop from the current \$1250 to \$700 in 1996.

Getting the yield rate up for TFT (thin-film transistor) screens is the key to bringing the price down. Recently,

Japanese producers—who make about 95 percent of all AMLCDs—have had considerable success raising their manufacturing yields to 50 percent. Sanyo, Sharp, Sony, NEC, and Toshiba—who, with IBM, makes LCDs for use in certain ThinkPads, for example—say they expect to hit 70 percent now that their next-generation factories are coming on-line. These factories use automated lithography systems and other tools that reduce handling and contamination, the main causes of pixel failure.

Japanese companies are also working on new technologies to increase the viewing angles of LCDs and to increase the colors they can display (see "Chip Upgrades Color Capabilities" below). For example, Fujitsu is developing a full-color screen with viewing angles nearly double those of current panels. NEC, Sharp, and others are also working on this problem.

According to International Data Corp. Japan, Japanese TFT-LCD production should



increase from 1 million screens in 1993 to over 7 million in 1996. And other countries want to play in this market.

Korea hopes to create a full-fledged flat-panel display industry, emulating their success with DRAMs in the 1980s. Samsung Electronics is currently manufacturing 10.4-inch panels at the rate of 800 units per month, with 12.4-inch panels at the prototype stage.

Goldstar has a prototype 10.4-inch panel.

Taiwan's ERSO (Electronics Research & Service Organization) recently demonstrated a prototype 10.4-inch AM-LCD. ERSO also announced it will produce an 8.4-inch display designed by PrimeView Electronics; the company anticipates making 1000 units monthly later this year. Taiwan's Nanya Plastics Corp. plans to complete the country's first TFT-LCD plant this spring. Executive VP Winston Wang said the plant will produce 9.5-inch and 10.2-inch screens soon afterward but did not specify capacity.

—John Donovan

This Month's Cool Stops on the Infobahn

Internet Patent News Service

Has your wonderful new idea been patented already? Find out here. Newly granted patents, patent laws, etc.

<http://sunsite.unc.edu/patents/intropat.html>

The WWW Virtual Library

From the folks who brought us WebMania—an Internet subject catalog and resource list.

<http://info.cern.ch/hypertext/DataSources/bySubject/Overview.html>

Le WebLouve

Virtual art gallery features Dali, Picasso, Van Gogh, Cezanne, medieval French art, and more.

<http://mistrall.enst.fr/louvre> or
<http://sunsite.unc.edu/louvre/net/>
 or <http://mistrall.enst.fr/~pioch/louvre/>

European Computer-Industry Research Center

News of notable projects and discoveries.

<http://www.ecrc.de/>

Association for Internet Resources

Based in Hong Kong, this is a helpful stop for Asian net users.

<http://www.air.org>

Bug Patch

In our March issue's special CeBIT section, we reported that Fast Multimedia's upcoming MVP Publisher board will accelerate Photoshop operations "by a factor of 30 to 50 percent." We should have left out the word "percent." We apologize.

HONG KONG

Chip Upgrades Color Capabilities

Adding levels of gray increases the number of colors a flat-panel screen can display. A technique called *intraframe modulation* creates gray scales by processing pixels within individual frames. One of the most popular intraframe techniques—*error diffusion*—is the key to a processor from Sanyo that raises the number of colors a screen can display.

The error-diffusion method takes the difference (or error) between a threshold value and the value to be displayed and links that value to adjacent pixels (for example, 7/16 to the pixel on the right, 1/16 to the pixel on the lower right,

etc.). But when you have to refresh 307,200 pixels 60 times a second, plus do all these calculations, the overhead becomes severe.

Sanyo's ALC1009-141 chip, which incorporates all the circuitry to conduct error diffusion, takes care of this work. By enabling them to generate more levels of gray, the chip can turn 512-, 4096-, and 260,000-color screens into full-color displays.

Error diffusion has been used for years by printers that print still images. With the Sanyo chip, it may be coming soon to a notebook near you.

—John Donovan

The Hardlock software protection system. Universal and individual.

Across the world, there are currently over 1.5 million Hardlocks in use. They are all virtually hackproof, daisy-chainable, individually interchangeable, compatible, and with an almost incredible variety of forms and features, they are fast and easy to implement.

Want to know more? Want to find out which Hardlock will suit your application? Want to order the FREE Hardlock evaluation pack? No problem! Just dial...




BeNeLux, Crypsys Data Security, Tel: ++31-1830-24444, Fax: ++31-1830-22848 · **Croatia**, G&G Electronic, Tel: ++385-41-315794, Fax: ++385-41-333510 · **Finland**, FAST Finland Oy, Tel: ++358-0-5611001, Fax: ++358-0-5611006 · **France**, FAST Technologies, Tel: ++33-1-46211840, Fax: ++33-1-46210882 · **Great Britain**, FAST Electronic UK Ltd, Tel: ++44-1-71-2218024, Fax: ++44-1-71-7923449 · **Greece**, FAST Hellas AE, Tel: ++30-1-6854623, Fax: ++30-1-6854624 · **Hungary**, Recognita Corp., Tel: ++361-201-8925, Fax: ++361-201-7607 · **Iran**, SinaSoft Co. Ltd, Tel: ++98-21-622986, Fax: ++98-21-8865588 · **Italy**, Techne S.r.l., Tel: ++39-59-440690, Fax: ++39-59-440720 · **Spain/Portugal**, FAST Iberica S.L., Tel: ++34-1-7253626, Fax: ++34-1-7267219 · **USA/Canada/Far East**, Glenco Engineering Inc., Tel: ++1-708-808-0300, Fax: ++1-708-808-0313

Please contact FAST Electronic GmbH if your country is not listed.
Fast Electronic GmbH · Kaiser-Ludwig-Platz 5 · D-80336 Munich
Tel: ++49-89-53 98 00-20 · Fax: ++49-89-53 98 00-40

Circle 513 on Inquiry Card (RESELLERS: 514).

FAST
Fast Electronic GmbH



$$E=MC^2$$

One
Great
Solution...

Many Great Solutions... and the Best Value Per Port in the Industry!


Discover Boca Research's amazingly affordable line of networking products that combine excellence in design and engineering with all of the latest features that make installing and using them faster and easier than ever.

- Intel and Microsoft plug and play compatibility • High performance software drivers • Link status and programmable diagnostic LEDs • NE2100 or NE2000 compatible • Novell tested and approved.

From PCMCIA, PCI-, VL-, and ISA-Bus ethernet adapters, to 8-, 16-, and 24-port hubs, we deliver the no-compromise networking solutions that you and your customers demand. Each product is backed by a powerful five-year warranty and sold through a world-wide network of select marketing partners that includes leading distributors and resellers.

Our aggressive product support includes 24-hour bulletin board services through Boca Research and CompuServe. Convenient QuickFax provides fax-on-demand product information whenever you need it, and our technical support hotlines provide multiple choices in over-the-phone services.

From video graphic adapters to fax, data, voice, and multimedia communications products, to input/output devices and networking products, Boca Research leads the industry in product quality and responsive service. All this and more are part of our commitment to you.



© Copyright 1995 Boca Research, Inc. All rights reserved. Product and company names listed are trademarks or trade names of their respective companies.

Call your authorized
Boca Research
distributor today!

BOCA
RESEARCH INC

(407)997-6227 • Fax (407) 994-5848
1377 Clint Moore Road, Boca Raton, FL 33487-2722

The Poison Disc

DICK POUNTAIN

A frantic father calls the doctor's office. His child has just eaten berries from a strange-looking plant. Now the child is fevered and pale. Are the berries poisonous? Is the child in danger? Unfortunately, no one at the doctor's office knows much about poisonous plants. "You'll have to bring the child to the emergency room immediately."


Poisonous plants cause more than 4000 reported accidents each year in the U.K. alone, and many more cases are either too minor to report or are misdiagnosed. The problem for medical staff is serious. They must try to identify the plant that caused the poisoning in order to choose the appropriate treatment—yet very seldom do they have any specialist training in botany and, therefore, no way to make an accurate identification, though the patient's life may depend upon it.

This sort of scary scenario can now be eliminated, thanks to a project that's put a botany expert onto CD-ROM. Using this disc, called PLATO-UK (for PLAnt TOxins-U.K.), medical staff will be able to turn to their PC for assistance in identifying poisonous plants. PLATO-UK is a joint venture between the National Poisons Unit at Guy's and St. Thomas' Hospital and the Royal Botanic Gardens at Kew, with key software assistance from System Simulation, Ltd. (London).

PLATO-UK distills the expertise of Kew Gardens botanists into such a form that it can guide doctors with no knowledge of botany to identify a plant culprit from digitized color pictures.

How PLATO Works

All of PLATO-UK's botanical knowledge is stored in a database that fits onto a single CD-ROM, and the retrieval software runs under Microsoft Windows. PLATO includes details of 208 plant groups that cover over 2000 separate species, and for each



RAPHAEL LOPEZ © 1995


This CD-ROM is more than a well-designed, practical expert system—it can also be a lifesaver

one it stores several high-quality scanned color photographs of different views and parts, plus a full botanical and toxicological description. The system includes poisonous house, garden, and wild plants, as well as some nontoxic plants that doctors frequently encounter as false alarms, or which can be easily confused with toxic species.


PLATO-UK doesn't attempt to be even close to a complete guide to British flora. Neither does PLATO contain detailed medical treatments, apart from first aid for the most

minor cases, as all serious incidents are referred to the National Poisons Unit's emergency phone lines.


PLATO helps identify a suspect plant by asking a series of questions, which the medical person answers by inspecting whatever specimens are available: Flowers, leaves, fruit, seeds, stems, roots, or any combination of these parts can lead to an identification.



To identify a plant in PLATO, start by answering a series of multiple-choice questions; in this case, "Which plant parts do you have?" You just click on the appropriate answer. More than one answer may apply, as in this example.



PLATO lets you review your answers at any time and change any answers you now think are bad. This is especially useful if PLATO fails to finger a suspect. This unsettling conclusion could be the result of a badly answered question.



If PLATO is taking too long to ask about an attribute that you think will quickly narrow the search—red berries, for example—you can direct the course of the search by pressing the Choose button.



This is the screen you see at the end of a PLATO search. The Back and Next buttons allow you to browse through all the possible remaining suspects to compare their pictures with your specimen.

PLATO employs a user interface in which you answer multiple-choice questions by clicking on-screen boxes with a mouse. These questions are phrased as far as possible in nonspecialist language and are accompanied by simple line drawings that illustrate the part in question.

Sometimes you might have to make simple measurements (such as the width of a leaf), but these are always specified as a choice of ranges (e.g., 0 to 2 cm, 2 to 4 cm) and do not need to be too precise. Occasionally botanical terms become unavoidable, for example when PLATO asks you to count the number of stamens in a flower, but these types of questions are few.

A very important part of PLATO's design brief was that it should be relatively

insensitive to incompleteness of information. Skipping a question if you are in doubt will rarely send the identification off in a wrong direction; it only slows it down somewhat. The designers have also built a high degree of "fuzziness" into the data stored in PLATO, with many categories overlapped so that a slightly "wrong" answer is unlikely to send the identification completely off the rails.

PLATO works on a list of plant suspects. Initially, this list contains the whole database. Each question you answer shrinks this list. Once you've reduced the list to a manageable number, you can press the Suspects button to browse the pictures of the remaining suspects and try to match your specimen visually, thus

cutting out some questions.

The Choose button allows you to force a change of direction in the questioning. For example, if PLATO insists on asking you about the seeds, but you feel that the red flowers may lead to a quicker identification, then Choose will let you divert PLATO's attention to questions about flowers.

It's quite possible for PLATO to fail to arrive at an identification, in which case it will announce that there are no suspects left. This can happen because the plant you are trying to identify is not in PLATO's database (because it's not poisonous, or maybe it's very rare), or it could be that you've answered a question incorrectly. You can press the Review button

From Video to CD in 6,8 min.

MPEG-500 PFW

MPEG-500 PFW Professional Realtime Video Encoding and CD Mastering Station

Video-CD, CD-I, CD-ROM, Video-on-Demand or interactive TV. These words currently rotate through our media. The demand for high quality full motion digital video on CD is growing daily. MPEG-500 PFW is the answer to professional digital production. From MPEG-1 Realtime Digital Video Encoding and Prefiltering over Multimedia Authoring to writing your own interactive Video-CD or CD-ROM. All in one familiar PC based System combined with carefully chosen broadcast video equipment.

INFO-LINE:
Tel.: ++49/89/601 80 51


Basic Workstation

SOFTWARE

- DOS 6.x, Microsoft
- Windows™ 3.x, Microsoft
- Video Pack, Authoring-
software for creating your
own Video-CDs according
to White-Book standard.
- Win On CD, CD-Formatter
Software according to
White-, Red-, Green-,
Yellow- and Orange-books

HARDWARE

- Pentium, PCI
- 8 MB RAM
- SCSI-2 Controller, PCI
- 1 GB Harddisc, 9,5 ms
- 3,5" Floppy Discdrive
- Graphics Accelerator PCI
- MPEG 4000 Realtime Video
Capture and MPEG
Compression Board
- PC Motion PRO Realtime
Audio Capture and MPEG
Decoder
- PF-30DNR MPEG Prefilter
with Recursive Noise,
Filtering and Timebase
Correction
- PC-Scope, Video Waveform
and Vector-Overlay Display
with Audio Level Metre
- 17" Multisync Monitor



APE Ptaek Engineering GmbH
Fax: ++49/89/60 43 95 Tel. ++49/89/601 80 51
Leoprechtingstr. 17-19
D-81739 Munich/Germany


Circle 553 on Inquiry Card (RESELLERS: 554).

Beetle or Beetle?

The basis of DELTA is the concept of a "character," an attribute you use in the description of an organism; for example, wing length to identify a bird, or flower color to identify a plant.

DELTA doesn't supply any standard characters; they are wholly user-defined entities. The character list is the most basic building block of any DELTA system, consisting of a list of the characters you wish to distinguish, together with their possible values or "states," numbered in a user-defined order.

The following extract might be from a character list for classifying beetles. The # symbol starts each new character definition; / is the end-of-item marker; and the angle brackets delimit a <comment>. You must define the character states in ascending numeric order; but otherwise the layout is in free-form, natural language.



to go back over your answers and change them if you wish. PLATO's identification engine generates its order of questions dynamically at run time, so that changing an intermediate answer will erase all the subsequent questions and start a new line of questioning from that point.

Features like Skip, Choose, Review, and Suspects are not just bells and whistles. They are absolutely crucial to making PLATO an expert system that nonbotanists can use effectively. It has to accept partial and not wholly accurate answers while still offering a good chance of making the correct identification. The lack of this level of flexibility has been the downfall of many previous expert system products.

How They Developed PLATO

Dr. Virginia Murray of the National Poisons Unit had the original idea to create PLATO in 1990. She obtained funds to set up small collaborative project teams

working in her unit and at Kew Gardens. The teams were comprised of two doctors, two botanists, one computer specialist, and a botanical illustrator.

Collecting data was not a major problem, as both the National Poisons Unit and Kew already had all the necessary plant information. Kew keeps a database of plant information stored in DELTA (DEscription Language for TAXonomy), an international standard format for taxonomic data (see the text box "DELTA, A Description Language" on page 40IS 12).

The main objectives of the design team were choosing a good set of DELTA characters for the poisonous species that would produce reliable identifications, and building a suitably flexible identification engine and interface to guide users through the search.

Mark Jackson, Kew's computer specialist, approached several U.K. software houses that specialize in AI applications (i.e., expert systems). But in each case, when they saw the data they declined the job. "All the firms told me that the system we wanted

was quite different from commercial AI applications," Jackson explains. "They told me that in our case all the 'intelligence' is contained in the data, and there is almost no role for external software to add intelligence."

Typical commercial AI systems involve sitting down a number of experts and extracting their expertise by questioning, codifying the results into a set of rules, and then using these rules to solve real world problems. The rules might be expressed using a language like Prolog, or some commercial expert systems shell.

However, in the case of Kew's data, the botanists' expertise is already encoded in the DELTA database. And what's more, taxonomy is too complex a discipline to easily yield to rule-based solutions. The questions you should ask when trying to identify a plant are entirely dictated by the data set, and the problem reduces to finding the best order in which to ask them.

BW-European Distributors

Austria

Computer Software Manufaktur
Tel: +43 1 319 42 46, Fax: +43 1 317 30 40
Network GmbH
Tel: +43 160 69607, Fax: +43 160 69608

Belgium

Comsol N.V.
Tel: +32 24 610 170, Fax: +32 24 61 0130

Czech Republic

Abakus Distribution A.S.
+42 224 510 94
+42 224 510 254

Denmark

Sirius Data
Tel: +45 32 962 010, Fax: +45 32 966 210

Finland

Santa Monica S/W
Tel: +358 0 692 3900
Fax: +358 0 692 6107

France

Fadimatec
Tel: +33 1 49 460031
Fax: +33 1 49 460258

Germany

Tekelec Airtronic GmbH
Tel: +49 89 516 40, Fax: +49 89 516 4110
Megabyte EDV
Tel: +49 89 741 1410
Fax: +49 89 741 14144

Hungary

Szki Comp. Comm. & Innov. Tech. Ltd.
Tel: +36 12 018 122, Fax: +36 12 017 882

Iceland

Netverk HF
Tel: +354 1 61 6161, Fax: +354 1 15041

Italy

ESA Software
Tel: +39 541 74113, Fax: +39 541 742153
Telena Data
Tel: +39 25 82 00 1, Fax: +39 25 82 00248

Netherlands

Radix
Tel: +31 0 20 6 14 24 63, Fax: +31 0 20 6 15 9811
T-Point Software B. V.
Tel: +31 74 912 470, Fax: +31 74 437 937

Norway

Scandinavian Comm Systems
Tel: +47 22 658 180, Fax: +47 22 654 770

Portugal

EFACEC, Gestão Informática S.A.
Tel: +351 295 120 15, Fax: +351 295 18940

Sweden

Microfront Vaxjo AB
Tel: +44 862 68870, Fax: +44 862 67474

Switzerland

Multicom Systems GmbH
Tel: +41 17 011 110
Fax: +41 17 011 128

Turkey

SEKOM
Tel: +90 312 468 23 73
Fax: +90 312 468 23 80

United Kingdom

Harrier Softnet
Tel: +44 0734 731181, Fax: +44 0734 734546
Systems Marketing Ltd.
Tel: +44 0488 681004, Fax: +44 0488 681002
UniDirect Ltd.
Tel: +44 0788 52005, Fax: +44 0788 551129

With BW-MultiConnect and BW-Connect NFS for Windows NT You Won't Be Left Out In The Cold.



"Fred, now here's an on-line client/server solution that will warm up any application!"

It's easy to get your NFS clients and NetWare® users to warm up to the benefits of Windows NT™. Reel them in with BW-MultiConnect™ and BW-Connect™ for Windows NT. Both solutions are from Beame & Whiteside of course, the experts in on-line Windows NT connectivity.

Windows NT users will bite on a wide range of NFS file and print services with BW-Connect NFS Client for Windows NT. It's the first multi-threaded NFS client for Windows. And it's kernel-mode,

delivering throughput up to 1,000 Kbps on some platforms. And BW-Connect NFS Server lets you share services with other NFS clients.

For all of your NetWare users, BW-MultiConnect for Windows NT is the catch of the day. With full NetWare server emulation, it provides open access to Windows NT file and print services. And best of all, you won't need to add any extra software on the NetWare client side.

Put your connectivity problems on ice with these affordable

Windows NT solutions. As Fred says, "If the software isn't from Beame & Whiteside, throw it back."

For your FREE 30-day personal evaluation just call or fax your distributor listed alongside this ad today.

Let's Connect!™

**Beame
&
Whiteside
Software™**

See us at Comdex Booth #N6264

*Developer tested only. Novell makes no warranties with respect to this product. All trademarks are the property of their respective owners. Beame & Whiteside Software, Inc. 706 Hillsborough St., Raleigh, NC 27603, Tel: (919) 831-8989, Fax: (919) 831-8990. ©1995 Beame & Whiteside Software, Inc. (073)



Circle 531 on Inquiry Card.

DELTA, a Description Language

DELTA, the DDescription Language for Taxonomy, is a data format designed for use by non-computer specialists working in the biological sciences. It was invented in 1980 by M.J. Dallwitz, an entomologist at CSIRO (Commonwealth Scientific and Industrial Research Organization) in Canberra, Australia. A significant advantage of DELTA is that, since it consists of plain text, humans can read it. And it is sufficiently powerful and general to actually replace written descriptions as the primary means of recording data.

Another of DELTA's important properties is that it's in a free format. You don't have to record data in the order it was defined, nor do you have to use any special column format. This allows you to omit attributes that are not known, and to add attributes later to the end of a list, which makes DELTA very forgiving and, hence, more usable in real life.

DELTA recognizes five main types of character state:

1. Unordered multistate (e.g., the "striated area" in the beetle example on page 40IS 10)
2. Ordered multistate (size of the eyes in the beetle example)
3. Integer numeric
4. Real numeric (such as body length in mm)
5. Text (used for extended comments)

You can specify units for numeric characters, as the body length is specified to be in millimeters in our example. DELTA also defines a lot of directives for specifying the maximum numbers of states and type of characters, which need not concern us here.

Descriptions of actual organisms in DELTA now just consist of lists of these character/state pairs, represented by their numbers in the character list. Such a list, called a taxon description, is composed of item descriptions, each of which describes one variant of the taxon (i.e., the taxonomic group). So two variants of a beetle might be described as:

```
# Species B (Australia)/ 1,1
2,1/2<rare> 3,1 4,6.5-8
# Species B (New Guinea)/ 1,1
2,1/2<rare> 3,2 4,6.5-7
```

where a pair like 3,1 means that character 3 has state 1 (eyes are large). The first item thus decodes as "striated area on maxillary palp present, pronotum red (or rarely black), eyes large, body length from 6.5 to 8 millimeters." DELTA enables an even more economical representation than this, by allowing variant items where all characters that are not explicitly assigned a state are assumed to be the same as in the main item; the second item above could be rewritten as:

```
#+ Species B (New Guinea)/ 3,2 4,6.5-7
```

This is similar to the concept of inheritance in object-oriented programming. DELTA also supports implicit or default values for characters so that you can omit some very common characters altogether in your descriptions.

Many of the software tools written to support the DELTA format will be able to expand variant items and insert any omitted implicit values, so you can get back a complete description if you want.

DELTA also supports the notion of character dependencies, where some characters become inapplicable if other characters take certain values. For example, given a character

```
#234. wing pattern/
1. spotted/
2. plain/
```

then a character "wing spot diameter" would become redundant if "wing pattern" took the value "plain." These dependencies are expressed in a directive like this:

```
*DEPENDENT CHARACTERS 4,2:16
9,1:20 10,1/3:12-15
```

where 4,2:16 means that character 16 is not available if character 4 has state 2.

The PLATO database employs an almost standard DELTA format, but the designers modified a couple of small details. PLATO's questions are derived directly from the DELTA characters, just as #2 in our example could be rephrased as the question "What color is the pronotum?" However, the questions are also classified into three sets—fruit, flower, and leaf—for convenience in the user interface, and this classification is held in a separate file that's not in DELTA form. The Kew team also modified the Dependent Characters directive to include the dependent characters, rather than exclude them as DELTA does. So 4,2:16 would now mean "question 16 becomes available if the answer to question 4 is 2."

You can obtain further details about DELTA from the Internet site delta@ento.csiro.au.

The PLATO Identification Engine

PLATO's identification engine operates on five data files. These files hold ASCII text encoded in a slightly modified version of the DELTA format.

- 1** Delta character list that defines the 120 questions PLATO can ask
- 2** Delta item descriptions of the plants
- 3** a) Extended description of each plant
b) Toxicology data
c) Filenames of plant pictures
- 4** Definitions of question categories
- 5** The list of question dependencies

Ergonomic Furniture for every Computerized Work Environment



ORGANIZE COMPUTER EQUIPMENT

Ergotron LAN Furniture organizes monitors, servers and other equipment upward into previously unused "free" air space. For existing equipment, this immediately reduces floor space requirements. As your LAN grows, Ergotron can help you potentially triple or even quadruple available floor space without costly building expansion.

IMPROVE COMPUTER ACCESS

With the flexibility of Ergotron's open architecture, you can custom-configure standard components to organize equipment, improve computer access and reduce system downtime. The unique Cable Management System not only hides cables, but organizes them for easy access and identification.

ERGONOMIC ADJUSTABILITY


And with Ergotron's patented monitor suspension, you can lift, glide, tilt, swing, and rotate every monitor until they're "just right" for easy access and comfortable viewing.

Tested at over 900kg, Ergotron systems are ruggedly built to protect your computer investment and last a lifetime.

For more information and a free brochure, contact our European sales office:

Ergotron Europe
Karspeldreef 19.1102 BB
AMSTERDAM
The Netherlands

Tel: +31 20 696.60.65
Fax: +31 20 609.04.59



ERGOTRON EUROPE[®]
Ergonomic Computer WorkCenters

Feature

Jackson decided to split the job into two parts: developing the user interface in-house at Kew in Visual Basic, and contracting System Simulation Ltd. to write the identification engine.

"The engine we were asked to write didn't concern itself with a lot of rules about how to identify plants, but rather with a few rules about how to ask questions," says Mike Stapleton, SSL's technical director.

The PLATO data set contains some 120 different questions that it makes sense to

ask about a plant, but these questions are interdependent. For example, only if you answer that your plant has a seed-case does it make sense to ask whether the seed-case is spiky or smooth. Accordingly, each PLATO question contains links to the other questions that it makes available, and the identification engine applies algorithms to choose the next question, which either reduces the suspect list by the most, or increases the number of available questions by the most.

It was very important that the identifi-

cation engine not depend on the particular content of the Kew plant database, which could bias the choice of algorithms. In fact, the PLATO team insisted that SSL not have access to the real plant data until a prototype engine was running and the algorithms approved. Meanwhile the team at Kew prototyped the user interface using a simple Superbase database as the test back end.

Once the prototype engine was running, the hard work began for botanists Chris Leon and Liz Dauncey. They had to determine what set of questions would best enable PLATO to quickly identify the most species, and write these questions so that non-botanists could understand them. This roughly corresponds to the knowledge-acquisition phase of implementing a conventional expert system, but it was less structured in the sense that the knowledge was never expressed in explicit rules; instead, the botanists exercised their skill at identifying plants and then tuned the database structure in the light of their success or failure.

The botanists carried out this work using the same specialist botanical database software, called Alice, that they use for all their taxonomic work. Alice is designed to export in DELTA format, so once the data set was finalized it could be written out and burned into a CD-ROM.

The Interface and the ID Engine

The PLATO software is composed of two separate modules. The user interface module is a Visual Basic program that provides all the question screens. The identification engine is a Windows DLL written in C and callable from Visual Basic. The modules communicate via a function-call API that the Kew team specified.

The Visual Basic front-end software contains no question data at all, but merely the template on which the question screens are built, namely a set of buttons for OK, Skip, Choose, and so on. The actual question text is retrieved from the database by the identification engine and passed to the user interface at run time. There's a true decoupling between the two parts and neither of them depends upon the content of the database (though whatever it is must be encoded in DELTA format). This means that it's very easy to modify PLATO (before it gets burned into CD-ROM, of course); changing a question is just a matter of editing a text file, and you can add diagrams to questions almost as easily as text.

The identification engine operates on five data files (see the textbox on page 40IS 12). This module contains functions

Distinct TCP/IP


For C, C++, Visual C++, Turbo Pascal, Visual Basic and other Windows programmers.

SOFTWARE DEVELOPMENT USE
Visual Edition

SOFTWARE DEVELOPMENT USE
Professional Edition

SOFTWARE DEVELOPMENT USE
Standard Edition

- TCP/IP Custom Controls for Windows Sockets, Telnet, FTP, RCP, R-commands (remote shell, rlogin and rexec), Mail (SMTP, POP2/POP3) and News (NNTP). For Visual Basic users only.
- Just define properties and handle events, no DLLs to call or TSR to use.
- 10 sample applications and over 200 pages of documentation included.
- Includes Distinct's small and fast Windows Sockets protocol stack; extensions run over other Windows Sockets compliant stacks.
- Includes all the features of the Standard Edition PLUS Telnet VT emulator, drag and drop FTP client and server, TFTP, LPR, LPD, transparent printing, Network Monitor, Finger and more.
- APIs for Windows Sockets, Berkeley Sockets, ONC RPC/XDR, Telnet, FTP, SMTP, POP2/POP3, NNTP and NetWin.
- Supports NDIS, ODI or Packet drivers, SLIP, CSLIP and PPP with scripting.
- Co-exists with Windows for Workgroups, Network, Lan Manager, Vines, Lantastic and Pathworks.
- Over 400 KB source code samples in C, C++, and Pascal.
- Small, fast and robust 100% DLLs, allow up to 128 concurrent sessions.
- Includes C++ Class Libraries for Windows Sockets, Telnet and FTP.



distinct

Email: mktg@distinct.com
Fastfacts: 408.366.2101
Fax: 408.366.0153
Phone: 408.366.8933

THE MOUSE IS DEAD.



LONG LIVE THE MOUSE!

But the general input and control device of the future must have more to offer than three buttons:

More buttons, freely assignable.

Senses enough to read and size graphics. To digitize anywhere in WINDOWS, even where digitizer tablets are not wanted, in CorelDRAW! and



AutoSketch for instance. Senses to support menu templates everywhere and to navigate you safely through large spreadsheets. Everything the mouse had done plus more than all graphics tablets can do. Without any fuss. This is the future. It's here now.

"It's a technical marvel." **Windows Magazine 6/94** "Extremely versatile and easy to use." **PC Home 5/94** "They said it couldn't be done. Digitising within AutoCAD LT was supposed to be out of bounds. ARISTO, the German manufacturer of digitisers, begs to differ. And, what is more, have a product to prove the point." **CADDesk 5/94** "Multitalent für Windows-Freaks" **AutoCAD 1/95**

ARISTO Graphic Systeme GmbH & Co. KG
Schnackenburgallee 117
D - 22525 Hamburg (Germany)

Tel: ++49-40-54747-0
Fax: ++49-40-54747-111

All trademarks are the property of their respective holders.

THE



MOUSE.

New Technology – New Opportunities

Circle 533 on Inquiry Card (RESELLERS: 534).

Feature

to initialize the database, to query the database, and to retrieve the question or species data. But the crucial function is called `best_question`. It returns the number of whichever question the engine judges to be the best to ask at this point in the dialog. The criteria that `best_question` uses to make this judgment can be adjusted; there are two different choice algorithms, and the questioning strategy can be altered too.

The choice algorithms are called minimax and info, and there's an option function that sets which of them `best_question` will use. Minimax is a very well known method used in, for example, chess programs to select the next move by evaluating all the possible positions up to several moves ahead. In the PLATO case, minimax involves applying all the different possible question/answer pairs to the current state of the inquiry and evaluating the outcome states: States with just one remaining suspect score highest, states with no remaining suspects and states that do not reduce the number of suspects score lowest, while other states score higher for having fewer suspects or more available questions.

The balance between suspects and ques-

tions in this latter case is itself adjustable—if the "qsignificant" property is set to 0, only suspects are considered, while if it's 100, only available questions are considered, and intermediate values offer a combination of these measures. The depth (or "ply") to which minimax searches (i.e., more than one question/answer) is also adjustable, but values greater than 1 tend to slow the system down and are not really necessary with the PLATO data.

The info algorithm tries to choose the available question that will maximize the information content of the resulting state. It's related to a familiar AI algorithm called Quinlan's ID3 that's often used to generate decision trees. In PLATO's case, a question that selects all the suspects has zero information content and is therefore useless; a question that selects no suspects is equally useless; the

question that yields maximum information is the one that partitions the remaining suspects into evenly sized subsets. The info algorithm tends to be skewed in favor of those questions with the most an-

swers, but the degree of this bias is adjustable via another option parameter called *normalize*.

The botanists tried out both the minimax and info algorithms during development, and though both worked and arrived at the same answers, the question sequences they presented were different. Eventually they chose to employ just info for the final PLATO product. As Liz Dauncey puts it, "I just preferred the

questions it tended to choose, which involved less measuring and felt easier for non-botanists." It's quite possible that future research on other, larger data sets might discover an advantage to using both algorithms, perhaps even selecting dynamically in different search contexts.

**Further ahead
there will be a CD
for poisonous fungi,
and a Europe-wide
version.**



More Productivity... Greater Control In Your Computer Classroom

CLASSNET is a powerful video network that puts every monitor, mouse and keyboard in the instructor's control.

- Display teacher and student screens to the entire class
- Observe student work-in-progress, then take over keyboard and mouse
- Interact with students without leaving your desk
- Darken screens for immediate attention
- Broadcast multimedia, VCR, Laserdisc, TV to student computers
- Works with all major operating systems and hardware; with or without LAN
- Supports mouse, voice, graphics and motion video – up to 64 computers
- Available with fast file-transfer, E-mail and intercom functions

CLASSNET™

For more information call:



Minicom
Advanced Systems Ltd.

International Hqtrs: Il Beit Hadfus St. Jerusalem 95483 Israel
Tel • 972-2-6518593 Fax • 972-2-6518971

North American Office: 195 W. 8th St. Holland, MI 49423
Tel • 616-392-3707 Fax • 616-396-2224



The Platonic Future

PLATO-UK is already in trial use in several U.K. hospitals. Final details about publishing PLATO more widely had not been settled at the time of writing this article; the National Poisons Unit or a commercial publisher might put it out. In either case, given the nature of the subject matter, it's likely that PLATO will be available only to the medical profession. One practical problem that needs to be solved before wider publication can happen is copy protection. Since the DELTA file format is just plain text, anyone could copy the plant data from CD-ROM to a hard disk and make free with it. The PLATO team is currently evaluating various commercial encryption and key-disk systems.

Further ahead there will be a PLATO for poisonous fungi, which is already well into development, and a Europe-wide version that will include more plants not found in the U.K. Since the PLATO identification engine is so general, it could be used for other sorts of data too. ■

Dick Pountain is a BYTE contributing editor based in London. You can reach him on the Internet or BIX at dickp@bix.com.

C & C++ FOR DOS

| Comms | | Printer | |
|--------------------------|------|----------------------------|------|
| Async Prof for C/C++ 2.1 | £170 | BD/CX (DOS) | £300 |
| Greenleaf CommLib 5.1 | £235 | BGI Printer Driver Toolkit | £105 |
| MagnaComm/DOS | £215 | GX Printer 1.5 | £240 |
| SilverComm "C" Async 4.0 | £195 | SLATE | £260 |

| Database | | Screen | |
|------------------------------|------|-------------------------|------|
| c-tree Plus 6.4b | £565 | C-Scape 4.0 | £360 |
| D-ISAM | £495 | C/Windows Toolchest | £45 |
| DataBoss 3.5 (Special Offer) | £79 | Greenleaf Datatools 3.0 | £225 |
| SoftFocus Btree/ISAM | £75 | Panel Plus II | £260 |

| Graphics | | General & Systems Libraries | |
|----------------------------|------|-----------------------------|------|
| 3D-Ware Prof | £249 | GX Sounds | £200 |
| Essential Graphics Toolkit | £320 | Interwork | £205 |
| Fastgraph 4.0 (Ted Gruber) | £195 | MTASK | £215 |
| GFX Graphics/Fonts & Menus | £300 | Multi-C w/Source | £39 |
| GX Graphics 3.0 | £155 | TTSR Ram Res Dev Sys 2.0 | £105 |
| GX Images | £399 | TSRs and More | £130 |
| MetaWINDOW-DOS 4.4 | £170 | | |

| GUI | | Tools | |
|---------------------------|------|--------------------|------|
| 4Sight | £300 | C-DOC 6.0 | £175 |
| MEWEL/GUI Std 4.0 | £390 | C-Vision for C 3.1 | £95 |
| object-Menu w/Source 2.7 | £510 | CC-Rider Prof | £235 |
| Zinc Engine & DOS Key 4.0 | £505 | Clear+ for C | £135 |

| Math & Scientific | | DELPHI | |
|-------------------------------|------|---------------------------------|------|
| C/Math Toolchest & Grafix | £45 | Delphi | £185 |
| Huge Virtual Array & NAT 3.0 | £215 | Mobius Business Builder (Intro) | £199 |
| Science, Eng & Graphics Tools | £140 | Mobius Draw Kit | £99 |

| Memory Managers | | Mobius WinG Sprite Kit | £99 |
|-----------------|------|------------------------|------|
| MegaHeap | £115 | Orpheus | £135 |
| MoreHeap 3.23 | £135 | | |
| VMDData for DOS | £665 | | |

C & C++ FOR WINDOWS

| | | | | | |
|--------------------------------|------|----------------------------------|------|---------------------------------|------|
| Asynch Pro for Win | £135 | Visual Basic 3.0 for Win Std | £96 | Gantt/VBX | £195 |
| COMM-DRV/LIB | £140 | Visual Basic 3.0 for Win Prof | £230 | HighEdit 3.0 | £199 |
| Greenleaf Comm++ | £180 | Comms Lib/Win | £115 | MS Visual Control Pack | £69 |
| Greenleaf CommLib Pro | £365 | Distinct TCP/IP - Visual Edition | £265 | Real-Time Graphics Tools for VB | £390 |
| Borland Database Engine 2.0 | £205 | NetWare Client SDK for VB | £169 | QuickPak Pro for Win 3.0 | £145 |
| CodeBase 5.1 | £259 | Network Library/Win | £80 | Spread/VBX | £175 |
| CBBase Pro | £500 | PDQ Comm for Windows 2.1 | £99 | SpyWorks-VB | £120 |
| DataBoss for Windows | £410 | ADE/VBX | £350 | TAB/PRO | £75 |
| DataDirect Developer's Toolkit | £450 | CodeBasic 5.1 | £140 | TX Text-Control Standard | £180 |
| DataTable | £145 | Controls for Btrieve | £185 | VB/Magic Controls | £120 |
| DBTools.h++ for ODBC | £340 | Crystal Reports Pro 4.0 | £295 | VBAssist 3.0 | £135 |
| Greenleaf Database Library 4.0 | £180 | DataDirect Multilink/VB | £270 | VBGraphix | £270 |
| Integra VDB/C++, Desktop | £209 | Grid/VBX | £75 | VBTools 4.0 | £115 |
| List & Labels for Win (Pro) | £395 | Integra VDB/VB, Desktop | £209 | VB/Rig Professional | £79 |
| POET SDK 2.1 | £360 | List & Labels for VB | £279 | WinWidgets/VBX | £160 |
| Raima Database Manager | £380 | TrueGrid Pro 2.1 | £105 | 3D Graphics Tools 4.0 | £130 |
| Spread/VBX++ | £175 | VB/ISAM MU | £150 | Code.Pro for VB | £85 |
| Charting Tools for Win | £245 | VBtrv for Windows | £185 | Compression Plus for VBWin | £175 |
| Essential Chart for Win | £320 | Visual/db Network 3.0 | £235 | d-Barcode VBX/DLL | £94 |
| Graphic/Win 7.0 | £360 | Accusoft Image Lib/VBX 5.0 | £500 | DynaZIP VBX | £129 |
| Graphics Server 4.0 | £245 | ImageKnife/VBX 1.3 | £175 | FXTTools VB Std 1.5 | £149 |
| Real Time Graphics Tools | £480 | ImageMan/VB 3.0c | £239 | MediaKnife/VBX | £244 |
| Accusoft Image Lib/Win 5.0 | £670 | ImageStream/VBX | £180 | Microhelp Muscle/Win | £125 |
| Ad Oculis (Image Analysis) 2.0 | £325 | JPEG Image Compressor VBX | £169 | QuickPak Scientific for Win | £105 |
| ImageMan | £399 | PCX Toolkit for Windows | £155 | TMS Tools | £99 |
| LEADTOOLS Prof 4.0 | £675 | 3-D Widgets | £89 | VB Compress | £99 |
| PCX Toolkit for Windows | £155 | ChartBuilder for VB | £75 | VB Language Manager | £130 |

| | | | | | |
|-------------------------------|------|------------------------|------|----------------------------------|------|
| Borland Visual Solutions Pack | £59 | Custom Control Factory | £49 | Visual Developer's Suite | £290 |
| Control Palette 2.0 | £135 | Data Widgets | £99 | Visual Instrument Panel Controls | £150 |
| Crusher! Win DLL w/Source | £235 | Designer Widgets | £99 | VisualSpeller | £120 |
| Diamond Toolkit | £310 | First Impression | £180 | VisualWriter | £180 |
| Greenleaf ArchiveLib | £210 | Formula One 2.0 | £180 | VSView | £105 |
| HeapAgent | £420 | | | | |
| KPWin++ | £600 | | | | |
| Lapack.h++ w/source | £675 | | | | |
| M.4 | £660 | | | | |
| Math.h++ 4.1 | £340 | | | | |
| Money.h++ | £340 | | | | |
| MS Visual Control Pack | £69 | | | | |
| PKWare Data Comp Lib for Win | £175 | | | | |
| ProtoGen+ | £220 | | | | |
| RWCCanvas.h++ | £340 | | | | |
| SafeWin 3.0 | £190 | | | | |
| TCOMP/Multi-Platform | £105 | | | | |
| TC-CAD Prof 5.0 | £795 | | | | |
| Tools.h++ 6.0 | £340 | | | | |
| WinMaker Pro 6.0 (intro) | £360 | | | | |
| WinWidgets++ | £240 | | | | |
| Zinc 4.0 for Windows & NT | £505 | | | | |

BASIC COMPILERS

| | | | |
|----------------------------|------|---------------------------------|------|
| BBC BASIC-86 Plus | £75 | Microsoft Access 2.0 | £289 |
| CA-Realizer 2.0 (OS2&Win) | £179 | Microsoft Fortran 5.1 | £138 |
| GFA-BASIC for DOS | £80 | Microsoft Fortran Power Station | £230 |
| GFA-BASIC for Windows | £80 | MS FoxPro 2.6 Pro Win | £360 |
| GFA-BASIC for Win Compiler | £54 | MS FoxPro 2.6 Std Win | £87 |
| PowerBASIC 3.1 (DOS) | £109 | MS Macro Assembler 6.11 | £110 |
| PowerBASIC Pro (Win&DOS) | £225 | MS Multimedia Viewer Pub Kit | £230 |
| TrueBASIC Std 3.0 | £88 | MS Visual Basic for Win Std | £96 |
| | | MS Visual Basic for Win Prof | £230 |
| | | Microsoft Visual C++ Std | £65 |
| | | Microsoft Visual C++ 2.0 | £299 |
| | | Microsoft Windows 3.1 | £78 |
| | | Borland Database Engine | £205 |
| | | Borland C++ 4.5 | £280 |
| | | Borland Pascal with Objects 7.0 | £250 |
| | | dBase 5.0 for DOS | £405 |
| | | dBase 5.0 for Windows | £280 |
| | | dBase Compiler 2.0 | £245 |
| | | Delphi | £185 |
| | | Turbo C++ 3.0 | £66 |
| | | Turbo C++ Visual Ed. for Win | £94 |
| | | Turbo Pascal 7.0 | £94 |
| | | Turbo Pascal for Windows 1.5 | £99 |
| | | Paradox for Win 5.0 | £280 |

WITH FULL TECHNICAL SUPPORT

GREY MATTER

Pricey Medians, Ashburton, Devon TQ13 7DF

Prices do not include VAT or other local taxes but do include delivery in mainland UK. Please check prices at time of order as ads are prepared some weeks before publication.

This page lists some of our products - call us for a complete price list. ORDER BY PHONE WITH YOUR CREDIT CARD

(01364) 654100

FAX: (01364) 654200

PROGRAMMING tools

| Ada | Assemblers |
|------------------|--------------------|
| Basic | C/C++ |
| Comms | Cross Dev |
| Custom Controls | Database |
| Debuggers | Dos Extenders |
| Editors | Fortran |
| Graphics | GUI |
| Linkers/Locators | Lisp |
| Modula-2 | Multi-tasking |
| Pascal | Prolog |
| Smalltalk | SQL |
| Version Control | Visual Programming |
| Windows | Xbase |

We stock many items for which there is no space in these advertisements.

VISUAL BASIC FOR WINDOWS

| | | | |
|----------------------------------|------|----------------------------------|------|
| Visual Basic 3.0 for Win Std | £96 | Gantt/VBX | £195 |
| Visual Basic 3.0 for Win Prof | £230 | HighEdit 3.0 | £199 |
| Comms Lib/Win | £115 | MS Visual Control Pack | £69 |
| Distinct TCP/IP - Visual Edition | £265 | Real-Time Graphics Tools for VB | £390 |
| NetWare Client SDK for VB | £169 | QuickPak Pro for Win 3.0 | £145 |
| Network Library/Win | £80 | Spread/VBX | £175 |
| PDQ Comm for Windows 2.1 | £99 | SpyWorks-VB | £120 |
| ADE/VBX | £350 | TAB/PRO | £75 |
| CodeBasic 5.1 | £140 | TX Text-Control Standard | £180 |
| Controls for Btrieve | £185 | VB/Magic Controls | £120 |
| Crystal Reports Pro 4.0 | £295 | VBAssist 3.0 | £135 |
| DataDirect Multilink/VB | £270 | VBGraphix | £270 |
| Grid/VBX | £75 | VBTools 4.0 | £115 |
| Integra VDB/VB, Desktop | £209 | VB/Rig Professional | £79 |
| List & Labels for VB | £279 | WinWidgets/VBX | £160 |
| TrueGrid Pro 2.1 | £105 | 3D Graphics Tools 4.0 | £130 |
| VB/ISAM MU | £150 | Code.Pro for VB | £85 |
| VBtrv for Windows | £185 | Compression Plus for VBWin | £175 |
| Visual/db Network 3.0 | £235 | d-Barcode VBX/DLL | £94 |
| Accusoft Image Lib/VBX 5.0 | £500 | DynaZIP VBX | £129 |
| ImageKnife/VBX 1.3 | £175 | FXTTools VB Std 1.5 | £149 |
| ImageMan/VB 3.0c | £239 | MediaKnife/VBX | £244 |
| ImageStream/VBX | £180 | Microhelp Muscle/Win | £125 |
| JPEG Image Compressor VBX | £169 | QuickPak Scientific for Win | £105 |
| PCX Toolkit for Windows | £155 | TMS Tools | £99 |
| 3-D Widgets | £89 | VB Compress | £99 |
| ChartBuilder for VB | £75 | VB Language Manager | £130 |
| Custom Control Factory | £49 | VERSIONS/VB 1.1 | £80 |
| Data Widgets | £99 | Visual Developer's Suite | £290 |
| Designer Widgets | £99 | Visual Instrument Panel Controls | £150 |
| First Impression | £180 | VisualSpeller | £120 |
| Formula One 2.0 | £180 | VisualWriter | £180 |
| | | VSView | £105 |

LOW PRICES

FOR MICROSOFT & BORLAND PRODUCTS

| | |
|---------------------------------|------|
| Microsoft Access 2.0 | £289 |
| Microsoft Fortran 5.1 | £138 |
| Microsoft Fortran Power Station | £230 |
| MS FoxPro 2.6 Pro Win | £360 |
| MS FoxPro 2.6 Std Win | £87 |
| MS Macro Assembler 6.11 | £110 |
| MS Multimedia Viewer Pub Kit | £230 |
| MS Visual Basic for Win Std | £96 |
| MS Visual Basic for Win Prof | £230 |
| Microsoft Visual C++ Std | £65 |
| Microsoft Visual C++ 2.0 | £299 |
| Microsoft Windows 3.1 | £78 |
| Borland Database Engine | £205 |
| Borland C++ 4.5 | £280 |
| Borland Pascal with Objects 7.0 | £250 |
| dBase 5.0 for DOS | £405 |
| dBase 5.0 for Windows | £280 |
| dBase Compiler 2.0 | £245 |
| Delphi | £185 |
| Turbo C++ 3.0 | £66 |
| Turbo C++ Visual Ed. for Win | £94 |
| Turbo Pascal 7.0 | £94 |
| Turbo Pascal for Windows 1.5 | £99 |
| Paradox for Win 5.0 | £280 |

WITH FULL TECHNICAL SUPPORT

DATABASE & CLIENT SERVER

| | |
|------------------------------|-------|
| Clarion for Windows | £450 |
| DataFlex for Win | £390 |
| Delphi Client/Server | £830 |
| Equinox | £279 |
| Idealist for Win Read/Write | £105 |
| Microsoft Access 2.0 | £289 |
| Microsoft FoxPro Pro 2.6 | £360 |
| dBase 5.0 for Windows | £280 |
| ObjectView Desktop | £190 |
| OpenInsight 2.01 | £345 |
| Paradox for Win 5.0 | £280 |
| PowerBuilder Desktop 4.0 | £469 |
| SQLWindows Corporate | £2755 |
| SQLWindows Network | £1835 |
| SQLWindows Starter | £945 |
| SQLWindows Solo | £105 |
| VisualAge | £1415 |
| VisualAge Team | £2815 |
| Watcom SQL for Win | £230 |
| DataDirect ODBC Pack for Win | £320 |
| Forest & Trees for Win Std | £615 |
| InfoModeller Desktop | £355 |
| Monarch for Windows | £365 |
| Quest | £500 |
| Quest Reporter | £255 |

News & Views

ATTENTION ALL C/C++ PROGRAMMERS! - THE BEST IS NOW BETTER & CHEAPER!

WINMAKER PRO 6.0 - ONLY £360
WindowsMaker Professional from Blue Sky has always enjoyed a superb reputation as the leading prototype/code generator for C/C++. Now there is a new version, renamed WinMaker Pro, and a special price until the end of April.

A new Project Manager lets you access and edit all your objects & resources. 3 new floating palettes have been added - the Toolbox lets you drag'n'drop resources & controls into an app; the Property Sheet lets you set styles, characteristics & event options of any controls; and the Colour & Font Palette lets you set colours & fonts for any control from one place. It also supports VB's (OCX's to follow), application templates, and includes a Multimedia module (AVI & WAV). It can target MFC, OWL or raw API on Windows, Win32, Windows95 & Windows NT and can integrate right into the Visual C++ Visual Workbench or Borland C++ IDE.

What are you waiting for? Call us for full details and order it before the price goes up to £725. If you have been dreaming of a C++ version of Delphi for your front-ends (no, there won't be one!), WinMaker Pro is as close as you'll get.

DELPHI Price Correction

Last month's pricing was all wrong!! Delphi is actually on special offer until the end of May for £185.

VisualAge from IBM - Fully OO Client/Server

If you are looking for a fully object-oriented client/server development system based on a visual construction-from-parts architecture, look no further. Both OS/2 & Windows versions, single or team versions, based on IBM Smalltalk, suitable for complex, industrial strength development.

Add-ons for comms, multimedia, access to Oracle & Sybase. ONLY £1415.

OS/2 Personal Pascal

If you want to learn Pascal on OS/2, then this is the ideal package. On-line docs, samples, tutorials, full 32-bit native code compiler, debugger, etc. From Cabot. ONLY £69

C & C++ COMPILERS

| | |
|-------------------------------|------|
| Borland C++ 4.5 | £280 |
| Borland C++ 4.5 & DB Tools | £405 |
| High C/C++ 386 3.3 | £620 |
| High C/C++ for Win NT | £445 |
| Microsoft Visual C++ Intel Ed | £299 |
| Salford C/C++ DOS Developer | £195 |
| Salford C/C++ Win Developer | £395 |
| Symantec C++ 6.1 Prof | £325 |
| Watcom C/C++ 10.0 | £155 |
| Aztec Embedded C86 | £290 |
| Microsoft Visual C++ Std | £65 |
| Symantec C++ 6.1 Std | £85 |
| TopSpeed C/C++ Prof | £215 |
| Turbo C++ 3.0 | £66 |
| Turbo C++ Visual Ed. for Win | £94 |

VISUAL BASIC FOR DOS

| | |
|------------------------------|------|
| MS Visual Basic for DOS Std | £96 |
| MS Visual Basic for DOS Prof | £230 |
| NetPak Pro for DOS | £135 |
| PDQ Comm | £65 |
| QuickComm | £129 |
| QuickNet | £79 |
| RS232 Library | £130 |
| dbLib Prof 3.0 | £195 |
| VB/ISAM MU | £150 |
| Graphics QuickScreen | £105 |
| Graphics Workshop | £105 |
| GraphPak Pro | £99 |
| Compression Plus | £79 |
| Compression Workshop | £110 |
| PDQ | £110 |
| Printer Plus | £130 |
| ProBas 5.6 | £169 |
| QuickPak Prof 4.19 | £145 |
| QuickPak Scientific 3.0 | £105 |
| QuickScreen 4.0 | £105 |

What's New

SOUND AND SCSI, TOO

Portable Add-ons (Guildford, U.K.) offers a PCMCIA card that combines a 16-bit stereo sound board and a SCSI-2 interface.

The Multimedia Combo's sound card can sample audio at up to 44.1 kHz. It can record, mix, and play back WAV files and other formats, such as MID, AVI, SND, and RMI. The OPL-3 chip provides 20-voice FM synthesis. The sound card is compatible with Windows and MPC applications. It comes with a headset, microphone, and Microsoft Sound System software.



The little card's SCSI-2 interface allows you to hook up peripherals to your notebook. You can daisy chain up to seven devices. Sustained data transfer rate is 3 MBps. The card is bundled with CorelSCSI software.

Price: £479.

Phone: +44 1483 440777;

fax: +44 1483 452304

Circle 1043 on Inquiry Card.

V.FAST FAX AND DATA BLASTERS

Technology Concepts' (Cwmbran, U.K.) new fax modems use V.Fast (V.34) technology. They can send data at up to 115.2 Kbps and faxes at up to 14.4 Kbps.

The Datablast modems use the Rockwell chip set. They're backward-compatible with V.32bis, V.32, and older modems.

The company says the modems are BABT-approved and meet ISO 9000 standards.

Price: desktop, £245; add-in card, £365; stackable, from £795.

Phone: +44 1633 872611;

fax: +44 1633 872329

Circle 1044 on Inquiry Card.

TOSHIBA'S NEW PCMCIA MODEM

The Advanced V.34 PCMCIA Modem from Toshiba (Weybridge, U.K.) offers compressed data throughput of up to 115,200 bps and two levels of compression: V.42bis (up to four times) and MNP level 5 (up to two times). The modem card supports V.34, V.32 bis, V.32, V.23, and other data modes. It supports a range of error-correction protocols, including V.42, MNP level 4, and LAP/M, which should assure data transmission in any location.

For faxing, the modem features the Class 1 and 2 command set and is compatible with Group 3 faxes. Delrina's WinFax Lite software comes with the package. Toshiba is tossing in a free trial subscription to CompuServe. Warranty on the modem is three years.

Price: £499.

Phone: +44 1734 845995


Circle 1048 on Inquiry Card.

COMPUTER AND PHONE INTEGRATION

Phoneware from Tedas (Marburg, Germany) converts a PC into a personal call center for Windows users. Using speaker-independent speech recognition, Phoneware enables retrieving and forwarding of messages—even from a cellular phone.

The system features customizable key pads, accounting, call scheduler, and call queuing, as well as a hierarchical phone book. Phoneware tracks incoming and outgoing calls and stores the number of any outgoing call.

Using an external telephone interface connected to the PC, Phoneware works with ISDN and is compatible with standard fax software systems. Remote voice control allows you to check all mailboxes using a personal identification number. The



system also offers a recording function, where 15 minutes of speech requires about 10 MB of storage space.

Price: DM460.

Phone: +49 6421 91020;

fax: +49 6421 910299

Circle 1041 on Inquiry Card.

SPIDERMAN SERVES AS DAY AND NIGHT PORTER



Your personal computer might be an excellent way to receive faxes, but it won't receive a thing when it's turned off—unless you deploy Spiderman. This little gadget from Martignoni Electronics is a combination of a fax, answering machine, and high-speed modem. You connect it to the parallel port and to the printer.

Receiving a fax, Spiderman stores the data in its installed RAM and then starts up the printer. When the printer is ready, the device automatically sends the fax to the printer. When done, Spiderman turns off the printer. This procedure saves energy and allows you to receive faxes without having to turn on your PC.

The product's 1 MB of RAM stores up to 10 minutes of voice messages or up to 15 fax pages. You can upgrade the memory to 16 MB.

Spiderman is compatible with fax standard V.17 Group 3 and offers an EIA class 2 interface for connection to the PC. It supports Hewlett-Packard LaserJet, PostScript, Canon bubblejet, Epson, and IBM printers. The modem supports V.21 to V.32bis.

Price: DM749.

Contact: Martignoni Electronics, Zurich, Switzerland, +41 1273 1111; fax: +41 1273 3700

Circle 1036 on Inquiry Card.



Tune up your SQL server for \$29!

**NEW
FROM NSTL**

Working with an SQL server on client/server or other systems, you know how performance can bog down.

Now, thanks to NSTL's intensive study, you can help your SQL server to store and retrieve data at lightning speed. Our new Special Report will show you how to do it!

At NSTL (National Software Testing Laboratories) we've spent over four years testing how to best performance-tune SQL servers. At last, you can take advantage of all we have learned.

■ **Get a performance boost — for only \$29!** Through rigorous testing of a variety of configurations, we were able to boost SQL server performance by 40%. Performance results may vary, but we guarantee you'll be pleased.

■ **Improve memory management.** Reducing disk I/O is the single most important performance enhancer. You'll get proven tips for speeding I/O for all your users.

■ **Optimize multiple disks.** The use of several hard drives can dramatically speed up performance — if I/O is distributed evenly. We show you how.

■ **Kill the hidden SQL stopper.** Lying within your program may be a routine that can slow down and ultimately cripple your SQL server. We'll help you find and tame it.

■ **Bulk execute and cut time by as much as 50%!** We tried several methods of bulk command execution and found one major time-saver!

■ **Learn from our mistakes.** You don't have all the time in the world to learn from mistakes. We do. You'll benefit from our experience in setting database options, optimizing program code and other strategies.

■ **You'll please your colleagues!** (smiles guaranteed) Let's face it: slow database performance drags everybody down. This is your chance to make life easier... for under \$30.

Database Administrators — Special Alert!

Your job demands up-to-date information. Why not make what you have *really* work for you — with a smart \$29 expenditure.

Order today!



NSTL's 20,000 sq.ft. test facility, is the largest independent testing and evaluation facility in the microcomputer industry.

NSTL...

Testing the Limits

NSTL, a division of McGraw Hill, Inc., is an internationally recognized testing authority. NSTL's *Software Digest* and *PC Digest Ratings Reports* are the leading authoritative sources of accurate and objective software and hardware information.

NO RISK GUARANTEE

If, for any reason, you're not 100% pleased with your NSTL Exclusive Report, return it for a full refund.

Larry Goldstein
Larry Goldstein
Publisher

FREE GIFT with your order!

When you order **SQL SERVERS**

you'll also receive the recent *Software Digest Ratings Report* on SQL Front Ends for Windows.



3 Easy Ways to Order...

1. FAX a copy of this page to (610) 941-9950
2. MAIL coupon to Address Below
3. CALL TOLL FREE 1-800-220-NSTL



Yes!

Help me tune up my SQL server. Send me **SQL SERVERS** now, at the Special Price of \$29. (A \$35.00 value) Send my **FREE GIFT**, too.

- ☐ Also send *Pentium Upgrades, A Benefit and Performance Analysis* @ \$29/ea
☐ NO, I don't want this report, but keep me informed of future Reports.

Number of Reports _____ @ \$29/ea = _____

APPLICABLE STATE TAX _____

SHIPPING AND HANDLING @ \$1.95/ea. (Outside the US @ \$3.95/ea.) _____

TOTAL _____



Prices subject to change without notice.

**Only
\$29**

CARD NUMBER _____

EXP. DATE _____

SIGNATURE _____

NAME _____

TITLE _____

COMPANY _____

PHONE NUMBER _____

STREET ADDRESS _____

CITY _____

STATE _____

ZIP _____

For faster delivery, call 1-800-220-NSTL

6 7 8 5

MAIL TO: NSTL, Box 1000, Plymouth Meeting, PA 19462.

NSTL National Software Testing Laboratories, A Division of McGraw Hill, Inc.
Publishers of *Software Digest* and *PC Digest Ratings Reports*

BT195

COMPUTER Quick

Multimedia

| | |
|-----------------------------------|------|
| SoundBlaster 32 AWE | 235 |
| Panasonic LF-7010 | 1397 |
| Proxima Ovation 820 Active Matrix | 4340 |
| Radius VideoVision Basic | 1574 |
| Sony CVD-1000 Vdeck | 1398 |
| Turtle Beach Multisound Monterey | 335 |
| TrueVision Targa 2000 EISA | 4400 |

Backup

| | |
|---------------------------------|--------------|
| Colorado 250 MB | 165 |
| Exabyte 4200C 4GB Int/Ext | 940/1105 |
| Exabyte 8505 8MM 10GB Tape Int. | 2099 |
| HP DAT 3.5" 24/8-16GB | 825/940/1160 |
| WangDat 24GB DAT | 868 |
| WangDat 4GB DAT | 1057 |

CAD

| | |
|--------------------------------|------|
| Autodesk 3D Studio Ref 4 | CALL |
| Calcomp 12x12 Cordless | 295 |
| Calcomp 12x18 Cordless | 600 |
| Calcomp CM Thermal A-B Size | 6715 |
| Calcomp DM A-D Size 1MB BPen | 2250 |
| NuMetric AccuGrid 20x24 | 1525 |
| SummaSketch III 12x12 | 334 |
| SummaSketch MicroGrid III 4x60 | 2970 |

Chips

All Upgrades -- AST, Apple, Compac, DEC, HP, IBM, Silicon Graphics, SUN, Toshiba

| | |
|----------------------------------|------|
| CPU (Intel, Cytix, AMD-DX2, DX4) | CALL |
| SIMM - ALL CONFIGURATIONS | CALL |

Hard Drives

CALL for today's price!

| | |
|-----------------------------|------|
| Conner/Maxtor 540MB IDE | 195 |
| Conner/Quantum 1GB SCSI | 510 |
| Conner 1.2GB IDE 3.5" | 415 |
| Conner 2.1 GB SCSI 3.5" | 977 |
| Microplus 1.6GB AV 3.5" IDE | 988 |
| Microplus 9GB Wide SCSI | 3725 |
| Seagate 2.1GB Barracuda | 1045 |
| Seagate 15150N 4.2GB SCSI | 1895 |

Computers

pentium
PROCESSOR

| | |
|------------------------------|------|
| DEC ALPHA PC 150MHz 17" Mon | 7308 |
| ALR Revolt Q-SMP EISA 100MHz | 6625 |
| ALR Revolt PCI/EISA 100MHz | 4565 |

Controllers

| | |
|------------------------------|---------|
| Adaptec 2742WK Wide EISA Kit | 389 |
| Adaptec 1542CF/Plus Corel | 199/300 |
| Adaptec 2742A EISA SCSI | 327 |
| Adaptec 2842C VLB SCSI | 296 |
| Buslogic ST445 SCSI VLB | 200 |
| OPT Sm Cache EISA SCSI | 298 |
| Orchid Super IDE/VLB | 58 |
| OLogic FastSCSI PCI | 205 |
| OLogic FastSCSI EISA/PCI | 204 |

Graphics

Cards

| | |
|------------------------------------|---------|
| ATI Gr Ultra Pro TURBO 4MB VLB/PCI | 501 |
| Diam Stealth 64 4MB VLB/PCI | 472 |
| Diam Viper 2MB VLB/PCI | 314/330 |
| Matrox MGA Impress Pro 8.5MB | 1425 |
| Matrox MGA Impress+ 2MB PCI/VLB | 375 |
| Mitac S3 PS805 | 80 |
| Number 9 Image 128 Bit 4MB PCI | 875 |
| Number 9 GXE 64 Pro 64 4M PCI | 698 |
| Orchid Kelvin 2 MB 64-bit VLB | 224 |

- Quantity Discounts
- Dealer Discounts

PHONE: (415) 861-8330

Español: (415) 861-8376

FAX: (415) 861-8380

CQK@AOL.COM

Low freight rates • No handling charge • Prices are for cash payment • VISA/MC/AMEX accepted • Products may be USA versions • No returns on opened software • Prices are FOB USA & subject to change • 15% restocking charge for non-defective returns

Computer Quick, 165 - 8th Street, No. 309
San Francisco, CA 94103, USA

International
Orders our
Specialty

Modems/FAX

| | |
|--------------------------------|---------|
| BOCA 14.4/14.4 Int/Ext | 87/112 |
| BOCA VFAST 28.8 Int/Ext | 137/164 |
| Hayes Optima 14.4/14.4 Int/Ext | 183/222 |
| Hayes Optima 28.8V PC | 280/320 |
| Intel Satisfaction400 Int/Ext | 280/320 |
| Multitech 19.2 ZPA/ZDX | 158 |
| Multitech MT1932BL | 403 |
| SHIVA NET Modem WIN | 1400 |
| Supra 14.4/14.4 Int /Ext | 129/98 |
| Supra 28.8 V.34 Ext | 199 |
| USR Sports 28.8 V.34 Int/Ext | 219/245 |
| Zyrex ALL MODELS | CALL |

Network

| | |
|----------------------------------|-------------|
| Novell Netware 3.12/4.1/ST | CALL |
| 3COM Etherlink III 16Bit/Combo | 105/135 |
| 3COM Tokenlink III 16/4 | 455 |
| Lan Performance 100Mbps TP | 188 |
| Intel EtherExpress16/Combo | 100/116 |
| Intel EtherExpress FlashC | 127 |
| Intel EtherExpress 32 EISA | 383 |
| NE 2000 Compatible | 35 |
| NE 2000 Plus | 100 |
| NE 2000 Plus 5 Pack | 450 |
| NE 3210 EISA | 195 |
| SMC EtherEZ-CO/TP/Combo | 110/107/125 |
| Thos C Fiber Optic 16Bit 100Mbit | 715 |
| Thos C EISA Fiber Optic | 599 |
| Thos C 16/4TR | 289 |
| 5-PACK/20-PACK/50-PACK/100-PACK | |

OS

| | |
|-------------------------------|------|
| DOS 6.21 | CALL |
| OS/2 3.0 CD-ROM | 88 |
| SCO UNIX OS MultiUser | 840 |
| SCO UNIX OS Dev System | 840 |
| SCO Open Server Entstep/fuser | 1235 |
| SCO ODT DEV Sys on CD | 1235 |
| Windows 3.11 Upgrade | 42 |
| Windows NT 3.5 WorkStation | 298 |
| Windows NT Server | 640 |
| Windows NT WG Starter Kit | 458 |

UNIX

| | |
|-------------------------|------|
| Fox Base MultiUser | 775 |
| MS Word MultiUser | 970 |
| SCO UNIX Unlimited | 1029 |
| SCO NFS v1.2.1 | 450 |
| TCPIP Runtime Unlimited | 450 |

CD-ROM/ Optical

| | |
|-----------------------------------|------|
| Fujitsu Mag/Opt 128MB 3.5 Ext | 892 |
| NEC Triple Speed OEM SCSI Int | 350 |
| Toshiba Quad Speed SCSI Int | 300 |
| Plexstor Quad Speed/40XQD ROM Int | 410 |
| Pinnacle Recordable CD ROM Ext | 1823 |
| Pinnacle Optical 1.3GB 5.25 | 2790 |

30,000 Item
Catalog
Program
with
Current
Prices
*
FREE
with Order

What's New



PLUG YOUR NOTEBOOK INTO THE LAN

A new PCMCIA card from Mitsubishi Electric (Hatfield, U.K.) lets you hook your portable PC to an Ethernet LAN. The Type II card conforms to the IEEE 802.3 10Base-T specification.

The PCMCIA card contains the network interface with buffers, an I/O decoder, card-configuration register, 20-MHz clock, filters, and transformers. There's 1 KB of 8-bit ROM and 32 KB of 16-bit RAM on board. Bus width is selectable: 8 or 16 bits. The card requires 5 V of power. According to Mitsubishi, the card connector can endure as many as 10,000 insertions and removals. The card comes with a 5-m cable for connecting to the network.

Price: Call for price.

Phone: +44 1707 276100;

fax: +44 1707 278625

Circle 1049 on Inquiry Card.

SERVER RUNS DOS ON DUMB TERMINALS

The Terminal Access Server from Micro-Integration (Birmingham, U.K.) brings the capability to run DOS programs on IBM midrange terminals. By hitting a hot key, users can jump between DOS and the host. Terminal users can also access a NetWare LAN to share files or send and receive E-mail. The server works with Ethernet or Token Ring connections.

File-transfer capabilities let users grab files from an IBM AS/400 or Sys/36

computer, bring them into the TAS, work on them using DOS programs, and then ship them back to the host.

The server box comes with 16 or 32 MB of RAM, one 3½-inch floppy drive, a high-capacity hard drive, a network adapter card, and one parallel and one serial port.

Price: £6999.

Phone: +44 121 359 3900;

fax: +44 121 359 3483

Circle 1046 on Inquiry Card.



PCI BUS FEEDS ATM NETWORK

SK-Net ATM, a PCI ATM adapter from SysKconnect (Ettlingen, Germany), lets PCI-based workstations be included in ATM networks. The interface card is available for fiber and UTP 5 cabling.

SysKconnect also announced SK-Net versions for Token Ring and fast Ethernet. The company will expand its Unix support for FDDI with a new AIX driver for IBM RS6000 machines with the Micro Channel architecture bus. The new SK-Net Switch 6616 is a modular Ethernet/FDDI switch using store-and-forward technology. It has 16

10Base-T ports with screened RJ-45 connectors and two slots for high-speed interfaces.

Price: Call for price.

Phone: +49

7243 5020;

fax: +49 7243 502989

Circle 1042 on Inquiry Card.



HIGH-DEFINITION IMAGE CONVERTER

The Scan Vision HX converts high-definition computer graphics into a format that video systems can use. The converter from Imax (Paris, France) can turn VGA, SVGA, VESA, XGA2, and Macintosh images into a variety of composite video formats: PAL, SECAM, NTSC, S-Video, Hi8, and RGB.S.

The brain of the converter is an ASIC that handles all the functions for turning computer graphics into video graphics. The box comes with three connectors. A composite PAL and NTSC output makes it possible to record in VHS, Video 8, and U-Matic using a camcorder or VCR. The Y/C output (a mini DIN 4 connector) allows connectivity with new kinds of peripherals, such as video printers. The Scart output delivers high-quality images to TVs and

video projectors.

Imax says a filter sharply reduces the interlaced flicker of video outputs. Scan Vision HX can hook directly to all types of

PC stereo sound cards via a 3.5-mm jack and the standard audio output on the Scart connector, Imax says.

The box has a number of func-

tions the user can control, including freeze frame, underscan or overscan modes, horizontal and vertical image adjustment, and interlaced and noninterlaced modes.

Price: Call for price.

Phone: +33 1 60 131810;

fax: +33 1 60 111764

Circle 1050 on Inquiry Card.

EASY ACCESS INSIDE VOBIS PC

Vobis introduced at CeBIT its new Highscreen SkyCase series in desktop and tower versions. This PC line is based on the Pentium processor. A configuration called Quick Release lets you plug in additional boards without using a screwdriver. A serial port at the front side gives you an easy-to-use connection to notebooks. All electronic devices are boxed in a drawer to be opened from the front side. To install new hardware, you don't have to disconnect the monitor.

Price: Call for price.

Contact: Vobis, Würselen, Germany, +49 2405 444272;

fax: +49 2405 444340

Circle 1037 on Inquiry Card.



Subscription Problems?

If you have a problem with your BYTE subscription, let us know! For best service, provide a brief description of the problem and a copy of a recent magazine mailing label (if available). If your label is unavailable, just give us your subscription account number along with your name, address, and zip code where your BYTE subscription is currently being sent. If you have a change of address, be sure to provide both your old and new addresses. If the problem involves a payment, be sure to include copies of your cancelled check (both sides) or your credit card statement. Please include a "business hours" phone number if possible.

Send to:


**BYTE Magazine
Subscriber Service
PO Box 555
Hightstown, NJ 08520**

**Fax: 609-426-7087
Phone: (9 a.m. to 8 p.m.
Eastern Time, Mon.-Fri.)
800-232-2983 (U.S.), or 609-426-7676**

BYTE

Because the *Experts* decide.

ConEQ/DB v2.2.4



CONEQ TO QUALITY

ConEQ/DB is a powerful, simple to use, graphical and statistical program for

SPC with database management, running in DOS or any PC network.

Major users are certified suppliers of GM, FORD, RENAULT, PEUGEOT and

others. **They are ConEQted to quality.**


Don't settle for less. Free demo available at our anonymous FTP server at *asterix.intersis.pt*

INTER SIS S.A.

INTER SIS S.A. Est. Paço d'Arcos, 48 • 2780 OEIRAS • PORTUGAL
Tel. 351.1.4412247 Fax 351.1.4412287 E-mail: info@intersis.pt

Highspeed Data Communication

T.U.S.S.I.
460'800 bps



- Ultraspeed Serial Card up to 460'800 bps
- DSP technology/ISA 16 bit card
- 100% register comp. with 16550 UART
- On-board 32'000 byte buffer
- Independent from Operating System
- No special software drivers needed

SAFELINE



SWISSMOD



- Data Encryption TDE
- V.34, update to ISDN
- ECM-Fax Error Correction
- Leasedline-Interface
- Modular
- Standalone/Rack/PCMCIA Version
- V.34/V.32bis
- Data/Fax/Voice
- Build-in Fax/Data/Voice-Switch
- Remote-Switch
- Conversation Recording
- Standalone/PCMCIA Version

Distributors and Dealers wanted!
OEM versions available
Info-Service D 06172-21096

Gewerbestr. 11, 6330 Cham
Switzerland
Phone: (41) 42-43 10 80
Fax: (41) 42-43 10 81

TELELINK
DIE SCHWEIZER MODEMHACHER

What's New



FROM ETHERNET TO ATM

At CeBIT, HiLAN (Karlsruhe, Germany) showed its Cosy frame-cell switch. Cosy-Giga, an ATM switch, works as a back-plane that is capable of transferring up to 622 Mbps. The Cell Packs boards convert the Ethernet into ATM signals.

Cosy Mega is a cell-oriented frame switch producing data transfer rates of up to 155 Mbps. This device consists of four 32-bit I/O RISC subsystems routing 10 Mbps. A 68040 CPU is responsible for data administration. *Price: Call for price.*

Phone: +49 721 698217;

fax: +49 721 698363

Circle 1039 on Inquiry Card.

A VARIETY OF ROUTERS

G. Diehl ISDN showed at its CeBIT stand a variety of location-independent communications systems for IBM, Novell, and Unix networks. The new version 3.0 of Diehl's multiprotocol router brings support for IPX/SPX, TCP/IP, AppleTalk, and OSI. It offers up to 120 LAN-to-LAN connections and features SPX spoofing and bandwidth on demand. Up to 600 external workstations can be connected via this router.

The company also showed what it says is the first ISDN Token Ring bridge for OS/2. It features SNMP, hot configuration, and dynamic filtering, and it supports 60 B channels and connects up to 2000 users. Besides Token Ring and OS/2 bridges, connections to NDIS and RDLS workstations are possible.

A new G. Diehl Plug and Play ISDN board with a DSP unit provides fax operation and, according to the manufacturer, support for all D channel protocols. The company describes it as an inexpensive ISDN solution for small offices.

Price: Call for price.

Phone: +49 7152 93290;

fax: +49 7152 232999

Circle 1038 on Inquiry Card.

SMALL-OFFICE INTERNETWORKING

Spider Systems (Edinburgh, U.K.) is targeting the smaller office with its new range of inter-networking products. The company says the Basix line is suitable for small businesses because the products are inexpensive and easy to install and use.

The series lets users connect remote LANs over leased lines, dial-up lines, or ISDN lines.

The products include the Basix 201 remote bridge, for connecting to another small office over leased lines; the 202 remote ISDN bridge, which is designed for people with no ISDN experience; the 301 remote router, which provides high-level spoofing functions; and the 302 remote ISDN router, which routes IP and IPX. With the ISDN products, the two B channels can be aggregated. When the load on the first channel exceeds a set threshold, the second channel can be opened.

Spider says the products are highly preconfigured, so users should have no trouble getting them on-line.

Price: 201, £995; 202, £1245; 301, £1345; 302, £1445.

Phone: +44 1734 774747

Circle 1045 on Inquiry Card.

TWO PRINTERS FOR ONE SERVER

Axis 150, shown at CeBIT, connects two printers with one print server in an Ethernet network. The latest product from Axis Communications (Lund, Sweden) is designed for small PC networks running mainly office applications. It supports Windows for Workgroups, Windows 3.1, Windows NT, OS/2, and Novell NetWare. With the Axis 150 board, all users in a NetWare network can share the printers connected via a parallel port to the server. They do not need to download a software driver on a client's computer to enable network printing.

Price: Call for price.

Phone: +46 46 191819;

fax: +46 46 136130

Circle 1040 on Inquiry Card.

GRAPHICS GRABBER, ACCELERATOR USE TI DSP ▼

Sundance Multiprocessor Technology (Amersham, U.K.), known mainly for its parallel-processing modules, has two new image-processing products: a frame grabber and a graphics accelerator. Both are built around Texas Instruments' TMS320C40 DSP and follow the TIM-40 standard.


The SMT303 frame grabber captures true-color RGB video in real time, digitizes it, and passes it on to a field-programmable gate array, where pixel operations are performed. Configurations for specific math functions are stored in a 4-MB nonvolatile memory and can be downloaded

to the field-programmable gate array. The DSP handles the higher-level operations.

The SMT304 graphics accelerator combines the TI DSP with a Weitek PowerW9100 controller. The DSP handles the graphical information, and the Weitek chip takes care of the screen image.

The PowerW9100 includes a video controller, a drawing engine, and a VESA local-bus interface. It supports a pixel depth of from 8 to 32 bits at resolutions of up to 1600 by 1200 pixels. The card supports screen sizes with resolutions of up to 1280 by 1024 pixels.

Price: Call for price.
Phone: +44 1494 431203;
fax: +44 1494 726363



E-mail: sales@sundance.com
Circle 1047 on Inquiry Card.

PORTABLE CD DRIVE, HARD DISK

Shuttle Technology (Berkshire, U.K.) announced at CeBIT its CD Shuttle, a portable CD-ROM drive. The device provides dual-speed operation and attaches to the PC parallel port or to a SCSI host adapter. Other features include Kodak Photo CD and XA support. The device weighs 2.5 kg and measures 310 by 55 mm.

A portable pocket hard disk called DiskShuttle offers 85 to 344 MB of storage space. It connects to the parallel port. A printer pass-through connection allows concurrent printing operations. Parallel burst rates run up to 650 KBps.

Price: Call for price.
Phone: +44 1734 770 441;
fax: +44 1734 771 709

Circle 1423 on Inquiry Card.

QIC TAPE DRIVE STORES 2 GB

The new TS6000 tape drive from Christie Electronics (Stonehouse, U.K.) holds up to 2 GB (compressed) on a DC2000 QIC tape. What's most interesting about the drive, Christie says, is its use of a read-write head. This eliminates having to do separate verification passes, which increases the backup speed.

The TS6000 uses a SCSI connection rather than a floppy-drive interface. This, too, speeds things up. According to Christie, the unit can back data up at a rate of 18 MB per minute.

Without compression, the drive can store up to 840 MB on a 3M MC3000XL cartridge or as much as 1 GB on a wide tape cartridge.

The TS6000 is available as an internal or external unit.

Price: £1299.
Phone: +44 1453 823611;
fax: +44 1453 825768

Circle 1052 on Inquiry Card.



callunacard

130MB

170MB

260MB

PCMCIA TYPE III

The callunacard range of high capacity PCMCIA Type III compatible disk drives is designed and manufactured by Calluna Technology at its headquarters in Glenrothes, Scotland. These 10.5mm credit card size drives plug into any PCMCIA Type III socket to provide all the benefits of a removable hard disk cartridge.

One callunacard does it all

- Extra Storage Capacity
- High-Speed Backup
- Data Transportability
- Data Security
- File Organisation
- System Fault Tolerance

All callunacards have

- PC Card ATA and 68 pin ATA (IDE) interfaces
- High shock specification (750G)
- Fast data transfers (up to 11MB/sec)
- Low weight (2.3oz/65g)
- Low power consumption (0.5W typical usage cycle)

PC
card

PCMCIA
Member Company



calluna

CALLUNA TECHNOLOGY LIMITED
One Blackwood Road,
Eastfield, Glenrothes,
Fife KY7 4NP, Scotland, U.K.
Tel: 44(0)1592 630810
Fax: 44(0)1592 630920

What's New

DISK DEFRAGGER FOR NT USERS


Sunbelt International (Paris, France) says its Diskeeper for Windows NT cuts down disk access time, makes backups go faster, and gives you that warm feeling that comes from knowing your files aren't scattered like so many billions of bits across your hard disk. The program runs automatically in the background, defragmenting NTFS and FAT volumes. According to Sunbelt, because NT can read large amounts of data at a time, it will benefit from having data residing in contiguous clusters. *Price: \$149 for NT Workstation; \$349 for NT Server. Phone: +33 1 4777 0500; fax: +33 1 4777 0299*

Circle 1032 on Inquiry Card.

APPLICATION AUDITOR FOR NETWORK LANS

Need to monitor the use of software across a NetWare LAN or WAN? Want to do it without running metering software on each workstation? If so, you should check out Saber Software's (Berkshire, U.K.) newest version of Saber Enterprise Application Manager.

The program lets a network manager audit the use of software across multiple servers and locations. It scans the network servers and identifies DOS, Windows, OS/2, and Mac applications; the program generates an inventory library and collects usage data in one location. The software will notify the network manager of any attempts to copy metered files.



Saber Enterprise Application Manager 5.0 supports NDS. The program lets the administrator configure security modes by user, group, station, and NetWare directory context. Saber Console, an application agent event manager, comes with the package.

Saber also offers a new version of its LAN Workstation that can check any Pentium PCs on the network for the notorious math bug. Version 5.0 also has a script builder for software distribution tasks and an enhanced tool for converting Windows Program Manager groups to Saber menus. This update is free to current customers.

Price: £139 for 1-node license; £19 per node thereafter. Phone: +44 1344 304730; fax: +44 1344 306902

Germany: +49 89 92 404214; fax: +49 89 92 404200
France: +33 1 30 12 28 48; fax: +33 1 30 12 28 48

Circle 1026 on Inquiry Card.

EUTRON . COMPUTER SECURITY

SmartLock

TOTAL PROTECTION FOR PC AND LAN



SMARTLOCK is the integrated protection system which assures total PC and LAN security: unauthorized access to computers, input of illicit software into company PCs, viruses, illicit use of personal computers. Remote and integrated management for LAN applications.

PC access control

Prevents unauthorized access to PC. Provides an audit trail recording application programs executed, users and login times. Prevents unauthorized booting. Limits the use of floppy disk drives and peripherals. Executes on-the-fly transparent cryptography of the hard disk.

Company software control

Prevents unauthorized execution of illicit unlicensed software. Takes census of company software. Allows controlled distribution of new software licenses via digitally tagged floppy disks.

Antivirus

Provides the final solution to the software virus problem without requiring continuous updating. Takes preventive action by intercepting the viruses before they enter the PC, regardless of the type and techniques of attack.

Increases performance

Prevents the import of useless software (games, shareware, demos, etc.). Avoids accidental deleting or modifying of files containing vital data. Prevents from modifying CONFIG. SYS and AUTOEXEC. BAT system files.



EUTRON 24048 Treviolo Bergamo Italy - Via Gandhi, 12 - Tel. +39-35-201003 - Fax +39-35-201277 - BBS +39-35-201144

■ Belgium: Vicking 011-431272 ■ Finland: Dalma 90-2711800 ■ France: Logidata 1-46454546 ■ Slovenia: Stubelj 065-63215
■ Sweden: JM Data 042-123145 ■ Spain: Larcu 91-7952413 ■ The Netherlands: Akkermans 045-241444

Eutron

PHOTO LIBRARY ON CD

The newest digital image library from Kagema (Essex, U.K.) features pictures of everything from food to sunsets to undersea life. These photographs, taken by "some of the world's most renowned photographers," fall into categories, such as "Science & Technology," "People & Lifestyles," "Transportation," "Computing," and "Everyday Things." The PhotoLib ImageShop 2.0 CD holds 5000 photos, which you can use in newsletters, presentations, ads, publications, and multimedia applications without paying royalties.

The package comes with a database program for searching the CD—either Aldus Fetch or Ulead Browser. Kagema also distributes its photos via ISDN links.

Price: \$39.
Phone: +44 181 5321515;
fax: +44 181 532 1005
Germany: +49 7745 1452;
fax: +49 7745 1464
Switzerland: +41 1 321 06 00;
fax: +41 1 321 06 42
Circle 1034 on Inquiry Card.

DEVELOPMENT TOOLS FOR TELECOMM

Telelogic (Malmö, Sweden) introduced at CeBIT new versions of two tools for developing and testing software. SDT 3.0 is a toolkit for object-oriented design based on standardized formal methods. It assists in the development of real-time applications and telecommunications systems. It supports the specification language SDL 92 and the MSC language. SDT 3.0 contains editors, hierarchical navigators, and class and structural viewers, as well as an analyzer and executable code for C, C++, or Chill environments.

Itex 3.0 helps test engineers create and validate software test suites. It transforms software test suites into executable tests. The test suite notation is based on the ISO standards TTCN and ASN 1. Possible applications range from ATM test environments to PC test equipment.

Price: Call for price.
Phone: +46 40 174727;
fax: +46 40 174747
Circle 1030 on Inquiry Card.

CHANGE U.K. NUMBERS IN A JIFFY


Now that all those U.K. phone numbers have changed, you can either go through your databases and manually fix every number, or you can run Codechange from Real Time Systems. This Windows package scans your files for U.K. phone and fax numbers and alters them to conform with the new rules.

The program works with just about any type of personal computer file, the developers say, including dBase, Paradox, Lotus Organizer, FoxPro, Access, Act, delimited text, files with fixed field length, and free-form text.

This eliminates quite a bit of twiddling for anyone who makes frequent calls to the U.K. In many cases, the area code in phone numbers will just acquire a 1. But in many instances, area codes will also change. (Leeds, for example, changes from 532 to 113.)

Codechange is available in English, French, German, or Spanish.

Price: US\$49.
Contact: Real Time Systems, Belfast, Northern Ireland,
+44 1232 403120;
fax: +44 1232 403121
Circle 1020 on Inquiry Card.




From the makers of LabVIEW®

HiQ®

Interactive Maths for Macintosh
and Power Macintosh

Accelerated for
Power Macintosh



Interactively analyse and document in the HiQ environment – much more than a command-line interface.

Solve Maths Problems Interactively

- Data Fitting
- Data Visualisation
- Eigenvalue
- Expression Evaluation
- Linear Algebra
- Numerical Integration
- Nonlinear Systems
- Optimisation
- Ordinary Differential Equations
- Probability and Statistics
- Root Solving
- Signal Processing and much more ...

Call Today for Your
FREE HiQ Demo

(Includes Interactive Data Fitter)




NATIONAL INSTRUMENTS™
The Software is the Instrument®

European Branch Offices: Austria 0662 435986
Belgium 02 757 00 20 • Denmark 45 76 26 00 • Finland 90 527 2321
France 1 48 14 24 24 • Germany 089 741 31 30 • Italy 02 48301892
Netherlands 03480 33466 • Norway 32 84 84 00 • Spain 91 640 0085
Sweden 08 730 49 70 • Switzerland 056 20 51 51 • U.K. 01635 523545

Corporate Headquarters
6504 Bridge Point Parkway • Austin, TX 78730-5039 USA
Tel: (512) 794-0100 • Fax: (512) 794-8411 • E-mail: info@natinst.com

© Copyright 1995 National Instruments Corporation. All rights reserved. Product and company names listed are trademarks or trade names of their respective companies.

The Keyboard designed with Nature in Mind ErgoPlus



CHERRY 

Keyboards Made in Europe.

Circle 503 on Inquiry Card.

AUS: Cherry ☐ (03) 5 44 86 44 · A: Cherry Germany ☐ (0 96 43) 18-2 06 · B: Multiprox ☐ (0 53) 78 77 78 · CH: Ineltro ☐ (01) 8 43 33 77 · CZ: Nepras ☐ (01) 64 25 54 · D: Cherry ☐ (0 96 43) 18-2
DK: Johansen ☐ (03 18) 3 90 22 · E: Barcironic ☐ (03) 2 07 71 12 · F: Cherry ☐ (01) 43 77 29 51 · FIN: RepliComp ☐ (0) 7 55 72 01 · GB: Cherry ☐ (015 82) 76 31 00 · GR: Parpanelas ☐ (0 31) 51 84
HK: Cherosia ☐ (8 52) 5 65 66 78 · I: Silverstar ☐ (02) 6 61 25-1 · IL: Astragal ☐ (03) 5 59 16 60 · IND: Cherry ☐ (022) 6 45 25 82 · J: Cherry ☐ (0 44) 9 33 35 11 · N: BEXAB ☐ (63) 83 38 00 · NL: Vierp
☐ (0 34 65) 9 45 11 · P: Niposom ☐ (01) 8 49 46 37 · RC: Greendich ☐ (2) 7 86 22 33 · ROK: KML ☐ (02) 5 95-91 01 · S: BEXAB ☐ (08) 6 30 88 00 · SLO/HR/BAH/MK: TIFRO ☐ (0 61) 33 25 44 · TR: EMO ☐ (04) 4 46 15

or years avid computer users have been searching for a keyboard that will adjust to their individual postures, thus helping to prevent cramp and tension in their wrists, arms and shoulders. Cherry's new ErgoPlus is the answer to these pleas. It is highly ergonomic and adapts to the needs of every user as can be set to any of a total of 24 different positions on axes. At last a keyboard that Mother Nature can really enjoy. Free of CFCs. 90% recyclable. 100% tested. Because Cherry keyboards are quality products manufactured in our ISO 9001 certified company. Test our competence. Send today for further technical details!

of 24 different positions:




Keyboard in basic position with optional numeric pad on the right.



Keyboard split at an angle of 30°.



Keyboard split at an angle of 30° with steep roof inclination and optional numeric pad on the left.



DATA ACQUISITION FOR NT SYSTEMS ▲

Designed to take advantage of the advanced capabilities of Windows NT, the Orchestrator is a real-time data-acquisition system. According to Eurosoft Technology (Newbury, U.K.), the product was made for running on a network. It will work in NetWare, Vines, Unix, VMS, and SNA environments. Its two main components are a real-time engine that collects and processes information, and an object-oriented graphics engine that han-

dles the user interface.

Orchestrator can deal with as many as 10,000 input channels. It can replay logged data as a graphical trend; each trend can display 32 channels of data. This data can be exported directly to a spreadsheet for further analysis. These monitoring functions make use of the MDI to show windows of several functions simultaneously. Using Network DDE, data can be pasted into other programs on the LAN.

The package comes with 32 independent data loggers, a sig-

nal monitor, and an integrated calculator. The program's graphics engine provides a vector drawing package, facilities for importing AutoCAD files, and tools for making buttons and user menus.

Price: £3500 for real-time engine; £1750 for graphics run-time engine.

Phone: +44 1635 582660; fax: +44 1635 582665

Circle 1025 on Inquiry Card.

FORMS AUTOMATION FOR OS/2

Fontware (Fareham, U.K.) now has a version of its forms-automation package for OS/2 users. JetForm Filler for OS/2 lets you replace paper forms with electronic ones, which can be filled in and then routed via E-mail across different OSES.

The program works in conjunction with JetForm Design, a Windows-based forms-construction package. Fontware also sells JetForm Server, which lets you administer forms in a network environment.

Price: £70 per license. Phone: +44 1329 822 857; fax: +44 1329 823 594

Circle 1031 on Inquiry Card.

SOFTWARE FOR THE WANDERER

WanderLink, developed by Funk Software, lets remote PC users dial into their NetWare LAN over regular phone lines. After making the connection, the WanderLink user's PC (DOS or Windows) becomes a node on the network and has access to the usual resources, such as servers, printers, and E-mail. Network Utilities, which sells the software in Europe, says the program is aimed at traveling business users, teleworkers, and LAN support professionals.

The software runs as an NLM on a Novell server, so no special hardware is required. Security features include password authentication, dial-back, domain filtering for firewall protection, data encryption, and full audit trails. WanderLink incorporates NodelD, which lets LAN administrators assign a fingerprint to each remote PC.


WanderLink Client, which runs on the remote PC and uses PPP to talk to the server, also lets you define multiple dial-in connections to different networks and save them in a list. The Windows client lets you make icons that automatically connect you to specified WanderLink servers. A component of the client software, called WanderLink Cache, automatically downloads executable files from the server and maintains a disk cache for storing oft-used shell programs, like Login and Map.

The package comes with Proxy, Funk Software's network-based remote-control program that lets you run one or more PCs on the LAN.


Price: £295 for one port; £1695 for 16.

Contact: Network Utilities (Systems) Ltd., Surbiton, U.K., +44 181 391 9200; fax: +44 181 391 9233; BBS: +44 181 391 4942

Circle 1022 on Inquiry Card.



What's New



CROSS-PLATFORM DEVELOPMENT TOOLS

ACI (Cheshire, U.K.) now has a Windows version of Object Master, its programming toolkit for building applications. Object Master for Windows allows you to compile, link, and debug without leaving the editor. It comes with templates for making classes and methods. ACI's development environment allows an unlimited number of browser windows, automatic code parsing, file-by-file views of code, dynamic updates without compiling, and "intuitive" syntax checking.

Object Master works with

popular compilers, including Borland C/C++, Watcom C/C++, Microsoft Visual C++, Symantec C++ Professional, and all DOS

compilers.

ACI released a Macintosh version of Object Master about four years ago and also has a Power Mac version. The company says Object Master is used at major applications houses, including WordPerfect and Adobe.

Price: £195.

Phone: +44 1625 536178;

fax: +44 1625 536497

Circle 1023 on Inquiry Card.

HUMMINGBIRD'S NEW X SERVER FOR WINDOWS

Hummingbird's X Window System server software lets Windows users access Unix, VMS, OSF/1, and Ultrix computers and

applications. The newest version of eXceed, release 4.1, complies with the MIT X Consortium's X11 release 6. This version supports the X11R6 XTEST and SYNC extensions.

Hummingbird Communications (Geneva) says eXceed 4.1 has improved security features, easier installation procedures, and X server configuration utilities that let systems administrators customize the setup.

The company says it has optimized the performance of its 32-bit server and that the 25 percent increase puts eXceed on par with Unix workstations and X terminals. The Xsession startup utility lets users launch Unix, X, and Windows applications simultaneously. Microsoft's VxD-based TCP/IP stack comes with the package.

Price: Call for price.

Phone: +41 22 733 1858;

fax: +41 22 733 6403

Circle 1024 on Inquiry Card.

POWER FAX FOR POWER MACS

4-Sight (Dorset, U.K.) has geared its Power Fax program so that it's optimized for the Power Macintosh. Power Fax lets network users send and receive faxes from their server. It can use as many as 12 fax lines simultaneously.

Besides the Power Mac acceleration, version 3.0 features drag-and-drop faxing (if you're running System 7.5) and support for 256 shades of gray instead of just plain black-and-white faxes.

Power Fax can work from within any Macintosh application (press a certain key and the File menu's "Print" selection changes to "Fax"). It can be integrated with CE QuickMail and Microsoft Mail. Support is built in for five OCR packages: OmniPage, TypeReader, TextBridge, Eagle Eye, and Read-It. With optional software, users of Windows PCs can take advantage of Power Fax.

Save Thousands of \$\$\$\$ in printing costs

Jet-Master

Most efficient, RE-USABLE jet printer recharge kit. Lowest cost per recharge in the world. Buy kit, then buy additional ink as needed, black and color. Waterproof Inks available. Most jet-printers supported.

| | |
|------------------------------|-------|
| BJ3 (HP ThinkJet)..... | 29.95 |
| BJ6-MCI (Canon BJC-820)..... | 49.95 |
| JM2-MCI (HP PaintJet)..... | 59.95 |
| JM6-BLK (HP DeskJet)..... | 39.95 |
| JM12-MCI (HP 650/1200)..... | 89.95 |



MacInker

Re-ink your cartridges for 5¢ with the famous Universal Cartridge MacInker. Better than new printouts plus extended printhead life. Re-ink multicolor cartridges with optional adapter.

| | |
|-----------------------------------|-------|
| Universal MacInker..... | 79.95 |
| Epson MacInker..... | 49.95 |
| Multicolor Cartridge Adapter..... | 40.00 |
| 2 oz. Black Ink..... | 3.00 |
| Pint Black Ink..... | 18.50 |

Colored Ink available - Please Inquire



TonerBucket

Recharge your laser cartridges for as low as \$6 per recharge. Each TonerBucket contains VHS video instructions (PAL available), tools, parts and toner for one recharge. Then all you need to buy is toner. Complete range of supplies available including color sublimation cartridges.

HP Laserjet IV.....149.95

HP Laserjet IIP, IIIP .106.95

HP IIISI119.95

Most laser printers supported - Please Inquire



Image Transfer

Transfer images to T-shirts, mugs, metal, or ceramics. Purchase a complete system or build your own using your computer & our printers, transfer presses, and full line of supplies.



Excellent Business Opportunity

| | |
|--|--------|
| T-Shirt Press | 699.00 |
| Cap Press..... | 899.00 |
| Mug Press..... | 699.00 |
| Thermal Transfer Printer (w/ dye sub)..... | 948.00 |

Start your own Business!

Cut the printing cost of companies in your area and make an excellent profit. Re-ink their ribbons with the InkerKing, professional re-inker and/or replace their ribbons using the MacBond welder and our bulk ribbon. Recharge their laser cartridges with our TonerBucket. This is a SOLID business opportunity with a minimum investment.

| | |
|--|-------------|
| InkerKing..... | 480.00 |
| MacBond IIB (up to 1.5" ribbon width)..... | 409.00 |
| TonerBucket..... | from 102.95 |



Computer Friends, Inc.

220V power available on all applicable items Please inquire

14250 NW Science Park Drive
Portland, OR 97229

Fax (503) 643-5379

Tel. (503) 626-2291



The software's other features include automatic retrying if a number is busy; automatic printing of incoming faxes; and forwarding of received faxes to the intended recipient's workstation, as an alias or the whole file.

Price: £1499 for 10-user pack.

Phone: +44 1202 764401;

fax: +44 1202 761666;

AppleLink: **FOURSIGHT**

Circle 1028 on Inquiry Card.



ELECTRONIC FORMS AT WORK

AFP Solutions (Surrey, U.K.) demonstrated at CeBIT its electronic forms products. This forms management system lets you produce invoices, delivery notes, and package labels. Reorder forms can be produced from a standard ASCII data stream.

AFP's electronic forms solution is made up of two elements: a forms manager program and a printer attachment. The system works by storing a variety of form layouts and designs, along with company logos, signatures, and type fonts. When a document is sent to print, the system automatically detects which form is required.

Price: About £1500.

Phone: +44 1483 797787;

fax: +44 1483 797878

Circle 1029 on Inquiry Card.

NETWORK PLUGS FOR NETWORK AND VINES

Powerplugs simplifies the process of setting up access to a network printer or drive by using a visual approach, says Performance Technology (Berkshire, U.K.). The utility package depicts a power plug next to each drive letter on one side of the screen, and it has an icon of each server, drive, printer, and shared directory on the other side. To connect, you just drag the plug to the desired disk or printer and "plug" it in.

Powerplugs is available as shareware for a 30-day trial. It can be downloaded from the FTP server as follows: ftp.perftch

.com (/pub/plugs directory).

Price: \$99 per LAN or \$199 for a corporate license.

Phone: +44 1344 382020;

fax: +44 1344 382021

Circle 1033 on Inquiry Card.

DR. MATERNA DELIVERS FAXES OVER LAN

Edition 1 Telematic from Dr. Materna (Dortmund, Germany) is an NLM that works as a fax manager in a Novell network without installing a dedicated fax server. Incoming fax documents are automatically delivered to a particular network user. This fax management software is compatible with the CAPI standard and works together with other CAPI-compliant programs. The version shown at CeBIT supports Euro ISDN and a great range of ISDN cards.

Dr. Materna also showed the Edition 1 ISDN cards for LAN-to-LAN and PC-to-LAN connection, including call queuing and a PPP to connect routers from other manufacturers.

Price: Call for price.

Phone: +49 231 5599160

fax: +49 231 5599100

Circle 1021 on Inquiry Card.

BACKUP FOR SCO SERVERS

Tar and dump? Or point and click? According to Cristie Electronics (Gloucestershire, U.K.), its new software for backing up SCO Unix servers embodies the "keep-it-simple" approach. UniBax, designed for SCO Open Desktop 2.0 and higher, has a Motif interface and context-related help.

Besides the usual backup and restore functions, the software provides tools for locating and recovering lost files. You can use the program to do full and incremental backups, as well as automated and unattended backups. UniBax is hardware-independent and will use the device drivers in the OS. It uses the standard cpio tape format.

Price: Call for price

Phone: +44 1453 823611;

fax: +44 1453 825768

Circle 1035 on Inquiry Card.



For example BOX and POCKET INTERCON® - PRINTSERVER

ETHERNET

TOKEN RING

NOVELL (IPX)

UNIX (TCP/IP)

LAN SERVER

LAN MANAGER

Apple EtherTalk



Call for informations about all **INTERCON** products.

Sunderweg 4
D-33649 Bielefeld, Germany


P.O.Box 140829
D-33628 Bielefeld, Germany

Phone: +49 / 521 / 94226-0
Fax: +49 / 521 / 444049

SEH

Computertechnik GmbH

Industrial Strength Applications!



Logic Programming Associates Ltd
Phone (US Toll Free): 1-800-949-7567
Phone: +44 181 871 2016 - Fax: +44 181 874 0449
Email: lpa@cix.compulink.co.uk - Compuserve: 100135134

Conversion Solutions for C and C++ Programmers

FOR_C® Converts standard FORTRAN plus VAX and many other extensions into ANSI C! Features C-style preprocessing for easy mapping of FORTRAN library calls, C prototyping for enhanced function call translations, basic static analysis and error checking, plus compiler-like performance. Translated code is extremely readable and maintainable!

FOR_C++® Converts legacy FORTRAN to readable C++ — for an even better representation of FORTRAN! Translations utilize C++ string and complex data classes, plus overloaded functions for better code readability. FOR_C++ generates C++ function prototypes, checks function calls for consistent usage and optimizes code for easy maintenance.

Different versions available to meet your project size. Call today for more information — and ask about our FORTRAN maintenance tools!


COBALT BLUE

COBALT BLUE, INC.
875 OLD ROSWELL ROAD, SUITE D-500
ROSWELL, GA 30076, USA
TEL (404) 518-1116, FAX (404) 640-1182

ECAD Plus 386

Electrical Electromechanical CAD Solutions

English, French, German and Italian Versions



The most popular Independent Electric CAD

Easy to use, powerful, flexible, affordable!

- Automatic Wire Numbering
- Automatic Cross Reference Tables
- Part List, Wiring/Cables List User's definable format
- Symbols Libraries: ANSI, Standard IEC, Etc.
- Components Libraries: Siemens, Telemecanique, Etc.
- New 2D Graphics Functions

PRICE: \$2450

Free Demo Disk!

Microdata System srl

Tel +39-187-988.460 ITALY Fax +39-187-988.322

Price The Best Sellers Electric CAD at Great

ECAD Plus 386

Distributors Welcome ECAD Plus 386

What's New

CASE FOR THE FORTE ENVIRONMENT

ProtoSoft's Paradigm Plus software now brings its CASE capabilities to the Forte application development environment. This combination is a result of Forte Software's Tools Partner Programme, which the London-based company established to add capabilities to its system for building client/server applications.

Paradigm Plus is an object-oriented modeling tool. Developers working in the Forte system can use it to specify a definition of the application design that generates code. Paradigm Plus supports many analysis and design methods, including Booch, Coad/Yourdon, Rumbaugh, Fusion, and Shlaer/Mellor.

Using Forte, programmers can build applications independent of the target platform, according to ProtoSoft. Forte splits the application, distributes the proper components amongst the clients and servers, and displays the native GUI for each client station. Forte applications can be used on Windows, Macintosh, OpenVMS, and a range of Unix systems.

Paradigm Plus is available from its exclusive distributor in the U.K., Admiral Software.

Price: Call for price.

Phone: +44 1276 682268

Circle 1053 on Inquiry Card.

AUTOMATIC DOCUMENTATION TOOL

Not only do you have to get the code done by deadline—you have to get the documentation finished, too. K2 Software Developments (Manchester, U.K.) says George can help.

According to K2, its George program automatically documents code generation and re-generation and ensures that all revisions and amendments are up to date. George can compare old and new versions of a document, which makes it easy to see the changes without having to inspect syntax and language. The program generates hypertext

documents and automatically indexes the code.

Price: Call for price.

Phone: +44 161 864 1430

fax: +44 161 865 1089

Circle 1054 on Inquiry Card.

MORE DEVELOPMENT TOOLS FOR SAMMI

Kinesix (London) now has a software development kit for Sammi, its graphical system for real-time command and control operations. These tools enable programmers to extend Sammi to provide a customized framework for real-time monitoring. The new SDK is the same toolkit that Kinesix used to develop Sammi, the company says.

Sammi, a Unix-based set of programming tools, incorporates a library of standard objects—such as meters, gauges, and graphs. This SDK enables users to design their own objects. Once they have been designed, these objects can be incorporated into the Sammi framework, and their functionality inherited, without any other code development.

Price: Call for price.

Phone: +44 171 610 6144

fax: +44 171 736 1071

E-mail: ksales@quaduk.co.uk

Circle 1055 on Inquiry Card.

MULTIMEDIA HARDWARE CHECKER

Eurosoft (Bournemouth, U.K.) has developed a new diagnostic system for testing multimedia hardware. The company says that its CD-Check system confirms reliable operation of a CD-ROM drive by testing it sector by sector and measuring real-time data access with manufacturers' claimed access time.

To be certain that multimedia hardware meets MPC standards, the program also checks memory, sound cards, and graphics boards.

Price: Call for price.

Phone: +44 1202 297315

fax: +44 1202 558280

Circle 1056 on Inquiry Card.

ADMINISTRATION PROGRAM FOR SCHOOLS

One of the complaints teachers often have about computers is the time it takes to learn the stuff. At the recent Technology in Education exhibition, Oracle Education Systems (Southwell, U.K.) introduced school-administration software that the company says allows teachers to teach instead of having to learn a new program.

Oracle Chameleon is a set of software modules that covers school management and information needs, from enrolling students to printing out reports on their progress. There are modules for administration, registration, curriculum mapping, performance tracking and reporting, pastoral matters, and special needs. Upcoming modules will handle management of timetables, school meals, the library, and external exams, the company says. A school can buy and in-

stall only the components it needs.

The graphical software can run on a "fairly basic 386 PC" or on a network. Password protection extends down to the field level.

Price: Start at £250.

Phone: +44 1636 830980

Circle 1057 on Inquiry Card.

AST'S NOTEBOOK HAS CYRIX INSIDE

AST Europe (Brentford, U.K.) has brought the Ascentia 810N notebook across the Atlantic. The 6-pound computer is built around the Cyrix 66-MHz 486DX2 chip with 8 KB of Level 1 write-back cache. It has a 10.4-inch dual-scan color screen. A Western Digital RocketChip 90C24A controller accelerates the video.

AST has adopted the "swappable" approach: You can remove the floppy drive and slip in a second nickel-metal-hydrate

battery pack, which the company says will give you six hours of working time. You can also slip in two PCMCIA Type II cards or one Type III card.

The 810N comes with 4 MB of RAM (expandable to 20 MB). Hard drive options run from 250 to 510 MB. A SmartPoint trackball is embedded in the full-size keyboard.

Price: Call for price.

Phone: +44 181 232 5000;

fax: +44 181 568 4600

Circle 1051 on Inquiry Card.

IMAGING TOOLS FOR KOFAX KIPP USERS

Headway Technology Group (Aldershot, U.K.) has a new set of image-processing modules for users of the Kofax KIPP Developers Toolkit. (KIPP is a collection of C libraries for integrating functions, such as scanning and image manipulation, into applications.) The six Headway

modules add capabilities to the KIPP library.

Two of the modules deal with bar codes. One adds the power to recognize bar codes on scanned documents; the other converts an ASCII string into a bar-code image. Deskew lets Kofax applications straighten out a document that has been scanned crookedly. Job Separation Detection lets systems automatically group documents and scan multiple jobs at the same time. Another package, called Text Annotation, lets you add an ASCII string to an image when it's scanned. Mark Sense Detection is designed to speed up forms processing by letting a system recognize signatures and check marks on scanned documents.

Price: Bar Code Recognition and Deskew, £1980; others £990.

Phone: +44 1252 333575;

fax: +44 1252 314445

Circle 1058 on Inquiry Card.

BEFORE YOU BUY A UPS COMPARE...

Smart purchasing decisions are made based on facts, whether you're buying a car or a UPS. Before you buy a UPS, take a few seconds to make the comparison yourself. The facts will show that Minuteman's Alliance Series provides more features for less money. It's as simple as that.

To further stand behind our promise of more features for less money, Minuteman has established an industry-leading 10-part Smart Buyer Program that will provide you with a price protection guarantee, a competitor's trade-in discount plan, free technical support, along with other important guarantees. To top it off, we'll even beat any competitor's price on an equivalent VA-rated line-interactive UPS. Call our Power Hotline now for more detailed information on our Smart Buyer Program. Be smart, buy smart ... and make sure it's a Minuteman UPS.

MAKE THE COMPARISON FOR YOURSELF

| Model | Minuteman A300 | APC BR200 | Tripp-Lite BC250 | Model | Minuteman A500 | APC BP420 | Tripp-Lite Omni Pro 450 |
|-----------------------------|----------------|-----------|------------------|-----------------------------|----------------|-----------|-------------------------|
| PRICE | \$129 | \$139 | \$139 | PRICE | \$259 | \$299 | \$279 |
| Price per Watt | .73 | .81 | .79 | Price per Watt | .86 | 1.15 | 1.00 |
| Audible Alarm | YES | | | Line Interactive | YES | YES | |
| LED Status Indicators | 2 | YES | NO | LED Status Indicators | 4 | NO | YES |
| Test Button | YES | NO | 2 | Test Button | YES | NO | YES |
| Self-Diagnostic Test | YES | NO | NO | Self-Diagnostic Test | YES | NO | YES |
| Site Wiring Fault Indicator | YES | YES | NO | Site Wiring Fault Indicator | YES | YES | YES |



1-800-238-7272

Para Systems, Inc.
1455 LeMay Drive
Carrollton, Texas 75007
214/446-7363
Fax: 214/446-9011

Product and company names mentioned herein may be trademarks or registered trademarks of their respective companies.



Circle 522 on Inquiry Card (RESELLERS: 523).

Real-Time Multitasking

for Microsoft C, Borland C, Borland Pascal

Develop Real-Time Multitasking Applications with RTKernel!

RTKernel is a professional, high-performance real-time multitasking kernel. It runs under MS-DOS or in ROM and supports Microsoft C, Borland C++, Borland Turbo Pascal, and Stony Brook Pascal. RTKernel is a library you can link to your application. It lets you run several functions/procedures as parallel tasks and offers the following advanced features:

- pre-emptive, event/interrupt-driven scheduling
- number of tasks only limited by RAM
- task-switch time of 6 μ s (33-MHz 486)
- up to 64 priorities (changeable at run-time)
- time-slicing can be activated
- timer interrupt rate of 0.1 to 55 ms
- high-resolution interval timer (1 μ s)
- activate or suspend tasks out of interrupt handlers
- programmable interrupt priorities
- inter-task communications using semaphores, mailboxes, and message-passing
- keyboard, hard disk, floppy disk idle times usable by other tasks
- supports math coprocessor and emulator
- supports up to 36 COM ports (DigiBoard and Hostess boards)
- protocols XON/XOFF, DTR/DSR, RTS/CTS
- full support of NS16550 UART chip
- fast, inter-network communication using Novell's IPX services
- runs under DOS, LANs, or without OS
- call DOS without re-entrance problems
- resident multi-tasking applications (TSRs)
- runs Windows or DOS Extenders as a task
- supports CodeView and Turbo Debugger
- Kernel Tracer for easy debugging
- ROMable
- full source code available
- no run-time royalties
- free technical support by phone or fax

RTKernel-C 4.0 DM 795 RTKernel-Pascal 4.0 DM 695
 C Source Code: add DM 695 Pascal Source Code: add DM 595
 International orders: add DM 50 shipping and handling. MasterCard, Visa, check, bank transfer accepted.

FREE DEMO DISK
 Please request Info Kit B

On Time
 MARKETING
 Professional Programming Tools

On Time Marketing
 Karolinenstrasse 32 • 20357 Hamburg
 GERMANY • CompuServe 100140,633
 Phone +49 - 40 - 437472 • Fax 435196

In Australia/New Zealand, contact:
MicroWay Pty. Ltd.
 Unit 1, 16 Tarnard Drive
 Braeside, VIC 3195 • AUSTRALIA
 Phone (03) 580-1333 • Fax 580-8995

MOVING?

To change your subscription mailing address, please complete the form below and send it to:

BYTE Magazine Subscriber Services

PO Box 555, Hightstown NJ 08520

Fax: 609-426-7087

Phone (9 a.m. to 8 p.m., Eastern Time, Mon-Fri.)

800-232-2983 (U.S.), or 609-426-7676

Current/Old Address:

Account Number

Name

Company

Address

City/State/Zip

New Address:

Name

Company

Address

City/State/Zip

Please allow up to 8 weeks for this change to become effective.

BYTE
 Because the Experts decide.

What's New

CLIENT TESTING TOOL FOR WINDOWS

WinRunner 3.1 is the latest version of the automated client tester from Mercury Interactive (Gillingham, U.K.). According to Mercury, the new WinRunner is tightly integrated with PowerSoft's PowerBuilder.

The program provides PowerBuilder users with Context-Sensitive DataWindows playback functions. The new version also incorporates full DataWindows verification within the DataWindow, Mercury says.

WinRunner's support for Visual Basic extensions includes context-sensitive testing for Visual Basic database applications that use grid objects.

The package incorporates Gupta SQL Windows support for hidden column objects. It also works with development tools from Oracle, Sybase, and Informix.

Price: Call for price.

Phone: +44 1535 637055

fax: +44 1535 632320

E-mail: chc@cix.compulink.co.uk

Circle 1059 on Inquiry Card.

TAPI FOR RHETOREX VOICE PROCESSING

Rhetorex (Bracknell, U.K.) announced at the recent ISDN User Show a TAPI Service Provider interface for its range of multi-channel voice-processing platforms. These are among the very first TAPI drivers for multi-channel voice-processing boards. The TAPI software supports the telephony and call-handling functions of Rhetorex voice boards.

The company's TAPI SP supports such applications as voice mail, automated attendants, interactive voice response, and audiotex. It's compatible with all Rhetorex RDSP and Vantage products.

The new TAPI package supports code speed rates of 24, 32, 64, and 128 KB. The Rhetorex TAPI is paired with WAV support for the audio capabilities of the boards, including on-the-fly conversion between WAV and

other voice-compression formats. The needed WAV drivers are supplied with the TAPI SP, so recordings can be made on a Windows PC with a Soundblaster-type sound card and then transferred to servers using Rhetorex boards.

The company says it is working on versions for Windows 95 and Windows NT.

Price: Call for price.

Phone: +44 1344 301 066

fax: +44 1344 301 067

Circle 1421 on Inquiry Card.

LATEST REPORT WRITER FOR WINDOWS

R&R Report Writer 6 has some new features that R&R Software (Maidenhead, U.K.) says will help developers and users customize R&R, integrate it with Microsoft Office applications, and embed reports into other applications, including custom applications built with Visual Basic 3.0.

R&R Report Writer 6 can connect to more than 25 database formats. One edition supports ODBC; the other is specifically for Xbase developers and users.

Reports can be exported to database, worksheet, and text formats. Through OLE Automation, it is possible to export report data into Excel charts and crosstabs.

R&R's royalty-free run-time module is accessible through APIs, including Visual Basic's VBX technology, DLL functions, and a Windows executable program.

The Open Scripting language allows developers to build custom wizards for different applications.

Price: ODBC Edition, £299;

Xbase Edition, £199.

Phone: +44 1628 788181

fax: +44 1628 788182

Circle 1422 on Inquiry Card.

Blasts from the Past



DENNIS BARKER



The new Amiga 3000 had a 68030, a 32-bit architecture, a multitasking OS, and a new GUI. It had a high-resolution display. It had stereo sound and connectors for video gear. It was "the ideal multimedia platform." It cost about half as much as a comparable Mac IIci. It had zealous owners. It had everything but big sales.

Intel's new 33-MHz 486 fueled ALR's PowerVEISA and AST's Premium, both screamers, but our review found that ALR's 64-KB external cache gave it more vroom.

Can you hear it huffing and puffing? Everybody was doing

aerobics back then—including batteries. We reported on a zinc battery that breathed airborne oxygen and mixed it with water molecules in an alkaline gel electrolyte, which produced hydrogen atoms, which... well, eventually it all generated electricity. Since our article, the Aerobic Power battery has been commercialized by AER Energy Resources. It's being used in power packs for handheld computers in vertical applications, and there are versions in the works for

notebooks, including the Zenith Noteflex. "Zinc air batteries increase your run time by about five times," an AER spokesman said.



AT&T's Unix PC was the company's attempt to get Unix into the mainstream office. They were going to make Unix easier to use, see. The system came with menu-driven software that stepped you through most operations. It also featured two things novel enough to get italics: *virtual memory* and *telephony*.

Multiprocessing was the theme. We spent nine pages debating what it is—"it may mean two independent Z80 computers sharing only the same hard disk, [or] it may mean 2 million 68000s sharing everything from resources to the same program"—then concluded that most micro users don't need it.

Two now-legendary PCs came in for review that month: the new Compaq Deskpro and the new IBM AT. The Deskpro had a dual-speed 8086. For pure PC compatibility, you had to run at 4.77 MHz to emulate the PC's 8088. If you preferred speed, you could switch into 7.14-MHz mode.

The AT trumped the PC, the XT, and a million clones by having the new 286 chip. This meant faster clock speed (6 MHz), a 16-bit data bus, and protected mode. IBM also added a new floppy format: 1.2 MB. But there was one thing the AT couldn't do that the Deskpro could: run Flight Simulator.



Desktop revolution Our West Coast bureau described a new program from a company called Aldus. The program was called PageMaker. People would use it to do something called "desktop publishing."

"After all, how many processors do you need to move a paragraph?"

Jerry Pournelle gave his Folly of the Year Award to execs at two companies threatening new copy-protection schemes. One would plant malfunction-inducing worms in the PC. The other promised "booby traps that will make Vietnam look like a birthday party."

Smalltalk fans finally had some microcomputer versions to use: Digitalk's Methods, for the IBM PC, and Smalltalk-PC, for the Apple II. Wrote Bruce Webster: "Perhaps now that some 'real' Smalltalk implementations are reaching the micro market, the object-oriented approach to software development will get its first true test."



Floppy drives were exotic and expensive. We explained how to build a disk-controller board so you could hook a Shugart drive to your 8080A box.

You could stick with cassette tapes. "Floppy disks may be a glamorous way to store programs and data," one author wrote, "but the cassette is far from dead." Not only far from dead, but "here to stay." Like that parrot in the *Monty Python* skit, cassette storage must be merely resting.



Baked Apple Editor Carl Helmers, in Kenya, set up his Apple II to control a camera for photographing the solar eclipse. But it kept crashing. It was too hot. The sun had cooked the main board to about 180°F.

Return to sender A new report predicted that \$4 billion would be spent on E-mail services and equipment by 1990. "The field will be dominated by IBM, AT&T, and GT&E, with the U.S. Postal Service getting about one-quarter of the business."

Quiz Show

The object at right is...



- a cubist sculpture of a fried egg
- a prop from *Star Wars*
- the head of a cybernautic cyclops
- an alternative input device, circa 1990

Price Check

| | |
|---|----------|
| Apple II, with 16 KB of RAM | \$959 |
| TI-99/4, with 16KB of RAM and a color monitor | \$979 |
| Micropolis MetaFloppy drive, with controller | \$999 |
| Altos 4-user system, with 29-MB Winchester drive | \$14,260 |
| Microsoft BASIC Compiler | \$395 |
| An Introduction to Microcomputers by Adam Osborne | \$12.50 |

Not One More Damn Line of Code. Ever.

New!
Build
WINDOWS95
Apps Today!

See How **LAYOUT** Lets You Build Real, Heavy-Duty Programs Without Writing a Single Line of Code. **Free**

PC Week called Layout a "sure thing." We call it a revolution. With over 200,000 users, tons of add-ons, and widespread third-party support, Layout is the only tool that lets you build DOS or Windows programs by manipulating objects on screen — without writing code. Not just simple programs, but real, heavy-duty, mission-critical applications.

The True Power of Objects

Layout is truly object-oriented, both in the programs it creates, and in how you use it. You start out by arranging objects in a simple diagram, and then add more objects as the program grows, or create new objects by combining existing ones. You can even run your program as you're building it. Data-entry, database, and report formats are all visually designed on-screen.

What Layout Delivers


When you're done, Layout creates real .EXE files, or well-structured and efficient C/C++, Pascal, or BASIC programs. You can even create new objects right in Layout, or even re-use existing source code. Layout supports DOS and Windows, with NT and OS/2 coming soon, and applications written on any of these platforms are automatically portable to

the others — including Windows 95 (Chicago).

Visual Power, Incredible Performance

The programs Layout creates are com-

Objects, Inc. is offering a **free Windows95 Toolkit** with Layout so you can start building tomorrow's programs today!



Layout: the Ultimate Tool

Layout delivers the future for \$299.95, including everything you need to build programs; free, unlimited, technical support; and superb documentation. Call today, join the Layout revolution, and never see code again. **Ever.**

pletely graphical, even under DOS, and fully support OLE 2.0, DDE, 3D buttons, hypertext links, messaging, creating and using DLLs, and much more. Layout even supports pictures as a data-type! Layout creates very efficient programs — they're fast and compact. No 150K "Hello World" programs come out of Layout: it doesn't just spit out pre-canned code like other so-called high-level tools. And now,

Free!
LAYOUT APPLICATIONS SAMPLER
800-424-6644

Objects, Inc.

99 Rosewood Drive • Danvers, MA 01923 US
USA 508-777-2800 FAX 508-777-0180
Email info@objectsinc.com
Australia 07-855-2333 FAX 07-855-2364
New Zealand 03-343-2150 FAX 03-343-2150

Pricing and Conditions May Vary Outside North America. © 1995 Objects, Inc.

Circle 153 on Inquiry Card.

Risky Business and Private E-Mail

RUSSELL KAY

For as long as I've dealt with the Internet, the single resource I've admired most is the Risks forum, or to give it its full name, Forum on Risks to the Public in Computers and Related Systems. This is a discussion group moderated by Peter G. Neumann, principal scientist at SRI International's Computer Science Laboratory.

Since Neumann started the Risks forum in 1985, it has provided a continuing stream of information and anecdotes about a remarkable variety of dangers and vulnerabilities that grow out of computer technologies. Among the critical issues discussed on Risks are privacy and legal protections, software and hardware bugs, reliability, inflated expectations of computer accuracy and trustworthiness, use of computer systems for what are life-and-death situations, and ongoing problems involving fraud and computer-related crime.

Neumann has stepped back, looked over 10 years of Risks digests, and analyzed what it all means. The result is *Computer-Related Risks*, a book that gave me a new appreciation for many threats that I'd known about, but whose implications I didn't fully understand. One of the most interesting chapters focuses on reliability and safety issues in areas ranging from nuclear power plants to medical monitoring systems and the consequences of our general dependence on computer-based clocks and calendars.

The first part of the book lists and comments on past problems, and the second part presents techniques for increasing system reliability and security. In addition, Neumann offers some blunt commentary on most peoples' unquestioning trust in computer-generated data.

My only quibble with *Computer-Related Risks* is that it is too analytical. It doesn't capture the wonderful give-and-take that appears on the Risks forum itself. On-line, you have the immediacy of informed and intelligent people talking to one another about the foibles and flaws—fatal, frivolous, or funny—of our increasing dependence on computers.

As more of our communication moves to E-mail, keeping it from the preying eyes of


spies, crackers, and other assorted bad guys becomes more important than ever. Bruce Schneier's latest book, *E-Mail Security: How to Keep Your Electronic Messages Private*, tells you how to protect your correspondence.

Schneier is a security consultant who specializes in the black art/science of cryptography. His previous book, *Applied Cryptography: Protocols, Algorithms, and Source Code in C* (reviewed in the June 1994 BYTE), is a lucid yet detailed explanation of some of the esoteric aspects and implementations of crypto systems in current use. Thus, it's no surprise that his new book concentrates on the use of crypto systems to protect E-mail.

If you decide to encrypt your E-mail—or part of it—you need to be aware of a number of issues: key management (i.e., getting secret decryption keys to the people you want to have them) and administration (e.g., what happens if you lose your key?), third-party certification, digital signatures, and more. Schneier touches on these technical concerns, along with mechanisms for achieving them, such as one-way secure hashing, in a readable fashion.

A significant part of this book focuses on PGP (Pretty Good Privacy), the most widely used crypto system around the Internet, and PEM (Privacy Enhanced Mail), another popular crypto standard. The author discusses their strengths and weaknesses, points out their differences, and mentions why you might prefer one over the other (and which one, of course). In brief, PEM is largely concerned with authentication—you can't send an unauthenticated PEM message, for example—while PGP is much more concerned with protecting message privacy.

In addition to the main discussions of



COMPUTER-RELATED RISKS


Peter G. Neumann
Addison-Wesley
ISBN 0-201-55805-X

\$22.95

E-MAIL SECURITY: HOW TO KEEP YOUR ELECTRONIC MESSAGES PRIVATE

Bruce Schneier
John Wiley & Sons
ISBN 0-471-05318-X

\$24.95



PLACES TO GO, PEOPLE TO MEET

LET'S GO: THE BUDGET GUIDE

TO EUROPE Compton's NewMedia,
2320 Camino Vida Roble, Carlsbad, CA
92009, (619) 929-2500, \$49.95

Remember those famous guidebooks that told you how to travel throughout Europe for \$5 a day? Five bucks may take you less than a block in a London taxi today, but it's nice to remind your children (or grandchildren) of the days when the old greenback was once the coveted currency worldwide. A little of it could carry you a far distance in style.

For today's travelers, *Let's Go: The Budget Guide to Europe*, based on the best-selling book, packs a great deal of useful information into an accessible format. To whet your appetite for travel, more than 100 pictures and 20 minutes of full-motion video show you the beauty of Europe. You can print topographic and transportation maps, estimate your travel times, and create an exciting itinerary, albeit one that will cost you more than \$5 a day.

Based on college students' research, there are practical recommendations of places to see, ethnic restaurants that you shouldn't miss, budget-priced hostels, where to go for medical help, what to do if you lose your passport, and where to go (and especially where *not* to go) after dark. And, yes, there's even a list of clubs where you can score some hash in Amsterdam.

Forward to sometime in the future: I can just see my kids telling their grandchildren about the "good old days," how they saw Europe on only \$200 a day. What a bargain!

—Rich Friedman

NEW Copy Protection



- ✓ The most complete hardware palette
- ✓ WIBU®-BOX for LPT, COM, ADB, as card for (E)ISA slots and as PCMCIA-Card
- ✓ Protection for DOS, Windows™ and networks without requiring source code modification
- ✓ Win32s™, WindowsNT, Mac™ OS, OS/2®, DOS

We are looking for international distributors

Order your evaluation package today!

WIBU-KEY

High Quality in Copy Protection

WIBU
SYSTEMS

WIBU-SYSTEMS GmbH
Rueppurrer Strasse 54
D-76137 Karlsruhe, Germany
Phone: +49-721-93172-0
FAX: +49-721-93172-22

Southwind International Inc.
P. O. Box 308
Brookeville, MD 20833, USA
Phone: (301) 570-3497
FAX: (301) 570-4773

YOU'VE HEARD ALL ABOUT IT... HERE'S WHERE YOU BUY IT!

Novell's UnixWare™ 2.0

has the power to drive your PC to the limit. UnixWare 2.0 is a true 32-bit multi-tasking, multi-user graphical operating system. With built-in networking and the ability to run tens of thousands of UNIX, DOS and Windows 3.1 applications, it is the ultimate operating system for your Intel-based PC.



THE POWER OF UNIX WILL BLOW YOU AWAY!

UNIX PRODUCTS FROM INFORMATION FOUNDATION:

- UnixWare Personal Edition 2.0 \$298
Desktop UNIX with graphics & networking
- UnixWare Application Server 2.0 \$1,135
Unlimited user UNIX with the "works"!
- UnixWare Software Development Kit 2.0 from \$97
The ultimate development system for UNIX
- LAN Manager for UnixWare from \$895
Seamless UNIX connectivity for WINDOWS & NT
- Accelerated-X from X Inside \$99
Get the X power of a RISC workstation on your PC
- Spy Air Connect \$261
Internet connectivity for Windows!
- Slackware Professional Linux \$55
PC UNIX for the rest of us!

Call for our complete list of UNIX products!



IF is a registered trademark of Information Foundation. Information Foundation's product distribution business is owned and operated by Softway America Inc. All registered trademarks and trademarks are the property of their respective owners.

Information Foundation is the leading supplier of UnixWare products. IF also provides a full range of UNIX tools and connectivity products for both UNIX and DOS/ Windows systems. Our service and rock bottom prices combined with a no risk 30-day money back guarantee make IF the place to come for UNIX!

1-800-GET-UNIX



Information Foundation

- GREAT PRICES
- SERVICE & SUPPORT
- SATISFACTION GUARANTEED

P.O. Box 2821
Evergreen, Colorado 80439
Phone: 303/670-5345
Facsimile: 303/727-7618
E-mail: sales@if.com

Books & CD-ROMs

Risky On-Line Reading

To access the on-line Risks forum directly, check your local system or on-line service to see if they already carry it. For example, Risks is available on BIX in the security/risks conference, and it's distributed on the Usenet as comp.risks. Past issues of the Risks forum are available for anonymous ftp from unix.sri.com in the /risks directory.

the systems, two extensive appendixes detail how you can obtain and install these programs. For PEM, we get detailed design specifications. Schneier describes the munitions/export-restriction and patent/licensing rights controversies that have erupted over PGP and its creator, Philip Zimmermann. He includes Zimmermann's PGP user's guide, which by itself constitutes a "pretty good" introduction to crypto methods and issues.

None of this material is particularly new. What makes this book noteworthy is the practical, down-to-earth way in which the author shows how to use these systems to enclose your electronic communications safely inside digital envelopes. ■

Russell Kay, a BYTE technical editor, has been reporting on computer security issues since 1981.

MAC PROGRAMMING REVEALED

ULTIMATE MAC PROGRAMMING
by Dave Mark IDG Books, ISBN 1-56884-195-7, \$39.95

I firmly believe one reason the Mac hasn't garnered a greater market share is because of the paucity of books on how to program it. The number of authors providing solid Mac programming information can be numbered on one hand: Scott Knaster, Stephen Chernicoff, and Dave Mark. I bought all their works. I especially liked Mark's *Learn C on the Macintosh* volumes, which show you how to access the MacToolbox using the C language—not a minor task with the Toolbox oriented around Pascal.

Now Mark is back, bringing with him the expertise of numerous Mac programming wizards, such as Donald Olson, a member of Apple's OpenDoc team; Jim Reekes, who wrote the Sound Manager for System 7; Greg Anderson, who wrote the Scriptable Finder; and many others. Their expertise is consolidated in a 500-page tome appropriately titled *Ultimate Mac Programming*.

There's no introductory material here. You jump straight into a chapter on the Sound Manager and are taught how to add sound capabilities to an application. Another chapter details how to patch the Mac OS, with good treatment on writing "fat" (i.e., native PowerPC) traps. There's also an example of how to play a QuickTime movie, plus other practical odds and ends. The source code for these examples and a demonstration version of the Metrowerks C compiler is packed on a CD-ROM that's bundled with the book. I learned a lot from the book and highly recommend it. ■

—Tom Thompson



Make CD-ROMs at your desk.



Multimedia publishing. Data backup. Software distribution. Electronic publishing. Records archiving. With the dataDisc series of CD-recorders you can put any information on a worldwide compatible CD-ROM and retrieve your information from any CD-ROM player.

These third generation CD Recorders will cut an industry standard 680 megabyte blank disc in less time with more reliability than comparable CD-ROM recorders. Plus, as the largest CD-R blank media retailer, we offer the best blank media at the best price.

Our systems come bundled with everything you need to begin making CDs right out of the box. With DiscMaker™, our powerful CD mastering software, you can cut discs in **all** formats including CD-ROM (normal data), CD-DA (Digital Audio) and multisession format. Or add DiscMaker™ Multimedia mastering software and make


CDs for XA (audio/video interleaving), CD-I, Photo CD, CD-TV and now Video-CD.

Fast, easy and affordable. The dataDisc CDR-2x comes bundled with DiscMaker™ mastering software, SCSI card, cable, 10 blank discs and lifetime, toll-free technical support for only \$2,495.

Other configurations and faster CD-recorders are also available (CDR-4x and CDR-6x).


Your data deserves the best - the best recorder, the best media, the best price. Call the number one CD-ROM company to get yours. Call dataDisc at 800-328-2347. Call today.

dataDisc™
We simply do it for less.™






The Internet Insider
by Ruffin Prevost
\$14.95 U.S.A.
ISBN: 0-07-882084-7



The Internet Yellow Pages, Second Edition
by Harley Hahn and Rick Stout
\$29.95 U.S.A.
ISBN: 0-07-882098-7



The Visual C++ Handbook
by Chris H. Pappas and William H. Murray
\$34.95 U.S.A.
ISBN: 0-07-882056-1



Tuning Oracle
by Michael J. Corey, Michael Abbey, and Daniel Dechichio
\$29.95 U.S.A.
ISBN: 0-07-881181-3

Oracle DBA Handbook
by Kevin Loney
\$34.95 U.S.A.
ISBN: 0-07-881182-1

Oracle Workgroup Server Handbook
by Thomas B. Cox
\$29.95 U.S.A.
ISBN: 0-07-881186-4

When It Comes to **CD-ROM** We Wrote the Book

NOW FULLY REVISED & EXPANDED

**Everything You Need to Know
About **CD-ROM Technology** in
One Comprehensive Volume!**

This Exclusive Book/CD-ROM Package Includes

- Sound Clips and Clip Art
- Samples of CD-ROM Applications
- Multimedia Authoring Tools

Part buyer's guide, part standards guide, and part troubleshooter, the **BYTE Guide to CD-ROM, Second Edition** discusses all aspects of this burgeoning technology so you can take full advantage.



**BYTE
Guide to
CD-ROM
Second Edition**

by Michael Nadeau,
Includes One CD-ROM
\$39.95 U.S.A.
ISBN: 0-07-882104-5

*Exclusive Book/CD-ROM
Package Includes:
Sound Clips and Clip Art
Samples of CD-ROM Applications
Multimedia Authoring Tools*

**Everything You
Always Wanted
To Know About
CD-ROM and More!**

OSBORNE
Get Answers—Get Osborne
For Accuracy, Quality and Value

**Available Now At Your
Local Book & Computer Stores**

or Call Toll-Free: 1-800-822-8158 Any Time
Use your VISA, American Express, Discover or MasterCard

Key=SF35BYL

BYTE/Osborne Books are Available at the Following Locations

AT NATIONWIDE STORES:

Barnes & Noble
Borders
Computer City
Media Play
Software, etc.
Taylors

BookStar
Comp U.S.A.
Elek Tek
Micro Center
Super Crown
Waldenbooks

ALABAMA

Madison
Madison Books
and Computers
PH: 205-772-9250
FAX: 205-461-8076

ARIZONA

Tempe
Computer Library
PH: 602-820-0458
FAX: 602-491-7971

CALIFORNIA

Berkeley
Cody's Books
PH: 800-479-7744 (In CA)
800-995-1180 (Outside CA)

Cupertino
Computer Literacy
Bookshops
PH: 408-973-9955

Stacey's Professional
Bookstore
PH: 408-253-7521
FAX: 408-253-5861

Irvine
Irvine Sci-Tech Books
PH: 800-229-9514
FAX: 714-733-0122

Los Angeles
ASUCLA Students Store
PH: 800-456-0019
PH: 310-206-4041
FAX: 310-825-0382

Opamp Technical Books
PH: 800-468-4322
FAX: 213-464-0977

Palo Alto
Stacey's Professional
Bookstore
PH: 415-326-0681
FAX: 415-326-0693

Stanford Bookstore
PH: 800-673-2348
FAX: 415-322-2021

Sacramento
Tower Books
PH: 916-481-6600

San Diego
San Diego Technical Books
PH: 800-346-0071
FAX: 619-279-5088

San Francisco
Stacey's Professional
Bookstore
PH: 800-926-6511
E-mail: staceysbk@aol.com

San Jose
Computer Literacy Bookshops
PH: 408-435-1118
E-mail: info@clbooks.com

San Luis Obispo
Earthling Bookshop Inc.
PH: 805-543-7951

El Corral Bookstore
PH: 805-756-5315
FAX: 805-756-5351

Santa Barbara
Chaucers Bookstore
PH: 805-682-6787
FAX: 805-682-1129

Earthling Bookshop
PH: 805-965-0926
FAX: 805-962-6620

UCSB Bookstore
PH: 805-893-2082

Stanford
Stanford Bookstore
PH: 800-533-2670
FAX: 415-322-1936

Sunnyvale
Computer Literacy
Bookshops
PH: 408-730-9955

COLORADO

Boulder
BiblioTek
PH: 303-443-7037

Colorado Bookstore
PH: 303-442-5051
FAX: 303-444-6604

Colorado Springs
McKinney-White
Booksellers
PH: 719-590-1700

Denver
Auraria Book Center
PH: 303-556-3230
FAX: 303-556-3736

BiblioTek
PH: 303-534-3460

Tattered Cover Bookstore
PH: 800-833-9327
FAX: 303-399-2279

E-mail:
books@tatteredcover.com

Englewood
Softpro Books
PH: 303-740-7751
FAX: 303-740-8152

Longmont
United Techbook Co.
PH: 303-651-3184
FAX: 303-651-3405

CONNECTICUT

New Haven
Yale Co-op
PH: 800-ELI-YALE
FAX: 203-772-3665

DISTRICT OF COLUMBIA

Washington D.C.
Reiter's Scientific
& Professional Books
PH: 00-537-4314
FAX: 202-296-9103

GEORGIA

Atlanta
Oxford Bookstore
PH: 404-262-9975
FAX: 404-364-2729

HAWAII

Honolulu
Honolulu Book Shops
PH: 808-847-5551
FAX: 808-841-4674

University of Hawaii
Bookstore
PH: 808-956-4338
FAX: 808-956-4323

ILLINOIS

Naperville
Books & Bytes, Inc.
PH: 708-416-0102
FAX: 708-416-0375

INDIANA

Fi. Wayne
Majerek's Readers World
PH: 219-482-1531

MASSACHUSETTS

Boston
Charlesbank Bookshops
PH: 617-236-7442
FAX: 617-236-7418

Waterstone's Booksellers
PH: 617-859-7300
FAX: 617-437-0997

Burlington
Softpro
PH: 617-273-2919
FAX: 617-273-2499
E-mail:
books@softprocast.com

Cambridge
Harvard
Co-Operative Society
PH: 617-499-2000
FAX: 617-868-7038

Quantum Books
PH: 617-494-5042
FAX: 617-577-7282
E-mail:
quanbook@world.std.com

Wordsworth Books
PH: 617-498-0080
FAX: 617-354-4674

Newton Highlands
New England
Mobile Bookfair
PH: 617-527-5817
FAX: 617-527-0113

Worcester
Tatnuck
Bookseller/Databooks
PH: 800-642-6657
FAX: 508-756-9425
E-mail:
databooks@delphi.com

MICHIGAN

East Lansing
Grand River Books
PH: 517-333-3666

Flint
Young & Welshans
Book Sellers
PH: 810-732-0626
FAX: 810-732-2393

MINNESOTA

Minneapolis
Baxters Books
PH: 612-339-4922
PH: 800-626-1049
FAX: 612-339-6134

NEW HAMPSHIRE

Hanover
Dartmouth Bookstore
PH: 800-675-3616 (in NH)
800-624-8800 (outside NH)
FAX: 603-643-5170

NEW MEXICO

Albuquerque
Page One, Inc.
PH: 800-521-4122
FAX: 505-294-5576

NEW YORK

New York
Barnes & Noble
Fifth Ave.
PH: 212-807-0099

Computer Book Works
Warren St.
PH: 212-385-1616
FAX: 212-385-8193
McGraw-Hill Book Store
Ave. of the Americas
PH: 212-512-4100
FAX: 212-512-4105

OHIO

Cincinnati
University of
Cincinnati Bookstore
PH: 513-556-1800
FAX: 513-556-5555

OREGON

Portland
Powell's Technical Books
PH: 503-228-3906
FAX: 503-228-0505

PENNSYLVANIA

Pittsburgh
Book Center -
U. of Pittsburgh
PH: 412-648-2321
FAX: 412-648-1902

RHODE ISLAND

Providence
Brown Bookstore
PH: 401-863-3168
FAX: 401-863-2233

TEXAS

Dallas
Taylors Bookstore Ltd.
PH: 214-357-1700
FAX: 214-956-8012

VIRGINIA

Vienna
Computer Literacy
Bookshops
PH: 703-734-7771
E-mail: sales@tc.clbooks.com

WASHINGTON

Bellevue
Tower Books
PH: 206-451-1110
FAX: 206-454-0453

University Bookstore
PH: 206-646-3300
FAX: 206-634-0810

Seattle
University Bookstore
PH: 206-634-3400
FAX: 206-646-3340

WISCONSIN

Madison
University Bookstore
PH: 608-257-3784
PH: 800-993-2665
FAX: 608-257-9479
Milwaukee
Harry W. Schwartz
Bookshops
PH: 414-274-6460
PH: 800-236-7323
FAX: 414-274-6408

Osborne

Get Answers - Get Osborne
For Accuracy, Quality and Value

YOUR NEXT MAINFRAME



PCs are getting to be as powerful as mainframes, and mainframes are being made from PC parts. But the mainframe of the future won't be a gigantic PC: It will be software and a network.

ANDY REINHARDT

PC users may be glad the glass house has shattered, but many of them are walking around with bloody feet. Some are even longing for the good old days of centralized, secure data processing. But while IBM mainframes are indefensibly expensive in this era of cheap microprocessors, centralization of data and applications isn't dead, and in some quarters, it's on the rise.

That's the dichotomy organizations face as they test the waters of client/server computing and experience the frustrations (and cost) of implementing new technology. In doing so, they are rediscovering the vaunted attributes of mainframes: security, reliability, data integrity, and a single system image for users.

Yet, no matter how robust and powerful PCs might become, they will never be mainframes in the traditional sense. "The PC is growing up to be an application server, not a mainframe," says Bob Robinson, product marketing manager for Sequent Computer Systems (Beaverton, OR). In other words, PCs aren't so much *becoming* mainframes as they are assuming the *responsibilities* of mainframes. To meet this challenge, they're borrowing the best of what host systems offer while throwing out the drawbacks of the old model.

And as PCs become more like mainframes—through improved performance, availability, and manageability—mainframes are getting to be more like PCs. Makers of big iron are cobbling together massive multi-processor systems out of the same chips and disks used in desktop systems.

"The hardware components of the low end will end up being the building blocks of high-end systems, and the robust features at the high end will be implemented at the low end," says Phil Hester, general manager for system technology and architecture at IBM in Austin, Texas.

In fact, most observers expect the predominant system architecture of the future to be a hybrid model, where a variety of systems, ranging from desktop systems to servers to legacy hosts, are tied together under a common umbrella. "Some things really have to be centralized, whereas others are better distributed," says Shahin Kahn, who is marketing programs manager for Cray Research Superservers (Beaverton, OR). "It's a question of where you pay: a more expensive server or higher system administration costs."

System Scenarios

This blurring of computer architectures is erasing the relevance of terms like *mainframe*, *minicomputer*, and *microcomputer*. Computers of the future will instead be arrayed along a spectrum of functionality, driven by the roles they play. Vital corporate assets will be stored on giant secure servers. High-volume transaction processing will occur on optimized parallel processors. Routine file, print, and communications services

will migrate to specialized nodes that could just as easily be embedded processors as PCs.

At least that's one scenario. It's also possible that hardware differentiation will become a thing of the past. Replacing special-purpose servers could be vast webs of commodity computing boxes, whose functions and interrelationships will be entirely configured in software. In this vision, the top of the computer food chain is a so-called *virtual mainframe*, comprised of an arbitrary number of conjoined nodes that perform what we now call mission-critical or enterprise functions. Only at the periphery of the network might the computers be optimized, perhaps for different user interfaces (e.g., office automation, communications, or home entertainment) or usage patterns (e.g., stationary versus mobile).

"Virtual mainframes deliver to people the ability to concentrate computing horsepower very flexibly, when and where they need it," says Joe Firmage, vice president of strategic planning at Novell (Provo, UT). "You can move power around the organization at will." The challenge, of course, is to invest network software with the ability to emulate high-end mainframe features—within the considerably more dynamic, unpredictable, and complex world of distributed computing.

Different Roles

Today, there are two distinct definitions for a *mainframe*: a hardware/software platform for running legacy applications, or a set of high-end capabilities that may or may not require using a machine known as a mainframe. The latter model is at the heart of downsizing. Customers are looking for less expensive alternatives to traditional host systems for new (and sometimes existing) applications, but they aren't willing to give up mainframe-class performance and features. "What we really want," says Alice Middleton, a vice president and IS manager for Bank of America (San Francisco, CA), "is a computing environment that offers us the richness and flexibility of GUIs at the front end, with the security and reliability of a mainframe at the center."

Carl Amdahl, CEO and chief technical officer of superserver maker NetFrame Systems (Milpitas, CA), defines mainframes in terms of customer needs rather than technology. "We're talking about bet-your-business applications," he says, citing organizations that cannot operate if their systems fail, that will suffer grave economic impact from downtime, or that must be able to maintain and grow systems while they're running. "These needs have classically driven the design of mainframes," Amdahl says.

At a minimum, mainframes are designed to provide hundreds of MIPS of processing capacity, gigabytes or terabytes of storage, and high I/O bandwidth (via hundreds of parallel DMA channels) to support large data sets and many users. They typically use extensive memory buffers, dedicated I/O controllers, intelligent queuing, and path management to boost performance, says Rick Baum,

| Centralized Systems | Distributed Systems |
|--|--|
| PROS Better security Lower support costs Fault tolerance Easier data management | PROS Lower-cost hardware Distributed fault tolerance Faster access to local data Reduced communications costs |
| CONS More expensive hardware | CONS Harder to manage |

an IBM Fellow and vice president of system architecture and performance.

Features built in to support reliability, availability, and serviceability (often called RAS) include redundancy of key components, error-correcting memory, diagnostics, hot-swappable components, and *service processors* that monitor performance, correct problems, and notify operators of alarm conditions. Software tools play equally vital roles: backup, HSM (hierarchical storage management), security, user/account management, predictive diagnostics, asset management, capacity planning, and cost accounting.

The decline of the traditional mainframe is occurring not because users no longer need these capabilities, but because it has an untenable cost structure and outmoded software model. New IBM mainframes this year will cost on average \$39,000 per MIPS, including software and service, estimates Annex Research (Phoenix, AZ). That compares to roughly \$20 per MIPS for x86-based PC hardware. But, quips Annex president Bob Djurdjevic, "a MIPS is not a MIPS" when comparing PCs and mainframes. For one thing, the perceived price of PCs greatly underestimates the cost to manage them (which some ana-

lysts peg at \$8000 per year per seat).

The problem with mainframe software goes beyond its notorious expense and inflexibility: Mainframes use a shared-logic model, in which applications run at the center and are accessed via dumb terminals. This model no longer makes sense when inexpensive microprocessors let you off-load from the host both the user interface and applications processing.

Thus, the role of traditional host systems is changing. "The mainframe today is not a computer that provides processing power for the whole company," says Pauline Lo Alker, president and CEO of Network Peripherals (Milpitas, CA). Instead, it's a server or data repository. IBM is promoting the use of its mainframes as giant video servers for the information highway, and third-party products (e.g., Proginet's LAN-Fusion) are simplifying integration of mainframes into PC LAN environments.

Why use a mainframe? IBM's William Hoke, vice president of worldwide PC Server development and a veteran of the company's mainframe era, reaches for an answer. "The world is run by applications, not hardware," he asserts. Mainframes are supported by a wealth of software and

tools; it's this legacy that is their great-est—and soon perhaps only—asset.

Hybrid Model

Traditional mainframe functions are now appearing on a variety of systems. One of the most widely used hybrid architectures today, says Gary Bloom, vice president of the mainframe and integration technologies division at Oracle (Redwood Shores, CA), is a three-layer hierarchy. It consists of desktop PCs (connected via NetWare or another NOS [network operating system] for file and print sharing, as well as some network applications), a mainframe at the center (accessed via 3270 emulation for legacy applications), and a middle layer of Unix-based database and application servers. The servers run new programs and may also access the mainframe as a shared, secure data repository.

The key to this model is that it uses each platform for what it does best. PCs deliver the lowest cost and broadest software base for clients, and they let users create their own solutions. Large Unix servers run circles around PCs in terms of performance and the number of enterprise-class applications, yet they're far more cost-effective than mainframes and support new

Five Software Models

One way to view the difference between classes of computers is by the software they run. Joe Firmage of Novell splits the pie into five pieces. The first category

Client and Server in One Box

One intriguing implementation of partitioning is a scheme called *client/client/server*, in which the true client (i.e., the end user) is represented inside the server by a client process, or proxy. This arrangement can reduce network traffic and boost performance, because both the proxy and server operate within the same machine and communicate at bus speeds rather than network speeds.

This scheme breaks the hard coupling between the front and back ends (which in traditional client/server requires a hard-wired, real-time, RPC [remote procedure call] protocol) in favor of a more flexible, asynchronous link, based on RPCs or lighter-weight messaging. Using proxies will make it easier to implement transparent or dynamic networks, because the communications protocol between the client and proxy can vary depending on the network, even while that between the proxy and server remains fixed.

is network-ignorant desktop programs that gain access to shared resources only because a redirector inserted below them diverts file and print I/O calls to remote systems.

The second category is network-aware applications designed specifically for LANs (i.e., groupware, SQL query tools, and custom-designed PowerBuilder front ends) that take advantage of a data repository across the wire. These applications typically use limited server-based processes, such as triggers and stored procedures.

Firmage calls the third category true partitioning. In this model, client and server components are independent and fully programmable, each with a known interface. "The transition in the PC world from local database applications to client/server applications will be matched by as big a step from client/server to partitioned," he predicts.

In the fourth category, work load shifts more to the server. The client executes



only a simple component that accesses a centralized service via an API. This model more closely resembles a conventional terminal/host architecture, except that greater intelligence is assumed at the client. Compared with the third category, the server-based approach can reduce network traffic.

The fifth category maps most closely to a traditional mainframe, because there is no active client-side component at all. The user is merely represented inside the central machine by a daemon. An essential foundation of these kinds of centralized programs is a multi-user OS that supports remote log-ins from numerous terminals.

Firmage believes the computer industry is headed toward the third category. "The partitioned scenario is the midpoint of a convergence between the PC and mainframe model," he says, because it incorporates aspects of both distributed desktops and traditional shared logic.

software not available for hosts. Mainframes provide top-of-the-line I/O performance, security, and manageability for central data.

But as PCs and Unix systems become more sophisticated—as the capabilities of systems converge—this three-tier model could fold into two layers, or even one. The trend began several years ago with the introduction of superservers from companies such as NetFrame and Tricord (Plymouth, MN). Now it is accelerating into the fast-growing segment of commodity servers from AST (Irvine, CA), Compaq (Houston, TX), Dell (Austin, TX), Digital Equipment (Maynard, MA), Gateway 2000 (North Sioux City, SD), Hewlett-Packard (Palo Alto, CA), and IBM (Somers, NY).

There's no hard-and-fast definition of servers versus superservers. A common rule of thumb in the past was that servers were uniprocessors that were used mostly for NetWare. Superservers were multiprocessors meant for databases and other client/server applications. However, multiprocessing and more robust OSes are starting to appear in lower-end systems, so the differentiation is becoming murky. Suffice it to say, superservers suit customers willing to pay a premium for ultrahigh reliability and availability.

The movement of mainframe features into servers entails boosting the performance and reliability of basic subsystems (i.e., CPU, memory, and storage), designing for greater capacity and expandability, and adding built-in system management. These changes basically define what separates servers from desktop systems.

More Robust PCs

The first major area of improvement is in processing horsepower. In sheer processing terms, today's servers are every bit the equal of earlier-generation minicomputers and mainframes. A Pentium chip offers 100 MIPS or more of performance. The next-generation Intel P6 is expected to provide 250 to 300 MIPS, putting it squarely in the range of conventional mainframes. PC servers from numerous players are starting to support SMP (symmetric multiprocessing) configurations with two,

Your Next Mainframe?

ClusterServer 8500
NetFrame Systems



The NetFrame's clustered architecture scales up to 12-100 MHz Pentium processors, including a two- or four-way SMP complex. It supports up to 2 GB of shared memory and more than 500 GB of storage on 120 disk drives.

four, or more CPUs, which can offer near-linear performance boosts if the OS and applications are multi-threaded.

The availability and acceptance of SMP will surge in the next few years because Intel has helped legitimize it through MPS (Multi-processing Specification), which first appeared in 1994 in shared-cache dual-processor Pentium systems (known by the code names P54C/CM). MPS is implemented in Intel chip sets and extends to dedicated-cache, shared-memory configurations of Pentium (and eventually P6) systems. By estab-

lishing a baseline standard, Intel has helped make SMP a commodity; server makers will thus have to resort to more specialized features to stand out from the pack. IBM, for one, has aimed high by licensing the 400-Mbps C-bus II technology from Corollary (Irvine, CA) for its PC Server 720, a 100-MHz Pentium-based, four-way SMP machine.

Very fast processors rely on caches to bridge the gap between CPU and memory performance. Most Pentium desktop systems provide 128 to 256 KB of external (level 2) cache memory, in addition to the 16 KB inside the chip. Many servers (e.g., the Compaq ProLiant 4000, certain Tricord models, and the IBM PC Server 720) use 512 KB of cache memory. The PC Server 720 also sports a performance-boosting third-level cache, known as a *victim cache*, which buffers memory pages being returned from cache memory to main memory in the event of a cache miss.

Server makers typically implement their own memory-bus designs to boost throughput. Compaq's TriFlex and Tricord's PowerBus,

for instance, both run 64 bits wide at 33 MHz, for a peak rate of 267 MBps. Memory configurations are also surging. The ProLiant 4000 server from Compaq accommodates up to 512 MB of ECC (error checking and correcting) RAM and 147 GB of disk storage. The ES5000 super-server from Tricord accepts up to 1 GB of ECC RAM and a whopping 168 SCSI devices—for a theoretical capacity of nearly half a terabyte.

System I/O is improving as a result of the fast PCI (Peripheral Component Interconnect) bus, which operates at speeds of up to 132 MBps (32 bits wide at 33 MHz). Most servers use PCI to connect to storage and the network, and many include EISA or Micro Channel architecture slots for general-purpose add-ins. (Server makers are dumping ISA because it is slow and can't be managed via software.) PCI, EISA, and Micro Channel architectures all permit self-identifying boards and software configuration, but vendors are edging away from EISA because it can't be remotely diagnosed and configured.

PCI suffers from limited support for expansion cards. AST and Digital both plan to bridge PCI buses together as a means of raising capacity (and, incidentally, of filtering bus traffic). However, bus bridging can impose signal latency penalties, notes Larry Shintaku, manager of advanced development for HP's network server division. Another approach, embraced by Apple, is to construct multiple, independently controlled PCI buses, which not only boosts aggregate I/O bandwidth but also affords a measure of redundancy.

Storage performance is raised in servers by using faster drive interfaces, such as enhanced IDE and SCSI (in various con-

figurations, up to 20-Mbps "fast-wide" SCSI). The next wave is Ultra SCSI, which runs up to 40 MBps and could someday climb to 80 MBps. In the Unix world, but coming soon to PCs, are two new serial-interface standards that should further boost drive performance and reliability: IBM's SSA (Serial Storage Architecture) and FCAL (Fibre Channel-Arbitrated Loop). (See the text box "Faster Storage Is Key" on page 52.)

continued

PCs Acquire Mainframe Features

Today's PC servers have every bit the processing power of earlier-generation mainframes.

- 250+MIPS CPUs
- SMP
- bigger caches, more memory and storage
- faster disk interfaces
- hot swapping, mirroring, RAID
- redundancy of key subsystems
- hardware diagnostics
- 32-bit OSes
- preemptive multitasking
- system management
- remote diagnostics

Faster Storage Is Key

Storage speed is the most important performance factor in servers. After a period of relative stasis in storage interfaces, three technologies are emerging:

Ultra SCSI

Considered by some an interim step toward serial interfaces, Ultra SCSI represents the latest improvement to the decade-old technology. Ultra SCSI uses the same command set as its predecessors (i.e., SCSI-2 in various configurations) and the same parallel ribbon cable. But by doubling the clock rate of the bus, Ultra SCSI offers burst throughput of up to 20 MBps for 8-bit connections and 40 MBps for 16-bit connections. SCSI champions suggest that one final ratcheting of parallel SCSI technology might someday yield an 80-MBps rating.

Serial Storage Architecture

IBM's SSA is a serial implementation of the SCSI-2 command set, offering 20 MBps of bidirectional throughput, for a total capacity of 40 MBps. (Plans call for capacity to rise to 200 MBps in 1996.) SSA is implemented not as a bus but rather as a series of independent hops among up to 126 hot-pluggable, self-configuring devices. IBM intends it as a low-cost universal solution for local storage. Early supporters include Adaptec, Conner, Future Domain, Micropolis, NCR, and Western Digital.

Fibre Channel-Arbitrated Loop

Based on work done by the IEEE's Fibre Channel committee, FC-AL is another serial interface that does not, despite its name, require a fiber connection. Based on SCSI-3 commands, it offers data transfer rates of up to 200 MBps and supports 126 hot-pluggable, self-configuring devices on a loop. Promoters argue that FC-AL tolerates drive failures better and, because of its close ties to Fibre Channel, could be used as a universal interconnect for both systems and storage. Supporters include Adaptec, BusLogic, Hewlett-Packard, Q-Logic, Quantum, NCR, and Seagate. SSA partisans fault FC-AL for being more expensive and consuming more power. IBM supports both interfaces: SSA for storage and Fiber Channel for system interconnect.

Storage Interfaces

Ultra SCSI (Burst throughput)

| | |
|----------|---------|
| (8-bit) | 20 MBps |
| (16-bit) | 40 MBps |

Serial Storage Architecture

| | |
|------------------|----------|
| Total capacity | 40 MBps |
| 1996 (projected) | 200 MBps |

Fibre Channel-Arbitrated Loop

| | |
|-----------|----------|
| Sustained | 200 MBps |
|-----------|----------|

Improved Reliability

Aside from performance and capacity, the features that are most driving PCs to be like mainframes are improved reliability, diagnostics, and system management. Adoption of ECC memory, for instance, has exploded in the last few years. (The memory chips are the same as normal; what's different is that 10 or more bits are used to store each byte so that incorrect values can be algorithmically detected and corrected.) PCs have long used the more prosaic parity checking for memory chips, but not across buses. Almost all servers parity-check all buses, and high-end systems use ECC across bus and cache lines. AST has gone even further in its Manhattan servers, using ECC in the SCSI subsystem and disk controllers, says product marketing manager Chris Norman.

For fail-safe operation, some servers offer redundant power supplies and fans. Others, such as IBM's machines, provide hooks into external UPSes (uninterruptible power supplies). Today, only very high-end superservers today offer redundancy in the form of duplicate processor boards, system or I/O buses, and I/O controllers.


Because a disk is the component most likely to fail, server vendors have given particular attention to storage reliability. This takes the form of both hardware and software capabilities, for example, RAID with sophisticated controllers and software to manage hot swapping, disk mirroring, backup, HSM, and preventive diagnostics.

Management Issues

"The main characteristic of mainframes was their system management structure," says Michael Coleman, general manager for PC Servers at IBM. "They could run themselves." While Coleman acknowledges that "we don't have that kind of maturity yet in the PC space," he and many others argue that the situation is getting dramati-

Your Next Mainframe?

ProLiant 4000
Compaq Computer Corp.



Compaq's ProLiant 4000 can distribute the work load among as many as four 100-MHz Pentium processors and accommodates up to 512 MB of ECC memory. A separate ProLiant Storage System expands to 147 GB.

cally better.

Built-in hardware diagnostics make it possible for software tools to monitor and report on system status, fix problems on-line, and even take preventive action against system failures. The Pentium, P6, and PowerPC chips are able to report significant amounts of information about their status. Instrumented subsystems—including memory, drive controllers, and buses—provide real-time status information. And OSes are shipping with better analysis tools, such as the Performance Monitor supplied with Windows NT. "From an instrumentation per-

spective, Performance Monitor has many more objects than most mainframes ever had," says Mike Nash, the Windows NT Server group product manager.

New PC-based system management platforms (e.g., IBM's NetFinity, Compaq's Insight Manager, AST's Percepta, HP's NetServer Assistant, ALR's Net-Tune, and Intel's LANDesk) offer the best of mainframe utilities with the added benefits of a GUI and desktop integration. These system tools typically address several key areas: inventory/asset management, storage management and backup, remote control, security, error logging, diagnostics, performance monitoring, and capacity utilization. Some incorporate predictive failure analysis, capacity planning, and software distribution or metering.

Superservers do quite well with systems management, since this is largely how they justify their higher prices. For instance, the Tricord Intelligent Management System combines software, a dedicated 386

What PCs have that mainframes don't

- GUIs
- User preferences, user programming
- Distribution of processing among front and back ends
- Dynamic resource binding, loadable software modules
- Inexpensive components allow for customization
- Easier-to-use system management tools

Where mainframes still excel

- Multiuser OSes
- I/O architecture optimized for many users
- Enterprise-wide system management tools
- Enterprise applications
- Scalability
- Reliability and availability
- Security

Most of today's client/server development tools force your applications to be driven by the outward appearance of things.

It's akin to putting in all the walls, windows and doorways of a building before the foundation and support beams are in place. You can build a small cottage that way, but certainly not a skyscraper.

The same principle holds true for client/server application tools. Especially if you are working with multiple databases and extremely large communities of users.

Which is why you should consider evaluating our powerful, 2.0 version of Enterprise Developer.™

front-end screen or graphic, you can put all of your business rules and all of your data models in place first.


Then our SCALE C++ objects provide you with all of the transaction structures required for your graphical

create with other C/S development tool sets. The bottom line is scalable, robust, enterprise-wide applications in record time.

So don't settle for a client/server development tool set that's just a facade.

Call and enroll in our

Symantec Enterprise Developer ensures that your client/server applications won't end up as great looking front-ends that are unable to stand up to the stresses of the real world.



IS YOUR CLIENT/SERVER DEVELOPMENT TOOL JUST A FACADE?

ENTERPRISE DEVELOPER 2.0. FOR THE FASTEST DELIVERY OF ROBUST ENTERPRISE-WIDE APPLICATIONS.

Unlike other client/server tools, Enterprise Developer 2.0 isolates the many complex components of client/server development in its own unique SCALE™ architecture.

The foundation of this new architecture is a business model repository that centralizes and stores your logical data models, the data locations, and all of your business rules separately from the presentation services.

So before you ever design a

interface, delivering the complex logic that would take months to

ENTERPRISE DEVELOPER 2.0.

SCALE REPOSITORY

Business Model: reverse/forward engineer logical data models from your databases. Store business rules for all of your client/server applications. View data models through interactive E-R Diagrammer.

Database Trigger Express: optimize performance by partitioning business rule logic between client and servers through generation of database triggers.

SCALE C++ OBJECTS

Leverage the information in the business model to derive the master detail processing, business rule enforcement, multi-user access, transaction integrity and data caching behavior for each application.

VISUAL ENVIRONMENT

RAD is fostered through our active business model repository and a high level of default processing, shrinking development from months to weeks.

Enterprise Developer Evaluation Program where you can examine the structural superiority of our new Enterprise Developer for yourself.

Then get ready to develop robust, client/server applications that have the structural integrity to really scale across the enterprise.

CALL 1-800-488-9914.

Ask for Ext. 9AP1 and request Enterprise Developer Evaluation Program information. U.S. only. In Canada, call 1-800-667-8661, extension 5518. In Australia, call 2-879-6577.



Symantec is a registered trademark and Enterprise Developer and SCALE are trademarks of Symantec Corporation. All other brand names or trademarks are the property of their respective holders. For information in the U.K., call 1628-592222. ©1995 Symantec Corporation. All rights reserved.

SYMANTEC.

MANAGING THE ENTERPRISE.

Circle 125 on Inquiry Card.

processor, nonvolatile memory, a modem, and interfaces to the server's bus and power system in a package that can track server status and even call out to a pager for help. Battery back-up keeps Tricord's system running three days in the event of server failure.


IBM's PC Server 720 goes even further, by incorporating a separate management bus called the I²C. (It has to be separate, IBM says, because it can't rely on the same components it's monitoring.) The 720 also includes a service processor, a feature that's lifted right out of

mainframes, which tracks system status (i.e., temperature, capacity utilization, and memory errors) and controls the power supply, variable-speed fans, hard drive hot-plug system, and a front-panel LED for displaying diagnostic messages.

Many server makers have started supporting SNMP agents because SNMP is the de facto standard in network management. But to address system issues in a more standardized way, HP, IBM, Intel, Microsoft, and dozens of other vendors

Your Next Mainframe?

PowerEdge SP 590-2
Dell Computer Corp.



Dell's PowerEdge SP 590-2 is built around a pair of 90-MHz Pentium processors supported by up to 512 MB of main memory and 2 GB of disk storage.

have created the DMTF (Desktop Management Task Force) and defined DMI, a cross-platform standard for characterizing system attributes. In combination with the Microsoft- and Intel-led Plug and Play initiative, DMI should go far toward solving a major problem in distributed PC LAN systems—the inability to manage down to the level of the desktop.

At higher levels in the management hierarchy, the tools are quite sophisticated. Programs such as NetFinity are being upgraded to talk to such frameworks as IBM's NetView and

HP's OpenView. Even Novell's NetWare Management System (now a part of ManageWise), which used proprietary agents in its early releases, is opening up to SNMP agents and being upgraded to fit into enterprise management environments.

Microsoft's NT System Management Server manages server applications and Windows-based desktop systems, but some fault it for being too Windows-centered. "SMS is a good solution for homogeneous workgroups where you have Windows

desktops and NT servers," says Eric Schmidt, chief technology officer for Sun Microsystems (Mountain View, CA). "But frankly, it's a joke with respect to the enterprise."

Future Tension

Given how PCs are getting to be more like mainframes, what does the future hold? Will centralized or distributed systems prevail? Will computers become more specialized and differentiated, or more commoditized and software-defined?

One direction seems inevitable: Computing is evolving into more of a *service*, or information utility, in which the user neither knows nor cares what hardware or software is running at the back end. "What I wish for is a plug in the wall," says Jeri Edwards, director of transaction services at Tandem Computers.

In this scenario, the user interface hides the complexity of the network, and the network exposes an endless wealth of resources. Bill Gates has abbreviated this notion in his oft-repeated phrase, "information at your fingertips."

Implicit in this vision is the concept of a single system image. This was relatively easy to provide if you were running on a centralized system or cluster, but it's much harder to create and maintain in a distributed environment (especially if resources are free to join and leave the network dynamically). Networking companies are paying attention to this problem, because

The Late 1950s: IBM's Top Business Computer

The IBM 705 Electronic Data Processing Machine, designed for business and accounting applications, was announced in 1954. The CPU with memory rented for \$14,000 a month. Other components, which included a tape-control unit (\$2000), record-storage unit (\$2400), printer and printer control unit (\$1800), card punch (\$1050), and card reader (\$2400), boosted the rental to more than \$20,000 a month. A computer operator might earn \$500 a month; an EDP executive, \$1400.

① The CPU, a vacuum-tube arithmetic and logical unit, had a built-in 20,000-character ferrite-core memory that featured a 17-microsecond character cycle during processing.

② Tape units fed data at a rate of 15,000 characters per second. A reel of tape held 5 million characters at a density of 200 characters per inch.




Cost estimates are based on data from IBM, Bureau of Labor Statistics, and the Wyatt Co.

Imagine roaring through the development process in a fraction of the time it takes with Microsoft Visual C++ or Borland C++. All you need is new Symantec C++ 7.0 with full support for Windows 95 Preview Program, Windows NT 3.5, Windows 3.1 and DOS.

THE FIRST TRULY OBJECT-ORIENTED C++ ENVIRONMENT.

Symantec C++ 7.0 is the only C++ that lets you architect and navigate your application with a dynamic Class Editor and graphical Hierarchy Editor. This



6.0 – the world's fastest linker.

For building great Windows

and Debugging Environment (IDDE) provides the most powerful debugging

ARCHITECT. NAVIGATE. BUILD. DEBUG. NEW SYMANTEC C++ 7.0 IS THE FASTEST WAY TO DO IT ALL.

great new system incrementally parses your C and C++ code and displays an up-to-date structural model of your program without compiling. But that's only the beginning. It also lets you modify any class's inheritance graphically. Plus it automatically locates any class implementation, and much more!

THE NETBUILD REVOLUTION.

Now you can build applications faster than you've ever imagined. With the new NetBuild™, you can automatically distribute the build process over multiple computers on your LAN, dramatically reducing build times.

In addition, AppExpress™, ClassExpress™, and ProjectExpress™ give you Wizard-like functionality to boost your productivity.

And to make your link-cycle lightning-fast, there's new 32-bit OPTLINK®

resources easily, we've added ResourceStudio – the new OLE 2.0-based resource editor that supports the widest range of Windows resources including Windows 95.

POWER DEBUGGING FOR WINDOWS 3.1 AND NT.

Symantec's Integrated Development

CLASS EDITOR AND HIERARCHY EDITOR

dramatically increase your productivity.

NETBUILD

distributes the build process across networked resources for the fastest build times.

SUPPORT FOR WINDOWS 95

Preview as well as Windows NT 3.5, Windows 3.1 and DOS.

APPEXPRESS, CLASSEXPRESS AND PROJECTEXPRESS

automate time-consuming tasks.

OPTLINK® 6.0

is the fastest linker in the world.

IDDE WITH 16 AND 32-BIT DEBUGGING

for Windows 95 beta, NT 3.5 & Windows 3.1

features including Thread View, Inspector View, hardware watchpoints and low-level debugging.

Of course, all of these productivity-boosting tools are integrated with a language that supports key standards like ANSI C++ (exception handling, templates and RTTI) and NT structured exception handling. And unlike Borland, Symantec supports MFC and includes it free.

In short, no other C++ lets you do it all this fast. Call the toll-free number below and see for yourself.

FREE DEMO CD

See how Symantec C++ 7.0 architects, navigates, builds and debugs faster than any other C++.

Call 1-800-628-4777 and ask for Extension 9AP2 now for your free demo CD and the name of the Symantec dealer nearest you.



SYMANTEC®

Offer valid in U.S.A. only. For more information in Canada, call 1-800-667-8661, ext. 5513. In Australia, call 2-879-6577. In Europe, call 31-71-353111. Symantec, NetBuild and OPTLINK are trademarks and registered trademarks of Symantec Corporation. All other trademarks are the property of their respective holders. All rights reserved. Developers wishing to use Windows 95 Preview Program files must sign a beta agreement with restrictions for the use of those files. © 1995 Symantec Corporation.

Circle 126 on Inquiry Card.

PC Software Gets More Potent

PC OSES are growing up. OS/2 and Windows NT are 32-bit flat-memory systems that run in protected mode, multitask preemptively, and support virtual memory—all classic mainframe features.

"A protected-mode OS is the key to robustness in PCs," says Roger Alford, president of Programmable Designs (Ann Arbor, MI). Carl Amdahl of NetFrame Systems (Milpitas, CA) concurs: "You have to be able to kill an application and have the OS stay alive and well."

Windows NT could have a very bright future as a general-purpose server OS because of several crucial architectural features. It was designed to be both a client and a server—in peer and client/server networking schemata—and is both a NOS (network operating system) and an applications platform. It was also written to ride on a HAL (hardware abstraction layer), which hides the specifics of the machine behind a generalized interface. Because of HAL, NT has been successfully ported to a variety of systems built on x86, Alpha, PowerPC, and Mips processors. NT also supports SMP

(symmetric multiprocessing), software- and hardware-implemented RAID, and performance monitoring.

OS/2 is available with support for SMP and will soon run on the PowerPC. NetWare support for SMP is expected to ship this summer. And the full gamut of high-end OS features—including 32-bitness, multitasking, SMP support, and management tools—has been available for years in SCO Unix, Novell's UnixWare, and Solaris for x86 and Interactive Unix from SunSoft.

Though NetWare's performance benefits from kernel-mode operation, its reliability suffers: The NOS is subject to crashing from conflicting NLMs (NetWare loadable modules). Fortunately, this isn't the problem it would be in a general-purpose OS, because end users typically don't load software onto servers. But NetWare must evolve task isolation and preemptive multitasking to become a credible application server, which is precisely what Novell plans to do in SuperNOS, a next-generation OS combining NetWare and UnixWare.

if it is effectively solved, it won't matter to users whether they are attached to a host, a server, or a network of PCs.

"What you want is to be able to plug into a single wire and see a consistent set of services," says Firmage. "NDS [the NetWare Directory Service in release 4.x, which provides for a single network log-in] was a first step; next we want to provide a single image of the network file system." Volumes would thus be completely logical and locationless, so you could map to any resource on the network.

Of course, a single system image does not imply that all or even any of the programs you use are executing on a central server using the shared-logic model of mainframes and minicomputers. But significant parts of a distributed application could be executing on a central system, depending on such factors as the location of the target data, network load balancing, or the capabilities of the central machine (i.e., if it is optimized for ad hoc queries, floating-point calculations, or rendering).

The Cost of Data

One of the main factors encouraging distributed computing is the cost of data communications, in terms of both performance

and money. Pushing data out to the field, closer to the people using it (i.e., putting data onto LAN servers instead of requiring users always to fetch it from a central computer), can improve access speed and reduce communications costs. It also creates an enterprise-wide parallelism, because users at multiple sites can deploy processing resources simultaneously against local copies of a shared database.

But this begs a vital question: If communications were to approach limitless bandwidth and zero cost, would system managers choose a centralized model because of its inherent advantages in security and data management? Or do other factors, such as hardware cost and scalability, make distribution more desirable?

IBM's Baum asserts that high-bandwidth

communications can promote either centralization or decentralization. (The former, because it reduces the penalty of accessing shared data; the latter, because it makes distributing data faster and less expensive.) But bandwidth isn't the only factor. Latency is also a key performance issue. "The speed of access to disks is much better—on the order of milliseconds—if you're closer, compared to hundreds of milliseconds or more if you go out across the network," he says. Certain classes of problems have an "affinity" for data and are thus better addressed on a central computer.

Centralization doesn't imply using traditional mainframes; you can build networks around fault-tolerant Unix machines or NetFrame superservers. Vendors of such mainframe-replacement systems normally sing the praises of centralization. "Tandem has been able to do distributed processing forever, with a single system image across hundreds of processors," says Edwards. "But people still choose to centralize because of security and easier system management." And, she adds, centralized systems reduce MIS staffing needs compared to setups that require a system administrator in every office.

"It's easier to distribute applications rather than data," Amdahl says. He adds that distributed data is harder to control, and you have to administer tricky database tasks, such as replication and versioning. "The last thing IS people want to do," Amdahl says, "is to partition data across more than one machine." What happens if the network breaks and parts of the database become inaccessible?

One application where centralization isn't questioned is video-on-demand, which explains why makers of both mainframes and massively parallel supercomputers are pursuing video serving with such interest. In video-on-demand, one copy of the video file is maintained at a central location, and it's streamed out to users over a switched network, not copied to their local devices. (This model would hold true for any application involving a static data source accessed by millions of users.)

continued

Your Next Mainframe?

AlphaServer 8400
Digital Equipment Corp.



Digital's new AlphaServer 8400 is a 12-way SMP system—the first such system based on the 300-MHz Alpha microprocessor—that offers up to 14 GB of ECC memory.

No other sound card ever made this kind of uproar.

"Creative Labs just keeps on improving on the design that made it famous. This latest revision of the Sound Blaster features a host of innovations. For example, it has both a 20-voice FM synthesizer and a 32-voice digital sample playback synthesizer for more realistic MIDI sounds. The QSound feature delivers surround-sound effects to your WAV files or you can choose to enhance them with such effects as stuttering and echo. Lots of useful applications come in the box, too, including the easy-to-use VoiceAssist speech-recognition software and well-rounded TextAssist for text-to-speech tasks."

HOME OFFICE COMPUTING / JANUARY 1995



"No ordinary sound card, the Sound Blaster AWE32 adds QSound to widen and enhance the stereo effects of sounds."

"The Sound Blaster AWE32 has Creative Labs' suite of sound playback and editing software that does the job with admirable simplicity—and the addition of sequencer Cakewalk Apprentice and the presentation program HSC Interactive SE rounds out the bundle nicely. And of course, the Sound Blaster AWE32 is compatible with software written for older Sound Blasters, so it will work on anything from Windows to Doom."

PC Computing/December '94

"I heartily recommend the Sound Blaster AWE32. The 100% sound-effects compatibility and impressive music capabilities, make AWE32 an excellent all-round performer."

"To me, using a computer without sound and music is like driving a Lamborghini without the roar of its V12 engine. The

CD-ROM Multi Media Magazine November / December 1994

AWE32 is completely compatible with the whole range of Sound Blasters. The MIDI side of the AWE32 has been enhanced to provide it with the kind of sound you would expect from a professional synthesizer."

"...if sound quality and performance is important, you can't go wrong."

BEST BUYS



"For flexibility necessary for business-related audio, turn to the Creative Labs Sound Blaster AWE32, which stands out with decent sound quality and excellent software that includes 3D sound and text-to-speech and speech recognition capabilities. Its lavish documentation is another welcome feature. The AWE32 gave us the smoothest rides and the best sound in the games we tested."

174 PC WORLD • DECEMBER 1994

SOUND CARDS

"Creative Labs has long been the leader in this market, with its Sound Blaster series setting the standard for PC sound. The \$399 AWE32 is the most advanced card in the Creative Labs lineup. It has everything you'd want in a general-purpose audio board."

Multimedia World/December '94



It seems the Sound Blaster™ AWE32 has the critics buzzing. For the first time, it puts awesome professional studio sound within the reach of the hungry audiophile. And of course it's genuine



Sound Blaster compatible. So now that you've heard the experts' opinion, how about coming up with one of your own? Simply visit your local Creative Labs dealer. Or call 1-800-998-5227 Ext. 121.

CREATIVE
CREATIVE LABS, INC.
multimedia IS Creative

The Software Mainframe

At the other end of the spectrum are advocates for decentralization, who argue, in effect, that the software is the mainframe. Firmage asserts that attributes such as security, manageability, and even scalability are no longer confined to central systems. "The major disadvantage of centralization is the loss of flexibility," he says. By contrast, with a NOS that virtualizes resources and offers mainframe-class management tools, "all you have to do is plug in commodity servers, and the network software can migrate storage and services among them."

This scenario can also offer improved availability. "You have fault tolerance built in because you have to replicate information around the network from the start," Firmage says. "If you take down a server, or it fails, everything else stays live." Some argue, as well, that distributed systems are more scalable, because you can add new nodes to a network more easily than adding additional power to a central server.

Among the most vocal advocates of distributed systems is Dave Patterson of the computer science division at the University of California, Berkeley. Patterson and his colleagues have developed a distributed version of Unix called GLUnix (an abbreviation for Global Unix) that lets them turn the entire network into a shared pool of processors, memory, and disks. "Disk, DRAM, and CPU cycles are all valuable," Patterson says.

Studies show that on average more than 60 percent of the CPU capacity of a network is idle. If you need to run a large batch job, why not have the network farm it out to the unused PC of a colleague who's out of town? "If you have a big program and it doesn't fit on your desk, GLUnix can harvest the DRAM elsewhere by memory paging over the network," Patterson says. Similarly, it can "steal" cycles from remote CPUs or "borrow" disk space from remote disks. "This opens up new approaches to traditional system services—virtual memory, file caching, disk striping—as well as opportunities for large-scale parallel processing within an everyday computing infrastructure," he says.

Taking a cue from RAID, you might call this concept RAIS, for

redundant arrays of inexpensive systems, because it's founded on the precept that high-volume commodity PCs are the cheapest form of CPU power. Patterson asserts this point vehemently. "You can buy a whole PC for less than the cost of a processor module designed for a small-volume, specialized backplane," he says. "The problem with servers is that their backplane doesn't get better as you own it. You pay a real premium to buy SMPs and servers."

As appealing as RAIS may be, however, many people doubt it will ever be practical. "Not all problems are amenable to being distributed across a large number of smaller machines," says Amdahl. The problem with cycle stealing, he and others contend, is that CPU power is less expensive than network bandwidth. The logistics and overhead of software coordination could outweigh the benefit of stealing cycles, and managing a distributed network could cost more than the savings in hardware expenditures.

Furthermore, argues Mike Perez, vice president of engineering for Compaq's systems division in Houston, Texas, combined commodity boxes don't necessarily equal the capability of a robust server. Compaq aims to stay in the mass market and doesn't want to build "washing-machine-type systems," Perez says. "But we

still need some amount of fault tolerance and reliability inside our servers." As soon as you differentiate clients from servers, you've moved away from RAIS.

Clustering

The unifying environment that creates a single system image out of a variety of systems is, of course, the network. Even if Patterson's vision of commodity peers doesn't come into widespread use, systems on networks will ultimately have to be-

have as if they are partners. One promising development along these lines is *clustering*, which is migrating to PC LANs from mainframes and minicomputers. Clustering provides a path to higher performance while maintaining a single system image.

Digital, which has extensive experience with clustering VAXes, has implemented Windows NT-based technology that can span systems built on x86 and Alpha processors. Digital's software lets multiple systems linked across a LAN (no special hardware interconnect is required among

the clustered devices) share a single logical address. A benefit is higher availability without the penalty of redundancy. "Mirroring wastes a whole system," says Dave Glasson, Windows NT marketing manager for Digital. "With clustering, you can use both systems on-line, and if one fails, the other takes over."

Glasson says that centralization is attractive because it lets system managers concentrate CPU, disk, and management resources where they will get the biggest bang for the buck. "The question is whether you have to do this with hardware," he asks. His conclusion, which is reminiscent of Patterson's view, is that software is a more cost-effective way to agglomerate. "It's easier to justify buying cheaper devices and turning them over every few years," Glasson says.

So the mainframe of the future will be made of PCs—more robust than ever but still not the equal of mainframes—in combination with other systems. Both the network and the software will deliver the tools to create a virtual mainframe. And users will appreciate the best of both worlds. "[Our customers] aren't sorry about moving computing power closer to end users—that's the right thing to do," says Pam Casale, director of marketing for enterprise technology at Legent (Herndon, VA). "But they want the efficiency and productivity of remote data with the centralization and control of traditional systems." In other words, they want it all. ■

Andy Reinhardt is BYTE's West Coast bureau chief.

Your Next Mainframe?

Symmetry 5000 SE60 Sequent Computer System



The Symmetry 5000 SE60 supports as many as 30 100-MHz Pentium processors, 3.5 GB of ECC memory, and up to 384 SCSI-2 disk drives, for a total of 1.7 terabytes of storage.

Your Next Mainframe?

HP NetServer 5/66 LM2
Hewlett-Packard Co.



The HP NetServer LM2 sports a pair of 66-MHz Pentium processors for SMP, up to 384 MB of ECC or parity memory, and supports 18 GB of hot-swappable storage.

LOOKING FOR A SIMULATION SYSTEM THAT HAS IT ALL?

"In our search for a simulation software, we found Taylor II to be the most complete package at the best price. The sales person presented us with an inhouse demonstration that was far more interesting and informative than any of the others given to us. Most importantly, their customer service clinched the sale. Their technical support, users conferences and newsletters are all superior to those of their competitors!"

Edward Nisbet,
Senior Industrial Engineer
Philips Consumer Electronics

"Taylor II is a very capable simulation package and will be a powerful tool for us."

Robert Duke, Manager, Supplier,
Development Team
Morton International




**WINNER
BEST APPLICATION
SOFTWARE**


I'VE GOT WHAT YOU'RE LOOKING FOR...




Taylor II offers pop-up menu modeling and editing...



...500 pages of on-line help...




...curve-fitting for input analysis...




...simulation with schematic 2D animation...




...or (with a click of the mouse) 2 1/2 D...




...or true 3D shaded animations...



...design of experiments with confidence intervals...



...result analysis in reports and graphs...



...self-running presentations. And much more.

TAYLOR II - MANUFACTURING AND LOGISTICS SIMULATION

F&H Simulations: Software, Training and Consultancy - For more information, in-company presentations or the free demo disk, call F&H Simulations.

Europe: F&H Simulations B.V. - Spoorlaan 424 - 5038 CG Tilburg - The Netherlands - Phone: +31 13 366344 - Fax: +31 13 427516

Germany: Phone: +49 211 322151 - Fax: +49 211 322897 - U.K.: Phone: +44 71 4300945 - Fax: +44 71 4051689

U.S.A.: F&H Simulations Inc. - P.O. Box 658 - Orem 84059, Utah - Phone: (801) 224-6914 - Fax: (801) 224-6984


Circle 539 on Inquiry Card (RESELLERS: 540).

Olivetti Echos 20 Series

Before choosing an ultralight portable PC, count to ten.

1 THE 1.8-KG COLOUR PORTABLE

Echos 20/C is a truly ultralight colour portable, weighing in at only 1.8 kg. Its compact dimensions are best expressed in millimeters: 264 x 190 x 38. Just wide enough not to skimp on the keyboard, just deep enough to mount the biggest screen in its class, and just thick enough to contain all the features you need. And Echos 20 with a monochromatic screen is even slimmer - a mere 35 mm, or 1 3/16 inches.



4 9.4-INCH DSTN COLOUR DISPLAY

Some things just cannot be miniaturised (like your presentations), so Echos 20/C has a new generation high-contrast 9.4" DSTN colour display. This excellent screen is as big as any in the subnotebook class, and bigger than many found on heavier and costlier portables. A Vesa local bus and new Fast IDE interface interact to elaborate graphics in 256 colours with surprising speed.

2 HEAVYWEIGHT PERFORMANCE

This ruggedly elegant little package outperforms many bulkier machines. Your graphics really move thanks to a Fast IDE interface and Vesa local bus, and Echos' 4MB of RAM easily expands to 20 MB. With HDU ranging from 170 to 240 MB and top-performing Intel 486 CPUs, Echos is a no-compromise solution for your business.



3 LOW CONSUMPTION 3.3-VOLT CIRCUITRY

Unlike most portables, Olivetti Echos employs energy efficient 3.3-Volt circuitry for its CPU, chipset and memory. That means Echos 20 with B/W screen can sustain five consecutive hours of intensive use (run-down test with NiMH battery). Its APM-compliant power management system is so efficient that it can stay in suspend mode for 143 hours - almost 6 days.

5 PLUG AND PLAY EASE

A Phoenix plug and play driver ensures that Echos instantly recognises a vast array of PCMCIA cards. Olivetti

PCMCIA type III slot



is also equipped these ultralights
th print drivers for more than
major types of printers, so you
n print easily using almost
yone's printer without
-configuring. Other user-friendly
uchues include a battery life icon
at's always visible and on-line
ser Manuals.

6 FULL-SIZED KEYBOARD

Olivetti has exploited
every available millimeter
width in giving you a keyboard
at won't cramp your style.
e letter and number keys are a
ll 17 mm on each side - like a

Comfortable keyboard



esktop. The built-in trackball is
ounted at right beneath the
splay in an ergonomic, flexible
se which coddles your thumb as
u point the cursor. There are two
cking positions, one on the right
ar corner and a second opposite
e trackball for left-handers.

Ergonomic trackball



7 UNLIMITED FLEXIBILITY

Echos imposes no limits on
your productivity. The HDU is
field-service upgradable, and widely
available standard SIMM RAM
expansion modules of 4, 8 or 16
MB are a snap to install using only a
screwdriver.

Full connectivity



The integrated PCMCIA Type III slot
with Phoenix driver gives you uni-
versal connection availability:
fax/modem, local network and host
I/O, HDU enhancement, and more.
Serial and parallel ports are standard,
and a range of options includes
external FDU, port replicator, VGA
adapter and spare battery.

8 WORK AT 10,000 FT.

That's right. You can use your
Echos up to a height of
3,000 meters. In addition to
certifying the reliability of its com-
ponents, Olivetti subjects Echos to

Ultraslim design



a battery of tests to ensure that it
meets the highest standards for
resistance to shock, cold, heat,
pressure, humidity, radio
interference, vibration, noise and,
of course, altitude.

9 TESTED WITH HUNDREDS OF HW/SW PRODUCTS

Olivetti's commitment to indu-

stry standards and compatibility is
only fitting for a company that is
the N° 1 supplier of multivendor
service in Europe. Echos 20 is
tested compatible with over 100
leading software packages and with
the products of all major PCMCIA
card suppliers. Use it today in the
knowledge that you will be able to
use it tomorrow, no matter how the
I.T. market evolves.

10 CUSTOMER CARE

Olivetti's dedication
to customer satisfac-
tion can be seen in
the two standard warran-
ties applicable to every Echos, one
national and one international. If
your work takes you abroad, take
your Echos. And your Echos will
automatically bring its guarantee.
For even more peace of mind,
Olivetti Service Plus offers a wide
range of warranty extensions and
additional services to meet your
individual needs. All this is sup-
ported by Olivetti's international
network of 5,500 Dealers and
Systems Partners and 15,000 tech-
nical specialists.

For further information telephone:
Austria (1)816940 • Belgium
(2)2299111 • Denmark (31)201000
Finland (0)88741 • France
(1)49067000 • Germany (0130)843300
Greece (1) 9373800 • Holland (071)
319931 • Israel (3)7516879
Italy (167)012587 • Norway
(22)186100 • Portugal (1)3558260
Spain (900)370370 • Sweden
(8)59005200 • Switzerland (1)8391565
Turkey (212)2750810
U.K. (0800)447799

Intel Inside is a trademark of Intel Co.

olivetti

The British Library's Catalog

DICK POUNTAIN

To organizations buried in paper, computerization is both a dream and a nightmare. The dream is easily accessible company records that exist as electronic documents. The nightmare? Transforming current and historical paper records into on-line documents can be excruciating, due to the sheer volume of paper and the variety of formats.

The British Library has successfully faced this challenge, converting its massive and unwieldy paper catalogs into an on-line, easily searchable resource. Just one of the BL's catalogs fills 366 volumes of 500 pages each. The catalogs describe a collection of some 18 million books (which grows by 1000 books a week). The new OPAC (On-line Public Access Catalog) system lets researchers perform detailed catalog searches rapidly in a multitude of languages.

The BL's solution uses personal computer clients running

Congress, which contains 27 million books, and the Russian state library. Of the BL's 18 million books, about 30,000 are on open public access in the famous neoclassic Round Reading Room, where Edward Gibbon wrote *The History of the Decline and Fall of the Roman Empire* and Karl Marx wrote *Das Kapital*.

There are now several more reading rooms, because the BL has taken on the responsibility for housing the nation's patents, newspapers, periodicals, science reference and map libraries, and official government publications. There are also special collections, such as the India Office Records, sound archives, and the Oriental Collection. The total number of items the BL has charge of is a staggering 150 million.

Every U.K. publisher must, under law, lodge copies of new books, magazines, and newspapers with the BL, so the vast collection is growing. During 1994 alone, 68,000 books and 180,000 issues of newspapers were added.

In the dream world of boosters of the information superhighway, all this material would already be digitized and available on-line. A glance at those numbers, however, suggests that this will take years, or even decades, to achieve. Also, the collection contains documents in several hundred languages, living and dead, many in ancient scripts for which OCR scanning is still a distant prospect.

Cataloging such a collection is an enormous task, and it's here that the BL has successfully applied computer technology. The BL's major printed catalog was published in 1971 as the "General Retrospective Catalog of Printed Books"

in 366 volumes. It and other catalogs are now available electronically as the OPAC system. Users of the reading rooms can browse OPAC via personal computers, some fitted with touchscreens, running Windows-based software.


OPAC has been installed in the Round Reading Room and several others. It's amusing to speculate how famous

users of the room's past, say, George Bernard Shaw or William Butler Yeats, would have reacted to the glowing monitors.

Problems with bales of paper documents? The British Library's catalog of millions of items goes on-line.

Learning the Lessons

Why did the BL want to computerize? OPAC system manager Richard Carpenter says, "We wanted to provide an automated



Anthony Brickell of the British Library

Windows (for multiple font handling). A two-tier client/server structure fields queries from the clients and accesses the full-text retrieval system. While the fully inverted file index is large (about 5 GB), it is fast and contains every word in the catalogs. The fact that OPAC was delivered on time and does its job effectively offers lessons for companies making the transition from paper-based records to electronic documents, especially where multiple languages and search capabilities are important.

A Bibliophile's Heaven

The government-funded BL is one of the world's oldest and most important libraries, exceeded in size only by the U.S. Library of

Is On-Line

book-request system to improve the efficiency with which we deliver books to our readers, and that more or less dictated that we automate the catalog, too." This long-term goal of fully automated book delivery was broken down into three subsystems: OPAC, RAS (Reader Admission System), and ABRs (Automated Book Request System).

OPAC was built first. Before going ahead with full development, the BL built a small prototype system based on the BL's old IBM mainframe database and Acorn Archimedes personal computers as terminals. The prototype system let the development team play with some user-interface ideas that found their way into the final product, but otherwise the prototype was completely scrapped in favor of a clean start.

The U.K. consultancy firm Hoskyns, working with the BL's own computer staff, carried out the design-and-analysis phase for the full OPAC system. In-house staff performed the build-and-integration phase, assisted by freelance programmers and project management advisers from Hoskyns. OPAC employed between eight and 10 programmers for over three years (four were full-time BL employees; the rest were freelance), spending around 26 worker-years in all. The project's cost approached £1.8 million (US\$2.7 million).

The most obvious lesson learned from implementing OPAC is that modularity is the key to managing system complexity. Modularity pays off all along the route, from coding through maintenance to future upgrading. Both hardware and software in the OPAC system are modular.

OPAC employs a split-level client/server architecture that has proved effective in balancing out communications loads even when using lines of relatively modest bandwidth into the data server. Using RPCs (remote procedure calls) turned out to be a viable way to do networked queries because it simplified the writing of the search software and helped isolate the software/hardware dependencies, allowing for easier upgrades.

The choice of a full-text retrieval system rather than a more conventional RDBMS (relational database management system) proved invaluable in accommodating a mass of legacy texts in variable formats without losing the power to search them at will. Full-text retrieval also removed the need to second-guess what terms might need to be indexed in new texts, which in the case of a library as diverse as the BL would be almost impossible. Many businesses could benefit from taking a similar approach. This would enable users to retrieve documents using criteria that were not thought of when the business first filed them and to answer previously unexpected questions.

During the development of the software, things did not always run smoothly. Some of the modules slipped behind schedule, but OPAC's modularity helped absorb such delays. For example, the data-server back end was running earlier than expected, so the team began loading catalog data before some of the software modules were finished. This saved time that was allocated

COMPUTERIZING A LARGE MULTILINGUAL CATALOG



The Problems

- A paper-based catalog of 18 million volumes and a growing collection of documents.
- Catalog entries are in multiple languages and alphabets.
- Require search capabilities on any word in any language.
- Require fast response to searches.
- Users who are not computer-literate.
- Internet access is desired.




The Solution

- A two-level client/server architecture on Digital minicomputers running Ultrix, using TCP/IP and RPCs as a query language.
- Full-text word search in multiple languages.
- User terminals are midrange PCs with touchscreens.
- Windows TrueType fonts display multiple alphabets.
- The Internet gateway is a Digital minicomputer running Ultrix.



The Benefits


- Simplifies catalog additions and updates.
- Allows rapid searches of a large catalog.
- Searches in multiple languages.
- Enables a follow-on system for book request and retrieval.
- Supports Internet access.



Lessons Learned

- Modular architecture simplifies applications development.
- The two-level client/server architecture handles user interactions and saves the data server for handling queries.
- Using full-text retrieval rather than an RDBMS simplifies the importing of masses of variable-format legacy texts.
- Using a middleware layer can enable Windows clients to work effectively in a TCP/IP networking context.
- Don't wait for vaporware. Unicode would have been useful, but OPAC wouldn't be finished yet if the British Library had waited for it.
- Design with future additions and upgrades in mind.

DRIVE



wizard on the wire!

NOW THE MOST ADVANCED SET OF DRIVE UTILITIES ANYWHERE!

Diagnoses and repairs problems with
compressed drives

Handles all logical drives
with either 12- or 16-bit FAT

Boot, FAT and partition rebuild

Repairs floppy disks

IDE onboard diagnostics

IDE low-level format

Auto CMOS restore

Drive set-up: It sets CMOS, F Disk, Formats,
and makes drive bootable in 2 keystrokes

Over 100 comprehensive tests

DOD standard drive purge

Works with Microsoft

Realtime Compression Interface (MRCI)

Fully recovers from virus attacks!

Voice: 813/736-2295
Toll Free: 1-800-736-2295
Fax: 813/736-6866


The Learning Curve, Inc.
537 Douglas Avenue, Suite 27
Dunedin, FL 34698

Circle 168 on Inquiry Card.

Handling Special Character Sets

One big challenge for OPAC (On-line Public Access Catalog) was supporting the numerous ancient scripts that British Library scholars use, including historical variations on Greek and Cyrillic, Egyptian hieroglyphs, and Hebrew and Arabic (which read from right to left). They don't include the thousands of Chinese and Japanese pictographs. The Oriental Collection will be a separate project.

The Windows-based front end made designing the base characters straightforward, using font-building tools like Fontographer from MacroMedia. Much more difficult was handling the large range of diacritical marks these ancient scripts require: It's just not feasible to create a character set containing all the permitted letter-accent combinations. Instead, OPAC displays compound screen characters, with the diacritical marks overprinted at run time. This required custom coding of the display drivers.



OPAC accepts queries written in scripts from previous centuries, such as this Old Slavonic. It can also mix character sets freely on-screen and needs to support a far wider range of diacritical marks than is required for modern languages.

for the end of the project.

The biggest headache proved to be the sloth that the software industry has exhibited toward supporting Unicode, whose ability to handle symbols of the many languages involved could have simplified the creation of OPAC enormously. Nevertheless, the team went ahead rather than wait for Unicode and be late, which may offer a lesson in how to deal with vaporware.

What OPAC Does

The OPAC front end includes a simple user interface driven entirely by pressing function keys or touchscreen buttons. As with the National Gallery project (see "The Fine Art of CD-ROM Publishing," June 1994 BYTE), the BL's development team discovered that the standard Windows look and feel of pull-down menus, scroll bars, and dialog boxes is too busy and complicated for typical library users.

The main attraction of Windows, apart from its low cost and ubiquity, was its TrueType font system for supporting the variety of ancient scripts the library contains (see the text box "Handling Special Character Sets"). Scholars of ancient-language texts must be able to enter queries in the languages and scripts that they are studying. Therefore, OPAC needs to cope with Roman, Hebrew, Arabic, Greek, Cyrillic, and other alphabets on the same

screen by user selection.

The user software allows you to frame queries based on title, author, publisher, date, catalog number, or up to five simultaneous keywords or phrases. OPAC also offers proximity searches, thesauri that cope with various spellings, and pivot searches, so-called because they alter the final destination in midsearch by finding more records like the currently selected one.


OPAC forms just part of an integrated book-delivery system the BL intends to deploy in its new library building. The other two components are RAS and ABRS, both of which are under development, and for which OPAC already contains the connecting "hooks." Once this system is fully integrated, you'll sit down at a terminal and pass your reader's card through a slot, allowing RAS to determine what parts of the collection you are authorized to see. When you've found your desired books within OPAC, ABRS will dispatch an electronic order so the books can be delivered to you.

The OPAC Architecture

The raw-material catalogs for OPAC were widely variable in format. Anthony Brickell, who is OPAC's workstation system manager, explains that "the cataloging styles and rules used at different periods by various organizations differed widely, especially in the matter of subject indexing,


Complex Ethernet.

10 to 100Mbps in 3 seconds.



New ReadyLINK ENET100-VG4 Series.

Here's the fastest way to get a white hot 10X boost in network throughput without ripping out your existing UTP wiring. With new ReadyLINK ENET100-VG4



series adapters you can switch from 10Mbps to 100Mbps transmission in 3 seconds or less to efficiently handle multimedia, video conferencing, shared user and other bandwidth-intensive applications. And there's more:

- Card includes two RJ45 connectors (one each for 10Mbps

and 100Mbps operations) and one BNC connector (for 10Mbps operations).

- When your network is equipped with a 100VG-AnyLAN compatible hub, you can quickly change from 10Mbps to 100Mbps transmission by simply unplugging from one RJ45 and connecting the cable to the other.
- The ReadyLINK VG1400/6 hub features 6 RJ-45 (100Mbps) ports with one uplink port for easy cascading. It is ideal for small workgroups requiring high bandwidth. Small, slim footprint design, extensive status LEDs, auto parity detection and correction for inverted cable.
- Software automatically senses change in transmission rate.

- 100VG-AnyLAN technology.
- Supports IEEE 802.12 standard.
- Driver support for all popular network operating systems.
- Uses standard 4-pair Category 3, 4 or 5 UTP cabling.
- ISA and EISA versions available.

If you are looking for the fastest way to get from 10Mbps to 100Mbps, ask for ReadyLINK.

ReadyLINK[®] by



Out-connecting the rest

© 1994 Complex, Inc. Complex is a registered trademark of Complex, Inc. All other trademarks and copyrights are the property of their respective holders.



U.S.A.

COMPEX, Inc.
4051 E. La Palma
Anaheim, CA 92807 U.S.A.
Tel: (714) 630-7302
Fax: (714) 630-6521

GERMANY

ReadyLINK Networktechnology GmbH
Albert Einstein Strasse 42
63322 Rödermark, Germany
Tel: (49) 6074 98017
Fax: (49) 6074 90668

SINGAPORE

COMPEX Systems Pte Ltd
4 Kim Chuan Terrace, Singapore 1953
Tel: (65) 288 8220
Fax: (65) 280 9947
TLX RS 35551 POWMAT

Circle 504 on Inquiry Card (RESELLERS: 505).




PKWARE®

Data Compression Library® Products

The PKWARE Data Compression Library products allow you to include state-of-the-art, patented data compression technology within your software applications. Data produced by the PKWARE Data Compression Library products is compatible across platforms!

The PKWARE Data Compression Library products offer an all purpose data compression algorithm which compresses ASCII or binary data quickly. An adjustable dictionary size allows software to be fine tuned for maximum speed or compression efficiency. The use of application defined callback functions allow maximum flexibility. No runtime royalties. The format used by the compression routine is completely generic and not related to the PKZIP® file format.

Versions available for DOS, OS/2, Windows, and *soon* for Win32.



- Compatible with IBM Cset/2 & Borland C++ for OS/2.

- Routines provided as an object file & library file.
- Requires 36k of memory to compress & 12.5k of memory to extract.

OS/2 Version \$350



- Compatible with Microsoft Windows 3.x applications.

- Fully reentrant.
- The DLL requires 36k of memory to compress & 12.5k of memory to extract.


Windows Version \$350



- Supports both Intel & Alpha object modules.

- Compatible with Microsoft Visual C 32-bit & Borland C++.
- Requires 36k of memory to compress & 12.5k of memory to extract.

Win32 Version \$375



- Compatible with popular 16-bit language compilers.

- Can be used in any memory model.
- Requires 35k of memory to compress & 12.5k of memory to extract.

DOS Version \$275

PKWARE® INC.

The Data Compression Experts®

9025 N. Deerwood Drive
Brown Deer, WI 53223-2437
Phone: (414)354-8699 Fax: (414)354-8559

Please add \$5.00 Shipping & Handling per package in the U.S. & Canada; \$11.25 overseas. Wisconsin residents please add 5% state sales tax & applicable county sales tax. No COD.



Copyright 1994, PKWARE, Inc. PKWARE, the PKWARE logo, PKZIP, and the PKWARE Data Compression Library are registered trademarks of PKWARE, Inc. Microsoft is a registered trademark and Windows, Win32, and the Windows logo are trademarks of Microsoft Corporation. OS/2 and the OS/2 logo are registered trademarks of International Business Machines Corporation. Trademarks of other companies mentioned here appear for identification purposes only and are the property of their respective companies.

COME SEE US AT COMDEX SPRING, ATLANTA, GA BOOTH #8782

BY595

Solutions Focus

which varied from none at all to standard systems like Dewey and Precise." This meant that information fields present in post-1971 material are just not present in earlier catalog entries, and different fields are to be found in the specialized subject catalogs.


Merging these catalogs into one would have inevitably meant using only those characteristics shared by all and losing much of the richness that had evolved in the specialized subject catalogs. Thus, the OPAC team decided to retain six catalog databases: the General Retrospective Catalog of Printed Books (everything up to 1971); the General Current Catalog of Books (1971 onward); the retrospective and current Printed Music catalogs; the Science, Technology, and Business current catalog; and a catalog of monographs held at Boston Spa. You can't make direct searches that cross database boundaries. However, you can switch databases and repeat the same search.

The General Retrospective Catalog alone contains 4,361,187 documents and occupies 5.31 GB of disk space. The other five catalogs add up to as much again. (The data server has 41 GB of disk storage, but this will require continual upgrading.) On the other hand, the number of concurrent users is quite modest compared to other distributed computer applications (there are now only 58 user terminals on the OPAC system).

According to Brickell, "We needed to provide fast and powerful searching capabilities, but it was impossible to predict what fields people might want to search on—everything is a possible search index. This pointed us toward using a full-text retrieval system rather than a more conventional RDBMS like Oracle or Ingres."

Accordingly, the BL team built OPAC around a full-text retrieval engine called BRS/Search, which uses a fully inverted file. Inverted file systems (so-called because each word of the original text becomes a pointer back into the text) provide the maximum possible search power because they can locate every single word and are fast. For many applications, inverted file systems may not be appropriate because of the large amount of disk-storage space they consume (see the text box "The BRS Text-Retrieval System" on page 68). However, to achieve the BL's two goals of completeness and speed, sufficient disk space for the search index was a requirement for the system.


According to Brickell, the BL selected BRS/Search primarily for its power. "At the time [1990], there were only two or three products having the sort of power




Network utilities—vital, but set aside 100K



DOS 6 utilities—handy, but about 120K



Multimedia—fun, but can you spare 50-80K?



Internet utilities—where will you get 120K?

If you don't have QEMM 7.5, what else have you sacrificed?

Sooner or later, as you push the limits of your PC's capabilities, you will run into a wall. Memory limits. Drivers that won't load. Crashes. "Out of Memory" messages. And you'll run into this wall whether you have one megabyte in your PC or 16.

That's why millions of people, from PC gurus to novice users run QEMM®. It fixes memory problems and keeps your PC performing at its best.

Introducing QEMM 7.5 It Makes Room for All the Good Stuff

Our newest QEMM takes into account the greater demands you're putting on 'conventional' memory today: device drivers, sound cards, disk compression, caches, network utilities, CD ROM drivers, etc. Not to mention all the stuff you want for tomorrow, like the drivers you'll need for Internet utilities. It finds room for all those things so you don't have to sacrifice capabilities you want—now or in the future.

MemMaker, the memory utility that comes with DOS 6, does an OK job of delivering additional memory, but it just hasn't kept up with demanding users.

Say you wanted to run a mouse, sound card, SmartDrive, your DOS 6 and Novell utilities, and your Microsoft Bookshelf '94 CD ROM. You couldn't with MemMaker. Not unless you were willing to manually

'tune' it. And then you might end up with 490K or so to use. But QEMM 7.5 routinely returns 634K of conventional memory. And when you consider as little as one 'K' of memory makes the difference between a program loading or not, you can see where an additional 140K or so could be vital.

A side benefit of running QEMM is that with memory 'elbow room' you get more reliability—fewer crashes and hangs. And some programs (especially games) run faster and smoother.

When you run DOS programs in Windows, QEMM 7.5 will provide benefits for those programs, too. Many productivity programs won't even run without it unless you sacrifice drivers and other goodies.

QEMM 7.5 comes with a new version of our award-winning memory utility, Manifest, which reports details you can't find out any other way—like how Windows and the programs running under it are using memory or what software is using your IRQs.

There are dozens of new features and improvements to our new QEMM, making it even faster and safer. Find out for yourself. Visit your favorite software dealer or call (800) 571-4860 for a free brochure.

Stop making sacrifices. Get QEMM 7.5—the safest, most powerful memory manager for Windows, DOS and games.



Our new Manifest memory analyzer now runs in Windows. And it's still free with QEMM.

Hot new features

- 100% Windows installable
- Faster 32-bit memory model
- PCMCIA support
- Stealth Stacker saves 8-32K
- QuickBoot saves time
- Optimize/Restore lets you revert to recent settings



©1994 Quarterdeck Office Systems, Inc. All rights reserved. Trademarks are property of their respective owners.

Quarterdeck, 150 Pico Boulevard, Santa Monica, CA 90405 (800) 571-4860 Fax (310) 314-4219

Quarterdeck International Ltd., B.I.M. House, Crofton Terrace, Dun Laoghaire Co. Dublin, Ireland Tel. (353) (1) 284-1444 Fax: (353) (1) 284-4380
Registered U.S. users of earlier versions of QEMM may purchase upgrades from dealers or direct from Quarterdeck for \$29.95 plus \$5 shipping & handling. Call (800) 354-4757.

Circle 105 on Inquiry Card (RESELLERS: 106).

that would be needed for our size and complexity of application," he says. "We already had a license from a previous British Library application."

OPAC has a client/server architecture distributed over two separate levels of servers. The user terminals are 486 personal computers (from Dell and Digital Equipment) with 4 MB of memory and 100-MB hard drives. The terminals connect by Ethernet LANs to several user servers, which in turn connect by Ethernet with WAN bridges to a single data server that holds the catalog text and runs the BRS/Search engine.

The user servers are Digital 5000/240 minicomputers that are running both the OPAC search software and an Ingres RDBMS under Ultrix, Digital's brand of Unix. Ingres doesn't hold any catalog text but is a sort of query cache: Catalog searches pass through to the data server, which returns intermediate lists of "hit" terms into Ingres. The user servers also store volatile session-related data, such as users' search histories and usage statistics, and static user-interface data, such as the multilingual help screens and library hours.

The data server is a larger Digital 5900 Ultrix minicomputer, but Brickell says, "We may soon need to move up to one of Digital's Alpha-based machines, and we'd move to an open-systems OSF/1 Unix at the same time." The design of OPAC's software makes such migrations almost painless. A second Digital 5900 (the update server) duplicates the data server. The update server handles adding new catalogs and updating existing ones off-line. This server will eventually also be a backup machine in case the data server goes down.

The user servers are near the terminals they serve (each can support up to 20 terminals): The user server for the Round Reading Room is in the same building. The data server, however, resides in BL's offices in London's Soho district, a mile or so from each reading room. Thus, BL's engineers have implemented a WAN using British Telecom 64-Kbps digital telephone lines, bridged into the various Ethernets. Tony Beaumont, one of BL's telecommunications analysts, has grander plans. "By May, we'll have upgraded OPAC's networks to an Ethernet-over-FDDI [Fiber Distributed Data Interface] fiber-optic back-

bone, with British Telecom's 10-Mbps LES2 digital lines between the buildings."

The update server is in Boston Spa. For security against theft and hacking, the update data, on DAT (digital audiotape), is transferred via motorcycle couriers between the sites. Once the LES2 lines are in place, it should be possible to switch the update server to "live" on-line operation as a backup system. But the OPAC team is still evaluating how to manage this operation.

The two-tier server structure of OPAC provides smooth interactive operation at the user terminals by spreading the communications load in a sensible manner. In the early stages of a search, you are communicating almost solely with the user server, and the data server is sending only small amounts of data. It's only when you get close to a final selection that much data is transferred from the data server. I tried the system at a time when the Round Reading Room terminals were 90 percent occupied. As I scrolled through a long list of search hits (9861 texts by Shakespeare), there were slight pauses of about a second as the data server delivered another 20-record chunk.

Available to the public for 12 hours a day on weekdays and 8 hours on Saturday, OPAC has been available for 97 percent of its scheduled time. OPAC's software metric routines can accurately simulate real users. The routines run during the evening and on weekends to simulate greater loads and warn when performance is about to degrade, so faster data servers can be introduced before they're needed.

THE BRS TEXT-RETRIEVAL SYSTEM

BRS/Search is a full-text retrieval system from Dataware Technologies (Cambridge, MA). It's available for numerous OSes, from Unix, MS-DOS, Windows, and NT, all the way up to Cray YMP supercomputers and IBM mainframes. Under development for 12 years, BRS/Search has 2000 installations worldwide, including large corporations such as Boeing and government institutions such as the U.S. DoD (Department of Defense).

The *full* in full-text retrieval refers to the fact that BRS/Search indexes every significant word of your documents. Thus, the full text is available for you to search on rather than just a few keywords. A user-created list of undesirable common words (e.g., *and*) defines what is considered significant. BRS/Search is also a free-text system in that it does not assume any fixed record structure, though it normally treats documents as being divisible into variable-length paragraphs, sentences, and words (the criteria for recognizing these divisions are also user-definable via a form file).

BRS/Search works by recording the location of every significant word in a document collection. When the British Library loads a batch of catalog entries into the system, BRS/Search creates a sorted dictionary containing every unique word it encounters, and from this it creates an inverted file that consists solely of pointers to the locations of each occurrence of every word in the dictionary. (There is actually a third level of indirection, be-

cause the inverted file points to a table of byte offsets of separate documents within a single compressed text file.)

BRS/Search uses proprietary compression techniques to squeeze the inverted file as well as the text itself, so the whole indexed database is often only 20 percent to 50 percent larger than the uncompressed text (many full-text systems more than double the data volume). The use of an inverted file makes retrieval by multiple keywords and proximity searches fast, because the software needs only to compare their occurrence lists in the inverted file without searching the text file at all.


Two features of BRS/Search were important for the OPAC (On-line Public Access Catalog) application. First, it makes all its functionality available to outside software through a procedure-call interface. This fit perfectly with OPAC's RPC-based (remote procedure call) communications method. Second, the software allows databases to reside across multiple disk volumes.

OPAC Software Development



OPAC's software design is unlike many PC-based client/server solutions, because the problem it solves is different from that faced by a typical PC LAN. OPAC is designed to find needles in haystacks rather than to shift wagonloads of hay.

The first unusual feature is that OPAC employs TCP/IP as its communications protocol, even to its Windows clients. The second is that it does not employ SQL as its query language but rather uses RPCs across both levels of servers. The choice of TCP/IP (rather than NetWare IPX, as used throughout the rest of BL's interoffice LANs) made sense because two of OPAC's three levels are Unix-based and it simplified Internet

Highly informative
business applications
can also be great-
looking.



Developers: Bet You Haven't Seen Xbase Like This Before.



It's easy to create
Windows applications
with browsers and
editors that design
and manage the
process.

With CA-Visual Objects®, developing new applications is a sight to behold. Because for the first time, the ease of use of visual programming has been married with the fourth generation power of an Xbase language.

The result is the only application development tool that gives you full object orientation, GUI support and client/server architectures combined with existing Xbase technologies and databases.

And the advanced technology of Visual Objects doesn't stop there. The object orientation includes inheritance, polymorphism and encapsulation. And the native code compiler boasts an engine that drives Visual Objects at a speed that's as fast as lightning. Plus, the repository-based interactive development environment includes class browsers, painters, editors and prebuilt classes.

For More Information, Call 1-800-225-5224, Dept. 14500.

Phone soon for a closer look at new CA-Visual Objects. Your mind won't believe what your eyes are seeing.

New CA-Visual Objects®

© Computer Associates International, Inc., Iandana, NY 11788-7000. "Light Lib" graphic developed in conjunction with Light Lib® Business for Windows from DFL Software, Inc. All products referenced herein are trademarks of their respective companies.

**COMPUTER
ASSOCIATES**
Software superior by design.


access. One of the five user servers in the system is called NOPAC (Network OPAC), a gateway into OPAC from JANET (Joint Academic Network), the part of the Internet that all British educational institutions use.

The adoption of RPCs for communication was actually a second iteration of the design. The first prototypes of OPAC used an extremely simple design based on Unix's NFS. BRS/Search would return the results of its searches in a text file, which NFS simply mapped into the client's file space. This NFS scheme worked and required minimal programming effort, but its performance was inadequate. The scheme also posed serious security problems once NOPAC network access arrived, because it allowed remote users to manipulate the server file systems.

So the team replaced the NFS solution with custom software, produced using a middleware product called Netwise TransAccess Application-Integrator from Netwise (Boulder, CO). Hoskyns had employed it on previous projects.

Netwise TransAccess is a C-based development aid that provides low-level communication between different OS environments, hardware platforms, and database formats. One component, Netwise RPC Tool for Windows 3.1, lets Windows programs communicate with servers running in foreign environments via RPCs that Netwise's

OPAC Modular Architecture



as if they were all part of one program, and the network becomes transparent to your code. Netwise helps isolate the biggest part of OPAC's code from changes of hardware and even OS, which will simplify server upgrades.

The figure on this page depicts the overall software architecture of OPAC, with 16 modules in all. (Note that though this diagram highlights the physical communications links, the linked modules work as if they are talking to a neighbor, thanks to Netwise RPC Tool.)

Module 10, omitted for clarity, consists solely of standard Windows routines used by many other modules. Module 3, the BRS Interface, isolates the BRS/Search-dependent routines from OPAC's own search routines, so that OPAC can easily cope with upgrades to the BRS engine or even a port to another text-retrieval engine should the need arise.

The Windows client software was written in Microsoft C++ using the SDK (Software Development Kit) without any object-oriented features. The interface code between Ingres and BRS/Search is in plain Ultrix C. The interface between Ingres and ABRs (to be added) is in C with embedded SQL, hence the need for module 16.

The Ultimate Test

The British Library has surveyed the attitudes of its users since OPAC went online, and the overall impression is favorable. A majority have declared themselves happy with OPAC's searching power, but many have complained of insufficient on-screen guidance and inability to backtrack to previous search levels. Both of these matters will be tackled in the next software revision.

Some 6.5 percent of those sampled do not use OPAC at all, citing a general dislike of computers. But over two-thirds of the users now go to OPAC before the printed catalogs, which is the final test of acceptance. ■

Dick Pountain is a BYTE contributing editor based in London. You can reach him on the Internet or BIX at dickp@bix.com.

Where to Find

Dataware Technologies, Inc.
Cambridge, MA
(800) 229-2222
(617) 621-0820
fax: (617) 621-0307

Dell Computer Corp.
Austin, TX
(800) 289-1260
(512) 338-4400
fax: (512) 338-8700

Digital Equipment Corp.
Maynard, MA
(800) 344-4825
(508) 493-5111
fax: (508) 493-8780

Hoskyns Group PLC
+44 171 735 0800

Macromedia, Inc.
San Francisco, CA
(800) 945-4061
(415) 252-2000
fax: (415) 626-0554

Microsoft Corp.
Redmond, WA
(800) 426-9400
(206) 882-8080
fax: (206) 635-6100

Netwise, Inc.
Boulder, CO
(800) 733-7722
(303) 442-8280
fax: (303) 442-3798

New Close-Up® Offers Fastest Remote Windows Speed

Fastest Modem Communications

Now Close-Up, two-time winner of PC Magazine "Editors' Choice" award for remote communications software, has a brand new version that lets you view & control other PCs by modem — just as if you were there!

WinBench™ 95 Ver 1.0 by Ziff-Davis Labs Tests Remote Windows™ Speed

The graph on the right shows the speed of the three leading remote control programs when transferring Windows

screens. As you can see, Close-Up handles more pixels faster, meaning you spend less time waiting for Windows screens to transfer.

WinBench scores
(average of 10 runs):
Close-Up 209,270
pcAnywhere 122,600
Reachout 101,900

WINDOWS & DOS

Close-Up saves time & money by allowing you to connect between PCs running DOS or Windows, eliminating the need to switch between products when connecting to different PCs.

"Version 5.0 Close-Up was fast, but Version 6.0 has even better Windows performance and added features to keep it ahead of the pack."

— PC Magazine, July 1994

Why Is Close-Up So Fast?

Close-Up learns as it works. It uses AI (Artificial Intelligence) to compress all Windows video function calls. That's why Close-Up does so well in Windows Benchmark tests (see WinBench 95 chart).

Close-Up uses its revolutionary Photographic Memory™ so that once Close-Up has seen all or part of a Windows screen, it's memorized. Then as screens change, Close-Up only transmits new unmemorized data. Incredibly, with this technology Close-Up gets faster & faster the longer you use it.


Expert System Makes Communications Easy

You don't have to be a communications expert to get the results of one. Close-Up has an Expert System that automatically analyzes system components and configures your system for maximum speed.

Non-Intrusive Technology

Unlike most remotes, Close-Up's installation does not modify any of your sensitive Windows files, including the SYSTEM.INI and WIN.INI files, allowing Close-Up and your PC to run at optimal levels.

Use Close-Up and Your Fax Software on One Modem



Save money by using just one modem with Close-Up and your fax software. Simply click the Close-Up sleep icon. What could be easier!

RISK FREE OFFER Call 805-964-6767

Try Close-Up! If you're not absolutely convinced that Close-Up 6.0 is the fastest remote program, we'll give your money back!* Order Close-Up for only \$199.


☐ **YES!** I want to upgrade my communications program to Close-Up 6.0
Enclosed is a photocopy of my communications program disk.

Name _____
Ship to (no P.O. Box) _____
City _____ St. _____ Zip _____
Phone _____ ☐ 3-1/2" ☐ 5-1/4" diskette

\$69.95 + \$9.90 shipping (1-2 Day Air) California residents add \$5.42 sales tax.

☐ Enclosed is my check. ☐ Visa ☐ MC _____ / _____ / _____ Exp. _____ / _____

Mail to: Norton-Lambert Corp., Attn: Upgrade, P.O. Box 4085, Santa Barbara, CA 93140 USA Fax 805-683-5679



pixels
per
second

200,000

150,000

100,000

50,000

0

Close-Up 6.0

pc Anywhere
for Windows 2.0

Reachout 4.0

We invite you to reproduce this test. Modems: Hayes OPTIMA 288 V.FC. Computer: (Host) Gateway, (Remote) Micron, Pentiums 90Mhz, 32MB RAM, 128KB RAM cache, 500MB HD, IDE controller, no hardware disk cache. Video: (Host) STB Lightspeed 1MB VRAM, (Remote) Diamond Stealth 64 2MB VRAM. 800 x 600 pixels, 16 colors. SuperVGA.DRV 11/1/93. 75 Hz. MS-DOS 6.22, SMARTDRV 2MB cache. WinBench 95 is available on ZiffNet via CompuServe. All products are shipping versions. Test performed without verification by Ziff. WinBench trademark of Ziff-Davis Publishing Co. Windows trademark of Microsoft Corp. *60 day money-back guarantee if purchased directly from Norton-Lambert. Offer expires 9/30/95. All prices in US Dollars. Prices exclude shipping. © 1995 Norton-Lambert Corp.

Circle 90 on Inquiry Card (RESELLERS: 91).

IF THIS IS HOW YOU



● Datapro on CD-ROM

Now you gain virtually instant access to Datapro's product and technology services from your own PC, with Datapro on CD-ROM.

Menu-driven software makes it simple to browse through the table of contents or search by keywords and subject to get fast answers to all your technology questions. And you can simultaneously view multiple reports and cut and paste between applications to custom-tailor analyses. Available in both Windows and DOS.

KEEP PACE WITH THE NEWEST INFORMATION TECHNOLOGIES, YOU NEED PROFESSIONAL HELP

PRESENTING THE FULL LINE OF DATAPRO INFORMATION SERVICES

Downsizing. Wireless. Client-server computing. Multimedia. ATM. Strategic planning and sound business decisions depend upon keeping up with the latest information technologies.

But you probably need a supercomputer to sort through all the publications that end up on your desk. Sure, consultants can help, as long as you're willing to pay as you go.

Isn't it time you turned to Datapro information services?

For over two decades Datapro's unmatched information services have helped users, buyers, and managers of information technology plan effectively. And Datapro has been there every step of the way—from mainframes and dumb terminals, through the PC revolution, to the rise of internetworks.

Today, with its staff of over 400 specialists and more than 100 expert analysts, Datapro has the resources to address virtually every critical issue in computing and communications.

An essential resource for anyone who must evaluate, implement, or manage technology.

Whether you want a quick overview or are looking to build a complete library of research materials, Datapro's comprehensive information technology services can help you make decisions quickly. Charts, tables, and graphs make it a snap to compare product features, functions, and prices. And once your system is up and running, Datapro is there to help you manage and maintain it.

That's why IT professionals use Datapro to stay up to date. Sales and marketing professionals count on us to help them track trends. And vendors turn to Datapro to size up the competition.

Datapro's line of comprehensive information services can meet all your needs.

With Datapro's complete line of information services, you're always in the know no matter what your concerns.

Product and Technology Services

● **First Looks.** Keep tabs on major developments in information technology

● Available on CD-ROM.

until a complete report is available.

● **User Ratings.** Get beyond the hype and find out which vendors can really deliver on their promises.

● **Technology Concepts.** Stay ahead of the game when it comes to vendor strategies and other vital issues.

● **Market Overviews.** Discover the market's promising vendors and products.

● **Comparison Columns.** The effortless way to make side-by-side appraisals.

● **Competitive Outlooks.** Put products and underlying technology in perspective.

● **Product Reports.** An in-depth look at specs, features and functions, pricing, interoperability, and other issues.

● **Management Reports.** Practical advice from professionals that takes the mystery out of managing information technology.

Business Services

● **Datapro Online.** Tap into three online databases from the office, at home, or even on the road.

● **Reprints.** A cost-efficient way to deliver your product message and verify product features and benefits.

● **Feature Reports.** Cull just what you need from Datapro's database of information services and put a sharp focus on strategic business decisions.

● **Custom Publishing.** Package the latest product information in a convenient, single source tailored to keep sales personnel one step ahead of the competition.

Consulting Services

● **Help Desk.** A telephone inquiry service to help you make the best use of your Datapro information service.

● **Assist On Demand.** Pay only for the

information you need about a specific product, vendor, or technology.

● **Surveys.** Determine the strengths and limitations of your products—and your competitors'—from actual users.

● **On-Call Consulting.** Fast answers to most inquiries within minutes—via phone, fax, or electronic mail.

Educational Services

● **On-Site Seminars.** Custom-tailor a curriculum in any aspect of information technology right where you do business.

● **Computer-Based Training.** Get a grounding in the fundamentals or master advanced topics right on your own PC.

● **Teleconsulting.** Let a conference call between students and instructors address implementation issues that come up in later stages of a project.

International Services

● **Datapro International.** Get up-to-the-minute industry analyses and in-depth evaluations into the hands of professionals whose responsibilities extend beyond the U.S.

Market Research Services

● **Northern Business Information.** A Datapro subsidiary, Northern Business Information is the world's foremost strategic telecom research company.

Send for a free demo disk today.

DATAPRO

Datapro USA, 600 Delran Parkway, Delran, New Jersey USA
08075, Tel: 800-328-2776, Fax: 609-764-2812

Datapro International, McGraw-Hill House Shoppenhangers
Road, Maidenhead, Berkshire, England SL6 2QL
Tel: +44 (0) 628 773277, Fax: +44 (0) 628 773628



Please send me more information on the following Datapro services:

Product & Technology Services

- ☐ Computer Systems
☐ Communications
☐ Free Demo Disk

Business Services

- ☐ Datapro Online
☐ Reprints and Feature Reports
☐ Custom Publishing

Consulting Services

- ☐ Help Desk
☐ Assist On Demand
☐ Surveys
☐ On-Call Consulting

Other Services

- ☐ Educational Services
☐ Datapro International
☐ Northern Business Information

☐ I'm interested in learning more about Datapro on CD-ROM ●

Name Title
Organization Telephone
Address
City Code Country



The World's First Personal SuperComputer (PSC)

Nothing compares to the computing power of the ACTION AXP275 RISC PC—the first *Personal SuperComputer*. The PCI-based ACTION System from BTG uses Digital Semiconductor's Alpha 21064A 64-bit microprocessor, with a cycle time of 275 MHz—the fastest processor available today!

Capable of peak execution rates of 555 MIPS, its performance is equivalent to a supercomputer. Imagine what you can do with this much computing power!

With Microsoft® Windows NT™ installed, the ACTION Alpha AXP275 provides the

same familiar user interface as the MS Windows operating system, and runs MS DOS and all 16-bit and 32-bit Windows applications.

Powered by Digital and Microsoft Graphics by Nokia and Number Nine Storage by Hewlett-Packard and Toshiba Networking by Cogent.

To learn more about the ACTION AXP275 or any other of our ACTION System computers, including Pentium, call:

(800) 449-4228
FAX (703) 876-1920

"We recommend the Action AXP275 as an excellent all-around NT workstation."

BYTE Magazine, March 1995

"WHOOSH!"

Windows Magazine, March 1995

"AXP275 streaks from the gate shatters records, the stopwatch"

Government Computer News,
February 6, 1995

"Alpha cleans Pentium's clock"

Windows Sources, February 1995

"As good as it gets if you need speed"

PC World, February 1995

"Action AXP275 runs NT at full throttle"

PC WEEK, November 7, 1994

The AXP275 offers the fastest Win32 performance we've seen..."

Windows Sources, February 1995

"Every component of this computer is representative of the best technology available."

PC World, February 1995



BTG

formerly



Digital Semiconductor is a Digital Equipment Corporation business. The following are trademarks of Digital Equipment Corporation: Alpha AXP, AXP and the Digital logo. Microsoft is a registered trademark and Windows and Windows NT are trademarks of the Microsoft Corporation. All other logos are the property of their respective owners.

Circle 171 on Inquiry Card.

1995 Readers' Choice Awards

Apple's PowerPC-based Power Mac systems became widely available in the past year. BYTE readers obviously liked what they saw: The Power Mac family received this year's award for Hardware Product of the Year.

This vote of confidence for the RISC-based PowerPC design is significant, given our readership's affection and fascination for innovative technologies. But stay tuned: The race promises to get even hotter in the coming year, as Intel's next-generation P6, along with new processors expected from AMD, Cyrix, and NexGen, vie against the PowerPC to power the advanced servers and desktop systems that BYTE readers demand.

On the software side, readers recognized IBM's OS/2 Warp for its technical merits and named it 1995's Software Product of the Year. But when they cast their votes in the Operating System/Environment category, their choices more closely matched market realities, and Windows won out over Warp. Perhaps more interesting is the product that didn't make the runner-up list in the operating-systems voting. For first time in the history of our reader polls, MS-DOS didn't rank at all; Apple's Mac OS (formerly System 7) usurped MS-DOS's second-runner-up status in last year's poll.

When we polled our readers earlier this year, we asked them to identify the best products in a total of 40 hardware and software categories. We also asked them to tell us what companies provide the best service; for the second year in a row, Gateway 2000 topped the list.

In most categories, the industry leaders either remained on top or jockeyed for position among the winners and runners-up. Nevertheless, there are some notable newcomers. The Mac programmers among our readership bolstered the opinions of BYTE's Mac experts and gave Metrowerks' CodeWarrior the second-highest number of votes in the Mac programming-language category (it captured just a few votes less than Symantec's Think C). Other products new to the rankings this year are Ascend, from Franklin Quest; Designer, from Micrografix; RAM Doubler, from Connectix; and WriteNow, a recent acquisition of Softkey International.

This year we added two new categories, for color printers and subnotebooks, to reflect market trends. By contrast, we no longer rank Mac video boards, given the decline of general-purpose cards since Apple began integrating 24-bit color onto Mac motherboards.

Technological advancement continues to define the industry, and few people are better judges of what's significant than BYTE readers. Here, then, are the 50 winners and runners-up that BYTE readers say are offering the best products on the market today.

HARDWARE PRODUCT OF THE YEAR

Power Mac series

Apple Computer

Runners-up

LaserJet 4Si, Hewlett-Packard

(tie) Pentium, Intel

ThinkPad series, IBM



Desktop Computer

PC

Gateway 4DX2-66

Gateway 2000

Runners-up

Dimension series, Dell Computer

ProLinea series, Compaq Computer

Desktop Computer

Macintosh

Power Mac series

Apple Computer

Runners-up

Quadra series, Mac LC,

Apple Computer

Workstation

HP 9000 series

Hewlett-Packard

Runners-up

RS/6000 series, IBM

SparcStation 10, Sun Microsystems



HP 9000 Model 712/60

BEST SERVICE (HARDWARE OR SOFTWARE)

Gateway 2000

Runners-up

Hewlett-Packard
Microsoft



Feature



IBM ThinkPad

HP LaserJet 4Si

Notebook Computer

ThinkPad 755C
IBM

Runners-up

T4900CT, Toshiba America Information Systems

Mac PowerBook series, Apple Computer

Subnotebook Computer

Contura Aero series
Compaq Computer

Runners-up

Liberty series, Gateway 2000

Portégé series, Toshiba America Information Systems

Hand-Held Computer

MessagePad series
Apple Computer

Runners-up

Sharp Wizard series, Sharp Electronics

HP LX series, Hewlett-Packard

Monitor

MultiSync FG series
NEC Technologies

Runners-up

ViewSonic 17, ViewSonic

FlexScan, Nanao USA

Laser Printer

LaserJet 4Si
Hewlett-Packard



NEC MultiSync 6FG

Runners-up

LaserJet 4P, LaserJet 4M
Hewlett-Packard

Color Printer

DeskJet 1200C
Hewlett-Packard

Runners-up

DeskJet 560C, Hewlett-Packard
BJC-600, Canon Computer Systems

Video Board

PC

Diamond Stealth series
Diamond Multimedia Systems

Runners-up

Diamond Viper series, Diamond Multimedia Systems

Graphics Pro Turbo, ATI Technologies

Modem

Sportster series
U.S. Robotics

Runners-up

Optima series, Hayes Microcomputer Products

Courier series, U.S. Robotics



Apple MessagePad



Compaq Contura

SOFTWARE PRODUCT OF THE YEAR

OS/2 Warp
IBM

Runners-up

Office, Windows NT, Microsoft



Word Processor

PC

Word for Windows
Microsoft

Runners-up

WordPerfect for Windows, WordPerfect/Novell Applications Group

Ami Pro, Lotus Development

Word Processor

Macintosh

Word for Macintosh
Microsoft

Runners-up

WriteNow, Sofkey International

MacWrite Pro, Claris

Spreadsheet

PC

Excel
Microsoft

Runners-up

Quattro Pro for Windows, WordPerfect/Novell Applications Group

1-2-3 for Windows, Lotus Development

Spreadsheet

Macintosh

Excel
Microsoft

Runners-up

1-2-3 for Macintosh, Lotus Development

Wingz, Investment Intelligence Systems

Database Manager

PC

Access
Microsoft

Runners-up

Paradox, Borland International
FoxPro, Microsoft

Database Manager

Macintosh

FileMaker Pro
Claris

Runners-up

4th Dimension, ACI US
Omnis, Blyth Software

Database Client/Server

All Platforms

SQL Server
Microsoft

Runners-up

NetWare SQL, Novell
Oracle server, Oracle

Operating System/Environment

All Platforms

Windows 3.1
Microsoft

Runners-up

OS/2 Warp, IBM
Mac OS (System 7), Apple Computer

Network Operating System

PC

NetWare
Novell

Runners-up

Windows for Workgroups, Microsoft
LANTastic, Artisoft

Network Operating System

Macintosh

NetWare for Macintosh
Novell

Runners-up

AppleShare, Apple Computer
TOPS, SunSoft

A powerful PC X server to access multiple X-based platforms such as UNIX and VMS while maintaining the advantages of the PC.

100% Microsoft® Windows® compatible.

Local Windows and host-based X applications run concurrently on the PC screen with seamless copy and paste of data and images.

Performance optimized 32-bit PC X server

redesigned to harness the maximum speed from a wide range of PC microprocessors including the Intel 486 and Pentium.

Setup Configuration Administrator to customize the installation process to site requirements, effectively eliminating or minimizing end-user involvement.

Remote Configuration

Administrator to easily manage and administer configuration changes on an unlimited number of PCs.

Built-in eXceed Basic scripting language

for customizing applications and automating repetitive tasks.

MIT X11

Release 6 fully compliant.

Unique, full-featured X Development Kit

included to port, design and run X clients right on the PC.

LPR/LPD printing

support between PCs and hosts.

Integrated high-performance VxD-based TCP/IP network connectivity software

plus support for over 20 other TCP/IP transports.

eXceed/Xpress dial-up X connectivity software included

for X access by remote PCs and LANs over telephone lines.

Integrated drag-and-drop FTP

with graphical user interface for easy file transfer.

Support for up to VT 320 Telnet emulation including font resizing and scripting capabilities.

Graphical keyboard configurator for simple remapping of keys and key sequences.

Exclusive Xtrace protocol tracer

captures X network protocol for greatly simplified troubleshooting and application debugging.

Unique Launch Pad user-programmable

menuing facility with graphical interface which simplifies window management and application launching.

Choice of window managers — choose a

host-based window manager such as Motif or OpenLook; or local one, either Microsoft Windows or Hummingbird's Motif-like window manager (hwm).

Xsession, drag-and-drop multiple program

starter for concurrent startup of X, non-X and Windows applications.

eXceed 4

It's X, from A-to-Z.

If you want comprehensive PC-to-UNIX integration, Hummingbird's eXceed® 4 for Windows™ is the one PC X server that gives you everything. And now, the new eXceed 4 for Windows NT™ brings this same remarkable functionality and ease-of-use to the NT platform. eXceed 4 is the only PC X server that bundles in a BASIC scripting language plus a full-featured X Development Kit. And from the worldwide leader in PC-to-UNIX integration, eXceed is the only family of PC X servers available for Windows, Windows NT, OS/2® and DOS. So if what you want is seamless, stable PC-to-UNIX technology, what you really need is eXceed.



HUMMINGBIRD®
COMMUNICATIONS LTD.
Opening the X-Window Wider



For more information or the name of the reseller nearest you, call...

United Kingdom
+44 (0) 113 246 7253

Germany
+49 (0) 89 897 55 205

France
+33 (1) 42 99 95 70

Other European countries
+41 (22) 733 18 58

All other countries
+1 (416) 496-2200

Corporate Headquarters: 1 Sparks Avenue, North York, Ontario, Canada M2H 2W1 Tel: (416) 496-2200 Fax: (416) 496-2207

eXceed is a registered trademark of Hummingbird Communications Ltd. All other brand or product names are trademarks or registered trademarks of their respective companies. © 1995, Hummingbird Communications Ltd.

Feature

Programming Language

PC

Borland C++

Borland International

Runners-up

Visual Basic, Microsoft

Visual C++, Microsoft

Programming Language

Macintosh

Think C

Symantec

Runners-up

CodeWarrior, Metrowerks

HyperCard, Apple Computer

Desktop Publishing Program

PC

PageMaker

Adobe Systems

Runners-up

Ventura Publisher, Corel

Publisher, Microsoft

Desktop Publishing Program

Macintosh

PageMaker

Adobe Systems

Runners-up

QuarkXPress, Quark

Ventura Publisher, Corel

Desktop Publishing Program

Unix

FrameMaker

Frame Technology

Runners-up

Interleaf, Interleaf

Island Write/Paint/Draw,

Island Software

CAD Program

PC

AutoCAD

Autodesk

Runners-up

Generic CADD, Autodesk

Microstation, Intergraph

CAD Program

Macintosh

DesignCAD Macintosh

American Small Business Computers

Runners-up

Claris CAD, Claris

Vellum, Ashlar

Graphics Program

PC

CorelDraw

Corel

Runners-up

Illustrator, Adobe Systems

Designer, Micrografx

Graphics Program

Macintosh

Illustrator

Adobe Systems

Runners-up

FreeHand, Macromedia

MacDraw Pro, Claris

Presentation Graphics Program

PC

PowerPoint

Microsoft

Runners-up

Freelance Graphics,

Lotus Development

Persuasion, Adobe Systems

Presentation Graphics Program

Macintosh

PowerPoint

Microsoft

Runners-up

Persuasion, Adobe Systems

CA-Cricket Presents,
Computer Associates International

E-Mail/Workgroup Software

PC

Mail

Microsoft

Runners-up

cc:Mail, Notes, Lotus Development

E-Mail/Workgroup Software

Macintosh

cc:Mail

Lotus Development

Runners-up

Mail, Microsoft

QuickMail, CE Software

Project Management

All Platforms

Project for Windows

Microsoft

Runners-up

CA-SuperProject,

Computer Associates International

Harvard Project Manager,

Software Publishing

Contact Manager/PIM

All Platforms

Organizer

Lotus Development

Runners-up

Act, Symantec

Ascend for Windows
and Macintosh,
Franklin Quest

Utility Package

PC

Norton Utilities

Symantec

Runners-up

PC Tools, Symantec

Norton Desktop for Windows,
Symantec

Utility Package

Macintosh

Norton Utilities Mac

Symantec

Runners-up

MacTools, Symantec

RAM Doubler, Connectix



Novell NetWare

Microsoft Excel - Book1

| Region | Product | Month | Vol | Sum of Volume | North | South | West | East | Total |
|--------|---------|-------------|-----|---------------|-------|-------------|------|------|-------|
| 1 | North | Expando Feb | Jan | 42 | 18 | 27 | 82 | | |
| 2 | North | Expando Feb | Jan | 38 | Jan | Expando Feb | 42 | 18 | 27 |
| 3 | North | Expando Feb | Jan | 49 | Jan | Expando Feb | 38 | 82 | 74 |
| 4 | North | Expando Feb | Jan | 41 | Jan | Expando Feb | 49 | 19 | 101 |
| 5 | North | Expando Feb | Jan | 27 | Jan | Expando Feb | 41 | 19 | 22 |
| 6 | West | Expando Feb | Jan | 74 | Jan | Expando Feb | 41 | 80 | 72 |
| 7 | West | Expando Feb | Jan | 22 | Jan | Expando Feb | 74 | 19 | 84 |
| 8 | West | Expando Feb | Jan | 72 | Jan | Expando Feb | 22 | 19 | 101 |
| 9 | South | Expando Feb | Jan | 18 | Jan | Expando Feb | 72 | 19 | 101 |
| 10 | South | Expando Feb | Jan | 63 | Jan | Expando Feb | 18 | 27 | 82 |
| 11 | South | Expando Feb | Jan | 19 | Jan | Expando Feb | 63 | 27 | 82 |
| 12 | South | Expando Feb | Jan | 80 | Jan | Expando Feb | 19 | 27 | 82 |

Microsoft Excel - Book1


| Region | Product | Month | Vol | Sum of Volume | North | South | West | East | Total |
|--------|---------|-------------|-----|---------------|-------|-------------|------|------|-------|
| 1 | North | Expando Feb | Jan | 42 | 18 | 27 | 82 | | |
| 2 | North | Expando Feb | Jan | 38 | Jan | Expando Feb | 42 | 18 | 27 |
| 3 | North | Expando Feb | Jan | 49 | Jan | Expando Feb | 38 | 82 | 74 |
| 4 | North | Expando Feb | Jan | 41 | Jan | Expando Feb | 49 | 19 | 101 |
| 5 | North | Expando Feb | Jan | 27 | Jan | Expando Feb | 41 | 19 | 22 |
| 6 | West | Expando Feb | Jan | 74 | Jan | Expando Feb | 41 | 80 | 72 |
| 7 | West | Expando Feb | Jan | 22 | Jan | Expando Feb | 74 | 19 | 84 |
| 8 | West | Expando Feb | Jan | 72 | Jan | Expando Feb | 22 | 19 | 101 |
| 9 | South | Expando Feb | Jan | 18 | Jan | Expando Feb | 72 | 19 | 101 |
| 10 | South | Expando Feb | Jan | 63 | Jan | Expando Feb | 18 | 27 | 82 |
| 11 | South | Expando Feb | Jan | 19 | Jan | Expando Feb | 63 | 27 | 82 |
| 12 | South | Expando Feb | Jan | 80 | Jan | Expando Feb | 19 | 27 | 82 |

Microsoft Excel - Book1


| Region | Product | Month | Vol | Sum of Volume | North | South | West | East | Total |
|--------|---------|-------------|-----|---------------|-------|-------------|------|------|-------|
| 1 | North | Expando Feb | Jan | 42 | 18 | 27 | 82 | | |
| 2 | North | Expando Feb | Jan | 38 | Jan | Expando Feb | 42 | 18 | 27 |
| 3 | North | Expando Feb | Jan | 49 | Jan | Expando Feb | 38 | 82 | 74 |
| 4 | North | Expando Feb | Jan | 41 | Jan | Expando Feb | 49 | 19 | 101 |
| 5 | North | Expando Feb | Jan | 27 | Jan | Expando Feb | 41 | 19 | 22 |
| 6 | West | Expando Feb | Jan | 74 | Jan | Expando Feb | 41 | 80 | 72 |
| 7 | West | Expando Feb | Jan | 22 | Jan | Expando Feb | 74 | 19 | 84 |
| 8 | West | Expando Feb | Jan | 72 | Jan | Expando Feb | 22 | 19 | 101 |
| 9 | South | Expando Feb | Jan | 18 | Jan | Expando Feb | 72 | 19 | 101 |
| 10 | South | Expando Feb | Jan | 63 | Jan | Expando Feb | 18 | 27 | 82 |
| 11 | South | Expando Feb | Jan | 19 | Jan | Expando Feb | 63 | 27 | 82 |
| 12 | South | Expando Feb | Jan | 80 | Jan | Expando Feb | 19 | 27 | 82 |

Microsoft Excel - Book1

| Region | Product | Month | Vol | Sum of Volume | North | South | West | East | Total |
|--------|---------|-------------|-----|---------------|-------|-------------|------|------|-------|
| 1 | North | Expando Feb | Jan | 42 | 18 | 27 | 82 | | |
| 2 | North | Expando Feb | Jan | 38 | Jan | Expando Feb | 42 | 18 | 27 |
| 3 | North | Expando Feb | Jan | 49 | Jan | Expando Feb | 38 | 82 | 74 |
| 4 | North | Expando Feb | Jan | 41 | Jan | Expando Feb | 49 | 19 | 101 |
| 5 | North | Expando Feb | Jan | 27 | Jan | Expando Feb | 41 | 19 | 22 |
| 6 | West | Expando Feb | Jan | 74 | Jan | Expando Feb | 41 | 80 | 72 |
| 7 | West | Expando Feb | Jan | 22 | Jan | Expando Feb | 74 | 19 | 84 |
| 8 | West | Expando Feb | Jan | 72 | Jan | Expando Feb | 22 | 19 | 101 |
| 9 | South | Expando Feb | Jan | 18 | Jan | Expando Feb | 72 | 19 | 101 |
| 10 | South | Expando Feb | Jan | 63 | Jan | Expando Feb | 18 | 27 | 82 |
| 11 | South | Expando Feb | Jan | 19 | Jan | Expando Feb | 63 | 27 | 82 |
| 12 | South | Expando Feb | Jan | 80 | Jan | Expando Feb | 19 | 27 | 82 |



Microsoft Word for Windows



Lotus Organizer

There are **Billions** of reasons to protect your software.

You only need **one**

reason to **protect with Sentinel:**

It's the worldwide standard in software protection.



ISO 9002
Certified

Piracy is the greatest threat to the world's software industry. Developers lose billions in sales to software piracy each year. Protect your software and get all the revenue you deserve.

More developers rely on Sentinel®, from Rainbow, than any other software protection in the world.

And for good reason. Sentinel performs where it matters most: leading the industry in technology, quality, reliability and support.

So when it's time to protect your DOS, OS/2, Windows, NT, Macintosh, UNIX, XENIX, LAN or CD-ROM application – protect with Sentinel. Protect with confidence.

Call the Rainbow office or authorized distributor near you for a Sentinel Developer's Kit and more information on why Sentinel is *Securing the future of software.*



RAINBOW
TECHNOLOGIES

SENTINEL
Securing the future of software



Rainbow Offices: **USA / ASIA / LATIN AMERICA** 714/454-2100

ARGENTINA: Agri-Aid, S.A. 54 1 8030536
AUSTRALIA: LOADPLAN 61 3 690 0455
BELGIUM/LUXEMBURG: EZS 32 92 21 11 17
BRAZIL: MIPS Sistemas Ltda. 55 11 574 8686
BULGARIA: KSIMETRO 35 9279 1478
CHILE: ChileSoft Ltda. 56 2 639 8892
CHINA (Northern): CS&S 86 1 8316524

CHINA (Eastern): Shanghai Pudong Software Park Development Company 86 21 4371500
COLOMBIA: Construdata 57 1 236 7341
CZECH REPUBLIC: ASKON Int'l 42 2 3103 652
GREECE: Byte Computer S.A. 301 924 17 28
HONG KONG: Computers & Peripherals 852 2515 0018
HUNGARY: Polyware Kft. 36 76 481 236
IRAN: Gam Electronics 982 122 22374

ITALY: BFI IBEKSA SPA 39 23 31 00535
ITALY: Sisostemi 39 30 24 21074
JAPAN: Giken Shoji Co., Ltd. 81 52 972 6544
JORDAN: CDG Engineering 96 26 883 861
KOREA: Genesis Technologies 82 2 578 3528
LEBANON: National Group Consultants 961 1 494317
MALAYSIA: Eastern Sys. Design (M) Sdn Bhd 60 3 241 1188
MEXICO: Impex Comp., S.A. de C.V. 91 800 66 466

MIDDLE EAST: Hoche Int'l 44 81 459 8822
MOROCCO: Futur & Soft 212 2 40 03 97
NETHERLANDS: IntroCom 31 74 430 105
PORTUGAL: COMELTA 351 1 941 65 07
SCANDINAVIA: Perico A/S 47 2249 1500
SINGAPORE: Systems Design PTE LTD 65 747 2266
SPAIN: MECCO 34 3 422 7700

GERMANY: (49) 89 32 17 98 0
SWITZERLAND: IBV AG 41 1741 2140
SWITZERLAND: Safe Compaid S.A. 41 2421 5386
TAIWAN: Evershine Tech. 886 2 5935201
THAILAND: BCS Int'l 66 2 319 4451
TUNISIA: ASCI 216 1 781 75
TURKEY: BIMEKS, Ltd. 90 216 348 3508
VENEZUELA: HRT-M Osers 58 2 261 4282

©1994 Rainbow Technologies, Inc. Sentinel is a registered trademark of Rainbow Technologies, Inc. All other product names are trademarks of their respective owners.

Circle 109 on Inquiry Card.

WHERE TO FIND

ACI US, Inc.

(408) 252-4444

fax: (408) 252-7765

Circle 1271 on Inquiry Card.**Adobe Systems, Inc.**

(800) 833-6687

(415) 961-4400

fax: (415) 961-3769

Circle 1272 on Inquiry Card.**American Small Business Computers, Inc.**

(918) 825-7555

fax: (918) 825-6359

Circle 1273 on Inquiry Card.**Apple Computer, Inc.**

(800) 776-2333

(408) 996-1010

fax: (408) 974-9974

Circle 1274 on Inquiry Card.**Artisoft, Inc.**

(800) 846-9726

(602) 670-7000

fax: (602) 670-7359

Circle 1275 on Inquiry Card.**Ashlar, Inc.**

(800) 877-2745

(408) 746-1800

fax: (408) 746-0749

Circle 1276 on Inquiry Card.**ATI Technologies, Inc.**

(905) 882-2600

fax: (905) 882-2620

Circle 1277 on Inquiry Card.**Autodesk, Inc.**

(415) 507-5000

fax: (415) 507-5100

Circle 1278 on Inquiry Card.**Blyth Software, Inc.**

(800) 346-6647

(415) 571-0222

fax: (415) 571-1132

Circle 1279 on Inquiry Card.**Borland International, Inc.**

(800) 331-0877

(408) 431-1000

fax: (408) 431-4122

Circle 1280 on Inquiry Card.**Canon Computer Systems, Inc.**

(800) 848-4123

(714) 438-3000

fax: (714) 438-3099

Circle 1281 on Inquiry Card.**CE Software, Inc.**

(800) 523-7638

(515) 221-1801

fax: (515) 221-1806

Circle 1282 on Inquiry Card.**Claris Corp.**

(800) 544-8554

(408) 987-7000

fax: (408) 987-3932

Circle 1283 on Inquiry Card.**Compaq Computer Corp.**

(800) 345-1518

(713) 370-0670

Circle 1284 on Inquiry Card.**Computer Associates International, Inc.**

(800) 225-5224

(516) 342-5224

fax: (516) 342-5734

Circle 1285 on Inquiry Card.**Connectix Corp.**

(800) 950-5880

(415) 571-5100

fax: (415) 571-5195

Circle 1286 on Inquiry Card.**Corel Corp.**

(800) 772-6735

(613) 728-8200

fax: (613) 728-9790

Circle 1287 on Inquiry Card.**Dell Computer Corp.**

(800) 624-9897

(512) 338-4400

fax: (512) 728-3653

Circle 1288 on Inquiry Card.**Diamond Multimedia Systems, Inc.**

(408) 325-7000

fax: (408) 325-7070

Circle 1289 on Inquiry Card.**Frame Technology Corp.**

(800) 843-7263

(408) 975-6000

Circle 1290 on Inquiry Card.**Franklin Quest**

(800) 877-1814

(801) 975-9992

fax: (801) 975-9995

Circle 1291 on Inquiry Card.**Gateway 2000, Inc.**

(800) 846-2301

(605) 232-2000

fax: (605) 232-2023

Circle 1292 on Inquiry Card.**Hayes Microcomputer Products, Inc.**

(404) 441-1617

fax: (404) 441-1213

Circle 1293 on Inquiry Card.**Hewlett-Packard Co.**

(800) 752-0900

(415) 857-1501

Circle 1294 on Inquiry Card.**IBM Corp.**

(800) 426-3333

(914) 765-1900

Circle 1295 on Inquiry Card.**Intel Corp.**

(800) 628-8686

(408) 765-8080

Circle 1296 on Inquiry Card.**Intergraph Corp.**

(800) 345-4856

(205) 730-2000

fax: (205) 730-5384

Circle 1297 on Inquiry Card.**Interleaf, Inc.**

(800) 688-5151

(617) 290-0710

fax: (617) 290-4943

Circle 1298 on Inquiry Card.**Investment Intelligence Systems Corp.**

+44 171 628 6960

fax: +44 171 638 7528

Circle 1299 on Inquiry Card.**Island Software Corp.**

(800) 255-4499

(415) 884-4400

fax: (415) 884-4500

Circle 1300 on Inquiry Card.**Lotus Development Corp.**

(800) 343-5414

(617) 577-8500

fax: (617) 693-0968

Circle 1301 on Inquiry Card.**Macromedia**

(800) 288-4797

(415) 252-2000

fax: (415) 626-0554

Circle 1302 on Inquiry Card.**Metrowerks**

(800) 377-5416

(512) 346-1935

fax: (512) 346-3329

Circle 1303 on Inquiry Card.**Micrografx, Inc.**

(800) 417-8312

(214) 234-1769

Circle 1304 on Inquiry Card.**Microsoft Corp.**

(800) 426-9400

(206) 882-8080

fax: (206) 936-7329

Circle 1305 on Inquiry Card.**Nanao USA Corp.**

(800) 800-5202

(310) 325-5202

fax: (310) 530-1679

Circle 1306 on Inquiry Card.**NEC Technologies, Inc.**

(800) 632-4636

(508) 264-8000

fax: (508) 264-8673

Circle 1307 on Inquiry Card.**Novell, Inc.**

(800) 638-9273

(801) 429-7000

fax: (801) 429-5373

Circle 1308 on Inquiry Card.**Oracle Corp.**

(800) 672-2531

(415) 506-7000

fax: (415) 506-7200

Circle 1309 on Inquiry Card.**Quark, Inc.**

(800) 788-7835

(303) 894-8888

fax: (303) 894-3399

Circle 1310 on Inquiry Card.**Sharp Electronics Corp.**

(800) 237-4277

(201) 529-8200

Circle 1311 on Inquiry Card.**Softkey International**

(800) 227-5609

(404) 514-6300

fax: (404) 427-1150

Circle 1312 on Inquiry Card.**Software Publishing Corp.**

(800) 336-8360

(408) 986-8000

fax: (408) 980-0729

Circle 1313 on Inquiry Card.**Sun Microsystems, Inc.**

(800) 786-0404

(408) 276-1931

Circle 1314 on Inquiry Card.**SunSoft, Inc.**

(800) 227-9227

(415) 960-3200

fax: (415) 961-6070

Circle 1315 on Inquiry Card.**Symantec Corp.**

(800) 441-7234

(408) 253-9600

fax: (503) 334-7474

Circle 1316 on Inquiry Card.**Toshiba America Information Systems, Inc.**

(800) 334-3445

(714) 583-3000

fax: (714) 583-3800

Circle 1317 on Inquiry Card.**U.S. Robotics, Inc.**

(800) 342-5877

(708) 982-5151

fax: (708) 676-7323

Circle 1318 on Inquiry Card.**ViewSonic, Inc.**

(800) 888-8583

(909) 869-7976

fax: (909) 468-1202

Circle 1319 on Inquiry Card.**WordPerfect/Novell Applications Group**

(800) 321-4566

(801) 429-7000


fax: (801) 228-5077

Circle 1320 on Inquiry Card.

les-O-Gram

All Sales Representatives
Kenton O'Keefe
Sales Manager
ct: Persuasive power of color presentation

- Color increases ad readers
- Color ad increases sales 42
- Color documents provide
- Color improves attention




Improves
on per
ack

Attention
Agreement
Comprehension
Attention
Perceptions

[1] CARR Report No. 110.3A "Does Colorship?"
[2] "Update on split run tests on sales #20"; internal report of color versus black and white per Association of America.

COST CONTAINMENT REPORT



Business Color P

COLOR PPM



COST PER PAGE



PRINTER PRICE



Source: PC Magazine
November 22, 1994 Annual
Printer Review

Tektronix

Color is color, unless it's brilliantly practical.

It's the business printer you've been waiting for. Professional color so reliable, inexpensive and easy to use, it's a practical office tool. Speed? It's the world's fastest color printer at 4 color pages per minute. Cost? Full text pages on plain paper at 3¢ each. Color for 11¢ on office papers. Simplicity? If you can load a stapler, you've mastered this machine. Reliability? Add

750 sheets and let it run overnight. That's robust. Cost? At \$4,995, nothing in its performance range even comes close. Best of all, it's from Tektronix, a Fortune 500 leader, making world-class color printers for 13 years.

The Phaser 340 Color Printer.
So practical, it's brilliant.



Tektronix

For free output sample or nearest dealer, call 800-835-6100, Ext. 1037.

ZEOS® Can Ship Today!

Tired of waiting and waiting for your new PC? Wait no more. With our special *Computers Now!*® program many of our award-winning and most popular packages can be shipped the same day you call.

It's As Easy As:

- 1** Choose the ZEOS system package you want.
(A sampling of what's available is shown.)
- 2** For same day shipping, call ZEOS at 800-554-5226 before 1 p.m. Central Time, Monday–Friday.
- 3** Upon credit approval, we'll ship your system *the same day you order!**



Our Guarantee To You:

If we accept your order for immediate shipment and fail to ship your system under the conditions outlined, we will ship it *at our expense* as soon as it is ready.*

Need A Bigger Monitor?

We can upgrade your *Computers Now!* desktop or vertical system with a larger monitor—and still ship it the same day you order!*

Buy With Confidence

Not only are you getting a ZEOS PC fast, you're getting a fast PC. ZEOS has earned dozens of top industry awards for power and performance, besting the competitors time and time again. With an awesome price, ZEOS computers *are* your best value.

That's not all. ZEOS gives you the best support in the business—for an even better value. In fact, ZEOS has earned seven *PC Magazine* Readers' Choice for Service & Reliability awards. And ZEOS was the first to provide 24-hour toll-free technical support—365 days a year—for quick and accurate answers to all your technical questions.

To order your high-performance PC, call a ZEOS Systems Consultant today at 800-554-5226.



Pantera™
486DX2-66
\$1645
Pentium-60
\$1945
Pentium-75
\$1995

Package #2:

- 8MB RAM
- 528MB local bus IDE hard drive, 120K cache
- 4X CD-ROM drive, 3.5" 1.44MB floppy drive
- Diamond Stealth 64-bit PCI local bus graphics card with 1MB DRAM
- 14" SVGA color monitor
- 6-bay desktop case
- MS-DOS 6.2, Windows for Workgroups, Microsoft Mouse



Pantera™
Pentium-75
\$2395

Top Gun:

- 8MB RAM, 256K SRAM cache
- 528MB local bus IDE hard drive, 120K cache
- 4X CD-ROM drive, 3.5" 1.44MB floppy drive
- 14,400 bps send/receive fax modem
- Diamond Stealth 64-bit PCI local bus graphics card with 2MB VRAM upgrade
- 15" SVGA color monitor
- 6-bay desktop case
- MS-DOS 6.2, Windows for Workgroups, Microsoft Mouse
- Lotus SmartSuite



Pantera™
Pentium-60
\$2145

Discovery™ MM:

- 8MB RAM
- 528MB local bus IDE hard drive, 120K cache
- 4X CD-ROM drive, 3.5" 1.44MB floppy drive
- Stereo sound card and speakers
- 14,400 bps send/receive fax modem
- Diamond Stealth 64-bit PCI local bus graphics card with 1MB DRAM
- 14" SVGA color monitor
- 6-bay desktop case
- MS-DOS 6.2, Windows for Workgroups, Microsoft Mouse
- Lotus SmartSuite

*Orders must be for Computers Now! configurations; we've listed just a sampling here. Since we continuously update this list of configurations, please call to confirm your system is on the list. This offer is good only as long as these pre-built systems remain in stock. Monitor upgrades available as long as monitors remain in stock. Other ZEOS systems and configurations take slightly longer—about a week. Credit cards are subject to authorization. Orders must be received by 1 p.m. Central Time, M-F.

Purchase orders are subject to approval. Business leasing programs available. All prices, specifications and availability are subject to change without notice; call to confirm these and warranty details. All products and company names are trademarks or registered trademarks of their respective holders. ZEOS and Contenda are registered trademarks; Computers Now! is a registered servicemark; Z-Card is a servicemark; Amira, Pantera and ZEOS Meridian trademarks of ZEOS International Ltd. © 1995 ZEOS International Ltd., 1301 Industrial Blvd., Minneapolis, MN 55413 USA. ZEOS is a publicly traded company (NASDAQ symbol: ZEOS).

NOW2-BYT-9505



Pantera™
486DX2-66
\$2145
Pentium-75
\$2495
Pentium-90
\$2795

Package #3:

- 16MB RAM
- 850MB local bus IDE hard drive, 256K cache
- 4X CD-ROM drive, 3.5" 1.44MB floppy drive
- Diamond Stealth 64-bit PCI local bus graphics card with 1MB DRAM
- 15" SVGA color monitor
- 6-bay desktop case
- MS-DOS 6.2, Windows for Workgroups, Microsoft Mouse
- Lotus SmartSuite



PC
Editors' Choice
PC
World
Windows
Experts Pick

Pantera™
Pentium-75
\$2595
Pentium-90
\$2895

Editors' Choice:

- 16MB RAM, 256K SRAM cache
- 528MB local bus IDE hard drive, 120K cache
- 4X CD-ROM drive, 3.5" 1.44MB floppy drive
- Diamond Stealth 64-bit PCI local bus graphics card with 2MB VRAM upgrade
- 15" SVGA color monitor
- 6-bay desktop case
- MS-DOS 6.2, Windows for Workgroups, Microsoft Mouse
- Lotus SmartSuite



PC
Best

Pantera™
Pentium-75
\$2745
Pentium-90
\$3095
Pentium-100
\$3295

Hottest

- 16MB RAM, 256K SRAM cache
- 1GB local bus IDE hard drive, 256K cache
- 4X CD-ROM drive, 3.5" 1.44MB floppy drive
- Diamond Stealth 64-bit PCI local bus graphics card with 2MB VRAM upgrade
- 15" SVGA color monitor
- 6-bay desktop case (Pentium-75)
- 10-bay vertical case (Pentium 90 & 100)
- MS-DOS 6.2, Windows for Workgroups, Microsoft Mouse
- Lotus SmartSuite



Pantera™
Pentium-75
\$2895
Pentium-90
\$3195

Discovery Plus:

- 16MB RAM, 256K SRAM cache
- 850MB local bus IDE hard drive, 256K cache
- 4X CD-ROM drive, 3.5" 1.44MB floppy drive
- Stereo sound card, high-power speakers w/subwoofer
- 14,400 bps send/receive fax modem
- Diamond Stealth 64-bit PCI local bus graphics card with 1MB DRAM upgrade
- 15" SVGA color monitor
- 6-bay desktop case
- MS-DOS 6.2, Windows for Workgroups, Microsoft Mouse
- Lotus SmartSuite



Windows
Experts Pick
PC
Best

Pantera™
Pentium-75
\$3118
Pentium-90
\$3418

Best MM:

- 16MB RAM, 256K SRAM cache
- 528MB local bus IDE hard drive, 120K cache
- 4X CD-ROM drive, 3.5" 1.44MB floppy drive
- Stereo sound card and speakers
- Diamond Stealth 64-bit PCI local bus graphics card with 2MB VRAM upgrade
- 17" SVGA color monitor
- 10-bay vertical case
- MS-DOS 6.2, Windows for Workgroups, Microsoft Mouse
- Lotus SmartSuite



Pantera™
Pentium-75
\$3495
Pentium-90
\$3795
Pentium-100
\$3995

Best MM Supreme:

- 24MB RAM, 256K SRAM cache
- 1GB local bus IDE hard drive, 256K cache
- 4X CD-ROM drive, 3.5" 1.44MB floppy drive
- Stereo sound card, high-power speakers w/ subwoofer
- Diamond Stealth 64-bit PCI local bus graphics card with 2MB VRAM upgrade
- 17" SVGA color monitor
- 10-bay vertical case
- MS-DOS 6.2, Windows for Workgroups, Microsoft Mouse
- Lotus SmartSuite



Ambra™
486DX2-66
\$1395

Package #2:

- 8MB RAM, 128K SRAM cache
- 528MB hard drive with 120K cache
- 3.5" 1.44MB floppy drive
- On-board VESA local bus video
- 14" SVGA color monitor
- 4-bay desktop case
- MS-DOS 6.2, Windows for Workgroups, Microsoft Mouse



Meridian™ 400C
486DX2-50
\$2595
DX4-100
\$2995

Package #3:

- 8MB RAM
- 350MB IDE hard drive
- External 3.5" 1.44MB floppy drive
- 79" DSTN color VGA display
- Custom carrying case
- Extra battery
- MS-DOS 6.2, Windows for Workgroups
- Lotus Organizer
- 7.8" x 10.2" x 1.7"; 3.9 lbs.

For active matrix display, add \$700



Meridian™ 800C
486DX2-50
\$2795
DX4-100
\$3195

Package #3:

- 8MB RAM
- 350MB IDE hard drive
- Internal 3.5" 1.44MB floppy drive
- 10.3" dual-scan color VGA display
- Custom carrying case
- Extra battery
- MS-DOS 6.2, Windows for Workgroups
- Lotus Organizer
- 8.9" x 11.7" x 1.9"; 6.3 lbs.

For active matrix display, add \$800

Fax Orders: 800-362-1205 or 612-362-1205. Phone Orders: Outside U.S. and Canada: 612-362-1212, Government: 800-245-2449, ZEOS Information Systems, Inc. GSA #GS00K94AGS5176. Purchase Orders, MasterCard, VISA, Am Ex, Discover, Z-Card, COD and leasing programs.

800-554-5226
24 Hours a Day • 365 Days a Year

ZEOS
INTERNATIONAL, LTD.

What Makes HASP[®] the Best Protection Your Software Can Get?



"Aladdin's HASP has helped us increase our revenues by providing us with extremely reliable and user-friendly protection for our software. In addition, Aladdin's service and technical support are simply first class."

Frank LaMonica, Chairman, Vibrant Graphics

"Quark/QSS has chosen HASP and MacHASP to protect QuarkXpress[®] in our most demanding markets, because we believe that Aladdin's products meet the high standards of reliability, compatibility and security required for these markets."

John MacMonagle, Purchasing Manager, Quark/QSS



MachASP[™] - The Professional Software Protection System for the Macintosh

"Aladdin's HASP gives our customers the key to protecting their investment in software development."

David Assia, CEO, Magic Software Enterprises Ltd.

"We have been most impressed with the quality of the HASP keys, as well as with the excellent support provided by Aladdin. We have tried a number of protection methods, but for ease-of-use, cost, and reliability, we keep coming back to HASP."

Jeremy du Plessis, Director, Indexia Research

Since 1984, thousands of leading developers in over 60 countries have chosen HASP to protect their software. Why? Because HASP's security, reliability, and ease-of-use led them to a simple conclusion: HASP is the most effective software protection system available.

LISTEN TO THE EXPERTS:

In all the products we tested, except the HASP, we could see through the encrypting and questioning procedures... and crack them.

CT Magazine (Germany)

MemoHASP: ...of all the protection devices tested is without any doubt, the one which combines the best features.

PCompatible (Spain)

Trying to crack a program... that was protected utilizing all of HASP's features - is like searching for the Holy Grail.

Micro Systems (France)

PC dongles... come with varying claims as to their transparency. The majority suffer from problems when a printer is connected... the HASP-3 is not affected...

Program Now (UK)

Of all keys tested, HASP is the most ambitious one... the quality of HASP manufacturing seems excellent.

PC Compatible (France)

MachASP is an optimal protection method, for the programmers... and for the users...

Bit Magazine (Italy)

Software piracy is costing developers over \$12 billion a year in lost revenues. To date, over one million HASP keys have been used to protect billions of dollars worth of software worldwide.

Call us today to find out how HASP can help increase your revenues.

1-800-223-4277

ALADDIN

The Professional's Choice

North America

Aladdin Software Security Inc.

Tel: (800) 223 4277, (212) 564 5678

Fax: (212) 564 3377

E-mail: sales@hasp.com

Intl Office

Aladdin Knowledge Systems Ltd.

Tel: 972-3-537 5795, Fax: 972-3-537 5796

E-mail: aladdin@aladdin.co.il

United Kingdom

Aladdin Knowledge Systems UK Ltd

Tel: 01753-622266, Fax: 01753-622262

France

Aladdin France SA

Tel: 1 40 85 98 85, Fax: 1 41 21 90 56

© Aladdin Knowledge Systems Ltd. 1985-1995 (12.94)

member of



■ Australia Conlab 3 8985685 ■ Benelux Aladdin Benelux 08894 19777 ■ Czech Atlas 2 766085 ■ Chile Micrologica 2 222 1388
 ■ Denmark Berendsen 39 577300 ■ Egypt Zeineldein 2 3604632 ■ Finland ID-Systems 0 870 3520 ■ Germany CSS 201 278804
 ■ Greece Unibrain 1 6856320 ■ Italy Partner Data 2 26147380 ■ Japan Athena, 3 58 213284 ■ Korea Dae-A 2 848 4481 ■ Mexico SiSoft 5 5439770
 ■ New Zealand Training, 4 5666014 ■ Poland Systherm 61 480273 ■ Portugal Futumatica 1 4116269 ■ South Africa D Le Roux, 11 886 4704
 ■ Spain PC Hardware, 3 4493193 ■ Switzerland Opag 61 7169222 ■ Taiwan Teco 2 555 9676 ■ Turkey Mikrobeta 312 467 7504

Circle 61 on Inquiry Card.

See You Around


TOM R. HALFHILL

Panoramic video technology—perhaps the first new form of photography to be invented in this century—puts you in the middle of a wraparound, photo-quality, virtual-reality world with no need for helmets, goggles, or gloves. Apple's QuickTime VR, unveiled in June 1994, gained national attention when NBC News adapted it to create panoramas of crime scenes during the murder trial of O. J. Simpson. Simon & Schuster's CD-ROM, titled *Star Trek: The Next Generation Interactive Technical Manual*, was the first retail product to use QuickTime VR. Released in November, the *Star Trek* CD-ROM (see "Books and CD-ROMs: *Star Trek* Meets QuickTime VR," March *BYTE*) quickly sold more than 200,000 copies.

Developers of game and educational software love this technology because it enables them to photograph scenes that aren't practical to render artificially. WNET, a PBS station in New York, is using QuickTime VR to create a panoramic tour of the Serengeti Plain in Africa. Sumeria, a multimedia developer in San Francisco, is working on QuickTime VR tours of Mayan ruins in Central America.

Businesses can use panoramic videos to familiarize employees with the layouts of mazelike factories or offices. Law-enforcement agencies can use panoramas to train SWAT teams. And ultimately, it's possible that panoramas photographed with tiny fiber-optic lenses could open interior spaces, such as the human body, to interactive exploration.

Although QuickTime VR panoramas can be displayed on Windows PCs as well as on Macintoshes (the *Star Trek* CD-ROM is available for both platforms), the special authoring tools run only on a Mac. That limitation prompted Microsoft to embark on a crash program last October to make its own version of QuickTime VR. The result, *Surround Video*, is scheduled for release



Panoramic video, using Apple's QuickTime VR and Microsoft's Surround Video, enables photo-quality virtual reality on your computer screen

as an SDK (Software Development Kit) this spring.


In some respects, *Surround Video* is not as advanced as QuickTime VR (see the table "QuickTime VR vs. *Surround Video*" on page 89). To users, however, it appears very similar to QuickTime VR on the screen, and it will almost certainly attract developers.

Four characteristics, listed below, set panoramic video apart from previous technologies.

- Unlike other forms of virtual reality, these panoramas are not limited to computer-generated images. QuickTime VR and *Surround Video* use digitized photos of real-world scenes (although they can also use rendered images or combine elements of both).
- Despite their misleading names, QuickTime VR and *Surround Video* do not require motion-video footage. (But conventional



1



2



3



4

video and animation can be used as layers on the backgrounds.) Since the panoramas are derived from still photos, they don't restrict you to viewing a scene in any predetermined linear sequence. Navigation is completely interactive.

- Panoramic video is the only way to map 360-degree panoramas onto a flat surface (in this case, a video screen) without distortion. Photographers have been shooting panoramas since the nineteenth century, but true 360-degree photos suffer from optical distortion unless you bend them into a cylinder and view the panorama from inside. QuickTime VR and Surround Video automatically correct that distortion through software.

- Panoramic videos are interactive in ways that are impossible without a computer. For instance, developers can link panoramas together so users can change viewpoints by clicking on predefined hot spots. Also, QuickTime VR lets you zoom a panorama to higher magnifications and view objects from any angle. (Early versions of Surround Video lack these capabilities, but Microsoft says it will add them soon.)

Inside a Panorama

Imagine a virtual environment in which you can view any portion of a 360-degree panorama—a wraparound photographic image of a real-world scene. You can pan the image left or right in a complete circle. Now add the ability to zoom in for a closer look at small details. You can examine selected objects in the panorama from any angle and even shift your position to other viewpoints, just as if you were actually there. Now imagine that you can achieve this virtual reality without any special gear except the computer on your desk. Apple's QuickTime VR and Microsoft's Surround Video, two similar versions of the new panoramic video technology, provide all this and more.

Navigating through a panoramic video is as easy as pointing and clicking with a mouse. The image on the screen represents a small portion of the entire 360-degree view—usually about 70 degrees, depending on the focal length of the lens used to take the original photos. To move your view of the panorama in any direction, you simply move the mouse cursor toward that edge


of the screen. Horizontal panning is infinite in either direction; vertical scrolling is limited to the field of view captured by the camera's lens (more on this later).

To examine part of a scene at closer range, you can zoom to higher magnifications. The current state of the technology lets you magnify the image about two to four times. QuickTime VR automatically applies an antialiasing filter to smooth out the jagged lines caused by pixelation at these higher magnifications.


Most panoramas contain predefined hot spots that allow you to change viewpoints or examine certain objects in more detail. When you point at a hot spot with the mouse, the cursor changes to indicate what you can do. For example, if the developer linked multiple panoramas together, you could jump from one view to another simply by clicking the mouse on the appropriate spot. Another type of hot spot lets you "pick up" and examine certain objects from any angle. To enable this effect, the developer must photograph these objects separately and link them to the general panorama.

HOW APPLE'S STITCHER TOOL WORKS

The QuickTime VR developer feeds digitized PICT files of still photos into the Stitcher program. Stitcher joins the photos together, eliminates redundant details between frames, aligns the edges, and applies cylindrical distortion to re-create the entire 360-degree scene as a continuous strip.



To shoot a panorama with an ordinary camera, the photographer must rotate the camera around the nodal point (i.e., the optical center) of the lens and overlap the frames slightly.



When you click on one of these objects, a special window opens on the screen, the object enlarges to fill the window, and you can rotate the image 360 degrees horizontally—and nearly as much vertically. This feature suggests all kinds of possibilities. For instance, a panoramic tour of a museum could allow you to pick up and examine artifacts that normally would be off-limits to visitors.

Apple and Microsoft are currently adding even more capabilities. Developers will soon be able to combine video footage with interactive environments by overlaying QuickTime or AVI (Audio Video Interleave) movies on panoramic backgrounds. Apple is perfecting an enhancement, called *localized sound*, that links prerecorded audio to your real-time video navigation. In one of Apple's demonstrations, you can scroll around a panorama of a beach scene. When a beach cottage comes into view, you can hear the faint sounds of voices. If you zoom in for a closer look, the voices become more distinct and combine with the sounds of a party. When you zoom back out, the sounds get softer again.

For Experts Only

Although viewing and navigating through a panorama are easy, creating one is a different matter. For now, the authoring tools and photographic skills required for this task are beyond the capabilities of most users. Someday these tools may become as easy to use as morphing programs, but until then, only the most advanced users and professional developers will be able to create panoramas.

The first step in the process is to shoot the pictures. This is where Surround Video differs significantly from QuickTime VR. Surround Video requires a special panoramic camera that rotates in a circle while continuously exposing a strip of film that moves in the opposite direction. In other words, instead of snapping a normal picture, the camera optically scans the image onto the film to make a strip that's about 7 inches long. (See the figure "How a Panoramic Camera Works" on page 88.)

QuickTime VR also lets you use a panoramic camera, but doesn't require it. Instead, Apple has sophisticated software tools that can assemble a panorama from

a series of still photos taken with an ordinary camera. The key to this process is a program called *Stitcher*, which automatically joins the individual photos together to make a seamless 360-degree view.


No matter which kind of camera you use, the result is the same: an image with a very wide aspect ratio that encompasses a 360-degree view of the original scene. Apple does it with software, while Microsoft does it with hardware. Apple's approach offers more flexibility because you can take pictures with almost any camera, lens, or film format. (In fact, Apple has produced panoramas with inexpensive disposable cameras.) But Apple does *not* recommend using a still-video camera, such as the Canon RC-570, or a low-resolution digital camera, such as the QuickTake 100, or a frame-grabber with videotape. These devices don't deliver enough resolution to withstand magnification.

Shooting pictures for a QuickTime VR panorama is a bit tricky. First, the lens has to be of a rectilinear design, which includes most lenses for general photography, except for fish-eye lenses. The curvilinear





How a Panoramic Camera Works



A panoramic camera, described at left, takes a 360-degree image on a single photograph. Above is a sample panoramic photograph of the Brooklyn Bridge.

a panoramic camera, which automatically rotates around a fixed nodal point. But such cameras have problems of their own. Only the most expensive models have interchangeable lenses, so you're restricted to a single perspective. These lenses are not very wide, so the vertical field of view is limited. And if you aren't careful, you might catch yourself in the picture.

To digitize the long filmstrip from a panoramic camera with enough resolution to support high magnifications, you have to use an expensive drum scanner that's big enough to accommodate the strip. Standard film scanners won't work, and flatbed scanners aren't recommended.

A Stitch in Time

The best way to digitize photos for a QuickTime VR panorama is to scan the film onto a Kodak Photo CD, which yields resolutions as high as 2048 by 3072 pixels at a color depth of 24 bits. That much resolution is overkill, however, and file sizes are large (more than 200 MB) when a dozen or more frames are stitched together.

QuickTime VR panoramas typically use the Photo CD base resolution of 768 by 512 pixels at 24 bits. If you stitch together 12 pictures, the resulting strip is a PICT file that's about 768 pixels high by 2496 pixels wide (after redundant information between frames drops out). Apple uses the Cinepak codec in QuickTime to compress this file down to a manageable 520 to 800 KB. (Surround Video panoramas are uncompressed and average about 1.4 MB, because on-the-fly decompression would impair playback performance.)

Apple's Stitcher program is mostly automatic, but it does require some intervention by the developer. Among other

things, you must tell the program whether the camera was oriented vertically or horizontally and how much overlapping area between frames should be analyzed when the edges are joined together.

As long as those areas contain sufficient detail, Stitcher does a good job of matching the seams and eliminating redundant information. For example, if the right edge of one frame and the left edge of the next frame both include the same object—such as a doorknob—Stitcher can figure out that the object should appear only once in the panorama and deletes the overlapping portion. Stitcher also blends exposure differences between frames, so you can shoot the pictures at slightly different settings to maximize highlight and shadow details in different parts of the scene.

To align the seams, Stitcher applies cylindrical distortion across the entire image. This might appear counterintuitive—why shoot the pictures with a rectilinear lens if you're going to add distortion later? However, cylindrical distortion is necessary to produce a continuous, seamless image in which details along the frame boundaries match up perfectly (see "How Apple's Stitcher Tool Works" on page 86).

The result is a very wide image that's virtually identical to the cylindrically distorted filmstrip exposed by a panoramic camera. If you could join the ends of this strip together and stick your head inside the cylinder, you'd see an undistorted 360-degree view—which is exactly what the playback software does when it displays the panorama on the screen.

QuickTime VR and Surround Video can work with any digitized images, not just photos. If you'd rather create an artificial world, you can use a rendering program instead of a camera. You can also use an image-editing program to modify the panorama or combine photographic images with rendered graphics.

Finishing Touches

Once you have a panorama, the next step is to define the hot spots that link it to oth-

images produced by fish-eye lenses won't work with the Stitcher program. Rectilinear lenses are designed to keep straight lines straight. (Apple recommends Sigma's 14mm f/3.5 and Nikon's 15mm f/3.5.) To include as much vertical space as possible, you should turn the camera sideways, even though this increases the number of pictures required to cover the 360-degree field. A 15mm lens is wide enough to cover that field in as few as eight frames, but Apple recommends shooting 12 frames of each scene to allow plenty of overlap.

When shooting these pictures, you have to rotate the camera around the *nodal point* (i.e., the optical center) of the lens. Otherwise, each frame will record a slightly different viewpoint, and the panorama will appear to jump when the user pans across the image. This is especially true if the scene includes objects that are close to the camera, because the parallax error between frames will be more obvious.

Unfortunately, tripod sockets are usually near the focal plane, not the nodal point. And the nodal point might not coincide with the physical center of the lens. To get around this problem, you need a special tripod head that makes it easier to visually identify the nodal point and adjust the camera's position. Apple is working with a manufacturer to produce one that is specially suited for QuickTime VR.

You can skip all this trouble by using



er panoramas (if any). Apple and Microsoft provide tools for creating these links. Apple's tool is a HyperCard program called Scene Editor. Using a standard paint program, you draw solid colors over areas of the panorama that will be hot. Each color marks a different hot spot, so they can be irregular shapes and noncontiguous. Areas that aren't hot are erased, yielding a white-background mask that Scene Editor links transparently to the panorama.

In addition to linking panoramas together, you can use Scene Editor to assign hot spots to objects. (Microsoft says it will add this feature to Surround Video, too.) QuickTime VR can display a magnified view of an object, and the user can rotate the image in any direction. Of course, this assumes the developer has already photographed the object from every angle.

This process requires about 500 images of the object. To make it easier to shoot these pictures with the proper alignment, Apple has a so-called bread-box rig that aims a camera along any angle at an object in the center of an imaginary globe. (The rig acquired its name because it accommodates objects as large as a bread box.)

The camera can shoot pictures while traversing imaginary latitudinal lines around the object. Each of the approximately 15 lines requires 36 pictures to cover the entire object. Since these close-up images don't require the high resolution of a panorama, they can be taken with a video camera and a frame-grabber—which is faster and more economical than shooting 500 pictures with

a 35mm camera. Another QuickTime VR tool, Object Maker, converts these 500 views into a QuickTime movie file that the user can manipulate interactively.

The final step of the process is to package the panoramas, hot-spot masks, object views, layered movies, sounds, and other elements into a format that the QuickTime VR or Surround Video playback software can handle. Again, both Apple and Microsoft supply tools for this purpose.

QuickTime VR panoramas convert from PICT files to standard QuickTime MOOV files. During compression, the panorama is sliced into vertical strips measuring about 768 pixels high by 104 pixels wide. To reduce memory requirements, only part of the panorama initially loads into RAM. Additional strips load into memory when the user pans horizontally.

Surround Video uses a technique that is similar, except without compression. The panoramic file is called a *striped DIB* (device-independent bit map). It's much like a regular Windows BMP or DIB file, except the image is sliced into vertical strips measuring only 4 pixels wide. When the user pans left or right, the appropriate strips load into memory. Additional elements (e.g., movies and sounds) are stored in another new file type called an *asset database*, which is similar to a Macintosh resource file.

Developer Trade-Offs

Apple and Microsoft are taking very different approaches to their distribution of the authoring tools. Apple charges \$2000

QUICKTIME VR VS. SURROUND VIDEO


| | QUICKTIME VR | SURROUND VIDEO |
|---------------------|----------------------------|-------------------------------|
| Displays on | Macintosh, Windows | Windows; Macintosh planned |
| Tools run on | Macintosh | Windows |
| Camera required | Any | Panoramic (expensive) |
| Magnification? | Yes | To be determined |
| Object examination? | Yes | To be determined |
| Costs | Kit, annual fee, royalties | Free to registered developers |
| Availability | Now | Spring 1995 |
| Company | Apple | Microsoft |

PROVERBS™

The Biblical Screen Saver
for PC Windows

BRIGHTEN YOUR
COMPUTER SCREEN
WITH WORDS FROM
THE WORLD'S MOST
SACRED AND
RENOUNDED BOOK...
THE BIBLE.

OVER 100 QUOTES
SET AGAINST
BREATHTAKING
NATURE BACKDROPS.



Includes selections
from Proverbs, Ecclesiastes,
Matthew and Corinthians
accompanied by music.

Proverbs Screen Saver

\$24.99 Disk plus \$/H

\$34.99 CD-ROM plus \$/H

CD-ROM version
Includes full text of the Bible, digital music

Mastercard, Visa, Discover or American Express

To order call

(800) 701-0889 ext. 5B

CREATIVEMINDS®

Circle 178 on Inquiry Card.

© 1995 Creativeminds, Los Angeles 90024

Subscription Problems?

If you have a problem with your BYTE subscription, let us know! For best service, provide a brief description of the problem and a copy of a recent magazine mailing label (if available). If your label is unavailable, just give us your subscription account number along with your name, address, and zip code where your BYTE subscription is currently being sent. If you have a change of address, be sure to provide both your old and new addresses. If the problem involves a payment, be sure to include copies of your cancelled check (both sides) or your credit card statement. Please include a "business hours" phone number if possible.

Send to:

BYTE Magazine

Subscriber Service

PO Box 555

Hightstown, NJ 08520

Fax: 609-426-7087

Phone: (9 a.m. to 8 p.m. Eastern

Time, Monday through Friday)

800-232-2983 (U.S.), or 609-426-7676

The logo for BYTE magazine, featuring the word "BYTE" in a bold, white, sans-serif font inside a red rectangular box.

Because the *Experts* decide.

Feature

for the QuickTime VR kit; this does not include the annual fee for becoming a registered developer. QuickTime VR authoring also requires HyperCard and MPW, which Apple includes in the package it

QUICKTIME VR HARDWARE

| For... | You'll need... |
|------------------------------|--|
| 320- by 200-pixel resolution | 68030 Macintosh |
| 640- by 480-pixel resolution | 40-MHz or faster 68040 Macintosh; PowerMac |

sends to developers. Apple also charges royalties based on sales: 40 to 80 cents per unit, depending on the number of panoramas in the product. Apple's authoring tools are more sophisticated than Microsoft's, so Apple is obviously trying to get a return on its R&D investment.

Microsoft, on the other hand, sees Surround Video as a way to sell more copies of Windows 95 (which Microsoft recommends be used with it to obtain good performance). So, Microsoft is essentially giving away its tools by including them on the CD-ROMs periodically sent to registered developers. In addition, Microsoft doesn't plan to charge royalties.

Because Microsoft requires developers to use a panoramic camera, however, it's more expensive to get started with Surround Video than it is with QuickTime VR. While a 35mm SLR camera and an extreme-wide-angle lens cost about \$1000 to \$2500, a good panoramic camera costs from \$2500 to \$22,000. Microsoft says that's an insignificant cost for professional developers, whose production budgets can range into the hundreds of thousands of dollars. Microsoft has also compiled an international directory of professional photographers who already have panoramic cameras; their rates average about \$1500 per day, plus expenses.

Developers thus face a difficult choice: Either pay more for the authoring tools and royalties required by QuickTime VR or pay more for the photography required by Surround Video. Fortunately, users do not have to wrestle with these decisions. Although QuickTime VR is technically superior, Surround Video is not far behind. On the screen, both deliver a similar experience—a new way of viewing and interacting with virtual environments without the need for special equipment. ■

Tom R. Halfhill is a BYTE senior news editor based in San Mateo, California, who has more than 20 years' experience in photography. You can reach him on the Internet or BIX at thalfhill@bix.com.

Have Your Cake... and Eat It Too.

Doubleplay SERIES I



**AVAILABLE
SOON!**

2 in 1 cartridge tape and floppy drive.

Reads and writes both floppy disk and tape • twice the speed of other floppy drives • copy files to tape from Windows File Manager • 3 year warranty.

For product information or
your nearest distributor call:

1-303-229-0660

ComByte inc.™

4424 Innovation Drive, Ft Collins, CO 80525

Circle 549 on Inquiry Card (RESELLERS: 550).

More than just a computer network.

Technology Experts



Corporate Management



Strategic Network Decision-makers



McGraw-Hill Publications. MAXIMIZE YOUR REACH.



- 4-Architectural Record
- 7-A/C Flyer, Aviation Week & Space Technology, AW & ST Russia, Business & Commercial Aviation, World Aviation Directory, Buyer's Guide, World Aviation Catalog Guide
- 20-Business Week, Business Week China, Business Week Poland, Business Week International Edition, Business Week Russia
- 28-Chemical Engineering
- 32C-BYTE, Data Communications, Data Communications International, LAN Times, Open Computing
- 39-Electrical World
- 41-ENR, Construction News Publishing Network (14 Magazines, 5 Newspapers), Sweet's Catalog File
- 46-Global Finance
- H6-The Physician & Sportsmedicine, Postgraduate Medicine
- 114-Modern Plastics, Modern Plastics International, Modern Plastics Encyclopedia & Buyer's Guide
- 117-Power, Electric Power International

Rich Information.

MCGRAW-HILL PUBLICATIONS ONLINE

Information-Rich!

The Full-text Database with McGraw-Hill Credibility

Business Week
Aerospace Daily
Airports
Architectural Record
Aviation Daily
Aviation Europe
Aviation Week & Space Technology
Biotechnology Newswatch
Byte
Chemical Engineering
Coal Tech International
Coal Week
Data Communications
Electrical World
Electric Utility Week
Engineering News-Record
Federal Technology Report
Hazardous Waste Business
Independent Power Report
Industrial Energy Bulletin
Inside Energy/with Federal Lands
Inside F.E.R.C.
Inside N.R.C.
Integrated Waste Management
LAN Times
Modern Plastics
Nucleonics Week
Open Computing (formerly UnixWorld)
Platt's International Petrochemical Report
Platt's Oilgram News
Platt's Oilgram Price Report
The Physician & Sportsmedicine
Postgraduate Medicine
S&P's Emerging & Special Situations
S&P's Metals Week
S&P's Review of Banking & Financial Services
S&P's Review of Securities
& Commodities Regulation
Securities Week
Telecom Strategy Letter
Utility Environment Report
The Weekly of Business Aviation

You have it all, word for word. You're connected to an unabridged electronic library containing the full text of articles exactly as published, except graphics, in McGraw-Hill magazines and newsletters. And, best of all, because it's from McGraw-Hill, a leading international multimedia publishing and information services company, you get unparalleled excellence and reliability of content.

You access it fast and easy. You can search the entire McGraw-Hill database (over 50 of our leading publications) faster with more user-friendly ease than any other text. There are no cumbersome preliminaries...you get right into your hunt for information about companies, people and products on any topic.

And now you can make the information-rich connection to McGraw-Hill Publications Online today. For more information and our latest, complete list of publications, contact Andrea Broadbent at (609) 426-5523. Or fax this coupon to (609) 426-7352. Or send it to the address on the coupon.

Available online through

- Dialog® • NewsNet® • Dow Jones News/Retrieval®
- Lexis/Nexis® • F.T. Profile (U.K.)

Now Available on
CD-ROM
**THE MCGRAW-HILL
ENERGY LIBRARY**
PRODUCED BY
**SILVERPLATTER
INFORMATION**

McGraw-Hill Publications Online

Princeton-Hightstown Road
N-1
Hightstown, NJ 08520 U.S.A.

- ☐ Send me the complete list of your publications online.
- ☐ Send me details on The McGraw-Hill Energy Library produced by SilverPlatter Information.



Name _____

Title _____

Company _____

Address _____

City _____

State _____

Zip/Postal Code _____

Country _____

Tel. _____ BY _____

And More ...



It Makes Simple Presentations Impressive. It Makes Impressive Presentations Simple.


It's a Proxima Ovation®+ projection panel. It works with your computer and an overhead projector to project powerful large-screen images. Anything from simple graphics to full-motion multimedia presentations. And yes, you need one. Because with it, you can communicate more effectively than ever before.

But that's not all. Proxima's Ovation+ is easy to use—just plug it in like a monitor. It's impressive to watch—it's active-matrix display projects 16.7 million

eyepopping colors. And it puts you in command. Our unique Cyclops® interactive pointer system works like a cordless mouse to give you total control of your software from anywhere in the room. Any software, any presentation, any platform.

Suddenly, your presentations are more impactful. Your points more memorable. Your workgroups more productive. All because you have an Ovation+ projection panel.

To receive information on our complete line of Proxima Desktop Projection™ products, call us today at **1-800-447-7692, Ext. 652.**




PROXIMA®

THE DESKTOP PROJECTION COMPANY

Main Office: 9440 Carroll Park Drive, San Diego, CA 92121-2298, (619) 457-5500, FAX (619) 457-9647, (800) 447-7694 (U.S.A. and Canada). European Office: Hunslerweg 24, 6191 RX Beek, The Netherlands, +31-43-650 248, FAX +31-43-649 220. Proxima, Proxima Ovation, and Cyclops are registered trademarks of Proxima Corporation. Desktop Projection is a trademark of Proxima Corporation. Other trademarks are the property of their respective owners. U.S. and foreign patents are pending. Copyright 1995 Proxima Corporation. All rights reserved. Specifications are subject to change without notice.

Circle 132 on Inquiry Card (RESELLERS: 133).

BEYOND HOLLYWOOD



New tools and technologies make it easier to create professional-quality video and send it throughout your company

Digital video could be the next killer application if it weren't for the steep technical hurdles that have to be overcome to create, transport, and compress the medium. Nevertheless, some pioneering companies outside the professional video industry are using it to conduct business more efficiently and profitably.

New and less-expensive hardware and software for nonlinear editing brings professional-quality tools to within the budgets of the general-business community. Choices of ways to send video over networks are expanding. Lower-priced and higher-quality compression techniques make creating, storing, and sending massive video files practical. The stories that follow delve into each of these areas in detail.

But just solving technical problems isn't enough to solidify digital video's role for general business. Ten years ago, desktop publishing brought the graphics designer's tools to the masses, and ever since, we've been buffeted by the eye-boggling multitype-face memos created by design amateurs. As digital video moves into the mainstream, it will require the same learning curve as amateurs learn how to effectively use the medium. In its research into what attracts people to use interactive kiosks, IBM found that digital video can be both compelling and daunting: Video clips from 3 to 5 seconds long had a positive impact, but anything longer tended to lose kiosk users' interest.

Today's hottest video applications include video conferencing, distance learning, corporate training, and sales presentations, in addition to kiosks. However, expect it to be two to three years before digital video takes over most desktops. Emerging markets will remain key for now, because, as Paul Callahan, director of networking strategy at Forrester Research, Inc. (Cambridge, MA), explains, while compelling, digital video isn't critical yet to doing business for most companies. For video to become ubiq-

uitous, hardware vendors must seed the market. "You've got to give it away," says Callahan. That process has already begun. Graphics chips vendors are introducing accelerators with on-chip motion video capabilities that will make 30 fps (frames per second) a throw-in item for Windows systems.

Even so, is digital-video production ready for prime time? To find out, we rolled up our sleeves and created our own digital-video project. "BYTE's Video Workshop" recounts our experience and offers some surprising insights into what video non-professionals will need in terms of hardware, software, time, and expertise. Technology may soon bring video to a screen near you, but creating it remains an art. ■

—Alan Joch, Senior Editor

BYTE's Video Workshop

Peer under the hood to see how to make an actual video product. We'll show you how to do it right, and what traps to avoid **97**



Compression Scorecard

Compression got you confused? Here's how the major compression/decompression schemes stack up against each other **107**



Video Connections

Isochronous Ethernet and ATM square off in the battle to become the standard for sending video across networks **113**



We're Becoming Very Big In Monitors.



Imagine this: Once every 15 seconds someone in the USA buys a new CTX color monitor.

That's a million last year alone – more even than sold under big names like NEC, Sony, IBM and Mitsubishi*.

And that's before the international experts started raving about our bigger, new, high-performance 1765GM and 1785GM 17-inch "green" monitors:

"Best 17-in. monitor" (Monthly PC Magazine, Japan).
"Best overall performance" (Soft & Micro Magazine, France).
"One of the best monitors...bright, sharp display and excellent colors" (Windows Magazine, Sept. '94). *"Symbol of Excellence Award"* (CETDC/ Business Week Asia, Taiwan).
"Best Display Products" (Computex/Byte, Taiwan).

Not only does the larger, flat-square tube give you

more display area for Windows®, an ultra-fine .26mm dot pitch and flicker-free 1280 x 1024 at 75Hz resolution bring your graphics to life as never before.

Users thrive on the ergonomic design; anti-glare, anti-reflection, anti-static screens; and its front-mounted, full-featured digital touch-panel.

These new low-radiation (MPR II-compliant) "green" monitors use only five watts of power when "on" but inactive. That's six times better than even the US EPA's own Energy Star guidelines.

So how did we get so big so fast? Simply by giving you more for less. For more information, call your nearest CTX office.

CTX

CHOICE OF THE PROS

USA Headquarters 20530 Earlgate Street, Walnut, CA 91789, 909-595-6146, Fax 909-595-6293 **Technical Support** 1-800-888-2012 **BBS** 909-594-8973 **Southern Region** 6624 Jimmy Carter Blvd., Norcross, GA 30071, 404-729-8909, Fax 404-729-8805 **Eastern Region** 481-A Edward Ross Drive, Elmwood Park, NJ 07407, 201-646-0707, Fax 201-646-1998 **Midwestern Region** 500 Park Blvd., Ste. 295C, Itasca, IL 60143, 708-285-0202, Fax 708-285-0212 **Southwestern Region** 1225 E. Crosby Rd., Ste. A21, Carrollton, TX 75006, 214-416-9610, Fax 214-245-7447.



©1994 CTX International, Inc. All brand names are trademarks or registered trademarks of their respective owners.
 *Official 1993 Monitrak U.S. monitor sales research.

Circle 70 on Inquiry Card (RESELLERS: 71).

BYTE's VIDEO WORKSHOP

Is it practical to create video products in-house? Yes, but be prepared to spend an enormous amount of time trying to get the different hardware components to talk to each other.

STANFORD DIEHL



The Digital Video Revolution has arrived, but don't expect a lot of fanfare: Everyone's too busy getting the hardware to work. In the age of MTV and sound-bite presidential campaigns, video's power is obvious, but capturing video at the PC desktop and delivering it across the enterprise is still fraught with the glitches and the gotchas of the PC architecture.

That's no reason to let the revolution pass you by. Digital video is essential for producing CD-ROM-based products that can hold in-house training programs, presentations, and other types of corporate data. Digital video excels at handling small video segments like these, and with CD-ROM players on many desktops, it's often easier to view a CD-ROM in the workplace than a VHS tape.

Over the next several months, expect an explosion of motion-video hardware, mainstream playback boards, and turnkey capture solutions to hit the market. When Windows 95 finally ships, it will provide an integrated multimedia architecture along with 32-bit versions of the Indeo and Cinepak codecs.

What's more, almost every major graphics chip vendor—including S3, Tseng Labs, Western Digital, and Brooktree—has or will soon release a Windows accelerator that incorporates on-chip motion-video acceleration. This, along with the new DCI (Display Control Interface) drivers, will make full-motion video a standard capability of most Windows accelerators (for a review of hardware video architectures, see "Video for Free," February BYTE).

BYTE set up a desktop video production suite and created an in-house multimedia product to find the requirements, the problems, and the issues of desktop video production. We looked at video from the corporate perspective rather than the professional broadcast angle. Without contracting professional video services or

What It Takes


DIGITAL VIDEO

TOTAL COST: \$12,700

Digital video works best when the output medium is a CD-ROM or hard drive. The video segments should be relatively short and launched from interactive buttons. Among digital video's advantages are nonlinear editing and playback, a broad range of Windows editing tools, and a wide variety of digital video effects to choose from. The mainstream emergence of MPEG promises to improve quality and expand playback windows to half-screen or full-screen. And while the resource requirements of digital video can reach astronomical proportions, they are scalable: You can start experimenting with a \$700 capture board (like the miro shown here), your current PC, and a consumer camcorder.

The Sony CCD-TR700 Hi8 Handycam camcorder. S-Video and composite video jacks, LANC connector, and color viewfinder (\$1100).

Consumer Technologies' Presenter3 Computer-to-Video scan converter (\$349). (For comparison purposes, we used the Scan Do Pro pricing, listed in "Analog Video," for both setups).



Gateway P5-100XL, a high-end Windows system (\$4400) with:

- a 100-MHz Pentium
- 32 MB of RAM
- a 2-GB hard drive with PCI-SCSI controller
- a quad-speed CD-ROM
- 16-bit audio
- 24-bit video and a 17-inch monitor

miroVideo DC1. Video capture and Motion-JPEG compression board (\$700). (Not included in total cost—MPEG station comes with capture board).

The MPEG Creation Station (\$4699). Smart and Friendly's bundled solution includes all the hardware and software components you'll need to create MPEG titles from the desktop:

- Fast Electronic's MovieMachine Pro video capture board
- Smart and Friendly CDR-2000 CD Recorder (shown here)
- Macromedia Director and Authorware Professional
- Xing MPEG encoder software
- Fast Motion-JPEG daughtercard
- Autodesk Animator Pro
- Adobe Premiere for Windows
- Gear CD-R software

hiring a video specialist, can a corporation build video production capability on the PC desktop?

The answer, we concluded, is yes. But in the process, we ran into one configuration hassle after another trying to mix together the various components, such as a 24-bit Windows accelerator, a motion-video capture card, a hardware compression module (often a separate card requiring a unique interrupt and address), a 16-bit sound card, and a CD-ROM drive or CD-ROM recorder.

We also learned that while digital video may be all the rage today, you need to look past the hype. Analog video can be a better solution if VHS tape will carry your message from the president, customer profile, or other long-length subject. For details, see the text boxes "What It Takes" and "Analog, Hands On."

BYTE Video Productions

Our video workshop started with the idea of capturing the valuable technical information that companies present to BYTE each day in product demonstrations. We set up cameras to record the give and take among industry representatives and BYTE editors. We trained one camera, a pro/am-level Sony Hi8 Handycam, on the main presentation speaker. The second camera, a professional-class Panasonic Omni-MovieHQ SuperVHS, filmed a wide-angle shot of all the demonstration participants. A scan-converter piped the on-screen computer presentation to a Sanyo Super-VHS tape deck. The tapes that resulted held a treasure of industry insights, demonstrations of exciting new products, and unguarded revelations of limitations and bugs.

We planned to send the edited video

package to editors in our worldwide bureaus, to freelance authors, or to anyone else who needed the information. The target market drove not only how we scripted the content but also the development platform. We chose two different output targets: analog videotape and digital video on CD-ROM. The text box "What It Takes" shows our digital-video and analog-video production platforms.

CD-ROM products work best for nonlinear delivery of information. You click buttons on the CD-ROM title's interface to launch short video clips (see the screen on page 100). We broke our video content into several clips and organized them by subject. Click on one button, for instance, and you can see a selection of sample video transitions shown in one vendor demonstration. These video clips played samples of transitions and on-screen

ANALOG VIDEO

TOTAL COST: \$17,200

Analog editing works best when the output medium is VHS tape and the content is long-length videos such as speeches and customer testimonials. Analog production avoids many of the headaches associated with digital video. There are no quality degradations or performance issues surrounding video compression because analog production requires no compression. And with analog video, VHS tapes are, in effect, your storage medium, so you avoid the eye-popping hard drive requirements of digital capture and edit. Video Machine doesn't demand memory beyond what you need for traditional Windows applications because the digital effects are processed in on-board frame buffers. Total cost (for both systems) includes \$500 for cables, tripods, lighting, and other expenses.

Video Machine Lite from Fast Electronic. Along with Matrox Studio, it is the leading analog video-editing platform for Windows. An internal board is installed in the computer. Shown here is the optional Studio Control Box (\$2495). The same functionality is available with VM Lite and the Multi I/O cable (\$2995).

Two Sanyo GVR-S955 SuperVHS decks. For true A/B roll editing, you'll need three decks, but if you don't mind shuffling tapes, you can get away with two (\$3495 each). For desktop video applications, your deck should support:

- Computer control
- SMPTE time code
- S-Video I/O
- SuperVHS
- DCI drivers
- Drivers for Video Machine (or selected analog control system)



Panasonic OmniMovieHQ SuperVHS camcorder. S-Video and composite ports (\$1600).

Scan Do Pro. Computer-to-Video scan converter for capturing computer screen to analog tape. From Communications Specialties (\$1995).

13-inch Sony Trinitron monitor with composite inputs and a video sequencer to monitor the various video sources (\$600). This is a low-end solution. Alternatively, we used Sampo's new AlphaScan LC, a beautiful 20-inch monitor with two VGA inputs, a composite video input, a stereo audio input, and a cable TV input with tuner. You use remote control to switch among video sources.

The Video Machine does not require a high-end system. We used a Gateway 486/66 with 8 MB of RAM, a 500-MB hard drive, PCI video, and a 17-inch monitor (\$2500).

tutorials on how to create the transitions with a selection of digital-editing software.

Capture Conflicts

To digitize our taped demonstrations, we first used the Orchid Videola Premium. After trying almost every configuration combination imaginable, we got the video capture working—or so we thought. When we dumped the captured clip into Adobe Premiere (our editing software), the video was consecutive frames of solid pink.

Orchid technical support came up with a solution: Go into Gateway's BIOS setup and disable BIOS shadowing. That trick let us capture some excellent video clips using Orchid's Motion JPEG compression (an optional daughtercard is required for M-JPEG).

Unfortunately, the Videola requires a VGA feature connector, which limits your

desktop resolution to 640 by 480 pixels. (In theory, you should be able to get up to an 800- by 600-pixel resolution desktop, but we never got stable output at the higher resolution.) Adobe Premiere and other digital video editors present a full desktop with an assortment of tool palettes and windows. You also must work with a time line packed with video strips, transition effects, and audio waveforms. It's simply too much interface for anything less than a 1024- by 768-pixel resolution desktop.

Many alternatives can replace the feature-connectors (faster local-bus architectures such as PCI [Peripheral Component Interconnect], better compression schemes, integrated chips that combine Windows acceleration with motion-video support, and architectural solutions such as VESA Media Channel). At this point, we don't recommend a feature-connector solution.


The best answer is a turnkey solution. We solicited Smart and Friendly's MPEG Creation Station, a well-conceived bundle of products that comprises all the pieces you'll need to generate MPEG titles. Smart and Friendly offers the MPEG Creation Station as a turnkey system, but when we started our project, the components were only available separately. That's a lot of stuff to get working in a single PC.

We ran into problems trying to get the Fast Movie Machine to work (the capture component of the MPEG Creation Station). The Movie Machine supports an optional Motion-JPEG board that occupies its own slot, interrupt, and address space. When we first installed it, the motion-video input displayed on screen, but it wasn't aligned in the capture window. When we tried to load the alignment controls, we were uncerecermoniously

bumped out of Windows. A few configuration options later, we got the video capture to work well, but when we played back the captured clip, compression didn't work properly. We finally resorted to a second machine, but it didn't work either.

Vendors and developers in the digital-video field told us conflicts are normal. We heard plenty of other horror stories, usually solved by a technical-support engineer who knew the vagaries of the specific combination of hardware components. Here are a few tips:

- Keep a good configuration log. Write down the interrupts and addresses occupied by each component in the system, and keep track of which combinations have failed.
- Get to know MSD (Microsoft Diagnostics), the configuration utility that ships with DOS. It can return valuable information about open interrupts and addresses.
- Get the capture and compression component working first, before adding sound cards, CD-ROMs, and network interfaces.
- Plug the network card in last and use the 3Com EtherLink III, if possible. It shipped with our 100-MHz Gateway. It's the closest thing to true plug-and-play that we've ever run across.
- Install VFW (Video for Windows) 1.1d and keep your software setup routines from reinstalling VFW run time (if possible). Some installation software will overwrite your current VFW drivers and downgrade you to an older version. It happened to us more than once. VFW 1.1 is a significant upgrade from 1.0, and you'll need it.
- Call technical support *before* you lose your wits or kick your dog. Have your log



Digital Video is best deployed by launching small video clips from a CD-ROM interface. We used Asymetrix's Compel to prototype our video project.

or daughtercard). For us, the miroVideo was the solution.

Video Assembly

Finally, it was time to capture video (see the text box "Capture Tips"). We had filmed two hour-long demonstra-

tions, and we had three tapes of each session: one wide-angle view, one zoom of the main demonstration presenter, and one video capture of the demonstration computer screen. We captured short video clips from the assembled content. We quickly realized that the 500 MB free on our 1-GB hard drive would not suffice; thus, we installed Adaptec's PCI SCSI Master drive controller and a fresh Micropolis 4110 1-GB drive before proceeding. For your video-capture station, 4 GB is not an unreasonable recommendation, and if you really want optimum performance from a storage system, invest in one of the high-capacity audio/video hard drives, which are optimized for multimedia applications.

On the surface, you can capture raw video as easily as plugging your video source into the capture card and firing up your capture driver. But for optimal playback on target systems, you need to consider many performance issues.

VFW will drop frames from a video clip if the playback system can't keep up. Your video clips will look better on your target systems if you select a capture rate that your target hardware can handle. It is better to run a video at 12 fps without dropping frames than to play it back at 15 fps with dropped frames. A lower frame rate stretches the display of each frame, smoothing out the overall playback quality. Dropped frames result in extremely jerky motion. So select the highest frame rate that your target system can play back without dropping frames.

Here's the rub: Playback on any system can achieve only the maximum frame rate you've configured for your captured sequence. If your capture rate is at 12 fps, the quality will look the same on a 33-MHz 486 as it does on a 90-MHz Pentium

handy so that you can report your current hardware setup, including interrupt and address configurations.

Andrew Hudson, president of North Coast Software (makers of the PhotoMorph video-effects package), suggested the miroVideo DC1 capture and compression card. His company was happy with it, and the card's installation routine automatically senses available interrupts and addresses—well, sort of. Configuration glitches remained. Without a true plug-and-play architecture, software can't reliably find the best configuration options, but the miroVideo performed better than most. The bottom line is it worked reliably with all our other hardware.

The card captured video through the S-Video port without dropping any frames, and it supported high-quality Motion-JPEG compression on-board (the compression hardware didn't require an additional board

Capture Tips

- Compress at the highest rate that your target system can play back without dropping frames
- Capture at the highest possible rate and then recompress to the target rate
- Select the driver's VCR checkbox to enable time-base correction
- Make sure your hard drive is large and fast (1 to 4 GB and 6-Mbps sustained data transfer rate)
- Capture at 160 by 120 pixels if your target systems support hardware scaling
- Use step-frame capture if your video source supports it
- Compress with Indeo 3.23 for software-only playback
- Develop with MPEG if your targets support MPEG playback

STATISTICA

NEW
release 5.0

STATISTICA® (for Windows) ■ A complete data analysis system with thousands of on-screen customizable, presentation-quality graphs fully integrated with all procedures ■ Comprehensive *Windows™* support, OLE (client and server), DDE, customizable *Auto Task* toolbars, pop-up menus ■ Multiple data-, results-, and graph-windows with *data-graph* links ■ The largest selection of statistics and graphs in a single system; comprehensive implementations of: Exploratory techniques with advanced brushing; multi-way tables with banners (presentation-quality reports); nonparametrics; distribution fitting; multiple regression; general nonlinear estimation; stepwise logit/probit; general ANCOVA/MANCOVA; stepwise discriminant analysis; log-linear analysis; confirmatory/ exploratory factor analysis; cluster analysis; multidimensional scaling; canonical correlation; item analysis/reliability; survival analysis; a large selection of time series modeling/forecasting techniques; structural equation modeling with *Monte Carlo* simulations; and much more ■ On-line *Electronic Manual* with comprehensive introductions to each procedure and examples ■ Hypertext-based *Stats Advisor* expert system ■ Workbooks with multiple *AutoOpen* documents (e.g., graphs, reports) ■ Extensive data management facilities (fast spreadsheet of unlimited capacity with long formulas, *Drag-and-Drop*, *AutoFill*, *Auto-Recalculate*, split-screen/variable-speed scrolling, advanced Clipboard support, DDE links, hot links to graphs, relational merge, data verification/cleaning) ■ Powerful *STATISTICA BASIC* language with matrix operations, full graphics support, and interface to external programs (*DLLs*) ■ Batch command language and editable macros, flexible "turn-key" and automation options, custom-designed procedures can be added to floating *Auto Task* toolbars ■ All output displayed in *Scrollsheets™* (dynamic, customizable, presentation-quality tables with instant 2D, 3D, and multiple graphs) or word processor-style report editor (of unlimited capacity) that combines text and graphs ■ Extremely large analysis designs (e.g., correlation matrices up to 32,000x32,000, unlimited ANOVA designs) ■ Megafile Manager with up to 32,000 variables (8 Mb) per record ■ Unlimited size of files; extended ("quadruple") precision; unmatched speed ■ Exchanges data and graphs with other applications via DDE, OLE, or an extensive selection of file import/export facilities (incl. *ODBC* access to virtually all databases and mainframe files) ■ Hundreds of types of graphs, incl. categorized multiple 2D and 3D graphs, ternary 2D/3D graphs, matrix plots, icons, and unique multivariate (e.g., 4D) graphs ■ Facilities to custom-design new graph types and add them permanently to menus or toolbars ■ On-screen graph customization with advanced drawing tools (e.g., scrolling and editing of complex objects in 32x real zoom mode), compound (nested) OLE documents, *Multiple-Graph AutoLayout Wizard*, templates, special effects, icons, page layout control for slides and printouts; unmatched speed of graph redraw ■ Interactive rotation, perspective and cross-sections of 3D displays ■ Large selection of tools for graphical exploration of data: extensive brushing tools with animation, fitting, smoothing, overlaying, spectral planes, projections, layered compressions, marked subsets ■ Price \$995.

Quick STATISTICA (for Windows) ■ A subset of *STATISTICA*; comprehensive selection of basic statistics and the full analytic and presentation-quality graphics capabilities of *STATISTICA* ■ Price \$495.

STATISTICA/QC - Industrial statistics add-on package (requires *STATISTICA* or *Quick STATISTICA* for Windows) ■ The largest selection of industrial statistics in a single package; quality control charts (compatible with real-time data acquisition systems), process capability analysis, R&R, sampling plans, and an extremely comprehensive selection of experimental design (DOE) methods ■ Flexible tools to customize and automate all analyses and reports (incl. "turn-key" system options, and tools to add custom procedures) ■ Price \$495.

STATISTICA/Mac (for Macintosh) ■ Price \$695 (Quick - \$395).


Domestic sh/h \$12 per product; 30-day money back guarantee.



StatSoft®

2325 E. 13th St. • Tulsa, OK 74104 • (918) 583-4149
Fax: (918) 583-4376

Overseas Offices: StatSoft of Europe (Hamburg, FRG), ph: 040/ 4200347, fax: 040/4911310; StatSoft UK (London), ph: 0462/482822, fax: 0462/482855; StatSoft Pacific (Melbourne, Australia), ph: (03) 663 6580, fax: (03) 663 6117; StatSoft France ph: (1) 45 66 97 00, fax: (1) 45 66 06 51; Available from other Authorized Representatives worldwide: Sweden: AkademiData Scientific ph: 018-210035, fax: 018-210039; Finland: Statcon Oy ph: 24-334678; Belgium: Texma NewTech ph: 10 61 16 28, fax 10 61 69 57; South Africa: Osiris ph: 12-663-4500, fax 12-663-6114; Japan (Macintosh): Three's Company, Inc., ph: 03-3770-7600, fax 03-3770-7784; Japan (Windows): Design Technologies, Inc., ph: 03-3667-1110, fax: 03-3668-3110; Italy: Prompt SRL ph: 49-893-3227, fax: 49-893-2897; Poland: Companion Oprogramowanie ph: 12-369680, fax: 12-360791; Taiwan: Intelligent Integration Corp. ph: 2-759-1791, fax: 2-759-1790. StatSoft, the StatSoft logo, STATISTICA, and Scrollsheet are trademarks of StatSoft, Inc.



Circle 115 on Inquiry Card.


with a motion-video accelerator. If you up the frame rate, you degrade playback quality on your low-end target; lower the frame rate, and you waste any special playback acceleration at the high end. MPEG solves the problem with dynamic frame rate support, but your target systems will require MPEG decompression hardware. We'll address those issues in a moment. First, let's look at VFW.

Optimizing Video Compression

To optimize frame-rate and compression parameters to a targeted throughput rate, start from your VFW capture driver. As you can see from the screen above, VFW gives you some important output options. First, you can select a target throughput rate. If your target is a single-speed CD-ROM drive, select a throughput rate of 150 Kbps. You can also adjust the compression quality. Start at 100 percent quality and scale it



Video for Windows lets you select a throughput rate for video output. Note also the compression slider for output quality.



down if you exceed your targeted throughput rate.

It will take trial-and-error to tune performance properly. Luckily, you can capture your original video sequence and then save it with different parameters (using the VFW driver "Save As" option).

Normally, you should avoid recompression because each compression pass results in some quality degradation. But

most boards use only intraframe compression during capture. Recompression to a lower frame rate takes advantage of intraframe and interframe compression, improving overall quality. (For more compression details, see the article "Compression Scorecard" on page 107.)

A Step at a Time

To avoid quality degradation in real-time video capture, you could install at least 64 MB of memory and capture small clips directly into RAM. A more practical way to avoid real-time compression is with *step-frame* capture. Here, your capture driver receives the first frame of the video clip from the video source. The driver then compresses the frame, taking as much time as it requires. After compressing the frame, the driver advances the video source one frame and begins processing the next image. Step-capture rates are often specified in a ratio; for instance, a

Analog, Hands On

VM (Video Machine) from Fast Electronic was the core of our analog-video production platform. It consists of a single hardware board that slides into a 16-bit PC slot. An output cable splits into multiple connectors to accept external device signals. The separate VM Studio Box supports additional ports and makes it easier to hook up devices.

VM hardware installation was surprisingly easy. After placing the jumperless VM card into our Gateway 486/66, we booted the auto-sensing drivers that checked for available interrupts and memory addresses. The Sanyo decks fed the VM Studio Box through a serial connection (for computer control) and an S-Video cable (for the video signal).

We then loaded the software application and selected the VM-supported decks from the Device Setup option. We stayed with the driver's default options (except for changing the video format from PAL to NTSC), defined the I/O ports, and designated one deck as the player, the other as the recorder. The Sanyo decks let us stripe SMPTE time code onto SuperVHS tapes that already contained video content. Time coding

helped us determine precise frame positioning.

Let It Roll

To create your video product, you designate certain portions of the tape and lay them out on a time line, much as you do with a digital editor like Adobe Premiere. But the software application only retains the pointer information to the analog tape sequence. We marked the appropriate clips from both sources and placed them on the time line. We then dropped transition effects between clips. Video Machine captures the last frame from the "A" clip and the first frame from the "B" clip and stores the frames into its on-board frame buffers. The transition is then created digitally from the two frames. Because of these digital effects, Fast refers to VM as a "hybrid" rather than an "analog" system.

Once the clips are marked and laid out, we told the Video Machine to compile the final production and record it to our destination deck. The software locates the mark-in and mark-out points of each clip (using SMPTE time code) and outputs the clip to the destination


recorder. The digital transition is then output to the recorder, and the next clip is retrieved from the analog source. In this way, Video Machine compiles the edited production from two (or more) sources and applies transitions and effects. In addition, you can overlay images from your hard drive or generate titles and overlay text from any Windows application.

If you have a true A/B roll configuration (requiring three decks), the final compilation can be hands-free. You put one video source in the "A" deck and the other source in the "B" deck and let it roll. We had only two decks total, so the process was not as automated. We had to feed the proper VHS tape into the input deck each time there was a transition from one reel to the next, but the final product came out as smoothly as it would have with a real A/B setup.

If you want to create in-house VHS videos of staff meetings, speeches, and demonstrations, the Video Machine solution is the best way to go. Video Machine supports all the standard transitions and effects you'll need for a corporate production, and the production process is much more streamlined than if you tried the same type of product using digital video.



1. Standardize On A Common GUI Interface That Makes It Easier To Use, Reduce Training Costs And Boost Productivity.



4. Demand An Open Solution That Supports All Key Industry Standards And Protocols.

2. Protect All Your Data With Bulletproof Security Software That Supports Every Platform And Operating System Across Your Entire Enterprise.



3. Choose A Client/Server Application That's Interoperable, Scalable and Portable.




5. Partner With The World's Leading Software Company.

6. Leverage Your Systems Management Experience, Expertise And Personnel.



7. Replace Disparate Point Products With A Single, Integrated, Comprehensive Solution.



Presenting The 7 Commandments Of Systems Management Software.



When choosing your systems management software, you shouldn't have to make a leap of faith. And with new CA-Unicenter,* you don't have to. Because CA-Unicenter is the single, integrated systems management solution that solves all of the challenges of managing client/

server computing across heterogeneous platforms.

So call today for more information about the systems management software you can believe in: CA-Unicenter.

Call 1-800-225-5224, Dept. 10500 For More Information And To Register For The CA-Unicenter Software Giveaway.

CA-Unicenter®

Integrated Client/Server Systems Management Software

© Computer Associates International, Inc., Islandia, NY 11788-7000. Offer good in U.S. and Canada only. All other product names referenced herein are trademarks of their respective companies. Requirements for Software Giveaway available through toll-free number.

COMPUTER ASSOCIATES
Software superior by design.

Circle 68 on Inquiry Card.

20-to-1 compression rate requires 20 minutes to process 1 minute of real-time video. Use step-capture if you have the hardware and software to support it (you'll need a deck or a camcorder that your driver can control through MCI (media control interface). An emerging standard for device control is LANC, a protocol for controlling consumer devices remotely. When you're shopping for a consumer or "prosumer" camcorder, look for a LANC connector. Our Sanyo deck shipped with an MCI driver for computer-control through the serial port.

Microsoft and other vendors are addressing MPEG's incompatibility problems by standardizing on an MPEG implementation that will be incorporated into MCI. MPEG uses bidirectional inter-frame compression (an intermediate frame can refer to the previous key frame and to the subsequent key frame to optimize compression), a capability not supported in VFW. So in the immediate future, MPEG can't plug into VFW as an installable codec. You'll have to implement MPEG via MCI calls. But that's not a major road-

You can even pinpoint specific frames where your compression is breaking down.

Post-Processing

We found some outstanding software tools for editing our digital video clips. Adobe Premiere 4.0 is an obvious choice. PhotoMorph can create slick digital transitions and dump the results to an AVI (Audio Video Interleave) file. You can then drop the clip directly into Premiere or any other tool that supports the AVI format.

Star Media Systems recently began shipping a remarkable editor called Video Action Pro. This first release offers tools for video editing, animation, digital effects and transitions, filtering, chroma-keying, audio mixing, and title generation from a single interface. Very impressive.

With all this software power, it's easy to get carried away with special effects. For corporate video production, stick to the basic transitions: hard-cut, dissolve, and a few selected wipes. Don't use effects or transitions just for their own sake. Each technique should serve a clear purpose that's related to the content of your project.

That's a Wrap

Our video project still needs a nip here and a tuck there. We've captured key clips and created a prototype interface, but we still have to toil with authoring environments and spit the results out to our CD-ROM recorder. For now, we have our capture station producing high-quality digital video.

We believe in-house video production is viable for corporate content. Although you still need professional video services for broadcast-ready production, such as TV advertisements and public-relations promos, desktop video is effective for training and other corporate-video content. But it isn't yet Plug and Play. You'll need computer-savvy people who, preferably, have also dabbled in video. In the ramp-up phase, you might even need an outside consultant, but once you're up and running, the payoff can be significant. Video is an effective way to distribute information. Welcome to the revolution. Stay tuned. ■

Stanford Diehl is director of BYTE Reviews and aspiring creative director of BYTE Video Productions. Previously, he designed computer-based training courses for a major industrial contractor. He has been installing, configuring, and testing computer hardware and software for over 10 years. You can reach him on the Internet or BIX at sdiehl@bix.com.

Where to Find

Adobe Systems
Mountain View, CA
(415) 961-4400
fax: (415) 961-3769

**Communications
Specialties, Inc.**
Hauppauge, NY
(516) 273-0404
fax: (516) 273-1638

**Consumer Technologies
Northwest, Inc.**
Beaverton, OR
(503) 643-1662
fax: (503) 671-9066

Doceo Publishing, Inc.
Norcross, GA
(404) 564-5545
fax: (404) 564-5652

Fast Electronic
Redwood City, CA
(415) 802-0772
fax: (415) 802-0746

Gateway 2000
North Sioux City, SD
(800) 846-4289
(605) 232-2000
fax: (605) 232-2023

miro
Palo Alto, CA
(415) 855-0940
fax: (415) 855-9004

North Coast Software
Barrington, NH
(603) 664-6000

Orchid Technology
Fremont, CA
(510) 683-0300
fax: (510) 490-9317

Panasonic Consumer Affairs
Secaucus, CA
(201) 348-9090

Sampo Technology
Norcross, GA
(404) 449-6220

Sanyo Fisher Corp.
Compton, CA
(310) 605-6527
fax: (310) 605-6529

Smart and Friendly
Van Nuys, CA
(818) 994-8001
fax: (818) 988-6581

Sony Corporation of America
Montvale, NJ
(201) 368-9272

Star Media Systems
Naperville, IL
(800) 775-3314
fax: (708) 355-4843

At the moment, MPEG is not a viable solution for corporate video production. It is simply too much work and expense to outfit all your playback systems with MPEG decompression hardware. Until recently, RealMagic distributed the only inexpensive MPEG playback solution. But there's a bigger issue. MPEG has not been a standard long enough to rely on. Buying an MPEG decompression board does not necessarily mean you will be able to play back all the titles developed with different flavors of MPEG.

MCI-based MPEG and DCI drivers should provide the impetus for mainstream MPEG playback. Most major graphics card vendors are readying inexpensive MPEG modules that integrate with existing Windows accelerators. Diamond Computer, Jazz Multimedia, miro, and other vendors have already announced or shipped mainstream MPEG playback options for their standard Windows-accelerator cards. You won't need to buy a separate video adapter and connect to your MPEG decompressor through a feature connector. You can buy it all together and slip it into one slot.

The VFW Developer's Kit ships with a Visual Basic Custom Control for accessing MCI devices from Visual Basic programs. In fact, building a simple Visual Basic-based interface for corporate video delivery is fairly easy to design and implement.

With MPEG, you'll be able to dynamically adjust the playback rate, sending 30 fps to a hardware-assisted target or delivering only key frames to a low-end platform. And, of course, MPEG can take advantage of DCI by passing unscaled YUV (shorthand for broadcast signals that define luminance, hue, and saturation) data to an available DCI-enabled video accelerator.

For practical advice on optimizing compression for video playback, see Jan Ozer's excellent book, *Video Compression for Multimedia* (Academic Press, 1995). It is full of good tips and tricks, and it also comes bundled with Doceo's VCS (Video Compression Sampler), an invaluable tool for optimizing video compression and playback. VCS displays a video clip's throughput rate so that you can easily see how well your clips conform to a throughput target.



**MOVIE
LINE**




FPS60: MAXIMUM DIGITAL VIDEO PERFORMANCE.

- 2 video inputs VHS, S-VHS and Hi8 (NTSC, PAL, and SECAM)
- 1 video output VHS, S-VHS and Hi8 (NTSC, PAL, and SECAM)
- High Quality M-JPEG digitizing of all fields (60 NTSC / 50 PAL)
- Studio quality (4:2:2, 24bit True Color)
- Scalable overlay: full screen/full motion even at high resolutions (up to 1280x1024)
- Framegrabbing (in all standard graphics formats)
- Single Monitor Solution: Preview your picture on your PC monitor in overlay!
- FAST Installation: fast and easy via software; no feature connector, no jumpers. MCI/VfW-compatible
- Includes software for nonlinear video editing on hard disk
- Pluggable MPEG Extension (optional)

The right solution for frame-accurate Digital Video Editing, video integration in professional presentations, animation recording, multimedia applications and "edutainment" (Interactive Games, VideoCD, MPEG1-Video).

FPS60



FAST
The Art of Digital Video.

Circle 148 on Inquiry Card (RESELLERS: 149).

USA: FAST Electronic US Inc. · 393 Vintage Park Drive, Ste.140 · Foster City, CA 94404 · Tel. (800) 684-MOVIE
 International: FAST Multimedia AG · P.O. Box 200 719 · D-80007 Munich, Germany · Tel.: ++49-89-50206-0 · Fax: ++49-89-50206-199
 CompuServe: GO FAST



THE POWER HUNGRY.

THERE ARE ONLY TWO KINDS OF COMPUTER USERS.



THE TRULY SATISFIED.

INTRODUCING THE IMAGINE 128-BIT GRAPHICS CARD.

THE ONLY SOURCE OF TRUE SATISFACTION FOR A POWER-HUNGRY PIXEL
PUSHER WITH A PENTIUM. 163% FASTER THAN TYPICAL 64-BIT CARDS* AND THREE
TIMES THE DRAWING BANDWIDTH. ADVANCED MULTI-BUS MEMORY ARCHITECTURE.
4 MEGABYTES OF VRAM. AND HAWKEYE[®], THE INDUSTRY'S LEADING
UTILITIES SUITE. YOU KNOW WHAT KIND OF COMPUTER USER YOU ARE.

WE KNOW WHAT KIND OF COMPUTER USER YOU WANT TO BE.

CALL 1-800-GET-NINE

FOR MORE INFORMATION OR THE NAME OF A RESELLER NEAR YOU.



NUMBER NINE
VISUAL TECHNOLOGY

COMPRESSION SCORECARD

Confused about compression? Here's how the leading codecs stack up for speed and image quality.

JOHN BRYAN



Video compression is like life: It's impossible to be too thin or too rich. In the video world, crash diets and wealth take the form of new algorithms that reduce video to its essence but keep it looking as rich as the original image. Packing video data tighter means it will look more realistic when its played back on affordable video hardware, or better yet, on the same hardware that's sitting on our desktops crunching data and processing words.

A number of compression schemes exist, each with its strengths and weaknesses. For example, just because Radius's Cinepak shines for high-motion video clips, don't expect it to be tops for a low-motion "talking-head" clip; image quality is sharp and few codecs (compressor/decompressors) work better than the venerable Video 1 when images change little from frame to frame.

Video compression is vital to anyone using digital video, whether you're a developer of CD-ROM titles and video-conferencing systems or a creator of corporate presentations and training tools. The codecs you choose for each project will determine how good the images look and how smoothly they flow when your audience watches them.

Compression Camps

Compression methods fall into camps. Some rely entirely on software codecs, and others use a combination of software and dedicated processors. Hardware-assisted compression algorithms have one terrific advantage over the software approach: speed. Plug in an MPEG board, and you can decompress video at the same rate and image quality as that of a VCR tape. Besides high cost, the downside to hardware-assisted compression is you gamble that all the potential viewers of your MPEG-compressed video will have the proper MPEG decoder on his or her machine.

What's the benefit of the software approach? Cost. Some leading software codecs come bundled in products like

LANCE JACKSON © 1995

COMPRESSION QUALITY

To reflect real-world use, we compressed MPEG images at 30 fps (frames per second) at a data rate of 150 Kbps; all others were 15 fps at 290 Kbps. This means the upper-right MPEG example compressed four times more data, which accounts for the blurriness. The lower-right box compares a software-only and an expensive hardware-assisted MPEG codec.



Cinepak

Software-only, uses vector quantization. Originally developed by SuperMac Technologies, now owned by Radius.

ADVANTAGES

Supports a wide range of platforms, including Windows and the Macintosh. Part of Video for Windows and QuickTime codec libraries.

Uses a palette of 16.7 million colors.

DISADVANTAGES

Dithers to simulate colors in 8-bit mode. Host computer's processor and bus type determine performance.

APPLICATIONS

For high-motion video, among the best overall quality and fastest performance, although Indeo 3.23 is only slightly slower. Not as sharp as Indeo for low-motion video. Works best for 320- by 240-pixel displays, quality degrades at the lower resolutions. Fuzzy images mean it's not the best option for animated sequences.



Indeo 3.23

Intel's vector-quantization software-based descendent of DVI. Compression technology for Intel's videoconferencing products. Can handle DCI adapters. Version 4.0 planned for later this year.

ADVANTAGES

Palette uses 16.7 million colors. Supports Windows, Macintosh, and IBM's Ultimedia OS/2 R2.1 and Video In. Part of Video for Windows and QuickTime codec libraries.

DISADVANTAGES

Dithers to simulate colors in 8-bit mode. Host computer's processor and bus type determine performance.

APPLICATIONS

Among the best in performance and quality for high-motion video. Performs well on low-motion videos at virtually all resolutions. Better palette handling in 8-bit mode than Cinepak. Indeo is best choice when working with resolutions lower than 320- by 240-pixels. Fuzzy animations.



MPEG

MPEG-1, MPEG-2 (currently used primarily by the broadcast industry), and MPEG-4 (for video telephony) developed by the ISO Motion Picture Experts Group. Based on lossy asymmetric compression algo-

rithms. Designed to be played back with dedicated hardware, although software-only playback products are starting to appear.

ADVANTAGES

Produces VCR-quality video at full-motion (30 fps) rates. Can achieve a compression ratio of up to 200:1.

DISADVANTAGES

Hardware-based playback limits distribution to suitably equipped computers. Not a Video for Windows codec.

APPLICATIONS

Limited-distribution applications where playback hardware is known and sharp image quality is important (i.e., training, presentations, and kiosks).



Truemotion S

From Horizons Technology, uses a scalable algorithm that runs under Video for Windows. Software only. Capable of 640- by 480-pixel video at 30 fps on Pentium-class systems, although performance on 486s is much slower. Supports Windows, DOS, and Macintosh.

ADVANTAGES

Can run at resolutions and color depths higher or lower than the original.

DISADVANTAGES

Performance is dependent on the host processor and bus type.

APPLICATIONS

Scalability makes it suitable for a range of applications, from mass-market CD-ROM titles to high-end uses, such as sending multimedia over LANs.



Video 1

Software-based, part of the Video for Windows codec library. Originally developed by Media Vision, now owned by Microsoft. Uses the proprietary Motive technology for intraframe compression.

ADVANTAGES


Doesn't dither in low-color settings.

DISADVANTAGES

Lower quality than Indeo and Cinepak. Breaks up in high motion.

APPLICATIONS

Mass-market multimedia products and low-end machines. Works best for low-motion video sequences and animations.



XingCD

XingCD is a software-based MPEG compression program. Image on right was compressed with FutureTel's PrimeView II, a \$17,000 hardware-assisted MPEG codec.

ADVANTAGES OF XINGCD

Performs MPEG compression with conventional processors, such as a 486 or Pentium. The \$995 price is low compared to MPEG codecs using dedicated processors (which cost from \$2000 to over \$50,000).

DISADVANTAGES OF XINGCD

Not Video for Windows compatible. Compression takes 10 to 100 times the length of playback time.

APPLICATIONS FOR XINGCD


Multimedia CD-ROM developers.



MPEG

Note: Quality samples and test-result interpretations were derived from the video compression sampler by Jan Ozer, author of "Video Compression for Multimedia" (Academic Press).

HP Colorado T1000



IT'S NEW. IT'S MORE THAN TAPE BACKUP.

Protecting critical files is important,
but it's not the only reason for buying
a tape system.


*The easiest, most reliable
way to protect and manage
your PC's most valuable
component... Your Data.*

Move large files
from home
to office.

Store important
old records on
tape. Use it to free

up disk space. Once you think about
tape as a data management system, it's

easy to justify an *affordable**
HP Colorado T1000.



With new high
capacity Travan car-
tridges and Colorado
Backup for Windows™

one-button automated software, the
T1000 is the perfect match for your
data. And, since it's from the world
leader in tape backup, you know
quality and reliability are built in. Call
1-800-451-0907
for more
information.



A division of
 HEWLETT
PACKARD

*\$235 List Price. Dealer prices may vary.

© 1995 Colorado Memory Systems, a division of Hewlett-Packard. All rights reserved. Colorado and Jumbo are registered trademarks of Colorado Memory Systems. Windows is a trademark of Microsoft Corporation. TRAVAN is a trademark of 3M.
T1E-BYT031695

State of the Art Compression Scorecard

Microsoft's Video for Windows, or you can download them from a BBS. Also, the performance inferiority of software codecs is fading as Pentiums, Power Macs, and local-bus systems become the norm. The easy distribution of software codecs increases the chances that your intended audience will be able to view your video product.

How It's Done

Most compression algorithms divide a video frame into blocks and then look for redundant data. This is known as *intra-frame* analysis. In *interframe* analysis, algorithms make the same kinds of comparisons between frames. The algorithms then drop redundant data to reduce the overall size of the video file. This technique is called *lossy* compression, and it's used by all the major video codecs. In general, the more you compress a frame or data stream, the more losses there are. The trick is to balance the compression ratio with the resulting image quality.

Codecs may be either *symmetric* or *asym-*

View Before You Choose

For more comparative information about codecs, consider Doceo Publishing's Video Compression Sampler. This \$99 CD offers side-by-side playback capabilities for a number of software codecs. The sampler includes video test files. The program keeps statistics about key frame settings, frame rates, compression quality, and average data rate for each codec. Doceo is at (404) 876-8954.

metric. A symmetric algorithm uses an equal amount of time for compression and decompression and is common in real-time video capture in such applications as video-conferencing. Asymmetric codecs take more time in the compression stage to try for the highest level of belt tightening possible and work best for presentations or CD-ROMs.

Once a codec saves the nonredundant data, it statistically processes the arrangement of pixels in an image. These statistical data arrangements become encoded with an RLL encoding scheme or an equivalent, with shorter codes assigned to repetitive data.

The codec then may use a variety of compression methods. Two popular ones are *DCT* (discrete cosine transform) and *VQ* (vector quantization). Both use wave equations or a similar mathematical concept. The frame is divided into blocks, generally 8 by 8 pixels each, and the transform mechanisms work on the individual blocks.

DCT converts pixel intensities to a frequency-based equivalent. The transform yield is a series of numbers that represent ever-finer detail in a pixel block. Compression comes by eliminating the representative numbers after a certain point in the series. The result is a loss of fine detail, but ideally that level of detail won't be detectable. MPEG codecs use DCT.

VQ uses vectors to select predefined equations. Codecs can tune quantization so that block color and intensity are handled differently on a discreet basis and in relationship to the surrounding image values. Both Cinepak and Indeo use VQ for intraframe compression. One benefit of the VQ algorithm is that it is based on a table

Fractal CompressionSM - 120:1

Ordinary Compression - 120:1



SEE WHAT'S MISSING FROM YOUR COMPRESSED IMAGES?

Genuine Fractal QualitySM

CD-ROM publishers—get the big picture!

Compress PC images down to 1% of their original size... *Maintain* image quality...Get *fast* decompression. See for yourself how a major publisher puts over 10,000 images on a CD-ROM. High quality images come

up in *seconds*—no special hardware required—with Fractal CompressionSM.

Let's discuss details.

No artifacts, no pseudo color, no Gibbs effect. High image quality at any resolution.

Fractal CompressionSM from Iterated is the *quality* compression technology.

Improve your image. Call today.

Join Microsoft, Grolier and other powerhouse CD-ROM publishers. Let

Genuine Fractal QualitySM improve *your* image. Call today for a free demo disk.

Call (800) 437-2285 now!

(+1) (404) 840-0310

Fax (+1) (404) 840-0806



Iterated Systems

"WE SELECTED FRACTAL TECHNOLOGY AS THE BEST OVERALL MIX OF COMPRESSION, IMAGE QUALITY AND SPEED."
—MICROSOFT MULTIMEDIA PUBLISHING GROUP



PC Magazine (UK), December 1994. Reprinted with kind permission of Ziff-Davis UK Limited.

Demand NexGen's Nx586™ Processor. Superior Performance. Unbeatable Price.

Now, you don't have to settle for a Pentium™ processor-based PC. Because there's a tough new kid on the block that delivers superior power and performance... for a *lot* less money.

It's the NexGen Nx586 processor. Manufactured by IBM Microelectronics™. With patented RISC86™ microarchitecture that outperforms the Pentium processor, megahertz for megahertz. It's fully compatible with your DOS and Windows™ applications. And it's absolutely available right now.

So just call one of the PC suppliers listed below and ask for it by name. The Nx586 processor by NexGen. Don't buy a PC without it.

NexGen Chip Challenges Pentium Performance

PC WORLD, November 1994

| System | CPU | RAM (MB) | Application test times (in minutes:seconds) | | | | | | |
|-----------------------------|------------|----------|---|-----|------|------|------|------|------|
| Nx586(VL) System | Nx586-P90 | 16 | 1:19 | :37 | 1:08 | 1:03 | 1:27 | 1:19 | 1:16 |
| Pentium System ¹ | Pentium-90 | 16 | 1:15 | :37 | 1:07 | 1:07 | 1:44 | 1:21 | 1:16 |

Shorter times are better.

¹ Average score of six Pentium-90 systems.

Tests run on preproduction unit.
PC World Test Center application benchmarks.

Word 2.0 for Windows
Excel 4.0
Paradox 1.0 for Windows
Freelance 1.0 for Windows
WordPerfect 6.0 for DOS
1-2-3 release 3.4
Paradox 3.5

Absolutely Available Right Now. Don't Buy a PC Without It!

Nx586 processor-based PCs are available from the following PC suppliers. Call the PC supplier of your choice and ask for NexGen's Nx586 processor by name.

CANADA

Vectoria Computers
Saint-Hubert, Québec
800-VEC-3433

FINLAND

Zenten Oy
Helsinki
(0) 497151

GERMANY

Actebis Computermärkte GmbH
Suest
02921/99-0
Aquarius Robotron Systems GmbH
Bad Momburg
06172/188-00

Datentechnik

Essen
0201/708 983

J&W Computer
Raunheim
06142/942-0

Kahl Computer

Kiel
0431/209 710

Main-Data

Hanau
06181/950 101

Network Computer

Kiel
043/339 0920

Niedermeyer Datasystems

Edling
080/393 050

PACOMP EDV

Waiblingen
07151/980 60

Paderborner Datentechnik

Paderborn
05251/757 90

PC-Spezialist

Bielefeld
0521/700 01

PI-Computer GmbH

Hamburg
040/656 8420

TORA

Paderborn
05251/172-0

Unimex Electronic GmbH

Weisbadden
0611/523 052

Wortmann Terra Impex

Hüllhorst
05744/9303-0

GREECE

Impetus Systems & Telecom
Athens
01/924-1800

HUNGARY

Stamford Computers
Budapest
01/140 3726

THE NETHERLANDS

Digicom Europe B.V.
Ridderkerk
01804/11888

POLAND

Unimex Poland
Glocow
076/340-686

SOUTH AFRICA

Computer Parts
Highlands North
887-2438

UNITED KINGDOM

Amari Ltd.
Parivale, Surrey
0181 810 7441

Carrera Technologies

London
0171 830 0586

Dan Technologies

London
0181 830 1100

Genisys Computing Ltd.

Leith, Edinburgh
0131 553 3305

Mesh Computers

London
0181 452 1111



Developer tested only. Novell makes no warranties with respect to this product.

© 1995 NexGen, Inc. Nx586, RISC86 and NexGen are trademarks of NexGen, Inc. Pentium is a trademark of Intel Corporation. Intel is a registered trademark of Intel Corporation. The Available and Ready for OS/2 mark is a trademark of International Business Machines Corporation. IBM Microelectronics™ is a trademark of International Business Machines Corporation. All products mentioned herein are trademarks of their respective companies. If you'd like to find out about reselling NexGen products, please call (33) 1 64 23 68 65.

NexGen

Circle 169 on Inquiry Card.

State of the Art Compression Scorecard

Cinepak Free to developers
Radius
Sunnyvale, CA
(800) 227-2795
(408) 541-6100
fax: (408) 541-6150
Circle 1003 on Inquiry Card.

Indeo 3.23 Free to developers
Intel
Santa Clara, CA
(800) 538-3373*
fax: (800) 628-2283*
BBS: (916) 356-3600
*Accommodates international access
Circle 1004 on Inquiry Card.

TrueMotion S
\$.50 per CD or 2 percent of
revenue (whichever is higher);
\$5000 prepaid royalty required.
Corporate site license of
playback software: \$25 per PC
(100 PC minimum).

Horizons Technology, Inc.
San Diego, CA
(800) 828-3808
(619) 277-7100
fax: (619) 292-9439
Circle 1005 on Inquiry Card.

Video 1
Part of Video for Windows
bundle, not sold separately.
Microsoft
Redmond, WA
(800) 426-9400
(206) 882-8080
fax: (206) 936-7329
Circle 1006 on Inquiry Card.

XingCD \$995
Xing Technologies Corp.
Arroyo Grande, CA
(800) 294-6448
(805) 473-0145
fax: (805) 473-0147
Circle 1007 on Inquiry Card.

"Fractal Image Compression," October 1993 BYTE). An enhancement of the still-image JPEG standard, M-JPEG (motion JPEG) compresses every frame individually for high image quality.

The result of the transform process is then compressed via RLE (run-length encoding). Codecs compress these bit strings even further by scanning the patterns at a different angle and converting the values to RLA (run length/amplitude) tokens. Huffman coding then converts the most frequently occurring tokens into the shortest bit strings.

Codecs use these compression transforms for intraframe compression. Interframe compression is largely a subtractive process that a general-purpose CPU can handle.

Microsoft and Apple, with Video for Windows and QuickTime, respectively, influence the compression world, although

they don't specifically provide their own codecs. The AVI (Audio Video Interleave) format in Video for Windows provides a standard file format for developers. Video for Windows includes Cinepak, Indeo, and Microsoft's RLE and Video 1.

QuickTime for Windows and QuickTime for the Macintosh support Indeo, Cinepak, and MPEG decompression boards. QuickTime for Windows files and Video for Windows files aren't compatible.

How to Choose?

To pick a codec, first decide if your audience is likely to have dedicated video hardware or general-business computers. Then select an appropriate resolution and color depth, depending on the subject of the video. Finally, process your video with a variety of codecs to compare image quality. With your eye as the final judge, your video files should be both thin and rich with impact. ■

John Bryan is a technology writer and consultant based in San Jose, California. You can reach him on BIX or the Internet at editors@bix.com.

comparison process to provide fast performance on high-end 486s and Pentiums.

Other less widely used compression methods exist beyond DCT and VQ, including fractal-image compression, a proprietary technology developed by Integrated Systems' Michael Barnsley (for details, see

BEFORE YOU BUY A UPS COMPARE...

Smart purchasing decisions are made based on facts, whether you're buying a car or a UPS. Before you buy a UPS, take a few seconds to make the comparison yourself. The facts will show that Minuteman's Alliance Series provides more features for less money. It's as simple as that.

To further stand behind our promise of more features for less money, Minuteman has established an industry-leading 10-part Smart Buyer Program that will provide you with a price protection guarantee, a competitor's trade-in discount plan, free technical support, along with other important guarantees. To top it off, we'll even beat any competitor's price on an equivalent VA-rated line-interactive UPS. Call our Power Hotline now for more detailed information on our Smart Buyer Program. Be smart, buy smart ... and make sure it's a Minuteman UPS.

MAKE THE COMPARISON FOR YOURSELF

| Model | Minuteman A500 | APC BK1200 | Tripp-Lite BC650 | Model | Minuteman A500 | APC BK1200 | Tripp-Lite BC650 |
|-----------------------------|----------------|------------|------------------|-----------------------------|----------------|------------|------------------|
| PRICE | \$129 | \$139 | \$139 | PRICE | \$259 | \$299 | \$279 |
| Price per Watt | .73 | .81 | .75 | Price per Watt | .80 | 1.15 | 1.00 |
| Audio Alarm | YES | | | Line Interactive | YES | | YES |
| LED Status Indicators | 2 | YES | NO | LED Status Indicators | 4 | YES | 4 |
| Test Button | YES | | 2 | Test Button | YES | YES | YES |
| Self-Diagnostic Test | YES | NO | NO | Self-Diagnostic Test | YES | YES | YES |
| Site Wiring Fault Indicator | YES | YES | NO | Site Wiring Fault Indicator | YES | YES | YES |



1-800-238-7272

Para Systems, Inc.
1455 LeMay Drive
Carrollton, Texas 75007
214/446-7363
Fax: 214/446-9011

Product and company names mentioned herein may be trademarks or registered trademarks of their respective companies.



Circle 96 on Inquiry Card (RESELLERS: 97).

FREE PRODUCT INFORMATION

For free product information from companies featured in this issue, circle the appropriate inquiry number below and mail this card today. For quickest response, fax to 1-416-620-9790!

Product Category Information

To receive information for an entire category, circle the appropriate number on the adjacent card.

Hardware

| | |
|---------------------------|----|
| Accessories/Supplies | 1 |
| Add-in Boards | 2 |
| Bar Coding | 3 |
| Communications/Networking | 4 |
| Computer Systems | 5 |
| Data Acquisition | 6 |
| Diagnostic Equipment | 53 |
| Disks & Optical Drives | 7 |
| Diskettes/Duplicators | 8 |
| Fax Boards/Machines | 9 |
| Graphics Tablets/Mice/ | |
| Pen Input | 10 |
| Keyboards | 11 |
| LAN Hardware | 12 |
| Laptops & Notebooks | 13 |
| Mail Order | 14 |
| Memory/Chips/Upgrades | 15 |
| Miscellaneous Hardware | 16 |
| Modems/Multiplexors | 17 |
| Monitors & Terminals | 18 |
| Multimedia/CD-ROM | 19 |
| PCMCIA | 57 |
| Printers/Plotters | 20 |
| Programmable Hardware | 21 |
| RAID Drive Arrays | 56 |
| Scanners/OCR/Digitizers | 22 |
| Security | 52 |
| Tape Drives | 23 |
| UPS/Power Management | 24 |
| Voice Technology | 55 |

Software

| | |
|---------------------------|----|
| Business | 25 |
| CAD/CAM | 26 |
| Communications/Networking | 27 |
| Data Acquisition | 28 |
| Database | 29 |
| Educational | 30 |
| Engineering/Scientific | 31 |
| Entertainment | 32 |
| Graphics | 33 |
| Macintosh | 34 |
| Mail Order | 35 |
| Mathematical/Statistical | 36 |
| Miscellaneous Software | 37 |
| On-Line Services | 38 |
| Operating Systems | 39 |
| OS/2 | 54 |
| Programming Languages/ | |
| Tools | 40 |
| Security | 41 |
| Shareware | 42 |
| Software Duplication | 43 |
| Spreadsheets | 44 |
| Unix | 45 |
| Utilities | 46 |
| Windows | 47 |
| Word Processing | 48 |

General

| | |
|--------------------|----|
| Books/Publications | 49 |
| Recruitment | 50 |
| Miscellaneous | 51 |

Fill out this coupon carefully. Please Print.

Name _____ Title _____
 Company _____ Address _____
 City _____ Country _____ Code _____
 Phone _____ Fax _____

A. My job function is best classified as (check one):

- 1 ☐ Company Management
 2 ☐ IS/MIS/IT Management
 3 ☐ Systems Engineering/Integration
 4 ☐ Systems/Networking Consulting
 5 ☐ Departmental Management (non-IS/MIS)
 6 ☐ Technical Services Support
 7 ☐ Other (please describe)

B. What is your organization's primary business activity at this location (check one):

- 8 ☐ Business Services (Finance, Banking, Insurance, Healthcare, Professional)
 9 ☐ Commerce/Industry (Retail, Wholesale, Construction, Mining, Manufacturing, Transportation)
 10 ☐ Reseller/OEM (VAR, VAD, Systems/Network Integrator, Computer Product Manufacturer)
 11 ☐ Government (Federal, State, Municipal, Military)
 12 ☐ Computer Services (Support, Training, Consulting)

13 ☐ Other (please specify): _____

C. Please indicate which specific fields of interest are important to you so that BYTE may serve you with supplemental information that best meets your needs (select all that apply):

- 14 ☐ UNIX and Workstations
 15 ☐ Networking (LANs, WANs, and Telecommunications)
 16 ☐ Multimedia
 17 ☐ Reselling/Systems Integration
 18 ☐ Applications Development
 19 ☐ Other (explain): _____

D. My responsibilities require that I be involved with the following operating system environments (check all that apply):

- 20 ☐ DOS
 21 ☐ OS/2
 22 ☐ Mac/OS

- 23 ☐ UNIX (any, including Solaris)
 24 ☐ Windows
 25 ☐ Windows/NT
 26 ☐ NetWare
 27 ☐ Other (please describe): _____

E. The number of employees at my location and company-wide area (check one in each column):

| | At My Location | Company-Wide |
|----------------|-----------------------------|-----------------------------|
| 10,000 or more | 28 <input type="checkbox"/> | 33 <input type="checkbox"/> |
| 5,000 to 9,999 | 29 <input type="checkbox"/> | 34 <input type="checkbox"/> |
| 1,000 to 4,999 | 30 <input type="checkbox"/> | 35 <input type="checkbox"/> |
| 100 to 999 | 31 <input type="checkbox"/> | 36 <input type="checkbox"/> |
| Under 100 | 32 <input type="checkbox"/> | 37 <input type="checkbox"/> |

May 1995

93 97 98

Valid until July 31, 1995

Inquiry Numbers 1-187

| | | | | | | | | | | | | | | | | |
|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 |
| 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 |
| 35 | 36 | 37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 |
| 52 | 53 | 54 | 55 | 56 | 57 | 58 | 59 | 60 | 61 | 62 | 63 | 64 | 65 | 66 | 67 | 68 |
| 69 | 70 | 71 | 72 | 73 | 74 | 75 | 76 | 77 | 78 | 79 | 80 | 81 | 82 | 83 | 84 | 85 |
| 86 | 87 | 88 | 89 | 90 | 91 | 92 | 93 | 94 | 95 | 96 | 97 | 98 | 99 | 100 | 101 | 102 |
| 103 | 104 | 105 | 106 | 107 | 108 | 109 | 110 | 111 | 112 | 113 | 114 | 115 | 116 | 117 | 118 | 119 |
| 120 | 121 | 122 | 123 | 124 | 125 | 126 | 127 | 128 | 129 | 130 | 131 | 132 | 133 | 134 | 135 | 136 |
| 137 | 138 | 139 | 140 | 141 | 142 | 143 | 144 | 145 | 146 | 147 | 148 | 149 | 150 | 151 | 152 | 153 |
| 154 | 155 | 156 | 157 | 158 | 159 | 160 | 161 | 162 | 163 | 164 | 165 | 166 | 167 | 168 | 169 | 170 |
| 171 | 172 | 173 | 174 | 175 | 176 | 177 | 178 | 179 | 180 | 181 | 182 | 183 | 184 | 185 | 186 | 187 |

Inquiry Numbers 375-561

| | | | | | | | | | | | | | | | | |
|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| 375 | 376 | 377 | 378 | 379 | 380 | 381 | 382 | 383 | 384 | 385 | 386 | 387 | 388 | 389 | 390 | 391 |
| 392 | 393 | 394 | 395 | 396 | 397 | 398 | 399 | 400 | 401 | 402 | 403 | 404 | 405 | 406 | 407 | 408 |
| 409 | 410 | 411 | 412 | 413 | 414 | 415 | 416 | 417 | 418 | 419 | 420 | 421 | 422 | 423 | 424 | 425 |
| 426 | 427 | 428 | 429 | 430 | 431 | 432 | 433 | 434 | 435 | 436 | 437 | 438 | 439 | 440 | 441 | 442 |
| 443 | 444 | 445 | 446 | 447 | 448 | 449 | 450 | 451 | 452 | 453 | 454 | 455 | 456 | 457 | 458 | 459 |
| 460 | 461 | 462 | 463 | 464 | 465 | 466 | 467 | 468 | 469 | 470 | 471 | 472 | 473 | 474 | 475 | 476 |
| 477 | 478 | 479 | 480 | 481 | 482 | 483 | 484 | 485 | 486 | 487 | 488 | 489 | 490 | 491 | 492 | 493 |
| 494 | 495 | 496 | 497 | 498 | 499 | 500 | 501 | 502 | 503 | 504 | 505 | 506 | 507 | 508 | 509 | 510 |
| 511 | 512 | 513 | 514 | 515 | 516 | 517 | 518 | 519 | 520 | 521 | 522 | 523 | 524 | 525 | 526 | 527 |
| 528 | 529 | 530 | 531 | 532 | 533 | 534 | 535 | 536 | 537 | 538 | 539 | 540 | 541 | 542 | 543 | 544 |
| 545 | 546 | 547 | 548 | 549 | 550 | 551 | 552 | 553 | 554 | 555 | 556 | 557 | 558 | 559 | 560 | 561 |

Inquiry Numbers 749-935

| | | | | | | | | | | | | | | | | |
|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| 749 | 750 | 751 | 752 | 753 | 754 | 755 | 756 | 757 | 758 | 759 | 760 | 761 | 762 | 763 | 764 | 765 |
| 766 | 767 | 768 | 769 | 770 | 771 | 772 | 773 | 774 | 775 | 776 | 777 | 778 | 779 | 780 | 781 | 782 |
| 783 | 784 | 785 | 786 | 787 | 788 | 789 | 790 | 791 | 792 | 793 | 794 | 795 | 796 | 797 | 798 | 799 |
| 800 | 801 | 802 | 803 | 804 | 805 | 806 | 807 | 808 | 809 | 810 | 811 | 812 | 813 | 814 | 815 | 816 |
| 817 | 818 | 819 | 820 | 821 | 822 | 823 | 824 | 825 | 826 | 827 | 828 | 829 | 830 | 831 | 832 | 833 |
| 834 | 835 | 836 | 837 | 838 | 839 | 840 | 841 | 842 | 843 | 844 | 845 | 846 | 847 | 848 | 849 | 850 |
| 851 | 852 | 853 | 854 | 855 | 856 | 857 | 858 | 859 | 860 | 861 | 862 | 863 | 864 | 865 | 866 | 867 |
| 868 | 869 | 870 | 871 | 872 | 873 | 874 | 875 | 876 | 877 | 878 | 879 | 880 | 881 | 882 | 883 | 884 |
| 885 | 886 | 887 | 888 | 889 | 890 | 891 | 892 | 893 | 894 | 895 | 896 | 897 | 898 | 899 | 900 | 901 |
| 902 | 903 | 904 | 905 | 906 | 907 | 908 | 909 | 910 | 911 | 912 | 913 | 914 | 915 | 916 | 917 | 918 |
| 919 | 920 | 921 | 922 | 923 | 924 | 925 | 926 | 927 | 928 | 929 | 930 | 931 | 932 | 933 | 934 | 935 |

Inquiry Numbers 1123-1309

| | | | | | | | | | | | | | | | | |
|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| 1123 | 1124 | 1125 | 1126 | 1127 | 1128 | 1129 | 1130 | 1131 | 1132 | 1133 | 1134 | 1135 | 1136 | 1137 | 1138 | 1139 |
| 1140 | 1141 | 1142 | 1143 | 1144 | 1145 | 1146 | 1147 | 1148 | 1149 | 1150 | 1151 | 1152 | 1153 | 1154 | 1155 | 1156 |
| 1157 | 1158 | 1159 | 1160 | 1161 | 1162 | 1163 | 1164 | 1165 | 1166 | 1167 | 1168 | 1169 | 1170 | 1171 | 1172 | 1173 |
| 1174 | 1175 | 1176 | 1177 | 1178 | 1179 | 1180 | 1181 | 1182 | 1183 | 1184 | 1185 | 1186 | 1187 | 1188 | 1189 | 1190 |
| 1191 | 1192 | 1193 | 1194 | 1195 | 1196 | 1197 | 1198 | 1199 | 1200 | 1201 | 1202 | 1203 | 1204 | 1205 | 1206 | 1207 |
| 1208 | 1209 | 1210 | 1211 | 1212 | 1213 | 1214 | 1215 | 1216 | 1217 | 1218 | 1219 | 1220 | 1221 | 1222 | 1223 | 1224 |
| 1225 | 1226 | 1227 | 1228 | 1229 | 1230 | 1231 | 1232 | 1233 | 1234 | 1235 | 1236 | 1237 | 1238 | 1239 | 1240 | 1241 |
| 1242 | 1243 | 1244 | 1245 | 1246 | 1247 | 1248 | 1249 | 1250 | 1251 | 1252 | 1253 | 1254 | 1255 | 1256 | 1257 | 1258 |
| 1259 | 1260 | 1261 | 1262 | 1263 | 1264 | 1265 | 1266 | 1267 | 1268 | 1269 | 1270 | 1271 | 1272 | 1273 | 1274 | 1275 |
| 1276 | 1277 | 1278 | 1279 | 1280 | 1281 | 1282 | 1283 | 1284 | 1285 | 1286 | 1287 | 1288 | 1289 | 1290 | 1291 | 1292 |
| 1293 | 1294 | 1295 | 1296 | 1297 | 1298 | 1299 | 1300 | 1301 | 1302 | 1303 | 1304 | 1305 | 1306 | 1307 | 1308 | 1309 |

Inquiry Numbers 188-374

| | | | | | | | | | | | | | | | | |
|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| 188 | 189 | 190 | 191 | 192 | 193 | 194 | 195 | 196 | 197 | 198 | 199 | 200 | 201 | 202 | 203 | 204 |
| 205 | 206 | 207 | 208 | 209 | 210 | 211 | 212 | 213 | 214 | 215 | 216 | 217 | 218 | 219 | 220 | 221 |
| 222 | 223 | 224 | 225 | 226 | 227 | 228 | 229 | 230 | 231 | 232 | 233 | 234 | 235 | 236 | 237 | 238 |
| 239 | 240 | 241 | 242 | 243 | 244 | 245 | 246 | 247 | 248 | 249 | 250 | 251 | 252 | 253 | 254 | 255 |
| 256 | 257 | 258 | 259 | 260 | 261 | 262 | 263 | 264 | 265 | 266 | 267 | 268 | 269 | 270 | 271 | 272 |
| 273 | 274 | 275 | 276 | 277 | 278 | 279 | 280 | 281 | 282 | 283 | 284 | 285 | 286 | 287 | 288 | 289 |
| 290 | 291 | 292 | 293 | 294 | 295 | 296 | 297 | 298 | 299 | 300 | 301 | 302 | 303 | 304 | 305 | 306 |
| 307 | 308 | 309 | 310 | 311 | 312 | 313 | 314 | 315 | 316 | 317 | 318 | 319 | 320 | 321 | 322 | 323 |
| 324 | 325 | 326 | 327 | 328 | 329 | 330 | 331 | 332 | 333 | 334 | 335 | 336 | 337 | 338 | 339 | 340 |
| 341 | 342 | 343 | 344 | 345 | 346 | 347 | 348 | 349 | 350 | 351 | 352 | 353 | 354 | 355 | 356 | 357 |
| 358 | 359 | 360 | 361 | 362 | 363 | 364 | 365 | 366 | 367 | 368 | 369 | 370 | 371 | 372 | 373 | 374 |

Inquiry Numbers 562-748

| | | | | | | | | | | | | | | | | |
|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| 562 | 563 | 564 | 565 | 566 | 567 | 568 | 569 | 570 | 571 | 572 | 573 | 574 | 575 | 576 | 577 | 578 |
| 579 | 580 | 581 | 582 | 583 | 584 | 585 | 586 | 587 | 588 | 589 | 590 | 591 | 592 | 593 | 594 | 595 |
| 596 | 597 | 598 | 599 | 600 | 601 | 602 | 603 | 604 | 605 | 606 | 607 | 608 | 609 | 610 | 611 | 612 |
| 613 | 614 | 615 | 616 | 617 | 618 | 619 | 620 | 621 | 622 | 623 | 624 | 625 | 626 | 627 | 628 | 629 |
| 630 | 631 | 632 | 633 | 634 | 635 | 636 | 637 | 638 | 639 | 640 | 641 | 642 | 643 | 644 | 645 | 646 |
| 647 | 648 | 649 | 650 | 651 | 652 | 653 | 654 | 655 | 656 | 657 | 658 | 659 | 660 | 661 | 662 | 663 |
| 664 | 665 | 666 | 667 | 668 | 669 | 670 | 671 | 672 | 673 | 674 | 675 | 676 | 677 | 678 | 679 | 680 |
| 681 | 682 | 683 | 684 | 685 | 686 | 687 | 688 | 689 | 690 | 691 | 692 | 693 | 694 | 695 | 696 | 697 |
| 698 | 699 | 700 | 701 | 702 | 703 | 704 | 705 | 706 | 707 | 708 | 709 | 710 | 711 | 712 | 713 | 714 |
| 715 | 716 | 717 | 718 | 719 | 720 | 721 | 722 | 723 | 724 | 725 | 726 | 727 | 728 | 729 | 730 | 731 |
| 732 | 733 | 734 | 735 | 736 | 737 | 738 | 739 | 740 | 741 | 742 | 743 | 744 | 745 | 746 | 747 | 748 |

FREE PRODUCT INFORMATION

For free product information from companies featured in this issue, circle the appropriate inquiry number below and mail this card today. For quickest response, fax to 1-416-620-9790!

*See reverse side
for card.*

1. For FREE product information from individual companies, circle the corresponding inquiry numbers on the Response Card!

2. Print Your Name and Address

Answer questions "A" through "E" and mail or fax card to 1-416-620-9790

3. Product information will be rushed to you from the selected companies!

BYTE

INQUIRY MANAGEMENT SYSTEM


P.O. BOX 1663

Buffalo, NY 14205-1663



PLACE
POSTAGE
HERE

BYTE



 **SUBSCRIBE TO BYTE!** 

With BYTE, you can compete more effectively in complex global markets...

YES I want to receive BYTE for a full year. 12 monthly issues plus the FREE Special Supplements.

Payment method — charge my subscription to:

☐ Visa ☐ Access/Eurocard/MasterCard ☐ American Express

Card No. _____ Expiry date _____

Signature _____

or ☐ I enclose payment now

Name _____ Title _____
(Please Print)

Address _____

_____ Code _____

Country _____

Please allow 8-10 weeks for processing. Thank you.
If you pay with your credit card, you will be billed in your local currency.

✓ **Tick your subscription price**

Please tick one box:

IB96062

Fast Surface Delivery

- ☐ £35 United Kingdom
- ☐ 108 DM Germany
- ☐ 366 Fr France
- ☐ 120 Guilders Netherlands
- ☐ 90 SFR Switzerland
- ☐ 99,000 Lire Italy
- ☐ \$US60 All Other Countries

Air Delivery

IB96211

- ☐ £49 United Kingdom
- ☐ 153 DM Germany
- ☐ 519 Fr France
- ☐ 170 Guilders Netherlands
- ☐ 128 SFR Switzerland
- ☐ 140,250 Lire Italy
- ☐ \$US85 All Other Countries

Your satisfaction is GUARANTEED!
If you are dissatisfied, cancel anytime
for a refund on all unmailed issues.

BYTE HAS EXCLUSIVE GLOBAL COVERAGE...

*each month, you can take advantage of BYTE's International Section with hard-hitting news, and coverage of important world-wide events...

YES I want to receive BYTE for a full year. 12 monthly issues plus the FREE Special Supplements.

Payment method — charge my subscription to:

☐ Visa ☐ Access/Eurocard/MasterCard ☐ American Express

Card No. _____ Expiry date _____

Signature _____

or ☐ I enclose payment now

Name _____ Title _____
(Please Print)

Address _____

_____ Code _____

Country _____

Please allow 8-10 weeks for processing. Thank you.
If you pay with your credit card, you will be billed in your local currency.

✓ **Tick your subscription price**

Please tick one box:

IB96062

Fast Surface Delivery

- ☐ £35 United Kingdom
- ☐ 108 DM Germany
- ☐ 366 Fr France
- ☐ 120 Guilders Netherlands
- ☐ 90 SFR Switzerland
- ☐ 99,000 Lire Italy
- ☐ \$US60 All Other Countries

Air Delivery

IB96211

- ☐ £49 United Kingdom
- ☐ 153 DM Germany
- ☐ 519 Fr France
- ☐ 170 Guilders Netherlands
- ☐ 128 SFR Switzerland
- ☐ 140,250 Lire Italy
- ☐ \$US85 All Other Countries

Your satisfaction is GUARANTEED!
If you are dissatisfied, cancel anytime
for a refund on all unmailed issues.

... and receive up to date information on new products and emerging technologies.

 **SUBSCRIBE TO BYTE!** 

BY AIR MAIL
PAR AVION

Place
Stamp
Here

BYTE

P.O.Box 72
Galway
IRELAND



FAST & CONVENIENT!

Have BYTE delivered direct to your door
and never miss an issue again!

BY AIR MAIL
PAR AVION

BY AIR MAIL
PAR AVION

Place
Stamp
Here


BYTE

P.O.Box 72
Galway
IRELAND

VIDEO CONNECTIONS

True believers say isochronous Ethernet will bring digital video to the desktop sooner

JEFFREY FRITZ



In March, the IEEE was scheduled to vote on specification 802.9a, which outlines the technical underpinnings of isochronous Ethernet, a technology that for a small but determined group of companies is currently the best hope for easily sending digital video and audio across a LAN. Its proponents, including National Semiconductor, the company that developed the technology, say digital video is available to anyone who uses 10Base-T Ethernet. You simply install a new NIC (network interface card) and replace or upgrade a hub. No rewiring is necessary, and the resulting network can still handle traditional packetized data.

Supporters say isochronous Ethernet is a viable technology in itself, or it can economically serve video applications while the market sorts out standardization issues for more expensive technologies, such as ATM. "It may be a transition technology, but that transition period could last five years or more," says Ken Carpenter, a project manager and software engineer with IBM's Networking Software Division (Atlanta, GA), which plans to sell videoconferencing software that supports isochronous Ethernet.

But other vendors are skeptical. "We've been looking for the holy grail for sending digital video and voice over networks, and we believe that's ATM," says Bill Brown, business unit manager for connectivity products at Apple (Cupertino, CA).

Paul Callahan, director of networking strategy for Forrester Research (Cambridge, MA), adds that the lack of support so far by major hub vendors like Cabletron and SynOptics will also impede market acceptance. Until video networks are standardized, LAN managers will move cautiously to satisfy demands for higher bandwidths and video traffic, Callahan believes. "That means switched Ethernet with ATM on the backbone," he says.

The first signs of whether isochronous

Ethernet will bring multimedia to the desktop or ever get off the ground will appear sometime in the second quarter of this year, when the first commercial products come to market. In the meantime, the technology illustrates why video over networks is demanding and what technological decisions companies have to make if they want such applications as videoconferencing, distance training, or interactive presentations throughout their enterprise.

High Bandwidth

In the minds of many people, digital video and LANs are the oil and water of computer networking: Conventional wisdom holds that the two don't mix. There are bandwidth constraints. Movie-quality video requires a data transfer rate of up to 6 Mbps.

Similarly, a QuickTime video session of 1 Mbps from a file server can claim as much as 10 percent of Ethernet's bandwidth.

Beyond bandwidth, multimedia demands isochronous transmissions, meaning that data must move at fixed intervals with little or no delay. But conventional LANs fall short in being able to deliver continuous data streams because they use half-duplex protocols, which are designed for the bursty traffic patterns intended for transmitting text and numerical data.

For traditional data, the worst consequence of a LAN's start-and-stop nature may be a file transfer that pauses for a few seconds. But for digital video applications, pauses and disruptions in the data flow are annoying at best and, at worst, the causes of unintelligible information.

Finally, packet collisions and retransmissions are a way of life for many LANs. With Ethernet's bus topology, each device looks for a clear space to transmit. If traffic becomes heavy, multiple devices may try to transmit at the same time, and packet collisions may result. If a collision occurs, all devices must retransmit their data. This leads to even more collisions. This is why most network managers consider 40 percent of total bandwidth to be the maximum available bandwidth over an Ethernet network. Heavy multimedia traffic can render an overloaded Ethernet network nearly useless. Token Ring or FDDI (Fiber Distributed Data Interface) are less susceptible to breaking down, although these two ring topologies can run out of bandwidth if traffic gets heavy enough.

Networking Alternatives

Isochronous Ethernet is not the only method of handling isochronous data over networks. Here's the current field.

WAN Links

When it comes to digital services, ISDN is popular for multimedia applications, because it was designed from the ground up to support isochronous applications. With modern compression algorithms and multiple B channels, ISDN can efficiently support audio and video. However, it requires service orders, telephone company installation, and widespread availability of ISDN services to be fully useful.

T1 circuits are leased lines for point-to-point communications. These dedicated circuits are limited because only predetermined people can be included in the multimedia sessions. Like ISDN, it takes service orders to the telephone carriers to execute changes to add or delete sites, and customers may sometimes have to wait weeks for changes to be made.

Workgroup Lineup

Pace from 3Com sends a mix multimedia and traditional data traffic over Ether-

net and awards the highest priority to isochronous traffic. Regular data traffic is slowed because of its lower priority, but time-sensitive information has a better shot at getting through. However, this leads to potential problems with data collisions, particularly if several isochronous



applications are attempting to run simultaneously over the same Ethernet segment.

Western Digital's ISOnet provides a single, stand-alone isochronous mode that handles isochronous traffic similarly to isochronous Ethernet. There is, however, no provision for a data channel running on the same Ethernet with ISOnet.

Like isochronous Ethernet, SDV (switched digital video) from AT&T uses ISDN's Q.931 signaling protocol and a connection-oriented service. Unlike isochronous Ethernet, SDV runs strictly at the application level and requires an infrastructure, such as ISDN, for the equivalent of isochronous Ethernet's C channel. SDV is only a higher level (4 and up) protocol.

Proposed by Hewlett-Packard and AT&T,

100VG-AnyLAN supports Ethernet packets at 100 Mbps rather than the traditional Ethernet bandwidth of 10 Mbps. A protocol called Quartet Signaling uses four cable pairs to transmit data giving 100VG-AnyLAN the same 100-Mbps bandwidth as FDDI (Fiber Distributed Data Interface) or other fast Ethernet solutions. What 100VG-AnyLAN doesn't offer is a stand-alone circuit-switched channel for multimedia services. The channels compete for the same 100-Mbps bandwidth as does data traffic. However, some compromises have been made to favor isochronous applications.

100VG-AnyLAN's Demand Priority arbitrates packet transmission requests. This

tends to avoid packet collisions by allowing multimedia traffic to get through in a more timely fashion. In addition, a hub can arbitrate requests by acknowledging higher-priority multimedia packets before lower-priority requests.

Migration to 100VG-AnyLAN is much like a move to isochronous Ethernet. It is possible to connect 100VG-AnyLAN devices to existing Ethernet networks and upgrade in stages. Corporations can upgrade individual stations or hubs on an as-needed basis.

FDDI is designed for data transport

The Usual Suspects

Digital services:

- ISDN and T1

LAN services:

- Pace, Isonet, SDV, 100VG-AnyLAN, FDDI, and ATM

Cost Benefits

Even skeptics acknowledge that isochronous Ethernet can overcome these problems (for an overview of competing technologies, including ATM, see the text box "Networking Alternatives"). Isochronous Ethernet glues together channels that handle isochronous and packet data separately and transports the two data types over existing Ethernet 10Base-T LANs that use Category 3 UTP (unshielded twisted pair) or higher. Thus 10Base-T-network administrators avoid rewiring costs.

Isochronous Ethernet is closely related to ISDN in that they use multichannel protocols and are based on TDM (time division multiplexing), a technique for multiplexing multiple channels over a single physical medium. TDM allocates to each


channel a specific amount of time on the physical network wire. This is done independently of the other network protocols running on the same cable pairs, so existing LAN applications operate on isochronous Ethernet facilities unaffected by the isochronous traffic. By time slicing, isochronous Ethernet transmits isochronous information over the Ethernet LAN at a constant rate over time.

Isochronous Ethernet uses a P+96B+D format that can mix video, audio, and Ethernet into one LAN bundle. By comparison, in North America, BRI (Basic Rate Interface) ISDN is 2B+D (two bearer and one delta channel), and 23B+D for PRI (Primary Rate Interface). As the figure "A Division of Labor" illustrates, isochronous Ethernet's 10-Mbps P (packet data) channel supports standard IEEE 802.3 Ethernet packet data. A 64-Kbps D channel is used for signaling, much as it is for ISDN service. The M (maintenance) channel is a 96-Kbps channel that provides physical-layer status and control information. The 6.144-Mbps C (circuit mode) channel handles multimedia applications. Isochronous Ethernet allows you to split the C channel into as many as 96 ISDN B narrowband channels (of 64 Kbps each) as desired, or it can combine the channels to add 64-Kbps bandwidth or make a single 6.144-Mbps wideband channel.

Unlike traditional 10Base-T Ethernet, which uses the Manchester encoding scheme to send data over the physical connection, the isochronous Ethernet standard specifies 4B/5B encoding. The latter is also used in FDDI networks and benefits isochronous Ethernet by supporting the 10-Mbps packet channels and 6.144-Mbps isochronous bandwidth, as well as 10 Mbps of Ethernet over 100 meters of UTP cabling.

Isochronous Ethernet's bandwidth-on-demand lets you request whatever video quality you need for each connection. Thus, participants in a video conference, for example, can reserve a large portion of bandwidth for continuous and immediate full-motion video. By contrast, someone who wants to send a short video clip without audio needs to select only a small segment of the isochronous-Ethernet pipe.

A Division of Labor



An isochronous Ethernet hub, using bandwidth management, acts as the mediator that awards or refuses the requested WAN bandwidth based on availability, or it can tell you what lower-bandwidth service is available. Isochronous Ethernet uses a separate 6.144-Mbps channel between each user and the hub.

Seamless Networking

The figure "Multimedia Network" shows a prototypical isochronous Ethernet-hub configuration. According to specification 802.9a, isochronous Ethernet hubs will support standard 10Base-T Ethernet, so only those workstations that require isochronous capabilities have to be upgraded with isochronous Ethernet NICs; workstations that need only access to text and numerical data can plug into the hubs using traditional NICs.

The figure also shows that the PSTN (Public Switched Telephone Network) can be connected directly to the hub (both the intelligent telephone and the remote video workstation shown in the figure connect to the hub through an ISDN connection). This allows remote users to participate in multimedia applications on the LAN. The hubs support switched digital services, such as ISDN (BRI or PRI) and T1. This also means that for the first time 10Base-T hubs will have mixed RJ-45 connectors: Some will be used for 10Base-T, and some will be used for ISDN. Because ISDN and the 10Base-T RJ-45 specification use different pins for each service, users should be relatively safe if they accidentally plug the wrong service into the wrong jack.

While important, WAN connectivity has its limitations. Don't assume that an ISDN connection to an isochronous Ethernet hub offers remote LAN access. This is not the case unless the hub supports

and, like Ethernet, doesn't efficiently handle isochronous traffic. FDDI is half-duplex. The only major advantage to running multimedia applications over FDDI is enhanced bandwidth (100 Mbps).

ATM, the standard for 25- or 155-Mbps and faster LANs, is perhaps isochronous Ethernet's biggest nemesis. ATM provides the same services that isochronous Ethernet does but at significantly higher bandwidths. ATM promises to bring voice, video, and data together into one big interoperable high-speed mix.

Once fully deployed, ATM will support wide-area access to data, audio, voice, and video. However, the slow rate of ATM deployment plays into the hands of isochronous Ethernet's proponents. ATM equipment is expensive, and it's not always interoperable. Today's ATM connections are largely limited to local installations. Unlike isochronous Ethernet, ATM has no widely spread infrastructure.

Both ATM and isochronous Ethernet are ISDN-based protocols. ATM is based on broadband ISDN, and isochronous Ethernet is based on narrowband ISDN Basic Rate Interface and Primary Rate Interface service. In the end, vendors may be squaring off to fight the battle of the ISDNs.

State of the Art Video Connections

delivery of both the standard Ethernet and isochronous channels. Isochronous Ethernet hubs will support P and C channel connections to their Ethernet ports. However, only some of those hubs will support P and C channel connections to remote users over the ISDN ports. Other, presumably less expensive, hubs will support only the C channel for remote connections. It is also a function of the remote device's ability to handle the P and C channels.

For wide-area isochronous Ethernet, networks will typically need independent ISDN or T1 connections among isochronous Ethernet hubs. This establishes a parallel path to handle the C channel, and the traditional bridge or router deals with the P channel.


Through special software included in the isochronous Ethernet hub or through an MCU (multipoint control unit), three or more users can participate in the video sessions. Because isochronous Ethernet sets up private channels among individual users, it operates closer to switched digital circuits; thus, it's more likely to be kept private than standard LAN video or audio that is multicast over the network.

Red Flags

The most conspicuous group of vendors to support isochronous Ethernet includes National Semiconductor, IBM, Ericsson, and Zydacron. The group plans to bundle products for a turnkey conferencing application based on the H.320 videoconferencing standard.

The bundle will include National Semiconductor isochronous Ethernet NICs. IBM will supply conferencing software based on its Lakes Collaborative Networking Architecture, middleware that will support isochronous Ethernet in a new release slated to ship in the second quarter of this year. Ericsson will offer isochronous Ethernet hubs, and Zydacron will contribute H.320 codecs for compressing and decompressing digital video and voice signals. Incite, a division of Intecom, has also announced plans to sell isochronous Ethernet hubs.

Multimedia Network



The hubs support both isochronous and standard 10Base-T Ethernet. Both the intelligent telephone and the remote video workstation shown in the figure connect to the hub through ISDN for WAN connections. This lets remote users participate in multimedia applications on the LAN. P channels handle Ethernet packet data; C channels handle multimedia data.

He adds that while isochronous Ethernet costs may not include rewiring, some companies will balk at the cost of upgrading NICs and hubs. "If you're going to make that investment, why not go to something with legs, such as ATM?" he reasons. "I wonder about the wisdom of investing in something [like isochronous Ethernet] with no longevity."

According to Bob Rittle, manager of conferencing products for IBM's Networking Software Division, the group planned to demonstrate the product at CeBIT, in Hannover, Germany, last March, with commercial shipments to begin in the second quarter of this year. "Isochronous Ethernet may not take over the world," Rittle says, "but it will establish a market niche."

However, Apple's Brown sees "little mind share" among network administrators for isochronous Ethernet. "People who want to change their networking environment are opting for ATM," according to Brown. "25-Mbps ATM is tied into our development efforts for the PCI-based machines that are due out this summer."

Cost is another concern. Traditional Ethernet NICs sell for under \$100, and hub prices have dropped to below \$1000.

Although pricing is still not set, National Semiconductor believes that isochronous Ethernet hubs and cards will be available for less than today's typical

workgroup switched Ethernet solutions, which range from \$500 to \$1500 per user, including the NIC and hub port. But this is high compared to the roughly \$150-per-seat cost of current Ethernet adapter cards and hubs. Brown says that 25-Mbps ATM costs companies about \$900 per seat, and in six months, prices could drop to \$600 per seat.

The Checkered Flag

For isochronous Ethernet to become widely accepted, the demand for video and audio services over LANs needs to take off. Isochronous Ethernet can provide a transition as long as ATM is restricted to being the WAN connection to the isochronous Ethernet hub and not a link from the hub to desktops. The latter incurs another round of costs to replace isochronous Ethernet hubs and NICs with those that support ATM.

In the end, time is not on isochronous Ethernet's side. ATM deployment may be slow, but it is happening. To compete, isochronous Ethernet devices must quickly become standardized, readily available, and cost-effective. Isochronous Ethernet has a chance at success, but the window is small. Multimedia over the network is coming your way. The question is, how will it get to your desktop? ■

ACKNOWLEDGMENT

Dr. Dhadesugoor Vaman of Stevens Institute of Technology, Michael Pihlman of Innovative Telecommunications Solutions, Stephan Ohr of Indian Forest Research, and Dory Leifer assisted in this article.

Jeffrey Fritz is a telecommunications engineer responsible for data communications and the ISDN lab at West Virginia University. He is also the author of *Sensible ISDN Data Networks* (WVU Press, 1992). You can contact him on the Internet at jfritz@wvnm.wvnet.edu or on BIX c/o "editors."

Where to Find

National Semiconductor Corp.
Santa Clara, CA
(800) 272-9959
(817) 468-6300
fax: (817) 468-6938

SCEPTRE®

*Expanding performance and options
in a family of notebook computing*

See Us At
COMDEX/Spring '95
Booth # N5454
April 24-27, 1995
Atlanta, Georgia USA

SOUNDX™

Series 2000

486/SX to DX4-100

The modular design of the Sceptre SOUNDX™ new Series 2000 486 notebook computer, offers unlimited options to customize a system that fits every need. The modular design, as with the other SOUNDX notebook computer, makes it easy to configure, expand, and upgrade the system. The Series 2000 goes one step beyond with an I/O modular "bay" that allows the user to interchange such options as an additional hard drive, floppy drive, battery pack, battery charger, AC & SCSI adapters, both 3.5" CD ROM (internal & 5.25" CD ROM (external SCSI connect are offered). With an upgradable CPU module, easy access to RAM chips, and a choice of PCMCIA slots, the Series 2000 can grow with you as your future needs change.



TrackPoint
Pointing Device

Speakers
Positioned to "Talk" to you



**SOUND
TECHNOLOGY
WITH VISIONS
FOR THE
FUTURE**

Series 3000 Pentium

For added muscle, the Soundx 3000 Pentium Multimedia Notebook offers the extra power and performance to handle the most complex project at warp speed. A choice of mini and full docking station options further expands multimedia capabilities to make a no-compromise mobile multimedia alternative to a desktop system.

Notebook Comparison Chart

| MODEL | SOUNDX Series 1000 | SOUNDX Series 2000 | SOUNDX Series 3000 |
|-------------------|------------------------|------------------------|-----------------------|
| Microprocessor | 486SX-33 to DX4-100 | 486SX-33 to DX4-100 | Pentium 90MHz |
| Capacity | | | 75 MB |
| Screen Size | 9.5" TFT | 10.4" TFT/DSTN | 10.4" TFT and DSTN |
| Max. RAM Capacity | 20 MB | 36 MB | 40 MB |
| Infrared Link | No | Yes | Yes |
| BUS Slots | Local | Local | PCI |
| Sound Chip | SoundBlaster | SoundBlaster Pro | SoundBlaster Pro |
| Speakers | 1 built-in | 2 built-in | 2 built-in |
| Pointing Device | Trackball | TrackPoint | Trackball |
| Remov. Modular | N/A | Yes | N/A |

Did you know that Brulus (our Mascot) is a Monitor Lizard? Each year, Sceptre donates a portion of its profits to C.R.E.S., at the San Diego Zoo, in an effort to save endangered animals like, Brulus



3.5" CD Drive



AC Adaptor




Floppy Drive



SCSI Adaptor

SCEPTRE®
TECHNOLOGIES

16800 E. Gale Ave. City of Industry, CA 91745 USA
Tel: (818) 369-3698 Fax: (818) 369-3488
Toll Free: 1-800-788-2878



TAP INTO THE NETWORK ELITE!



IN FRANKFURT NOW!

The worldwide tour of network knowledge is coming to Germany for the second time: from 31st May to 2nd June, 1995, 30,000 buyers from the network branch will meet at NetWorld+Interop, the Mecca for experts, in Frankfurt/M.

Following the successful premiere in Berlin in 1994, the leading exhibitors have already booked ahead: such well-known names as Deutsche Telekom, Novell, Intel, 3COM, Cisco and AVM. Once more the InteropNet™ – the presentation network shared by all exhibitors – will demonstrate the interoperability of their products live.

Inform yourself now about the new tutorial and conference programme of NetWorld+Interop, an unparalleled training offer in Germany!

Leading speakers of worldwide recognition will impart network know-how in all areas. Know-how that is furnished by the international contacts of the NetWorld+Interop and which thus represents current standards.

◆ Media and Interconnection ◆ Internetworking and Data Transport ◆ Network Management and Security ◆ Network Services ◆ Applications

Three days of knowledge presented by technology experts, managers, researchers, academics and consultants – for the future of your enterprise!

Send for information on this unique and top-class training programme. Request your free programme guide! And remember: if you book by April 30th you can save up to DM 200!

NETWORLD+INTEROP 95

MAY 29 - JUNE 2, 1995 CONFERENCE • MAY 31 - JUNE 2, 1995 EXPOSITION • FRANKFURT/M.

Circle 566 on Inquiry Card.

FREE PROGRAMME GUIDE REQUEST

Yes, please send me my free programme guide on the NetWorld+Interop 95 in Frankfurt/M. as well as information on your congress advanced booking reductions which can save me up to DM 200!

- I am interested
- ☐ as a conference attendee
 - ☐ as a visitor to the exposition
 - ☐ as an exhibitor
 - ☐ in information on inexpensive travel and hotel services

Please fill in the coupon, cut it out and return it to **SOFTBANK Expos (formerly Ziff Messe & Konferenz), Riesstrasse 25, D-80992 Munich, Germany. Or fax it to: +49 89/14 312-442** CompuServe: SOFTBANK Expos 100442,3315

My Address

Byte 5/95

☐ Mr.

☐ Ms.

Name/First Name

Company

Position

Address/PO. Box

Postal Code/City/State/Country

Telephone/Extension

Fax

Please copy this page, complete it and send it to us via fax.

Fax-No:
+49/89/14 312-442

Or simply cut out the coupon and return it to us by mail.

NETWORLD+INTEROP 95



TUTORIALS AND CONFERENCE
PROGRAMME

LAS VEGAS • FRANKFURT • TOKYO • ATLANTA • PARIS

Incredible Expanding Keyboard

IBM's new ThinkPad 701C shatters subnotebook constraints with a full-size keyboard and screen

ALAN JOCH

A house divided may fall, but a home row divided may finally make the subnotebook a viable form factor. That's the idea behind the split keyboard that IBM introduced on the new ThinkPad 701C, a cleverly designed, 4.5-pound portable.

Once opened, the keyboard on the 701C (nicknamed *the Butterfly*) extends past the chassis sides to give you the largest and most comfortable keyboard in its class. But when you turn on the unit, what really pops out is the impressive 10.4-inch display. Our review unit sported a TFT (thin-film transistor) screen, but the 701 is also available with a dual-scan display. Add IBM's TrackPoint III pointer, and the result is today's most ergonomically correct subnotebook.

Crowded House

An Intel 486DX2/50 processor powered our review unit and ran applications in acceptable but not house-burning speed. (Battery life was an impressive 6 hours.) A 486DX4/75 version will also be available. The DX2 comes standard with 4 MB of memory (20 MB maximum) and a 360-, 540-, or 720-MB hard drive. The DX4 will come standard with 8 MB of memory.

The 701C joins a handful of new subnotebooks that run high-end 486s and of-

fer larger color displays and roomier keyboards. The closest competitor to the 701C may be Gateway's Liberty, which also offers a 10.4-inch display (dual-scan color). A comparable 486DX2/50 Liberty costs about \$950 less than the 701C.

However, the Liberty doesn't give you the satisfying *cha-chunk* that you get on opening the 701C, as its 11.5- by 5.75-inch keyboard slides into place. A clever mechanism splits the 85-key keyboard in half with a diagonal cut from upper left to lower right. When you snap down the lid, the right segment inches up and then both segments slide in. The closed 701C measures just 9.7 by 7.9 by 1.7 inches. The solid keyboard mechanism never failed to perform. We opened and closed the 701C countless times during our evaluation but can't verify IBM's claim of achieving 25,000 fail-free repetitions.


What does the split keyboard buy you? All the primary keys are the same size as those of a desktop keyboard. The function and arrow keys are about half as big but much more generous than the Pez-size buttons on previous ThinkPad subnotebooks like the 510C.

Our only complaints: There is no wrist rest, which is troubling because Apple and others have already considered wrist stress in their designs; and the heel of the right hand comes down on the arrow keys when you are typing.

What a View

The 701C's remarkable 10.4-inch screen compares with full-size ThinkPads and displays 26 lines of text in eye-pleasing 12-point type. By comparison, the 510C displays the same amount of copy in 10-point type. IBM

As you open the lid, a cam on the left screen hinge puts the two-part keyboard into motion. The two halves slide laterally apart and then vertically together, meeting along a diagonal stair-step seam.



says the display shortages that have delayed orders for some ThinkPads aren't a factor for the 701C, thanks in part to outsourcing from Sharp.

The 701C comes with audio and telephony features similar to those of the larger and faster 755C, but because of its sliding keyboard, the 701C doesn't have space for a CD-ROM drive. The 701C's modem isn't upgradable from 14.4 Kbps. With a 256-color palette, the 701C doesn't have the 755C's more sophisticated graphics system (65,536 colors at VGA resolutions). Finally, the 701C can't capture or output broadcast-standard video.

The 701C does, however, shine among portables for pleasantness to use and for flat-out coolness. *Cha-chunk* may soon become the sound of status for those who live much of their life at 35,000 feet. ■

Alan Joch is a BYTE senior editor. You can reach him on the Internet or BIX at ajoch@bix.com.


ThinkPad 701C Features



Product Information

IBM ThinkPad 701C\$5149
486DX2/50, active-matrix color, 8 MB, and a 540-MB drive
IBM Personal Computer Co.
Somers, NY 10589
(800) 772-2227
(914) 766-1900
fax: (800) 426-4329
Circle 1221 on Inquiry Card.

BYTE's Pan-European Postcard Deck Targets Influential European Technology Experts



The BYTE EURO-DECK offers a unique direct mail approach to increasing sales in the \$114 billion European computer market. Reach 50,000 BYTE subscribers for under 4¢ per reader!

Circulation of the BYTE EURO-DECK is targeted to computer experts in over 20 countries in Western Europe. Take full advantage of the benefits BYTE provides

with this affordable, direct channel to Europe. For information on the next BYTE EURO-DECK, call Joseph Mabe at 603/924-2533 or fax to 603/924-2683.

BYTE
EURO-DECK

The Benefits of Recentralization

Microsoft's Systems Management Server helps bring the anarchy of multiple-vendor networks under centralized control

ETHAN WILANSKY

Intelligently managing networked computers has become difficult and complex. One complicating factor is the plethora of management tools that use different OSes and front ends. Each management application is configured separately and often uses proprietary data collection, remote control, and software distribution.

Microsoft seeks to resolve these problems with SMS (Systems Management Server), a suite of network management utilities. Using Microsoft's Windows NT Server and Windows NT SQL Server as its underlying OS and database, respectively, SMS provides four major management functions: hardware and software inventory; electronic software distribution; shared application management; and remote-control and network monitoring.

SMS is an integrated set of node-level tools that use industry-standard methods for managing the network. It distinguishes itself from the competition by using the NT SQL Server database as its foundation. This means, for example, that when a network manager defines a software update procedure that executes only on a client if CPU or disk space is adequate, the client's characteristics are determined by querying the NT SQL Server database.

SMS provides an open environment to support three of the most popular NOSes (network operating systems), Novell NetWare 3.1x and 4.x (in bindery emulation mode only), IBM's LAN Server 3.0 and 3.1, and Microsoft LAN Manager 2.1 and higher. This open systems philosophy extends to data collection and reporting via ODBC (Open Database Connectivity), DMI, and SNMP. Client OSes—such as Mac System 7, OS/2 2.x, MS-DOS 5.x or higher, and the Microsoft Windows family—are supported for varying degrees of systems management (for details, see the table "SMS-Supported Operating Systems"). NT's support of such popular industry protocols as TCP/IP, IPX, SNA (Systems Network Architecture), RAS (Remote Access Service), and NetBEUI lets SMS use any of these protocols for data gathering, management, and distribution.

Systems Management Server stores network inventory data in an NT SQL Server database. Here, a database report highlights the disk configuration of a node on the network.

To operate SMS, you need NT Server (\$699) and NT SQL Server (\$999). The CPU, disk, and RAM requirements depend on the number of workstations and on how dispersed—from a single segment LAN to many routed WANs—the network is.


For our tests, we ran SMS on five NetWare log-on servers. Two of these were located at our Bethesda, Maryland, test site, and the other three were accessed remotely across a frame-relay link. Of the three remote servers, two were connected via 256-KB lines, and one was on a 56-KB line. Clients were dispersed throughout the local and remote sites and ran a variety of OSes, including Windows 3.1, MS-DOS 5.0 or higher, WFW (Windows for Workgroups) 3.11, Mac System 7, and OS/2 2.1. Last, but not least, we ran SMS on two NT servers, one of which functioned as the central site server.

Building on a Strong Foundation

SMS uses a format called MIF (management information file), developed by the DMTF (Desktop Management Task Force), for collecting inventory information about the hardware on the network. It also uses SNMP services for monitoring SMS servers from a network management station, such as Hewlett-Packard's OpenView. In addition, IBM's NetView network management software can receive SMS status information if an NT server is running Microsoft SNA Server.

Inventory Management

Inventory data collection underlies all SMS's key operations. At the central or



primary site servers, you decide the schedule and frequency of inventory collection for managed sites. Constant updates to the SMS database keep the inventory current, regardless of whether clients have been added or reconfigured. The inventory can encompass such items as hardware disk type, names of workstation boot files, installed software, and BIOS revision dates.

SMS provides a sophisticated query function that lets you use stored inventory information to complete a selective software upgrade through SMS, to document the network, or to trigger an alert condition in the event log. You can also save defined queries for future use.

We found the inventory function to be the most robust and well-designed SMS component. However, the data we collected was sometimes incomplete. For example, our database contained no mention of the SCSI controller on a Tricord ES5000 server running NetWare 3.12. The reason is that SMS uses standard NetWare APIs to collect information from NetWare servers, and those APIs report only NetWare volume (not disk controller) information, the OS version, and other server information tracked by the NOS.

In addition, on some stations at the Bethesda, Atlanta, and San Francisco test sites, the SMS boot-configuration component didn't run because other batch

Reviews The Benefits of Recentralization

procedures executed commands that dumped users out of their boot files before the SMS agent TSRs could run. After we reconfigured the batch routines, the agents ran fine.

Electronic Software Distribution and Management

Maintaining a hardware inventory is hard enough; add ESD (electronic software distribution) and software management, and you have a nightmare. To help with this management headache, SMS provides a robust and highly configurable set of software distribution and tracking tools.

From a central or primary site server (both of which can function as a multisite hub, although only the former sits atop the hierarchy), you can create a *package* (a type of SMS component) that defines how an application you want to distribute will be installed, executed, or tracked for inventory.

For configuring packages, SMS uses PDFs (package definition files), which consist of scripts for setting up Microsoft OSes, (e.g., MS-DOS, Windows, and NT) and Microsoft applications, such as Excel 5 and Word 6. Also included is a run-time version of Microsoft Test for running precompiled scripts. (Compiling your own scripts requires the retail version of Microsoft Test, which is not included with SMS.)

Each package provides the information necessary for running a task. Its own delivery, however, is handled through a *job*, which is analogous to addressing and carrying a letter to a mailbox for delivery.

Overall, the package component is slick, but its run-time version of Microsoft Test for script compiling leaves something to be desired. We found using a third-party scripting language like WinApps Installer was the quickest and easiest alternative.

For software installation to execute, the client must have available a PCM (package command manager). Microsoft provides PCMs for computers running MS-DOS 5.0 or higher, Windows 3.x, WFW, NT, and Mac System 7. Currently, there are no PCMs for OS/2 or Unix systems. However, you can run the Windows PCM from an OS/2 Windows shell. At this writing,

Digital Equipment was shipping beta versions of a Unix client for SMS. Also, because Mac System 7 doesn't support running applications from the network, you can't share server-based applications.

Shared application management, a main function of SMS, can be used to distribute software to any server in the SMS environment. When setting up shared applications on a server, it's important to make

(Graphical Device Interface). Network monitoring lets you set network alert triggers for executing any program or task. For remote-control and diagnostic support, SMS can access clients running DOS, Windows, and WFW. Surprisingly, SMS does not support NT or Macintosh clients for diagnostic or help desk functions.

The host and viewing station must have the same protocols bound to the NIC (net-

work interface card) for these remote facilities to function. The administrator monitors the DOS, Windows, or WFW client via a LAN or RAS connection.

Network monitoring also requires either a promiscuous-mode NIC at the monitoring site (i.e., a NIC that receives all frames on the network) or a connection to a remote network monitoring agent running a promiscuous-mode NIC. A wide variety of LAN and WAN protocols running RAS are supported for SMS network monitoring.

SMS remote control doesn't work with OS/2, NT, and Mac clients, although NT support is expected by year's end, and

Microsoft is considering adding native OS/2 and Mac support.

A Complex Route to Simplification

SMS is not for administrators who want a simple solution to network management. It's a complex product that demands careful planning before you can implement it.

That said, Microsoft has created a powerful suite of network management tools. When taken individually, SMS's management components are above average. Its distribution mechanisms and client support are superior to those of any product on the market, but they aren't what distinguishes SMS from its competitors. SMS really shines as a total network management platform. Its multiprotocol and multi-NOS support are unmatched. ■

Ethan Wilansky is a Maryland-based network integration consultant and instructor for Microsoft and NetWare networking products. He can be reached on the Internet at ewilan@clark.net or on BIX c/o "editors."

SMS-SUPPORTED OPERATING SYSTEMS

| | MS-DOS 5.X OR HIGHER | WINDOWS 3.1 | WINDOWS FOR WORKGROUPS | WINDOWS NT | MAC SYSTEM 7 | OS/2 2.X |
|---------------------------------|-------------------------|----------------|---------------------------|---------------|-----------------|-------------|
| Client services | | | | | | |
| Inventory management | ● | ● | ● | ● | ● | ● |
| Remote control | ● | ● | ● | ○ | ○ | ○ |
| Network monitoring ¹ | ● | ● | ● | ● | ● | ● |
| Client diagnostic utility | ● | ● | ● | ● | ○ | ○ |
| Shared applications | ● | ● | ● | ● | ○ | ● |
| Software distribution | ● | ● | ● | ● | ● | ● |
| Server types² | | | | | | |
| Central site | ○ | ○ | ○ | ●* | ○ | ○ |
| Primary site | ○ | ○ | ○ | ●* | ○ | ○ |
| Distribution | ○ | ○ | ○ | ● | ○ | ○ |
| Log-on | ○ | ○ | ○ | ● | ○ | ○ |
| Helper | ○ | ○ | ○ | ● | ○ | ○ |

Note: Table information doesn't include NOSes; ● = yes; ○ = no.

¹ Limited monitoring is possible on any client with a supported protocol, but only Windows NT and Windows for Workgroups support full, agent-based monitoring.

² Although you can run shared applications from a server, SMS cannot handle client configuration and icon setup on the Presentation Manager desktop.

³ Distribution and log-on servers can also run Novell NetWare 3.x and 4.x, Microsoft LAN Manager, and IBM's LAN Server.

⁴ Only Windows NT Server can act as a central or primary site server.

the applications easily accessible to users. For Windows 3.x and NT clients, you can use SMS's PGC (Program Group Control) utility to make application icons appear on each client workstation.

Unfortunately, DOS, Windows 3.x, and NT are the only platforms that can take full advantage of PGC's automation features. If you use a third-party Windows shell or OS/2, you must also use a third-party icon management utility to centrally manage each desktop.

Remote-Access Utilities and Network Monitoring

For real-time user support, SMS offers three functions: a diagnostic utility for viewing client configurations, network monitoring for collecting raw data frames or packets while troubleshooting network problems, and remote control (also called help desk). The diagnostic utility lets you, for example, view the device drivers loaded on a DOS workstation. On a Windows station, it lets you see the local heap space used for the GDI

Product Information

Systems Management Server \$649 per server
(\$39.95 per client; prices are estimated retail)
Microsoft Corp.
Redmond, WA
(800) 426-9400
(206) 882-8080
fax: (206) 936-7329
Circle 976 on Inquiry Card.

"IBM only makes servers for huge companies with unlimited budgets."

(Hello, how does starting at \$3,000 sound?)

The days when only FORTUNE 500® companies could afford IBM are most definitely over. Because now, for about the price of other brands, any business can choose the IBM PC Server 300 and enjoy what IBM customers have come to expect.

Namely, servers that are easy to upgrade and work perfectly with other computers and peripherals you might already have. Precision IBM reliability. And HelpWare®, a comprehensive service and support package that includes telephone help 24 hours a day, 7 days a week.

What's more, if making your life easier is high on your list of options, you can choose an option of ours—NetFinity™ 2.01 software—which makes managing your network a lot simpler.

For details on how to get the most out of your PC budget by getting the most PC Server, see the IBM Authorized Business Partner near you. Or, for product info by fax, call 1 800 IBM-4FAX and key in ID# 3078 or 3079.



IBM PC Server 300:

486 DX2/66MHz; 728MB hard drive; 8MB parity memory expandable to 128MB; 9 Bays; 8 Open Slots; 30-day money-back guarantee; 3-year, next-day, on-site warranty; EISA/PCI architecture.

There is a difference™

PC Direct prices and offerings are subject to change or withdrawal. MB means million bytes. Copies of IBM's Statement of Limited Warranty available by calling 1 800 772-2227. Dealer prices may vary. IBM and HelpWare are registered trademarks and NetFinity and There is a difference are trademarks of International Business Machines Corporation. ©1995 IBM Corporation.

Circle 291 on Inquiry Card.

Maximize Your Marketing Dollars With BYTE Reprints!

BYTE Reprints serve as high-quality, inexpensive promotional tools for:

- Trade show handouts
- Direct mail campaigns
- Dealer/distributor promotions
- Training and educating key personnel
- Presentations at conferences/seminars

And there's more!

- BYTE reprints can be customized with your company name, logo, product picture, etc.

Call today for information and quantity prices.

Susan Monkton


BYTE Reprint Department

One Phoenix Mill Lane, Peterborough, NH 03458

Phone: 603-924-2618

Fax: 603-924-2683

Minimum order: 500



BYTE

The Magazine of Technology Integration



Small-Scale Telephony

Six multifunction telephony boards manage fax, voice, modem, and sound

TOM YAGER

Affordable computer telephony products are a boon to small businesses and work-at-home professionals. The low prices come from increasingly inexpensive DSPs (digital signal processors). These chips can single-handedly juggle voice messages, faxes, data communications, digital audio, and more. Equipped with one of these programmable chips, an expansion card can act as a combined data/fax modem, multimedia sound card, and telephony board for under \$400. Besides giving your enterprise a big-business feel, these multifunction cards conserve scarce expansion slots and reduce configuration hassles.

DSP programmability also provides an easy route to correct bugs and enhance functions (upgrade modem speed—to a limit—or add caller ID capability). Five of the six cards reviewed use programmable DSPs. As you'll see, however, effective telephony doesn't require a DSP, nor does a DSP ensure effective telephony. In all cases, the software makes the difference.

The cards in this review are based on the ISA bus and support 14.4-Kbps (V.32bis) or faster modem traffic, 14.4-Kbps fax transfers, and digital audio at sampling rates of 44.1 kHz in 16-bit stereo. All six cards can record and play audio through the phone line, an external speaker and microphone, or a locally connected telephone handset. Windows audio software is standard, and each card has at least one CD-ROM controller. A joystick/MIDI port is common but not universal.

Three of the cards use a version of IBM's Mwave chip and DSP OS; two use AT&T's 32xx Roadrunner DSP with its VCOS (visual caching OS). Also tested was a non-DSP card from Boca Research that manages to squeeze enough circuitry onto a full-size card to provide voice, fax, modem, and sound functions. We didn't look at WinSurfer, IBM's own Mwave card, because a new version replaced it after this review was completed. Non-DSP cards from Creative Labs and Diamond Multimedia weren't ready to review.

The test platform was a 66-MHz Boss 486DX2 with 28 MB of RAM and a net-

work card. All products come with Windows-based telephony applications. Keep in mind that if you don't find the telephony functions you want with these cards, you can get them with a little programming. All the reviewed Mwave cards, for example, work with Visual Voice for Mwave (Stylus Innovation, Cambridge, MA, (617) 621-9545). (See Code Talk, November 1994 BYTE, page 44.)

Spectrum Signal Processing's OfficeF/X


Like other Mwave cards, the OfficeF/X is a small half-length card with many Mwave-based software features. It supports V.17 (14.4 Kbps) faxing, V.32bis data transmission (with claimed upgradability to V.34), 16-bit stereo sound sampling at up to 44.1 kHz, wave-table sound synthesis, MIDI capability, Sound Blaster compatibility, and telephony features.

OfficeF/X is the first card to use the latest Mwave DSP, the MDSP2780, which brings more processing power and on-chip Sound Blaster hardware compatibility. The card has connections for audio line inputs and outputs (through stereo 1/8-inch phone jacks), a microphone input, and a joystick/MIDI port. The line output drives headphones directly (an Mwave mixer applet is included). One telephone jack connects both phone line and handset with the RJ-12 pigtail splitter that Spectrum supplies.

With no DIP switches or jumpers, setup should have been simple using the card's graphical DOS installation program. In most cases, you just select "automatic set-up and test" and wait a few seconds. We weren't so lucky. OfficeF/X's installation refused to accept the COM2 setting, even though it was unused by other hardware. It finally worked with COM3.

OfficeF/X comes with Delrina's WinFax Lite and WinComm Lite, MKS Internet Anywhere for E-mail, and Spectrum's

Multifunction telephony cards can give your small business or home office a big-league sound. The bundled software makes the difference.



own SwitchBoard, a digital answering machine.

SwitchBoard's unified inbox lists fax, voice, and E-mail messages. SwitchBoard handles voice messages itself and communicates with WinFax Lite and Internet Anywhere to meld their receive logs into one. OfficeF/X's Mwave software manages audio, fax/modem, and wave-table synthesis pretty well, though we did find the digital audio quality somewhat wanting. When we listened to messages and calls through headphones, the card emitted a constant pink noise/whine that made listening unpleasant. Muting the inputs in the mixer applet didn't help.

The Mwave discriminator routine determines where each incoming call should go: voice, fax, or data. You can also set up brute-force discrimination, letting the caller indicate the call type with DTMF Touch-Tones, or depend on caller ID and phone-number information you enter into OfficeF/X's contact list.

WinFax Lite and WinComm Lite are arbitrarily crippled. SwitchBoard supports multiple incoming mailboxes, but beyond that, its features are only equal to a \$99 answering machine. It has no message forwarding or beeper notification, no voice-menu programmability, and no fax forwarding or fax-on-demand. In short, OfficeF/X is just about what you'd get if you combined an average fax machine, modem, and answering machine.

When running Windows, Mwave acts

Reviews Small-Scale Telephony

as an acceptable wave-table synthesizer. It can handle simultaneous fax and MIDI, audio and modem, or almost any combination that doesn't overtax the DSP's capacity. If you overdo it, a window pops up complaining about "not enough MIPS." (All these cards support simultaneous functions to a reasonable degree.)

Best Data's ACE 5000

Best Data's ACE 5000, one of the first Mwave-based cards, uses the original Mwave chip, now called the MDSP1012 by IBM. Although the Mwave cards share capabilities and are similar, each has a different layout, components, and connectors. The ACE half-length card has clear advantages and disadvantages when compared with the other Mwave cards. Unfortunately, the balance tips to the negative.

On the ACE card, all ports are easily accessible and well labeled, with two RJ-11 jacks, microphone input, and line input and output. This card supports only a single CD-ROM drive type—Panasonic. A MIDI connector kit is optional. Installation isn't nearly as straightforward as with OfficeF/X, because the ACE card has both jumpers and DIP switches. Worse, Best Data's hardware sniffer utility works well only if you get the settings right the first time. After using it once, if you try different port and IRQ (interrupt request) combinations, you must first pull the board and manually remove all references to the

previous ACE installation from your SYSTEM.INI file.

The ACE card comes with QuickLink Message Center, from Smith Micro Software. This somewhat uneven program provides central control with a unified inbox (actually, 10 inboxes organized as mailboxes) for incoming voice messages and faxes. QuickLink's impressive list of business features (i.e., operator paging, call transfer, fax-on-demand, remote fax retrieval, and pager notification) seemingly puts it at the top of the Mwave list, but some of the features are flawed.

In an office running on a Centrex or similar small-business phone system with extensions, QuickLink will transfer incoming calls to an extension identified by the mailbox. No problems here. It will also page an operator by beeping the system's speaker or by playing a WAV file.

Fax-on-demand should also be a welcome feature, and we were pleased with QuickLink's ability to automatically generate a faxable list of available documents. However, you can't view faxes as you add them to the list, nor is there callback capability. Callers must request fax-on-demand from the fax machine itself. And QuickLink doesn't offer callers any opportunity to verify document choices or delete selections.

Pager notification works, but it rings your pager even if the caller hangs up immediately. Configuration details are buried in deep trees of dialog boxes, which forces

you to hunt for some common switches and parameters. The greetings and voice prompts supplied are useless demonstrations, requiring you to rerecord every message in your own voice. QuickLink also turned up the only application errors encountered during this review. While the errors weren't fatal—clicking the "ignore" button dismissed them—they did hang the application, and they were consistently repeatable after two reinstallations.

Taking advantage of DSP programmability, Best Data offers several upgrade options. You can upgrade the V.32bis data modem software to V.34, but it remains to be seen whether or not the MDSP1012 chip can handle 28.8-Kbps transmission with full four-times compression. Other software options are caller ID, full-duplex speakerphone, network fax, Q-Sound (simulated 3-D), and a three-way call discrimination (voice, fax, and data).

While QuickLink's list of business-oriented features stands out, the implementation simply doesn't measure up to our expectations for actual use. Overall, we rate the ACE 5000 behind OfficeF/X. The ACE card works with Visual Voice, if you have a custom application in mind. Or you can wait for the MDSP2780-based ACE 6000 with its upgraded software.

Objix Multimedia's Media Manager

Objix Multimedia's Media Manager is an Mwave card. Like the ACE 5000, this half-

MULTIFUNCTION TELEPHONY CARD FEATURES

| | AMI MEDIA-TEL | BEST DATA ACE 5000 | BOCA SOUNDEXPRESSION 14.4VSP |
|------------------------------------|---|--------------------|--------------------------------|
| Price | \$399 | \$299 | \$179 (estimated street price) |
| DSP | AT&T 3207 | IBM Mwave 1012 | Fixed function |
| 14.4-Kbps fax and data modem | V.32terbo | ● | ● |
| Upgradable to V.34 | ○ | ● | ○ |
| Windows Sound System-compatible | ● | ○ | ● |
| Wave-table MIDI* | ● | Optional | Hardware optional |
| CD-ROM connections | Sony, Mitsumi, Panasonic, IDE | Panasonic | Sony, Mitsumi, Panasonic, IDE |
| Microphone | ○ | ○ | ○ |
| Telephony Software Features | | | |
| Unified inbox | ● | ● | ● |
| Multiple mailboxes | ● | ● | ● |
| Caller ID | ● | Option | ● |
| Full-duplex speakerphone | ● | Option | Half-duplex |
| Call auto-detect | Three-way | Two-way | Two-way |
| Message forwarding | Voice to other mailboxes only; forwards faxes | ● | Message and fax |
| Pager notification | ○ | ● | ● |
| Remote message retrieval | ● | Message and fax | Message and fax |
| Fax-on-demand | ○ | Limited | ● |

*All cards provide 16-bit 44MHz stereo sound with Sound Blaster capability.

● = yes ○ = no

length card uses IBM's MDSP1012 Mwave chip, and its features and DSP software capabilities are similar. A joystick/MIDI connector is standard (through an adjacent slot opening), and the audio connections (microphone, line in and out) run through a pigtail. There is a bundled microphone, and the card has a scanner port and software that supports scan to fax, giving you real fax-machine capability.

Automatic configuration by a Windows program makes installation straightforward. The card supports only one type of CD-ROM drive—Sony.

Media Manager comes with the most limited software of the six cards. The PhoneManager program handles voice calls, providing one mailbox, your choice of three greetings, and only the most basic telephone-plus-answering-machine functionality. Similarly, the Fax Desktop program offers little beyond the minimum required features of a fax machine.

The standard Mwave discriminator routes calls to PhoneManager and Fax Desktop, but there is no central manager to get voice and fax services running automatically. Fax Desktop also requires you to log in with a name and password, making it difficult to set your machine to restart itself after a power loss. The user interfaces are clunky, with separate voice and fax inboxes and poorly drawn icons.

The bundled microphone is a nice touch, but the card's line output wasn't strong

enough to drive our headphones at an acceptable volume. In its present state, fax and voice support are so basic as to put the Media Manager in last place among its Mwave counterparts. The manual that came with the Media Manager card was stamped "preliminary," leaving hope that the software will move forward.

MediaMagic's Telemetry-32

This three-quarter-length multifunction DSP card was the first one to use AT&T's Roadrunner 3210 chip. The card's hardware features are impressive: four CD-ROM interfaces, stereo microphone input, audio jacks, dual RJ-11 telephone jacks, a game port, and a stereo microphone.

While the Telemetry-32's basic software capabilities are similar to the Mwave cards, that's where the similarity ends. For once, installation was truly automatic. The software includes Voyetra's Multimedia Sound Software for Windows, and voice and fax action are handled impressively by Syncro Development's Multimedia Connect with three-way call discrimination.

Multimedia Connect is hampered by a too-sparse manual, and the answering-machine software suffers from the common



Multimedia Connect's main interface mimics a speakerphone. The Enter key lifts the receiver off the hook, and you can dial with your keypad. The mini inbox view shows newly arrived voice and fax messages. The program comes with the MediaMagic and AMI packages.

flaw of recording after an immediate hang-up. However, Multimedia Connect makes the Telemetry-32 telephony bundle professional and complete enough to put to business use immediately.

Surprisingly, Multimedia Connect's greetings and prompts are delivered by a clear, professional voice. The layout of the voice menus, mailbox access, and remote administration is clean and sensible. Multimedia Connect is clearly patterned after high-end voice-mail systems.

Its features go way beyond a unified inbox for fax and voice messages. The standard voice menus invite fax senders to attach voice messages, which then appear as icons in the fax viewer toolbar. You double-click on the icon to hear the message. Multimedia Connect also forwards faxes and messages to other mailboxes, and it will even forward faxes to another fax machine (with automatic retries and the ability to reprogram the forwarding number remotely). The program doesn't forward voice messages to other locations or notify pagers.

The stylish Multimedia Connect interface (see the screen) is compact enough to let you run other programs on a 1024- by 768-pixel screen. Also, the program can play WAV files to callers on hold. This big-system feature lets you annoy callers with marketing messages and music, but it keeps callers from wondering if they've been disconnected. The interface doesn't make it clear enough, however, that a caller is on hold.

Unfortunately, Multimedia Connect's Touch-Tone duration is too brief for most voice-mail systems to recognize, and the speakerphone introduces a jarring delay between your speech (into the microphone) and its playback in your headphones. Also, the board itself is a little noisy, playing a constant, almost tune-like, sequence of random tones through the headphones when the line is quiet.

The Multimedia Connect interface has a "terminal" button that enables the modem emulator and launches any external terminal program you choose. The package

| MEDIAMAGIC TELEMETRY-32 | OBJIX MEDIA MANAGER | SPECTRUM OFFICE/X |
|---|---------------------|-------------------|
| \$299 | \$379 | \$299 |
| AT&T 3210 | IBM Mwave 1012 | IBM Mwave 2780 |
| V.32terbo | ● | ● |
| ○ | ○ | ○ |
| ● | ● | ● |
| ● | ● | ● |
| Sony, Mitsumi, Panasonic, IDE | Sony | Panasonic, Sony |
| ● | ● | ○ |
| ● | ○ | ● |
| ● | ○ | ● |
| ● | Option (\$20) | ● |
| ● | Half-duplex | ● |
| Three-way | Two-way | Three-way |
| Voice to other mailboxes only; forwards faxes | ○ | ○ |
| ○ | ○ | ○ |
| ● | ● | ● |
| ○ | ○ | ○ |

also includes AT&T's stand-alone data and fax modem emulators, so you can run third-party communications software.

The Telemetry-32 was up and running faster, and presenting a more professional interface to the caller, than the other cards tested. It has no pager notification or remote fax retrieval, but overall, we give the Telemetry-32 high marks and recommend it for any small business that wants to sound big.

American Megatrends' Media-TEL

American Megatrends (AMI) supplied its new Media-TEL card with prerelease installation software. With the same hardware and software features, this card is virtually indistinguishable from Media-Magic's Telemetry-32. (The cards aren't identical at the component level, though the Media-TEL uses two MediaMagic chips.) Both run AT&T Roadrunner chips at 55 MHz (AMI uses the 3207 version with no serial interface), both support four different flavors of CD-ROM drive, and both run Syncro Development's Multimedia Connect voice/fax manager. Only the Media-TEL provides a game/MIDI interface.

While the Telemetry-32's installation was smooth, the Media-TEL's wasn't. AMI told us its final installation routine will be good because it relies on the same hardware sniffing routines used in its AMIDIAG utility. The company includes an odd assortment of AT&T DSP demonstration programs, the most impressive of which made short work of JPEG image decoding. Reserving judgment on AMI's unfinished installation routine, we expect to like the Media-TEL as much as the Telemetry-32, for the same reasons.

Boca Research's SoundExpression 14.4VSp

The SoundExpression 14.4VSp (Boca calls it the SE1440) blazes its own trail. Rather than using one DSP to handle everything, the SE1440 employs discrete components, which explains why it's a full-length card. In specifications, it does nearly everything the DSP-based cards reviewed here will do. What you don't get is software upgradability.

You can connect four kinds of CD-ROM drives with internal audio cable support for each. Line in and out as well as microphone and joystick/MIDI jacks are standard. With only one RJ-11 jack on the card, Boca supplies an odd-looking splitter that lets you connect a handset as well.

Boca did a first-class job packaging the SE1440. A preinstallaion COM-port sniff-

er tells you how to set jumpers for the fax modem's I/O port and IRQ. All audio and CD-ROM parameters are then set in the well-designed installation program, which makes configuration effortless. Boca doesn't include the Sound System software, instead bundling MidiSoft's Sound Impression tools.

The real story behind the SE1440 is the FaxWorks software from SofNet. It makes the SE1440 the most powerful and capable telephony card in this review. FaxWorks' base of operations, the Communication Center, lets you see how many voice and fax messages you have at a glance. Its unified inbox has a twist: Tab headers let you browse among fax and voice, new and old, and incoming and outgoing messages with ease. With each of FaxWorks' multiple voice/fax mailboxes, you can set a per-mailbox disk-space limit. Your mailbox can also have its own private fax-on-demand list, and FaxWorks' forwarding options are impressive.

When you're traveling, FaxWorks can notify you about new faxes and voice messages by digital pager or by faxing a status update. In both cases, FaxWorks gives you the number of new and old fax and voice messages, and the total number of new fax pages. With pager notification, FaxWorks ingeniously turns this data into Touch-Tones. The counts appear in your pager's display as a suffix following any mailbox-specific ID code you supply. When you call in for your messages, you can also get your faxes selectively. And FaxWorks satisfies our fax-back standards by letting you call from any phone and specify a callback fax-machine number.

The versatile FaxWorks gives you three ways to deliver fax-on-demand: 10 global demand documents, 10 additional documents per mailbox, and up to 1000 documents in a master document-retrieval tank. Each fax-on-demand document may contain several pages, and you can see both thumbnail and full-size views as you select documents for the list. The smaller global and per-mailbox fax-on-demand lists support both voice and faxable text descrip-

tions, but the document-retrieval area requires the caller to know the four-digit document code and its four-digit password. As with fax retrieval, fax-on-demand supports both immediate and delayed transmission.

While not quite the equal of the voice prompts included with the Multimedia Connect software shared by the Media-Magic and AMI cards, FaxWorks' standard voice prompts and greetings are clean and professional. It has many nifty features. With a lightning-fast viewer, annotation, and automatic cover pages, the fax component is not crippled at all. The terminal emulator includes a host mode for quickie file transfers. If you get lost, you can turn on FaxWorks' "cue card" facility, which pops up a helpful hints window for the control you're pointing at.

The SE1440 card does have a quirk or two, including too-loud Touch-Tones while dialing and an ear-jamming pop that precedes local playback of greetings and prompts. Overall, however, we give the SE1440 top marks for the quality of FaxWorks.

As hardware, all the reviewed multifunction cards are capable enough for telephony; it's the bundled software that makes the difference. For now, the Boca SE1440 and the AT&T cards from MediaMagic and AMI provide the best business telephony software. ■

Tom Yager is a freelance writer and analyst living in north Texas. He is the author of The Multimedia Production Handbook for the PC, Macintosh, and Amiga (Academic Press, 1993). You can reach him on the Internet at tyager@maxx.lonestar.org or on BIX c/o "editors."

Where to Find

American Megatrends, Inc.

Norcross, GA
(800) 828-9264
(404) 263-8181
fax: (404) 263-9381
Circle 1147 on Inquiry Card.

Best Data Products, Inc.

Chatsworth, CA
(800) 632-2378
(818) 773-9600
fax: (818) 773-9619
Circle 1148 on Inquiry Card.

Boca Research, Inc.

Boca Raton, FL
(407) 997-6227
fax: (407) 997-0918
Circle 1149 on Inquiry Card.

MediaMagic

IPC Technologies, Inc.
Austin, TX
(800) 624-8654
(512) 339-3500
fax: (512) 454-1357
Circle 1150 on Inquiry Card.

Objix Multimedia Corp.

Waltham, MA
(800) 854-6211
(617) 466-8720
fax: (617) 466-8722
Circle 1151 on Inquiry Card.

Spectrum Signal Processing

Burnaby, British Columbia,
Canada
(800) 667-0018
(604) 421-5422
fax: (604) 421-1764
Circle 1152 on Inquiry Card.

20 Slots Of Communications Power.

Rugged rackmount form factor for easy placement in phone closets and communications rooms.

Use the cards you want in the configurations you need, with our passive backplane industry standard architecture.

NEBS-compliant chassis and systems are also available.

110/220 VAC or 48VDC support. Choose from 250, 300 or 350-watt power supplies.

Two front-accessible removable media half-height peripheral devices.

Rack up the capacity you need in the configuration you want.

Your computer telephony applications environment is a demanding one. You need lots of slots for your various communications cards, and the power to drive them all. Look no further. Texas Micro has the right chassis for you, and in a rugged rack-mount form factor!

A cool way to drive up to 20 cards.

Our Model 3220 is a high performance, ruggedized chassis that contains five 42CFM fans for optimum cooling of the entire card cage and peripheral bay. Its twenty full-length, 16-bit ISA expansion slots are based on a passive backplane that's ready to be configured.



Lower cost of ownership with industry standard architecture.

Our industry standard architecture means you can choose from the widest variety of add-ins and peripherals, including our own Pentium™, DX4, and DX2 CPU cards. And, with a capacity that matches up to three standard office PCs, the Model 3220 is the more cost effective solution!

Increase your capacity to communicate.

Contact our Sales department at 1-800-627-8700, fax us, or send in your magazine reply card today, and we'll explain how we can help you communicate effectively!



The Value Leader Since 1983

1-800-627-8700

Fax: 713-541-8226 Int: 713-541-8200

FIXED/REMOVABLE MASS STORAGE FOR ANY PLATFORM.

Data Express: Rugged Removability

Data Express, a family of durable removable carriers, houses a hard disk or DAT (Digital Audio Tape) device, adding up to 36GB plus the many benefits of storage removability to your PC or workstation. Data Express is available internally; mounting into your computer system drive bay, or externally; housed in steel enclosures and equipped with a fan and power supply. Data Express boasts an industry leading 25,000 insertions for long lasting removability. Constructed of steel and equipped with superior ventilation, Data Express provides the peripheral cooling needed when using large capacity devices.



Data Silo: Durable External Housing


Kingston's Data Silo is a family of stand alone external storage enclosures for half-height or full-height 5.25" or 3.5" SCSI peripherals. Data Silo is available in versions to house one, two, four, or nine SCSI devices simultaneously providing the utmost flexibility for storage expansion, disk array environments, and peripheral integration. Each Data Silo is equipped with its own power supply and fan and constructed of 100% steel, making Data Silo the most durable external storage enclosure available today.



Storage Versatility



Kingston's Data Silo four and nine bay units provide ideal drive stacking features for use in disk array environments. Data Silo also houses Kingston's Data Express products, which provide all the benefits of storage removability including data security and portability.



Industry-Leading, Five-Year Warranty

Every Data Express and Data Silo comes equipped with a comprehensive five year warranty and free technical support. Designed specifically for PC and workstation users, Data Express and Data Silo provide unsurpassed storage flexibility and quality.



Every Product 100% Tested

Kingston guarantees the highest quality available by testing every product prior to shipping.



Information At Your Fingertips

To get the facts on Data Express and Data Silo, call our convenient RAMFax fax on-demand service toll-free and request document number 8310. For immediate assistance, contact Kingston's Storage Products group at:



(800) 435-0670

Kingston
TECHNOLOGY CORPORATION

THE INSIDE NAME IN UPGRADES

Kingston Technology Corporation
17600 Newhope Street, Fountain Valley, CA 92708
(714) 438-1850 • Fax (714) 438-1847

Apple's Improved MessagePad

Bug fixes, more memory, and third-party peripherals and software have improved MessagePad usability

TOM THOMPSON

Apple's new MessagePad 120 strengthens the company's role in vertical applications. Although it still doesn't read handwriting the way we'd like it to, it offers more memory, better ROMs, and growing third-party support in the form of PC Card peripherals.

With a cursory glance at the MessagePad 120's hardware specifications, you might think it's the original with a flip-top cover for the LCD. It still uses a custom system ASIC to manage hardware subsystems, the same 20-MHz ARM610 RISC processor, and a Type 2 PC Card slot. But its 4-MB ROM features Newton OS 1.3—with bug fixes, improved handwriting recognition, and a larger dictionary (13,000 words instead of 10,000).

The MessagePad 120 comes in 1- and 2-MB memory configurations, whereas the MessagePad 100 had just 640 KB. This gives you up to 1.4 MB of RAM for applications and information (2-MB system) versus 220 KB in the original. The MessagePad 120's low-power reflective LCD is slightly smaller than the original's (320-by-240-pixel resolution versus 336-by-240-pixel resolution, respectively).

The MessagePad 120 is taller and longer but less wide than the original, so it fits into more jacket pockets. A larger battery cavity holds four AA batteries instead of four AAA batteries. That boosts the PC Card slot power rating from 110 to 325 milliamperes, enough to support modem cards for wireless communications.

Now for the price: The MessagePad 100, sans peripherals, cost \$699. For the same price, you can get a MessagePad 120 with 2 MB of RAM and an external modem (2400-bps data and 9600-bps fax), which is the unit we tested here.

Field Test

The MessagePad 120 comes preinstalled with Name and Date applications, as well as Notions 1.1, a PIM (personal information manager) application. Because the original


MessagePad did a good job at recognizing my handwriting (a mix of cursive and printed text), it was hard to discern any improvement in that area. However, the MessagePad handwriting recognition engine now supports deferred recognition. This lets you rapidly jot down notes as "ink" or bit maps and capture them later as text—a big win for those using the MessagePad 120 as an electronic notepad.

The Newton OS has gained stability: During testing, we saw only one system error, and we never had to reset the device, despite inserting a variety of cards and downloading new software.

The PC Card situation is mixed. An Epson 2-MB memory card worked, but an Epson 20-MB flash memory card didn't. Neither did SunDisk's 1.8-MB FlashDisk card: We got an "Unrecognized type of card" message. Both cards use an ATA (AT attachment) interface for data I/O. PCMCIA storage cards that mimic IDE hard drives don't work with the MessagePad 120. The Newton OS isn't hard drive-based, so it doesn't understand them.

To use third-party PC Card modems with the 120, you must first download additional software from AppleLink or eWorld—a modem interface module and several "enablers" that transparently manage the messy modem configuration details for you. We downloaded the ModemEnabler package (a package is analogous to a file) and the enablers for a generic Hayes modem and the Motorola Collect 14.4-Kbps cellular modem card. (A variant of the Motorola enabler lets the modem communicate through a MC2 Microtac cellular phone.)

We copied these files to a PC and used the Windows version of Apple's Newton



The new, slimmer MessagePad 120 fits more easily in a pocket. With 2 MB of RAM and third-party support, there are more reasons to put one there.

Connection Kit to download the software to the Newton. After inserting a Motorola Collect PC Card modem, we picked the appropriate enabler from the Preferences settings on the MessagePad. With a few pen taps, we could fax notes using the Collect. Installing a terminal emulation program called PocketCall from Ex Machina, we could log on to BIX and other character-based on-line services at 9600 bps.


Outlook: Good

For certain on-the-go business people, the MessagePad 120 is a handy communications device. Although the PC Card slot supports wireless communications devices, it's still too early to count on any wireless solutions other than a cellular phone hookup. However, the MessagePad is still best suited to specialty applications and getting better at it all the time. ■

Tom Thompson is a BYTE senior technical editor at large and an Associate Apple Developer. You can reach him on the Internet or BIX at tom_thompson@bix.com.

Product Information

MessagePad 120\$699
(2-MB configuration with Newton
fax/data modem and PocketQuicken)
(1-MB configuration)\$599
Apple Computer, Inc.
1 Infinite Loop
Cupertino, CA 95014
(800) 776-2333
(408) 996-1010
fax: (408) 974-6412
Circle 977 on Inquiry Card.



GOLF, AS DESIGNED BY IT.

TCP/IP CONNECTIVITY,
AS DESIGNED BY IT.



If you designed TCP/IP connectivity for your network, the course would be less challenging.

You would start with the only TCP/IP stack developed specifically for corporate networks, with FTP client and server, network monitoring and diagnostic tools, and 100% Windows Sockets compliance.

You would add award-winning VT320 emulation with many customizable features, and make everything easy to install, all in one stroke.

If that's how you would do it, you will like how WRQ did it. Call your authorized Reflection distributor for a free demonstration copy of Reflection® Suite for TCP.

Argentina—TCW Argentina S.A. (1) 314 5010 Australia—Megatec Pty. Ltd. 800 806 563
Austria—SIS Informationstechnologie Ges. m.b.H (01) 376316112 Benelux—Computing &
Systems Consultants bv (040) 434957 BMC Software Services (070) 360 6860 Brazil—
Brazil Software (021) 533 1726 Nutec Informática (011) 505 5728 Chile—Digital Equipment
America Latina (2) 671 8161 S & A Consultores (2) 235 0289 Czech Republic—Inseko CS
(067) 607 311 Denmark—Tempest Europe ApS 44 94 89 02 Finland—TT-Professional Solution
Oy (90) 502 7612 France—ADE (Toulouse) (16) 61 73 32 49 Germany—GFKT Wick Hill
GmbH (040) 23 73 01 0 Hong Kong—G.T.I. 753 8283 Ireland—Entropy Ltd. (01) 294 0199
Israel—Lihad/Bina Systems Ltd. (03) 557 3636 Italy—Siosistemi (030) 24 411 Japan—
Cybernet Systems (03) 59 78 5410 Malaysia—SCS Computer Systems (03) 756 5800
Mexico—Infosistemas Financieros (5) 813 1325 New Zealand—Interconnect (09) 358 0322
Norway—Nocom Norge A/S 67581450 Poland—Softkom Sp. z o.o. (26) 93 30 16 Portugal—
Silicon (01) 815 4286 Singapore—Singapore Computer Systems Ltd. 441 2688 Slovak
Republic—Inseko a.s. (089) 64 88 08 South Africa—LAN Design (011) 444 1050
Spain—Scorpion Sistemas SA (93) 485 40 44 Sweden—Nocom AB (018) 65 55 00
Switzerland—Commcare (01) 730 24 31 United Kingdom—Wick Hill Ltd. (01483) 772280
Venezuela—Lanka Sistemas (2) 959 2411

REFLECTION SUITE FOR TCP

- ▲ COMMUNICATIONS: TCP/IP, UDP, LAT, IPX, SLIP, CSLIP
- ▲ ARCHITECTURE: COOPERATIVE VxD/DLL DESIGN FOR PERFORMANCE AND RELIABILITY
- ▲ MANAGEMENT FEATURES: SNMP MIB II, EVENT LOG, NETWORK STATISTICS, SIMPLIFIED CONFIGURATION
- ▲ TERMINAL FEATURES: VT320 WITH COMMAND LANGUAGE AND SCRIPT RECORDER, KEYBOARD MAPPING, AND INTERNATIONAL CHARACTER SETS
- ▲ APPLICATIONS: FTP CLIENT WITH DRAG-AND-DROP FILE TRANSFER, FTP SERVER, LPR/LPD, GRAPHICAL PING, AND FINGER, WITH 100-PERCENT WINDOWS SOCKETS COMPLIANCE
- ▲ REMOTE COMPUTING: SPECIALIZED FEATURES FOR MORE EFFICIENT, COST-EFFECTIVE MODEM AND MOBILE/WIRELESS CONNECTIONS

Circle 122 on Inquiry Card.

 **Reflection**
CONNECTIVITY FOR A CHANGING WORLD



Good News From Delphi

Borland's Delphi is a potent combination of Object Pascal compiler, visual development environment, and database tools


RAYMOND GA CÔTÉ

After more than 15 months of beta testing and nearly two years of buildup, Borland International has delivered Delphi, its entry into the RAD (rapid application development) marketplace. Windows-based Delphi consists of several tightly integrated components: an object-oriented Pascal compiler and debugger, a visual design environment, and strong database access tools. Borland designed Delphi as a tool to both develop prototype applications and convert them into commercial and corporate-grade products.

There are two versions. Plain old Delphi includes the development environment and the Borland Database Engine for access to dBase (several versions), Paradox, local InterBase, and ASCII tables, as well as other databases with ODBC (Open Database Connectivity) support. Delphi lets you generate stand-alone applications (not just database applications) and distribute them free of royalties. Delphi also comes with a single-user version of InterBase, Borland's SQL database server for Windows, but without license for distribution.

Delphi Client/Server (\$1999) adds versioning control for development team support, built-in access to remote SQL databases (e.g., Oracle, Sybase, Microsoft SQL Server, and Informix) through Borland SQL Links 2.5, Interbase unlimited distribution license, and source code for Delphi's library of components. Delphi applications scale fully to Delphi Client/Server.

With the two versions, Borland is challenging low-end tools such as Microsoft's Visual Basic and high-end 4GL (fourth-generation language) products such as PowerSoft's PowerBuilder. Almost any development product introduced on the Windows platform today is either positioned as compatible with Visual Basic or as a VB-killer. On its merits, Delphi is certainly the latter and more. Whether or not Borland's RAD products pack enough power and performance to woo developers away from the Microsoft stable is another matter.



At the top are the elements of a typical Delphi development environment: the Component Palette, Object Inspector, Form Designer, and Code Window. At the bottom right is an executing program, and at the bottom left the Delphi debugging system. The program window demonstrates a live component at design time, a directory view component displaying the current status of the hard disk.

Old Friend Pascal

At Delphi's core is Borland's speedy object-oriented Pascal compiler. Pascal was Borland's original entry into the development tools marketplace and has not been a highly visible language over the last few years. The company has continued to develop and support it, however, keeping it up to date with support for all the latest operating-system niceties, such as DDE, MAPI, ODBC, and OLE 2.0.

If you are familiar with any other object-oriented language, you'll soon settle into Object Pascal. This is a single-inheritance object language with the features you expect, such as encapsulation and data hiding. The compiler provides extensive support for exceptions, a feature still lacking in many C++ compilers.

Borland claims its Pascal compiler is the fastest on the market, for any language. Although we didn't do any head-to-head testing, it is certainly fast enough. The

application pops onto your screen soon after you select run from the development menu.


Coupled with the compiler is a source-level debugger with such niceties as conditional breakpoints. The debugger provides excellent viewing tools for looking through in-memory objects and tracing through function call stacks. The debugger does lack the ability to switch between source- and assembly-code viewing, an essential when debugging calls to system-level APIs.

Delphi Development Environment

The Pascal language is in many ways incidental to the Delphi development environment. Spend 5 minutes working with Delphi and you'll think you're working in Visual Basic. Spend 10 minutes and you'll realize that this is Visual Basic as it has appeared only in your dreams.

The development environment consists

Delphi Database Architecture



of the Component Palette, Form Designer, Object Inspector, and Code Window (see the screen on page 133). A customizable "speedbar" contains icons for frequently used commands. Most of the Delphi design tools use a tabbed form interface that effectively packs lots of information into a small space.

As with Visual Basic, Delphi applications consist of a series of forms. You compose a form with simple graphical components, such as buttons, lists, and text boxes, as well as more complex entities, such as custom-built Delphi Components, OLE 2.0 objects, and VBXs (Visual Basic custom controls). You select elements from the Component Palette, which is extendable, and place them in the Form Designer. You then set component characteristics via the Object Inspector.

Placing a graphical element on the Form Designer immediately produces a definition and associated functions in the Code Window. There you can add functionality to the code. Delphi has the unique ability to let you define a new graphical element as text in the source code and then paste that textual description into the form. This feature allows you to switch freely between a graphical and textual design environment, whichever is most suited to the task at hand.

Delphi is extensible. You can, for example, add third-party VBXes to the Component Palette. Developers can also create custom Delphi Components for in-house use or for sale. From the developer's viewpoint, custom components are indistinguishable from Delphi's built-in components. They appear graphically when placed on a form, and their attributes

appear in the Object Inspector. The ability to build extensions within the environment without having to resort to a second language, such as C++, is a definite plus.

Also unique, Delphi components can be *live*: They can display actual data at design time. That capability extends to database access controls, so you can lay out your forms while displaying the data.

Once you have completed an application, you can either create a self-contained application or you can generate a DLL that you can then link to various other development tools. The smallest workable DLL, which includes the complete Delphi support library, seems to be about 250 KB. You don't need external DLLs unless your application uses third-party objects such as VBXes and ODBC drivers.

Database Access

Delphi applications perform all database access through the Borland Database Engine. This allows you to ignore, for the most part, what type of database a program accesses. However, if you know that you are going to specifically communicate with an SQL database, you can also build SQL-specific queries.

Both versions of Delphi come with a fully functional, single-user version of Borland's InterBase. This package lets you create and test SQL-based applications on local systems. Both versions supply ReportSmith, a sophisticated reporting and data extraction tool, but only the Client/Server version comes with a visual SQL

query builder. Both these tools provide sophisticated access to local and remote database systems and complement the development environment.

Delphi rounds out its environment with tools for building icons, cursors, and simple bitmaps. Delphi also comes with integrated support for the PVCS 5.2 version control system from Intersolv (Rockville, MD (301) 230-3228). Unfortunately, this support comes with only the significantly more expensive Client/Server version; individual users also require versioning control for their projects.

Power Base

With its quick compiler, extensible environment, and integrated database access, Delphi is a powerful base for creating applications. The accessibility of VBX extensions and OLE 2.0 objects opens a world of third-party add-ons to the Delphi developer. The ability to create stand-alone applications, as well as self-contained DLLs provides ways to integrate your results with other applications. At the core of all this, add the delight of working again in Pascal—a language more powerful than Visual Basic—with strong typing and object extensions, and yet so much simpler and safer than the intricacies of C++.

In future releases, we'd like to see automatic garbage collection, integrated source-code control in the base version, and portability beyond Windows 3.1. Borland has plans to provide a 32-bit Windows 95 version whenever that operating system ships, but the company has no stated plans to provide support for additional platforms—something Delphi will need for long-term survival as a developer product.

At the very least, Borland has raised the level of functionality that developers

should demand from their development tools. It remains to be seen how many developers Delphi will actually attract. Our guess is that anyone who spends more than

two or three days working with Delphi will find returning to previous development tools difficult. ■

Raymond GA Côté is a BYTE consulting editor and vice president of product development for Appropriate Solutions, Inc. (Peterborough, NH). You can reach him on the Internet at rgacote@apsol.com or on BIX as "rgacote."

Product Information

Delphi\$495
(90-day introductory price \$199.95)
Delphi Client/Server\$1999
Borland International, Inc.
Scotts Valley, CA
(800) 891-2223
(408) 431-1000
Circle 1002 on Inquiry Card.

Something Missing?

Complete your BYTE collection by ordering Back Issues today!

| | 1990 | 1991 | 1992 | 1993 | 1994 | 1995 |
|----------------|------|------|------|------|------|------|
| January | | | | | | |
| February | | | | | | |
| March | | | | | | |
| April | | | | | | |
| May | | | | | | |
| June | | | | | | |
| July | | | | | | |
| August | | | | | | |
| September | | | | | | |
| October | | | | | | |
| November | | | | | | |
| December | | | | | | |
| Special Issues | IBM | | | | | |

Rates (postage and handling included): Only credit cards or Eurochecks accepted!

Holland **Df1 20.00**
 United Kingdom **& 7.75**
 West Germany **DM 18.00**

Switzerland **SwFr 16.00**
 France **FFr 59.00**
 Sweden **SEK 80.00**

Please indicate which issues you would like by checking (✓) the boxes. Send requests with payment to: BYTE Back Issues, c/o Dynamic Graphics International, P.O. Box 25, 3950 AA Maarn, The Netherlands

☐ Check enclosed

Charge: ☐ MasterCard ☐ Eurocard ☐ American Express ☐ VISA

Card # _____

Exp. Date _____

Signature _____

Name _____

Address _____

Postcode _____ City _____

Country _____


BYTE

Because the *Experts* decide.

All orders must be prepaid. Credit cards preferred. Please allow three weeks for delivery by surface mail.



THE POWER



THE CITY



THE TECHNOLOGIES



THE EVENT

PC EXPO in New York. It's about power. Energy. Excitement. The kind you get when hundreds of the industry's leading manufacturers and thousands of Corporate America's most influential buyers come together at *the most important event in the industry*. In the most important computer market in the world.



They come to see and be seen. To buy and to sell. To listen and to learn. To be part of it all, all you have to do is be there. PC EXPO in New York. If it doesn't happen here, it just doesn't happen.

For more information, call 801-655-8024.

**PC EXPO IN NEW YORK JUNE 20-22, 1995
JACOB K. JAVITS CONVENTION CENTER
11TH AVENUE AT 34TH STREET NEW YORK CITY**



PC EXPO in New York is produced and managed by Bruno Blenheim, Inc.
Fort Lee Executive Park One Executive Drive Fort Lee NJ 07024
800-829-3976 201-346-1400 Fax 201-346-1602

PC EXPO® is a registered service mark of Bruno Blenheim, Inc.

Mathematica Meets Warp

OS/2 is a natural home for multithreading Mathematica 2.2


DOUG TAMASANIS

Mathematica has become an indispensable software tool for quantitative analysis. That's partly because it so effectively joins sophisticated computational and graphical capabilities under one roof, making it easier to visualize and predict the behavior of complex systems. With Mathematica's interpreted programming language, R&D, engineering, and business professionals can quickly work out solutions to highly customized problems that don't warrant the time commitment needed to develop simulations using C or FORTRAN.

Wolfram Research has ported Mathematica from its Macintosh origins to a wide range of platforms, including PCs (MS-DOS, Windows, and Windows NT), Unix workstations (Sun Solaris, SGI IRIS, and IBM AIX), and several larger systems. The latest port of Mathematica 2.2 is to OS/2 Warp. Now OS/2 users don't have to rely on the Windows version of the Mathematica kernel, which only simulates multithreading. The new release takes full advantage of the OS/2 preemptive scheduler, threading, and 32-bit flat memory structure to both improve performance and to greatly increase the size of the problems Mathematica can handle. We found the OS/2 version indeed faster than the Windows version and also more stable.

The OS/2 port still relies on the Windows graphical front end, however, which is fine. Mathematica's standard user interface is a command-line interface. Type in a Mathematica command, and it prints or displays the result. The Windows graphical front end is to the command-line interface what a word processor is to a line editor—a much easier way to achieve the same result. The Windows front end attaches to the OS/2 kernel using MathLink, Mathematica's communications protocol.

Unfortunately, the OS/2 version of MathLink wasn't out of beta when we tested the product, though it should be now. We couldn't link the graphical front end directly to the OS/2 kernel. For convenience, we developed our models to test OS/2 kernel performance with the Windows version of Mathematica, a somewhat less direct version of how you will use the



The new OS/2 kernel for Mathematica 2.2 still uses the Windows front end shown here. The important part is that the OS/2 kernel runs faster than the Windows kernel. The screen demonstrates Mathematica's notebook document file, a nice feature for packaging complex projects.

product anyway. Wolfram Research will provide a free upgrade including OS/2 MathLink and the Windows front end.

No Pencil, No Paper

For such a powerful program, Mathematica's user interface (both command line and graphical) has surprisingly few elements cluttering up the main window. The interface is a little clunky because of Mathematica's client/server architecture. You type in a command, and the kernel interprets it and then opens one or more output cells containing numerical, symbolic, or graphical output, and any error messages.

For complex projects, Mathematica lets you create document files called *notebooks*, which can contain any mixture of text, graphics, and Mathematica input and output. Within a notebook, information resides in cells that you can move or copy within or between notebooks. With the Windows front end, you can also nest cells to create neat hierarchical structures, a great help in managing large reports with complex analyses. Brackets in the right margin indicate cells and their place in the hierarchy (see the screen). As with an outline processor, you can hide the contents of a group of cells by double-clicking on the grouping brackets in the right margin, collapsing several layers of work so that only the contents of the head cell are visible.

Mathematica's capabilities fall into three

main classes—numerical, symbolic, and graphical—but there are other features that add to its richness. If your computer is sound capable, for example, you can express wave forms as sounds to gain insights that are visually hard to discriminate. Mathematica also has a control language for running external programs and processes, and it can serve as an embedded system that other programs can call.

At its basic level, Mathematica functions much like a calculator, returning an answer when you type in a calculation. However, the sheer number of available functions (over 800) beats any calculator and rivals the math libraries available for such programming languages as FORTRAN and C. There are functions for statistical analysis, Fourier analysis, numerical integration, and many other processes. Additionally, Mathematica handles objects such as matrices, performing matrix inversion and eigen systems.

On the symbolic front, Mathematica manipulates algebraic formulas. The program is handy for checking calculations involving factoring, expanding, and simplifying polynomials and for solving systems of equations. Mathematica can also check derivations involving derivatives and integrals and find solutions to ordinary differential equations. It is particularly useful in deriving power series approximations and limits (and quicker than thumbing

Reviews Mathematica Meets Warp

through your favorite mathematical standards and tables books).

Mathematica's outstanding graphics capabilities let you produce 2-D and 3-D plots, contour plots, and density plots. You can embed keywords in the plotting calls to control shading, color, lighting, viewpoints, and other parameters. For demonstrating time-dependent functions, Mathematica can produce animated graphics. Mathematica generates all graphics in standard

PostScript format, making it easy to transfer output to other programs.

Creating Functions

Because Mathematica is based on an interpreted programming language, it has great power and flexibility. You can add an unlimited number of extensions to an already impressive list of functions. It's also far quicker and simpler than using FORTRAN or C with such external math

libraries as IMSL or AMOSLIB.

Mathematica stores less frequently used functions in files called packages (e.g., Calculus, Graphic, and Number Theory) that you load as needed. You can load individual functions or an entire package.

An added prize is MathSource, a library of programs that you can download free of charge. MathSource includes 1700 items developed by Mathematica users and Wolfram Research: function packages, notebooks, research papers, examples, and programs written in Mathematica. Items of interest available in MathSource include a signal-processing package, neural network analysis routines, microeconomics analysis routines, a symbolic control system analysis package, and a 2-D animation of Schroedinger's equation. A CD version of MathSource (\$45) contains all files available on-line.

Once Wolfram Research provides MathLink communications protocol support for the OS/2 Mathematica, you'll be able to access Mathematica remotely over TCP/IP and use the Windows front end. The OS/2 version of the MathLink libraries will let you integrate Mathematica with programs written in C and FORTRAN. Also available are MathLink extensions for other applications (some free from MathSource, some not) that allow exchange of data and expressions between a Mathematica kernel and other applications. Because of the newness of Mathematica for OS/2, however, there isn't the same selection as with other versions.

Version Variance

We compared performance between the Windows and OS/2 Warp versions of Mathematica 2.2 on a 90-MHz Pentium with 16 MB of RAM and a 1-GB hard drive. We used several common functions, some exotic functions, and several complex Mathematica programs downloaded from the MathSource repository. In particular, testing consisted of calculating and plotting special functions (e.g., Bessel, gamma, and zeta); loading and manipulating large (200 by 200) and small (10 by 10) matrices; performing signal analysis and Fourier transforms; and executing several large programs (icosahedral sphere, five octahedra inscribed, and other exotic and common programs). We performed and timed all calculations with the Windows and OS/2 versions of Mathematica, and we also ran the Windows version under OS/2's Win32 emulation mode.

As expected, the OS/2 Warp version ran faster than the Windows version,

Can Your UPS Do This?



Smart Series Exclusive #1

PowerAlert Plus software allows you to view operating information on any network station from any network station.



Smart Series Exclusive #2

PowerAlert Plus records all power problems networkwide to one easy-to-view Master Log.



Smart Series Exclusive #3

PowerAlert Plus' built-in graphing utility allows you to graph incoming power anywhere on the network.

FIND OUT MORE

Call now and we'll send you our **FREE VIDEO** or your no-obligation sample unit.
312/755-8741
Ask for Dept. Q30



250 VA to 2000 VA models available




500 N. Orleans
Chicago, IL 60610
Tel: 312/755-8741
Fax: 312/644-6505



The Smart Series UPS from Tripp Lite
The Power Protection Price Leader

Outstanding.



Rene Magritte, Chateau des Pyrenees, ©1993 C. Herscovici/ARS, New York

Once in a while, something is created that goes
above and beyond the ordinary.


Something better than the rest.

In the realm of copy protection locks, the Hardlock™
copy protection system rises above the others in
securing your applications against unauthorized use.
Hardlock is the only lock that uses a programmable
algorithm, far more complex to decode than simply
reading the contents of a memory chip. Hardlock also
features selectable anti-debugging and reverse
engineering protection as well as protection against
hardware emulators, which no other lock has.

Security. Quality. Technology.

Hardlock is state of the art.

Call us to find out more about how Hardlock can
provide your masterpiece with the security it
deserves.



1-800-562-2543

GLENCO
ENGINEERING INC.

SERVING THE SOFTWARE INDUSTRY SINCE 1979

Software Protection · Data Security

Phone 708-808-0300 · Fax 708-808-0313

New!
CD-Crypt
for secure
CD-ROM
software
distribution

For DOS, Windows, Windows NT, OS/2, Unix, Xenix, DES Single User, Network, CD-ROM Applications and More

For a distributor in Europe contact FAST Electronic GmbH, Tel: 49-89-53 98 00-20 Fax: 49-89-53 98 00-40 · In Brazil contact HT-MACH, Tel: 55-21-257-0314 Fax: 55-21-235-6808
· In Chile contact Datasoft S.A., Tel: 562-246-7443 Fax: 562-208-0591 · In Peru contact V.C.H.I., Tel: 51-14-440537 Fax: 51-14-475984
· In Mexico contact D.C. Computacion, Tel: 611-43-41, Fax: 611-46-41

For International Information circle 79 on Inquiry Card.

Reviews Mathematica Meets Warp

although Warp's speed wasn't apparent for many of the codes we tested. A few performed much faster, but on average, we realized only about a 25

percent decrease in execution time with the OS/2 version. For example, the generation of a 65,536-point time-domain noise signal and subsequent transformation into the frequency domain via a Fourier transform took 8 minutes and 29 seconds in the Windows version and only 7 minutes and 54 seconds in the Warp version. The calculation and plotting of Bessel, gamma, and zeta functions had essentially identical results.

When we spawned multiple instances of the same test, execution times for codes running under Windows suffered significant performance degradation relative to the number of processes. The OS/2 version suffered far less performance degradation when multiprocessing. This is an expected result due to the nature of OS/2 Warp and Windows for WorkGroups.

Product Information

Mathematica 2.2 for OS/2\$995
Wolfram Research, Inc.
Champaign, IL
(800) 441-6284
(217) 398-0700
fax: (217) 398-0747
E-mail: info@wri.com
Circle 1001 on the Inquiry Card.

Windows version of Mathematica ran faster overall in Win32 emulation under OS/2 Warp than it did under Windows for WorkGroups 3.11. Additionally, the code that crashed under Windows for WorkGroups ran in the Win32 emulation mode under Warp. OS/2 is impressive.

Calculating the Sum

Laudably, Wolfram Research discusses Mathematica's limitations frankly in the manual with the intent of helping the user solve a problem. During testing, for example, we got a wrong result from a numerical integration calculation of a function with a singularity. Mathematica issued a warning that there was an error involving a singularity, oscillatory integrand, or insufficient precision. Apparently, the integration scheme can only search for sin-

One Mathematica program that crashed under the Windows version ran successfully with the OS/2 version (the program came from MathSource). The Win-

gularities at the end points of the integration region, and the presence of other singularities results in reporting erroneous data. The manual, however, contained a detailed discussion of the algorithm, and when we explicitly identified the location of the singularity and restarted the program, we got the correct results.

Mathematica is a superior tool for analysis of complex systems. The OS/2 Warp version of Mathematica 2.2 proved itself stable and fast. Although Warp's 25 percent overall performance gain over Windows isn't tremendously significant, it is welcome. If you need high-level programming for quick development, a large repository of application programs, numerical and symbolic manipulation, compatibility with C and FORTRAN, and visualization tools all in one package, Mathematica for OS/2 is a good choice. ■

Doug Tamassanis is a BYTE senior technical editor with a BS and MS in radiation physics and an MS in systems engineering. You can reach him on BIX as "dtam" or on the Internet at dtam@bix.com.

YOUR FUTURE RELIES

on the past

h i s t o r y
k n o w l e d g e

RELIABILITY

call 1-800-265-2797

MKS SOURCE INTEGRITY

Your source code's future depends on how well you manage its past. Development teams need to track a project's entire history and rebuild past versions quickly and accurately—with 100% assurance of reliability and integrity—every time. MKS Source Integrity (MKS RCS) does all of this—

and leverages your entire team to its maximum productivity. MKS Source Integrity is the most comprehensive software configuration management (SCM) solution for client/server development across multiple platforms. It's project oriented. And it is the only system to offer sandboxes, ensuring each developer a safe, personalized place to work.

Take a free test drive with MKS Source Integrity! Call 1-800-265-2797 today!

MKS
SOURCE INTEGRITY SYSTEMS INC.

Phone: 519-884-2251
Fax: 519-884-8861
Internet: sales@mks.com
CompuServe User ID: 73260,1043
MKS Germany: 49-711-16714-0

Circle 87 on Inquiry Card.

Powerful features include:

- * visual merging & visual differencing
- * full integration into Visual C++, Borland C++, Visual Basic and File Manager
- * reporting capabilities for all management needs
- * configuration language and event triggers
- * industry leading Make/Configuration Builder
- * unprecedented security and management with NetWare integration
- * unlimited branching & merging, file locking
- * support for source, text, graphics, binaries, libraries & spreadsheets
- * documented API available

More than 30,000 sites depend on MKS Source Integrity for their critical development needs. Because effective source code management today makes your team more productive tomorrow.


30 day unconditional money back guarantee.

MKS RCS and MKS Source Integrity are trademarks of Mortice Kern Systems Inc. All other trademarks acknowledged.

*If Cognos, Gupta, Microsoft, and Powersoft all want you to be able to use Mortice Kern Systems (RCS) software configuration management tool with their development tools (and they've all built in hooks), maybe you should check it out. Datamation, August 1994.



**When you paid extra for SCSI bus performance,
this probably wasn't what you had in mind.**



Aeronics' new 68 Position IDC 0.025 Pitch Ribbon Cable Terminator will give your SCSI bus a boost.

Why does my bus need a boost?

Peripheral devices such as hard drives, CD-ROM drives, scanners, and printers that are interfaced with your computer have connectors manufactured by different companies that are connected to cable made by who-knows-who. Differences in peripheral cabling and connectors create signal impedance mismatches which can cause signalling errors, bottlenecks, and data transmission errors.

Aeronics has the answers.

Aeronics, the originator of Forced Perfect Termination (FPT), has added a new interconnect product to our family of high performance terminators that will drastically improve your SCSI bus performance. Aeronics' new 68 Position IDC 0.025 Pitch Ribbon Cable Terminator easily clamps onto your ribbon cable with a standard tool and replaces the low performance passive terminators frequently furnished by



peripheral manufacturers. For those active negation drivers that generate higher than normal pull-up voltages that tend to overdrive the SCSI bus, Aeronics has developed the ALT-2ANHC. This new electrical configuration sinks unusual amounts of current due to charged cable capacitance and is available in most of Aeronics' interconnect products.

How does Aeronics boost my bus?

Aeronics' FPT active terminators purposely mismatch impedance higher and lower than the impedance of the transmission line, "forcing" the SCSI bus to operate as if the impedance between the host and peripherals is always matched. Because our terminators

provide higher noise immunity, results are seen as improved data integrity, allowing your system to transfer data farther and faster while improving overall SCSI reliability.

Terminate your SCSI bus performance problems once and for all.

Aeronics' advanced terminator technology is available in a broad line of connection and electrical configurations that meet or exceed ANSI SCSI 1, 2, and 3 standards. Our passive, active, FPT, and differential terminators are 100% electrically tested, burned in, and delivered on time. With a minimum MTBF of 87,600 hours (10 years continuous duty), our quality terminators are backed by a limited lifetime warranty.


Aeronics' high performance products leave passive and copycat terminators in the dust. If you want the same performance that high-end OEM SCSI systems have, choose the same terminator from Aeronics and give your bus a boost. Call or fax Aeronics today for the location of the reseller or distributor nearest you.

**For off-the-shelf delivery, call TCC at
1-800-TEC CABL (1-800-832-2225).**




Turning concepts into reality.

12741 Research Blvd. • Suite 500 • Austin, TX 78759
Tel (512) 258-8040 • Fax (512) 258-8441



The other way.



The FormFlow way.

Now there's a better way to measure development time for apps that route forms over e-mail.

That's right. We're talking a fraction of the time compared to a traditional development language or other forms software.

Which means that only Delrina FormFlow™ lets you deliver fully mail-enabled applications for purchase orders and change orders, vacation requests and budget approvals — in fact, any forms application you have in mind — completely designed, prototyped and deployed in hours instead of days or even months.

To start, FormFlow comes with the richest set of electronic forms development tools you'll find. Tools that make it a cinch to create forms and customize the user interface by modifying the menus and ribbons.


But it also comes with the Intelligent Forms Language™, the fastest way possible to establish rules and procedures for intelligently routing any number of interdependent forms.

FormFlow tightly integrates with all popular e-mail systems. It reads and writes virtually any combination

of desktop and SQL databases, including ODBC and Lotus Notes. It supports Windows, Unix, Macintosh and DOS users.

Plus, it's the only forms software to win two PC Magazine Editors' Choice Awards for '94, and outscore all other forms products in InfoWorld.

All of which means that with FormFlow, it's not just when your application will be ready, it's what time. Call today.



Delrina FormFlow integrates e-mail and database technologies to quickly create applications with powerful forms routing capabilities.

U.S. and Canada: 1-800-598-8673
 United Kingdom: 44(0)181-207-3163
 Germany: +49/89/64 19 22-0
 France: 33.1.46.94.80.40

DELIRINA



June 14, 1994
 WORKFLOW
 FormFlow 1.0



May 1994
 HIGH END FORMS



March 29, 1994
 ELECTRONIC FORMS
 FormFlow 1.0



November 1993
 ELECTRONIC FORMS



Delrina, FormFlow, PerForm and Intelligent Forms Language are trademarks of Delrina (Canada) Corporation. All other product names are registered trademarks/tradenames of their respective owners. ©1988-1994 Delrina (Canada) Corporation. All rights reserved.

Circle 74 on Inquiry Card.

Document Image Managers

Although standards are in flux and product categories are blurred, one of these eight packages may be just right for electronically managing your most important documents


DAVID SEACHRIST

Interest in using desktop computers to manage intellectual property has taken the personal computer industry by storm. In many organizations, documents are replacing applications as the central user-interface metaphor.

Not surprisingly, a whole broad category of document management software has risen to serve this growing demand. However, despite some marketing claims, no one product can meet everyone's document management needs. In fact, we can divide document management into three subcategories:

- *Dynamic document management* software (sometimes called ad hoc document management) focuses largely on managing documents that are still in the creation, editing, or production stages. Products such as PC Docs Open, SoftSolutions, Visual Recall, and WorldView fall into this category.
- *Document image management* deals with managing documents that are already complete, making content creation and formatting control moot.
- *Document exchange programs* focus largely on making electronic documents more portable. The goal is to reduce handling of paper documents by using formatted electronic versions that you can open and print in different applications. Adobe Acrobat, Envoy, Replica, and Common Ground are in this category.

For this software roundup, NSTL focused on document image management for Windows environments. Also, the reviewed products must run as native applications under Windows, support scanning on a Hewlett-Packard



ScanJet IIc, perform OCR, allow search and retrieval using the Boolean and operator, provide a go-to-page tool for quick document navigation, and allow printing.

Rating Usability

NSTL used a document library of 17 issues of *Software Digest Ratings Report* as

the basis for testing the eight programs' ease of learning and use in basic functions, such as scanning, OCR, indexing, searching and retrieving, and printing. In addition, NSTL rated the programs for usability in installation, documentation, library setup, and maintenance. In general, the programs that provided the best interface

OVERVIEW

| NSTL RATING | | VERSION | PERFORMANCE | QUALITY | VERSATILITY | EASE OF LEARNING | EASE OF USE | PRICE | <div>KEY</div> <div>★★★★★ Outstanding</div> <div>★★★★ Excellent</div> <div>★★★ Average</div> <div>★★ Below average</div> <div>★ Poor</div> <div>▲ Good</div> <div>■ Fair</div> <div>▼ Unacceptable</div> |
|-------------|--------------------------------|----------|-------------|---------|-------------|------------------|-------------|--------|--|
| ★★★ | Watermark Professional Edition | 1.0 | ▼ | ▲ | ■ | ▲ | ▲ | \$295 | |
| ★★ | FileMagic Plus | 4 series | ▼ | ■ | ■ | ▲ | ▲ | \$1795 | |
| ★★ | PageKeeper | 1.1 | ▼ | ▲ | ■ | ▲ | ▲ | \$595 | |
| ★★ | ImageFast | 2.0 | ▲ | ■ | ▲ | ■ | ▲ | \$695 | |
| ★★ | Fileflo | 3.6 | ▲ | ■ | ■ | ▲ | ▲ | \$795 | |
| ★★ | Recollect | 2.11 | ■ | ▼ | ■ | ▲ | ▲ | \$595 | |
| ★★ | Equip+ | 6.0 | ■ | ■ | ▼ | ▲ | ■ | \$249 | |
| ★★ | PaperClip for Windows and Isys | 3.0 | ■ | ▼ | ▲ | ■ | ■ | \$695 | |

KEY

- ★★★★★ Outstanding
- ★★★★ Excellent
- ★★★ Average
- ★★ Below average
- ★ Poor
- ▲ Good
- Fair
- ▼ Unacceptable

Highlights

| | Strengths | Limitations |
|---------------------------------------|---|--|
| Equip+ | <ul style="list-style-type: none"> Form fill-in feature Strong OCR feature support Fax send/receive driver included | <ul style="list-style-type: none"> Cannot view page during batch scans Limited document indexing Limited document retrieval |
| Fileflo | <ul style="list-style-type: none"> Numerous OCR features Fast retrieval Good print and fax output quality | <ul style="list-style-type: none"> No automatic full-text indexing Unsatisfactory OCR quality Limited work-flow support |
| FileMagic Plus | <ul style="list-style-type: none"> Numerous indexing features Easiest to use OLE 1.0 client/server support | <ul style="list-style-type: none"> Limited number of OCR features Unsatisfactory OCR quality |
| ImageFast | <ul style="list-style-type: none"> Numerous scanning features Fast retrieval speed Strongest work-flow support | <ul style="list-style-type: none"> Confusing indexing functions Limited OCR support Unsatisfactory OCR quality |
| PageKeeper | <ul style="list-style-type: none"> Displays relevance of search results Integration of scanning, OCR, and indexing Excellent OCR quality | <ul style="list-style-type: none"> Can't set resolution during scanning Limited links to other applications Limited image-editing support |
| PaperClip for Windows and Isys | <ul style="list-style-type: none"> Numerous scanning features Good proprietary links to other applications Strong retrieval feature set | <ul style="list-style-type: none"> Most difficult to learn and use Poor OCR quality Poor print quality |
| Recollect | <ul style="list-style-type: none"> Easiest to learn Integration of scanning, OCR, and indexing Displays relevance of search results | <ul style="list-style-type: none"> Limited links to other applications Poor OCR quality Slow retrieval |
| Watermark Professional Edition | <ul style="list-style-type: none"> Good documentation and user interface Scanning, OCR, and image features OLE 1.0 and 2.0 client/server support | <ul style="list-style-type: none"> Limited indexing features Limited retrieval features Slow retrieval without database server |

design and documentation were the ones that rated highest in NSTL's usability evaluations. Westbrook Technologies' FileMagic Plus 4 Professional, Caere's PageKeeper 1.1, MindWorks' Recollect 2.11, and Watermark Software's Watermark Professional Edition 1.0 all achieved better-than-average usability.

Recollect was the easiest to learn. It has an intuitive interface and documentation that is short, well designed, and to the point. The biggest factor in its ease of learning is that many of its processes are automatic and don't require separate steps.

A lack of functions also makes some programs easier to learn. Reduced feature sets often translate into shorter learning curves while causing a corresponding drop in ease of use. Such is the case with both Watermark Professional and Alacrity Systems' Equip+.

PageKeeper is like Recollect in combining OCR and indexing in a single process. However, installing PageKeeper requires more decision points than seems

necessary, and its library setup is not as easy as Recollect's.

The tutorial in Newport Canyon Associates' Fileflo 3.6 is too bound to the manual and gives short shrift to key topics like OCR and document indexing. Furthermore, Fileflo's installation process is longer and requires the most decision making of any of the tested programs.

FileMagic Plus has the best learning materials, with separate tutorials for systems administrators, database administrators, and users. However, its problematic installation included false low-memory reports and an incorrect password sequence. (Westbrook Technologies promptly provided a maintenance release to fix these problems, but we had to reinstall the software.) In addition, library setup and indexing of documents were harder to learn than in the other programs.

The tutorial in ImageFast Software Systems' ImageFast 2.0 covers starting the program, opening and creating drawers and folders, scanning, and indexing via

standard forms, but it offers no coverage of OCR. The biggest learning difficulties result from the program's two separate indexing and search engine options. This requires more study than the programs with a single indexing and search engine.

PaperClip Imaging Software's PaperClip for Windows has a tutorial that covers scanning, setting up applications to work with PaperClip, viewing images, and retrieving documents. It offers no coverage of OCR and little on how to set up folders and drawers. Both OCR and library setup are difficult to learn.

Ease of Use

FileMagic Plus's interface amenities and flexibility make it one of the two easiest programs to use. We were particularly impressed with the program's search interface and OCR options, both of which let you select the storage location of text within document files.

Watermark Professional's user interface also makes it a winner in ease of use. Although its search engine and limited indexing options are weak, its help system and OCR interface are the best of any of the programs.

We found Recollect and PageKeeper to be slightly harder to use than Watermark Professional or FileMagic Plus. Neither program allows naming and saving of search criteria the way Watermark Professional and FileMagic Plus do.


Fileflo's indexing capabilities are less flexible than those of some of the other programs, and although it lets you save search criteria, its search interface is not as intuitive as the interfaces of other programs.

With ImageFast, you have to switch search engines, choosing either the internal search engine or the run-time version of Microsoft Access's Database Wizard, depending on the type and speed requirements of the search. This is cumbersome.

Equip+'s lack of a search engine and its scanning and OCR interface make it less flexible for volume document scanning and indexing than most of the other programs. Finally, the lowest rated product for ease of use, PaperClip for Windows, has a cumbersome OCR function, and its indexing routine takes too many steps.

Scanning Horizons

Scanning is the method by which these programs transform documents into images, graphical bit maps that act as snapshots of the documents' pages. Two issues are important here: breadth of support of



POWERisers

NOTEBOOKS

Now, Ecel Systems are launching cost-effective and high-performance Notebooks. They are designed in accordance to customer's needs: Slim, light, and powerful.

Standard configurations

- | | |
|---|---|
| <ul style="list-style-type: none"> * CPU * Memory * FDD * HDD * Display * Interface * Dimension * Weight | <p>POWERiser-6500 SERIES</p> <p>i486SX-25, upgradeable to i486DX-33, i486DX2-50, i486DX2-66</p> <p>4/8/20 MB Optional</p> <p>1 x 3.5", 1.44 MB FDD</p> <p>120/240MB Optional, with Local Bus IDE Controller</p> <p>Mono/STN Color/Dual STN Color/TFT Color LCD Local Bus VGA</p> <p>1S/1P/Ext. CRT & Keyboard ports</p> <p>Built-in Trackball</p> <p>IPM Chip Built-in</p> <p>Two PCMCIA IC Memory Card Connector</p> <p>AT Bus I/O for Docking Station (w/4 x ISA 16-bit slots, SCSI controller)</p> <p>280(W) x 220(D) x 49(H) MM</p> <p>3.0 Kgs or 6.6 Lbs (with Battery)</p> |
|---|---|



"The Intel Inside Logo is a trademark of Intel Corporation."

ECEL

好和股份有限公司

ECEL SYSTEMS CORP.
 8F-3, NO. 27, LANE 135 SEC. 1,
 FU-HSING S. RD.,
 TAIPEI, TAIWAN, R.O.C.
 TEL: 886-2-752-6670
 FAX: 886-2-772-3407
 TLX: 13323 GOODFOLD

DIGICOM EUROPE B.V.
 WAGENMAKERSTRAAT 7 2984 BD
 RIDDERKERK THE NETHERLANDS
 (HOLLAND)
 TEL:31-1804-11888
 FAX:31-1804-19815

AMERICAN DIGICOM CORP.
 1233 MID AS WAY SUNNYVALE
 CA 94086, U.S.A.
 TEL: 408-245-1580
 FAX: 408-245-1584

SCANNING AND FILE MANAGEMENT FEATURES

| | EQUIP+ | FILEFLO | FILEMAGIC PLUS | IMAGEFAST | PAGEKEEPER | PAPERCLIP FOR WINDOWS AND ISYS | RECOLLECT | WATERMARK PROFESSIONAL EDITION |
|--|--------|---------|----------------|-----------|------------|--------------------------------|-----------|--------------------------------|
| SCANNING | | | | | | | | |
| Number of scanners supported | 25 | 75+ | 24 | 60+ | 60+ | 60+ | 50+ | 100+ |
| Monochrome/dithered/gray-scale/color images | MD | MD | MDGC | MD | M | MDC | MDGC | MDG |
| File compression | ● | ● | ● | ● | ● | ● | ● | ● |
| Document feeder support | ● | ● | ● | ● | ● | ● | ● | ● |
| View page during batch scan | ○ | ● | ● | ● | ○ | ● | ● | ● |
| Skew correction | ○ | ○ | ○ | ● | ○ | ● | ○ | ● |
| OCR | | | | | | | | |
| OCR engine | Calera | Calera | Calera | Calera | Caere | Ligature | Calera | ExperVision |
| Manual recognition zone selection | ● | ● | ● | ● | ● | ○ | ● | ● |
| Automatic recognition zone selection | ● | ● | ● | ● | ● | ● | ● | ● |
| Optional spelling checker during OCR | ● | ○ | ○ | ○ | ● | ○ | ○ | ● |
| Save recognized text in word processor formats | ● | ● | ○ | ○ | ● | ○ | ○ | ● |
| DOCUMENT INDEXING | | | | | | | | |
| Manual indexing | ● | ● | ● | ● | ● | ● | ● | ● |
| OCR-driven indexing | ● | ● | ● | ● | ○ | ● | ○ | ○ |
| Automatic full-text indexing | ○ | ○ | ● | ● | ● | ● | ● | ○ |
| Index using saved templates/forms | ○ | ○ | ● | ● | ○ | ● | ○ | ● |

● = yes; ○ = no. Note: Features not integral to the main program or bundled programs are marked no.

scanner types and image formats and the ability to control scan quality.

Although some programs ship with more scanner drivers than others, support for different brands of scanners is generally good in all the programs. The Scanning and File Management Features table shows the approximate number of scanners supported by each program.

Features like image file compression, document feeder support, and the option to designate a separator page (usually a blank page) as the division between documents when performing batch scanning are available in all the products. These features are important in environments that require scanning multipage documents or that have a high volume of single-page documents.

Support for scanning gray scales and color images into documents varies among the programs, and only Recollect and FileMagic Plus currently support both (Watermark Software planned to release a version adding color support to Watermark Professional in April). Regardless, many of the OCR modules only work with black-and-white images.

Watermark Professional, ImageFast, and PaperClip for Windows all correct skewed pages. Deskewing slightly shifts pages that are placed improperly on the scanner flatbed.

PageKeeper does not permit adjusting

the scanner resolution, which determines the level of image detail; the higher the resolution, the greater the image detail. Resolution also affects image storage size and quality, so it is useful to be able to alter this setting.

PageKeeper and Equip+ lack the ability to view individual pages during the scan operation. This option is useful for seeing each page during a batch scan to determine whether any pages need to be rescanned.

More than OCR

The ability to change a page image into editable text directly affects the types of documents a document image manager can process. The most important feature for streamlining the OCR process is a program's ability to differentiate between the graphical and text portions of a page.

Some programs' OCR modules come with the ability to detect snaking columns and maintain the reading sequence of the text. Of the eight, ImageFast and FileMagic Plus do not. It is also useful to be able to compensate for tabular matter, such as tables of numbers, by inserting tabs or other delimiting characters between values. PaperClip for Windows, ImageFast, and FileMagic Plus lack this ability.

Beyond page formatting is text-character formatting. Some programs attempt to maintain formatting characteristics, such as

boldfacing, and others simply maintain the text and lose all the formatting attributes. The OCR modules in Equip+, Fileflo, PageKeeper, and Watermark Professional come with file format conversion filters that allow saving text and formatting in popular word processor file formats.

Despite the fact that virtually every computer user has a word processing program with a spelling checker, Equip+, PageKeeper, and Watermark Professional offer an optional spelling checker as a part of their OCR operations. Watermark Professional's TextProofer program is especially powerful, containing an integrated spelling checker and text editor.

Indexing: The Crux of the Matter

Once a document has been scanned and saved as an image file and OCR has been performed, the next step is to identify the document so it will be easy to find. This process is called *indexing*.

The simplest indexing option is to name the document and attach fields that contain information about the document. Such manual indexing is available, using varying methods, in all the programs.

Fileflo, FileMagic Plus, ImageFast, PaperClip for Windows, and Watermark Professional provide multiple fields that users can customize with names and data types. Watermark Professional is the least



DL-series


BOOKSIZE COMPUTERS

The DL-series is made by advanced technology, which offers the user a flexible choice of high-performance processors.

This series can use different types of processors, such as i486SX-25, i486DX-33, and i486DX2-50&66. It's suitable for professional users.

Standard configurations

- * CPU i486SX-25/ i486DX-33/
i486DX2-50&66
- * Memory 1/4/16 MB (expandable)
- * Cache 32K/128K
- * FDD 1 x 3.5", 1.44 MB
- * HDD 80 MB/120 MB / 240MB
- * VGA 1MB Super VGA Local
Bus on board
- * Display Unit CRT monitor
- * Expansion Slot 2 x 16-bit ISA
- * Dimension 315 x 225 x 70 mm



"The Intel Inside Logo is a trademark of Intel Corporation."



好和股份有限公司

ECEL SYSTEMS CORP.
8F-3, NO. 27, LANE 135 SEC. 1,
FU-HSING S. RD.,
TAIPEI, TAIWAN, R.O.C.
TEL: 886-2-752-6670
FAX: 886-2-772-3407
TLX: 13323 GOODFOLD

DIGICOM EUROPE B.V.
WAGENMAKERSTRAAT 7 2984 BD
RIDDERKERK THE NETHERLANDS
(HOLLAND)
TEL: 31-1804-11888
FAX: 31-1804-19815

AMERICAN DIGICOM CORP.
1233 MID AS WAY SUNNYVALE
CA 94086, U.S.A.
TEL: 408-245-1580
FAX: 408-245-1584

DOCUMENT EDITING AND RETRIEVAL FEATURES

| | EQUIP+ | FILEFLO | FILEMAGIC PLUS | IMAGEFAST | PAGEKEEPER | PAPERCLIP FOR WINDOWS AND ISYS | RECOLLECT | WATERMARK PROFESSIONAL EDITION |
|--|--------|---------|----------------|-----------|------------|--------------------------------|-----------|--------------------------------|
| DOCUMENT IMAGE EDITING | | | | | | | | |
| View page image and text simultaneously | ● | ● | ● | ● | ○ | ● | ● | ● |
| Annotate with bit-map drawing tools | ● | ○ | ● | ○ | ○ | ○ | ○ | ● |
| Annotate with attached text | ● | ● | ● | ● | ● | ● | ● | ● |
| Copy/cut/paste page | ● | 1 | ● | 1 | 1 | ○ | 1 | ● |
| Maintain document statistics | ○ | ● | ● | ○ | ○ | ● | ● | ● |
| RETRIEVAL | | | | | | | | |
| By full text or by notes/comments/index fields | 2 | 2 | ● | ● | ● | ● | ● | 2 |
| Fuzzy searches | ● | ● | ● | ● | ○ | ● | ● | ○ |
| Boolean searches | ● | ● | ● | ● | ● | ● | ● | ● |
| Specify precision of search algorithm | ○ | ○ | ○ | ● | ○ | ● | ● | ○ |
| Proximity searches | ○ | ○ | ○ | ● | ○ | ● | ○ | ○ |
| Save search results as a new file | ○ | ○ | ● | 3 | ● | ● | ● | ● |
| Rank search results | ○ | ○ | ○ | ● | ● | ● | ● | ○ |
| WORK FLOW | | | | | | | | |
| Routing | ○ | ○ | ● | ● | ● | ● | ○ | ● |
| Access MAPI- and VIM-compliant E-mail systems | ○ | ○ | ● | ○ | ○ | ○ | ○ | ● |
| Additional, proprietary E-mail for short notes | ○ | ○ | ○ | ● | ● | ● | ○ | ○ |
| Inbox or outbox for routed document images | ○ | ○ | ● | ● | ● | ● | ● | ● |

● = yes; ○ = no.

Note: Features not integral to the main program or bundled programs are marked no.

¹ Copy only.

² Retrieval by attached notes/comments/index fields only.

³ Only in forms-based searches.

flexible in this regard, leaving most of this function to a database server that can be connected at an additional cost.

To perform manual indexing in Recollect and PageKeeper, you assign tag notes, the electronic equivalent of sticky notes. The problem with using tag notes is they are a haphazard means of indexing compared to fields, which prompt users for specific types of information. Equip+ allows filenames that are restricted to the DOS 8.3 naming scheme. In addition, each file has a single description field that can contain up to 127 characters.

The way OCR modules and indexing functions communicate is key to the types of documents suited for processing by each program. NSTL separates OCR and indexing integration into two distinct levels of functionality: OCR-driven and automatic full-text indexing.

Products with OCR-driven indexing are capable of capturing OCR data and placing it in appropriate fields during indexing. Because OCR-driven indexing uses fields as its organizing technique, it is the best indexing method for forms-based applications. Equip+, Fileflo, FileMagic Plus, ImageFast, and PaperClip for Windows provide OCR-driven indexing. Equip+ is hampered by the fact that it has only one

field into which it can receive data. The other programs can direct OCR processed text into multiple fields.

Automatic full-text indexing involves indexing all the text captured during the OCR operation without using fields. Indexing an entire document's content for retrieval is best done with full-text indexing. FileMagic Plus, ImageFast, PageKeeper, PaperClip for Windows (via its bundled full-text, indexing add-on Isys) and Recollect offer this option.

Search and Retrieve

To locate documents, document image managers need powerful search tools that are easy to use. Programs like PageKeeper and Recollect can be helpful to researchers because their search modules rank results and use graphics to home in on appropriate data. This approach is not as useful for form retrieval, where it's important to locate the exact numbered form, not a range of close approximations.

In programs with full-text indexing, you should look for features like fuzzy searching, proximity searching, and ranking and sorting of search results. Fuzzy searching is the ability to set how closely the search results must adhere to the spelling of the search criteria. Proximity searching is look-

ing only for documents that contain two words within a certain location of each other in the document. ImageFast and PaperClip for Windows (via Isys) are the only full-text indexing programs that support proximity searches. PageKeeper is the only full-text indexing program that lacks fuzzy searching. FileMagic Plus lacks the ability to rank search results.



Boolean operators (and, not, and or) allow fine tuning or broadening of search criteria by including or excluding documents based on one or two search words. All eight programs allow this type of searching to some extent. However, Watermark Professional can only perform and-style Boolean searches on keyword fields and date fields. Equip+ and PageKeeper do not allow the not operator. Fileflo allows not in keyword searches but not for searches of document index fields.

Image Manipulation

All the programs allow viewing of the OCR processed text and the image of a page in side-by-side windows (except for PageKeeper, which offers viewing of the image or the text but not both at the same time). All also have ample magnification and navigation tools for zooming in on portions of pages or jumping to specific


Laboratory tests prove you'd rather have our paper path.

Think what it's like inside a scanner. Heat, noise, gears, belts, rollers. No wonder so many little pieces of paper get mangled. No wonder users spend so much time trying to pull tiny shreds out of the rollers with their bare hands. That's why we design our scanners with the simplest, most straightforward paper path in the industry. So they can handle any kind of document.



From onionskin to card stock. Ripped, wrinkled, or stapled. So if there's any doubt in your mind who makes the best scanners, just ask yourself a simple question. Which one would you rather go through? We have a brochure that describes all our Copiscan II scanners. For a copy, call 1-708-675-7600, or e-mail us: copiscan@mcs.com.

BELL+HOWELL

 The Document Management People

Unleash your Pentium/Alpha!

Microway's NDP Fortran & C/C++ are the only 32-bit compilers which take full advantage of the Pentium and Alpha's dual numerics units. They run on DOS, UNIX, OS/2, NT and OS/F. To get RISC numeric performance from a Pentium or Alpha you need to schedule your code and use Superscalar optimizations. In his Jan. '95 Dr. Dobbs article, S. Fried describes how to get 35 megaflops from a Pentium using NDP Fortran. The Alpha version of NDP Fortran hits 88 megaflops running on OS/F or NT systems or on DOS using Microway's new ISA add in card. Put our compilers or Pentium, i860, and Alpha systems to work for you today. Call for white papers on Pentium, i860, or Alpha Code Generation, OS/2 or our Pentium FDIV fix, now!

i860/Pentium/Alpha SuperComputers

BX Series Pentium/Alpha/i860 Workstations - Microway's workstations and industrial PC's come configured with DOS, OS/2, UNIX, From...\$2195

Gigacube® Three to six QuadPuters - Up to 24 i860's for \$50K! Computational Server runs NFS.

Number Smasher®-860 Up to 80 megaflops, does 1024 FFT in just .9 ms, From...\$2995

QuadPuter®-860 Four 40 MHz i860's plus shared memory equals 320 megaflops...\$11995

ArrayPRO/XP™ - 100/200 megaflops, 400 MB/Sec memory, 80 and 33 MB/Sec DSP Interfaces...\$8995

Number Smasher®-Alpha 100+ megaflops - this ISA Superscalar add in card runs on DOS or UNIX. It uses T8 links for parallel processing. From \$5995

NDP Compilers

Microway's family of 32-bit compilers run on DOS, OS/2, NT, UNIX, and OS/F generating code for the Intel 386, 486, Pentium, i860 and DEC Alpha.

NDP Fortran™ is a full F77 with complete VMS, F66, DOD, and MS extensions.

NDP C/C++™ runs in K&R, ANSI and C++ modes and generates the highest quality numeric code of any 32-bit C compiler.

NDP Pascal™ is a full ISO Level 0 translator.

DOS releases includes VCPI, DPMI, NDPLink, VM, NDPLib and GREX-Microway's bit mapped graphics library. The 486/Pentium version adds 486/Pentium code generation, Clearview, the MGX vector graphics library, and DPMI DOS Box support for demand paging and GREX.

386 Version 4.41...\$695

Pentium/486 Version 4.5...\$995

OS/2 releases use IBM Tools, take advantage of the IBM WorkFrame and include MGX

386...\$595

486/Pentium...\$895

Alpha NDP compilers start at...\$795

Call for UNIX, OS/F and NT pricing.

NDP Fortran 90 extensions to NDP Fortran...\$295

Microway®

Research Park, Kingston, MA 02364 USA
(508) 746-7341 FAX (508) 746-4678
Call for Germany, India, Indonesia, Israel,
Japan, Poland, Russia and U.K.

Reviews Software Roundup

pages within documents. Each program also allows attaching note text to a page.

However, if you want to draw images on the page, your options are more limited. Equip+, FileMagic Plus, and Watermark Professional are the only programs to provide adequate bit-map painting tools. FileMagic Plus and Watermark Professional even offer highlighting pens to visually draw attention to important passages. ImageFast provides users with the ability to draw rectangles, and PaperClip for Windows can link to a third-party paint application.

The Distribution System

Once you view a document and perhaps attach a note to it, you would then either put the document away, print it, or pass it on to another person. Work flow is the term given to this routing of documents to other workers on your network.

ImageFast provides its own E-mail and distribution module called WorkFast. In addition to allowing documents to be distributed to other users' mailboxes, WorkFast lets you send E-mail, attach priority to documents, and mark them regarding their completion status.

A special network version of PaperClip for Windows provides the same capabilities as WorkFast minus the status feature. The status marking capability was to be a part of a PaperClip for Windows Work-flow add-on planned for release in April.

FileMagic Plus and Watermark Professional offer routing and the ability to access MAPI and VIM-compatible (Vendor-Independent Messaging) software, which, in turn, allows access to Lotus Notes. Page-

Keeper offers routing and its own E-mail system. Equip+ uses an inbox/outbox metaphor to send and receive faxes. It is the only program to come with its own fax/modem driver software, and you can set it up to receive and send faxes unattended. All other programs use a fax driver, such as Delrina Software's WinFax, to send and receive faxes.

The Wider World

At some point, users will want other Windows applications to dynamically interact with their document image manager. But our findings in that regard are rather disappointing. Only two of the programs are able to act as OLE clients and servers: FileMagic Plus and Watermark Professional. Of these, only Watermark Professional supports OLE 2.0. DDE links are supported in Equip+, FileMagic Plus, ImageFast, and Watermark Professional.

PaperClip for Windows provides its own proprietary method of linking to other applications. Although this method works, testers found that text formatting was not maintained when linking the OCR module to a Windows word processor.

Equip+ and FileMagic Plus provide print-file drivers that allow printing from other Windows applications to a file in the document image manager's file format. After printing a Microsoft Word for Windows document to the file driver, for example, you can view the Word document in the document image manager exactly as if a scanner had scanned it.

Watermark Professional can hook up in a client/server environment. It offers an image-server product based on Microsoft

Product Information

Equip+ 6.0\$249

Alacritty Systems, Inc.
Hackettstown, NJ
(800) 252-2748
(908) 813-2400

Circle 978 on Inquiry Card.

Fileflo 3.6\$795

Newport Canyon Associates
Irvine, CA
(714) 833-0333

Circle 979 on Inquiry Card.

FileMagic Plus 4 Professional \$1795

Westbrook Technologies, Inc.
Branford, CT
(800) 949-3453
(203) 399-7111

Circle 980 on Inquiry Card.

ImageFast 2.0\$695

ImageFast Software Systems, Inc.
McLean, VA
(703) 893-1934

Circle 981 on Inquiry Card.

PageKeeper 1.1\$595

Caere Corp.
Los Gatos, CA
(800) 535-7226
(408) 395-5148

Circle 982 on Inquiry Card.

PaperClip for Windows and Isys 3.0\$695

PaperClip Imaging Software, Inc.
Hackensack, NJ
(800) 929-3503
(201) 487-3503

Circle 983 on Inquiry Card.

Recollect 2.11\$595


MindWorks Corp.
Sunnyvale, CA
(800) 396-6463
(408) 730-2100

Circle 984 on Inquiry Card.

Watermark Professional Edition 1.0\$295

Watermark Software, Inc.
Burlington, MA
(617) 229-2600

Circle 985 on Inquiry Card.



Introducing ABC FlowCharter 4.0. The reigning business graphics heavyweight.

When it comes to creating high-quality business diagrams, new ABC FlowCharter 4.0 gives you ultimate power, flexibility and control. The program is loaded with four fully-integrated modules specifically designed to meet the demands of the business graphics user. Whether you need to create complex flowcharts for TQM and BPR, analyze your statistical data, or simply pull together clean, colorful presentation charts in a matter of minutes, ABC FlowCharter 4.0 can help you accomplish your

mission. Only ABC FlowCharter 4.0 features automatic line crossovers, intelligent line routing and data fields.

| FEATURES | ABC FlowCharter | Visio 3.0 | CorelFLOW2.0 |
|--|-----------------|-----------|--------------|
| Intelligent line routing | ★ | | |
| Automatic add/delete shapes | ★ | | |
| Automatic line crossovers | ★ | | |
| Data fields | ★ | | |
| OLE 2.0 automation | ★ | ★ | |
| Royalty free flowchart viewer (ABC Viewer™) | ★ | | |
| Statistical Process Control Charting (ABC DataAnalyzer™) | ★ | | |
| 21 pre-defined diagram templates (ABC SnapGraphics™) | ★ | | |

And those are just a few of the features we've added to make your life easier. Right now you can get ABC Flowcharter 4.0 for as little as \$99.95 upgrade. And you can upgrade from any business graphics program you already own. No other program

gives you such complete power for so little. If you want to settle for less, it's your business. Contact your favorite reseller or call 1-800-877-3040.

MICROGRAFX®



\$99.95
UPGRADE*

*U.S. SRP (\$149.95 Canadian) for users of any Micrografix product or any version of the following competitive products: Visio, CorelFlow, AllClear, Flowcharting 4, EasyFlow, or other diagramming software. Copyright 1995© Micrografix Inc. All rights reserved. All trademarks are owned by their respective companies.

Circle 84 on Inquiry Card (RESELLERS: 85).

Save Disk Space

PKZIP®

PKZIP version 2.0

PC WORLD



**WORLD CLASS
AWARD**

PKWARE® introduces the next generation of its award winning compression utility. PKZIP 2.0 yields greater performance levels than achieved with previous releases of the software. PKZIP compresses and archives files. This saves disk space and reduces file transfer time.

Software developers! You can significantly reduce product duplication costs by decreasing the number of disks required to distribute your applications. Call for Distribution License information.

Put Your Executables on a Diet

Software developers! Save disk space and media costs with smaller executables. You can distribute your software in a compressed form with PKLITE Professional.* PKLITE Professional gives you the ability to compress files so that they cannot be expanded by PKLITE. This discourages reverse engineering of your programs.



PKLITE increases your valuable disk space by compressing DOS executable (.EXE and .COM) files by an average of 45%. The operation of PKLITE is transparent, all you will notice is more available disk space!

Compression for YOUR Application



The PKWARE Data Compression Library* allows you to incorporate data compression technology into your software applications. The application program controls all the input and output of data, allowing data to be compressed or extracted to or from any device or area of memory.

All Purpose Data Compression Algorithm compresses ASCII or binary data quickly. The routines can be used with many popular DOS languages. A Windows DLL and an OS/2 32-bit version is also available!

PKWARE® INC.

The Data Compression Experts®

9025 N. Deerwood Drive Brown Deer, WI 53223-2437
(414) 354-8699 Fax (414) 354-8559

PKWARE Data Compression Library for DOS \$275 PKWARE Data Compression Library for OS/2 \$350
PKWARE Data Compression Library DLL for Windows \$350
PKZIP \$47.00 PKLITE \$46.00 PKLITE Professional \$146.00

Please add \$5.00 S&H per package in the US & Canada, \$11.25 overseas.
Wisconsin residents add appropriate state sales tax & county sales tax.
Visa and Mastercard accepted, no COD orders.

COME SEE US AT COMDEX SPRING, ATLANTA, GA BOOTH #8782

Reviews Roundup

SQL Server for Windows NT (\$2995 for the 25-user version). And PaperClip for Windows offers an SQL Server version ranging from \$595 to \$995 per seat, depending on the number of seats. Image-Fast and FileMagic Plus plan to offer tie-ins to database servers in future releases.

No Clear Winner

Document management standards are still too much in flux and technologies are not defined well enough to pick any of the evaluated products as the clear choice for handling all document-imaging needs. But the technology is taking off fast, and three of the tested programs are worth serious consideration for any company's initial foray into document image management.

Watermark Professional is a good introduction to the category. It has an elegant interface, well-written documentation, superior OCR, and a bevy of image manipulation tools. For example, it can easily handle price lists, and when paired with a third-party database server, it emerges as the best bet for forms processing. However, unless you already have or intend to install a database server, think twice about using Watermark Professional in a high-volume forms-processing environment: Its retrieval times are slow.

PageKeeper is worth considering for handling documents that require full-text indexing, such as customer service literature. Its streamlined processing of scanning, high-quality OCR, and full-text indexing, along with its ability to highlight the relevance of search results, makes PageKeeper well suited to applications that require information access and image retrieval.

FileMagic Plus has a good interface and documentation and a nice mix of functions. It doesn't offer the OCR quality of some of its competitors, but if you are looking for a compromise between the forms prowess of Watermark Professional and the full-text retrieval of PageKeeper, FileMagic Plus fits the bill. ■

This report contains the partial results of a recent issue of Software Digest, a monthly publication of NSTL, Inc. To purchase a complete copy of the report, contact NSTL at 625 Ridge Pike, Conshohocken, PA 19428, (610) 941-9600; fax (610) 941-9950; on the Internet, editors@nstl.com. For a subscription, call (800) 257-9402. BYTE Magazine and NSTL are both operating units of McGraw-Hill, Inc.

BY595



What You Protect Is Your Business. Keeping It Protected Is Ours.

Most people don't know it, but Software Security's advanced protection technology safeguards and enhances a wide range of products in addition to commercial software applications.

We protect the firmware used in manufacturing processes and voice processing systems. Companion disks for college textbooks. Proprietary data and applications used by companies throughout the world.

Our technology is also used to deliver pay-per-access information retrieval capabilities, to guarantee 100% software registration, to ensure secure electronic transactions and much more. Including, of course, to protect software.

Software Security knows that no matter what you're protecting, what you're really protecting is your business. And we have more ways than anyone else to keep it safe. Including the industry's most powerful hardware-based solutions, network license management, software metering, and remote transaction capabilities.

If your company has developed technology that shouldn't fall into just anyone's hands, contact Software Security today at **800-841-1316**. After all, protection isn't just our business. It's yours.

SOFTWARE SECURITY 

6 THORNDAL CIRCLE DARIEN, CT 06820-5421 203-656-3000 Fax: 203-656-3932 BBS: 203-656-3928
Software Security International, Ltd., London: +44-(0) 1784-430-060 Fax: +44-(0) 1784-430-050

Minsk, SSI Belarus: +(7) 0172-45-21-03 Germany, STS: 0130 811257 France, Micro Sigma: +33 146 22 9988 Italy, Tecnosoft SRL: +39 22692 2888
Bulgaria, Synthesis Soft: +3592 655010 Netherlands, B-Tree Software: +31 30 881008 Denmark, Infolex Software: +45 5351 7033
Norway, Ravenholm Computing A/S: +47 2211 0950 Finland, Xi-Tech Oy AB: +358 0628 486 Australia, CEANET: +61 2 922-6311

Circle 112 on Inquiry Card.

HANDS-ON TESTING

29 PRINTERS THAT

Concentrate on the basics, but add color to get the edge

MICHELE GUY AND JOHN MCDONOUGH

Waiting for the printer market to bottom out? Take note: You can buy a nice color ink-jet printer in the \$500-to-\$700 range or a 6- to 10-page-per-minute monochrome laser printer for about twice that amount. Workgroup printers in the 11- to 30-ppm range vary widely in price, depending on their features and the options you select. Laser printers offering more than 10 ppm typically provide minimum resolutions of 600 by 600 dots per inch, automatic input and emulation switching, support for PCL (Printer Control Language) and PostScript, bidirectional monitoring software, and remote-printer-management software. Features previously found only in very high-end printers, such as multiprotocol printing, are drifting into the midrange market.

Many vendors are introducing support for 1200- by 1200-dpi resolution, but check things out yourself. With monochrome text, you might not notice a difference between 1200 by 1200 and 600 by 600.

Color ink-jets usually cost just a few hundred dollars more than monochrome ink-jets. These inexpensive color printers are excellent for adding splashes of color to borders, logos, and clip art. In addition, 720- by 360-dpi ink-jets are appearing in a market that was once limited to maximum resolutions of 360 by 360 dpi.

Keep in mind, however, that the resolutions reported by printer vendors actually translate into addressability. You might be able to address 720 by 360 dpi, but if your dots (similar to a monitor's dot pitch) overlap much, the *real* resolution (i.e., the sharpness of your output) is potentially quite different than what the reported resolution would lead you to assume.

Color laser printer vendors are now aiming their wares at the general-business market. Color laser printers can produce full-color output in pages per minute rather than in minutes per page, and their prices have dropped substantially during the past two years.

This month we look at eight 6- to 10-ppm monochrome lasers, 10 11- to 30-ppm monochrome lasers, seven color ink-jets, and four color lasers. All were released to the market on or after June 1, 1994.


How to use this guide

We used our standard suite of DOS, Windows, and Mac OS-based printer tests to choose winners in four categories: color ink-jets, 6- to 10-ppm lasers, 11- to 30-ppm lasers, and

color laser printers. Using charts like the one shown here, we summarize test details about the winners and runners-up in each of these categories.

A printer's combined engine and processor speed when running our test files, measured in pages per minute. Higher numbers indicate faster performance.

A composite rating for performance, features, usability, and quality, based on a 10-point scale; higher numbers are better.

| BEST OVERALL Kyocera Ecosys FS-3600A | | | | | | | | | |
|--|---------------|-------|------------|------|---------------------|---------|-----------------|-----------|-----------------|
| <p>This 18-ppm printer was the fastest of the 11- to 30-ppm laser printers, producing superior PCL and PostScript performance results in our stand-alone and network tests. Its standard features include a bidirectional parallel port, enhanced PCL5, and automatic switching between inputs. Instead of the usual toner cartridge, the FS-3600A uses a toner drum that is a permanent component of the printer; you replenish the toner drum about every 10,000 pages from a burnable toner-supply container.</p> | | | | | | | | | |
|  | | | | | | | | | |
| | OVERALL SCORE | PCL | POSTSCRIPT | MAC | NET, 7.5 PPM RATING | QUALITY | SCORES FEATURES | USABILITY | PRICE AS TESTED |
| BEST Kyocera Ecosys FS-3600A | 8.11 | 13.55 | 13.36 | N/A | 18 | AAA | AAA | AAA | \$4482 |
| RUNNER-UP Dataproducts Typhoon 20 | 7.81 | 10.98 | 10.58 | 9.03 | 20 | AAA | AAA | AAA | \$7255 |
| RUNNER-UP HP LaserJet 4MV | 7.71 | 10.95 | 10.82 | 8.63 | 16 | AAA | AAA | AAA | \$3549 |
| RUNNER-UP Lexmark Optra Rx | 7.71 | 5.47 | 5.64 | 5.20 | 16 | AAA | AAA | AAA | \$2898 |
| RUNNER-UP QMS 1660 Print System | 7.61 | 10.59 | 9.95 | 9.12 | 16 | AAA | AAA | AAA | \$4899 |

A vendor's rating for engine or print-head speed; does not include a printer's processing time.

The retail price of the printer as configured for our tests. This price may include optional memory (see the Roll Call on page 168).

MEAN BUSINESS

The Impressive Parts

PAPER TRAYS

Think carefully of all the types of paper you might need your printer to handle. If capacity is important, check the Roll Call on page 168 for maximum paper-capacity ratings.

PAPERFEED MECHANISM

A roller picks a piece of paper from the input tray and passes it to an anti-skew, heavy-friction roller. From there, it passes an aligning roller, and then a metering roller. It then goes through the EP engine, where it gets the image impressed onto it. From there, it goes through to the fusing hot roller. Finally, it heads through rollers that escort the end product to the exit bin.

ELECTROPHOTOGRAPHIC ENGINE

The EP engine receives the bit map from the RIP and, using a low-power laser, transfers the image by coating the photoconductor drum with toner. It then transfers that image onto paper.

LCD PANEL

Before you buy a printer, test-drive the user interface that monitors and controls print jobs. Software programs that you install on a PC are increasingly replacing printers' LCD menus.

RASTER-IMAGE PROCESSOR

The RIP comprises a BIOS, an emulator, and a band-building system. The BIOS receives input from an incoming port and buffers that data, transmitting it at the highest transfer rate that it and the processor can sustain. The emulator scans the data and determines its PDL (page-description language), parses it, and then renders a full-page bit map. The band-building system quickly creates a series of bands, which it then hands off to the EP engine.

INTERFACES

The more interface options a printer has, the better. Parallel ports should be high-speed and bidirectional, with support for the IEEE 1284 standard. SCSI connectors should be SCSI-2, preferably fast and wide. For a network printer, look for fast Ethernet, LocalTalk, and/or Token Ring. You might need an SNMP-compliant interface, but be wary of anything proprietary. Good network printers can receive data from all ports simultaneously; look for "multiprotocol, multitasking" models.

11- to 30-PPM LASERS

Best Overall

Kyocera Ecosys FS-3600A

This 18-ppm printer was the clear winner in speed for both PCL and PostScript and as a NetWare print server. It also offers an ecologically sound ink-medium system.

PAGE 156

High-Quality

Lexmark Optra Rx

This easy-to-use, 1200-dpi printer produces crisp and clear text, graphics, and photographic images. It also boasts a monthly duty cycle of 40,000 pages.

PAGE 156

6- to 10-PPM LASERS

Best Overall

QMS 1060 Print System

This 10-ppm, 600-dpi printer offered the best PCL and Macintosh performance scores in the 6- to 10-ppm category, and it produced above-average output quality.

PAGE 160

Low-Cost

DECler 5100

The leader in 6- to 10-ppm lasers priced at under \$2000, this 600-dpi printer offers good output quality and sophisticated printer-monitoring software.

PAGE 160

COLOR INK-JETS

Tektronix Phaser 140

This inkjet led the category in output quality. The Phaser 140 ships with standard Adobe PostScript and parallel and LocalTalk interfaces; it offers an optional Ethernet interface as well.

PAGE 162

COLOR LASERS

Xerox 4900 Color Laser Printer

The Xerox 4900 produced the best color and monochrome quality in its class. It's rated at 12 ppm for monochrome output and at 3 ppm for color output.

PAGE 164

ESSENTIAL FOR LARGE WORKGROUPS

11- TO 30-PPM LASERS

The 11- to 30-ppm laser-printer category targets workgroups in a networked environment. We tested the speed of the 10 printers in this group as stand-alone units and as print servers on a Novell NetWare 3.12 Ethernet network. Requirements for this category include an Ethernet interface, support for both PCL and PostScript, and a minimum of 6 MB of memory. The printers in this group share the following characteristics: manufacturer-rated speeds of between 12 and 20 ppm, minimum print resolutions of 600 by 600 dpi, the ability to be configured as a shared printer on a network, automatic switching between interfaces, auto-sensing between emulations, and monthly duty cycles that range from 10,000 to 50,000 pages.

The Kyocera Ecosys FS-3600A earned our best-overall rating, reflecting its superior performance in our PCL, PostScript, and network tests. The 18-ppm FS-3600A came in at just under 16 ppm in our text tests. Although it boasts a maximum resolution (i.e., addressability) of 600 by 1200 dpi, the FS-3600A has an output quality that, while good, received stiff competition from the other printers and so was rated only about average for the group. We like the FS-3600A's compact, 24-pound frame.

Priced at \$4193, the unit Kyocera sent us included standard support for PCL5e and PostScript Level 1, as well as an optional Ethernet connection. Kyocera also provides LocalTalk and Token Ring interface options.

The more ponderous 75-pound Dataproducts Typhoon 20 finished second in the best-overall category. The Typhoon 20 delivers a strong mix of performance, quality, and features. The 20-ppm Typhoon 20 (Dataproducts also offers a 30-ppm model, the Typhoon 30, and a 60-ppm model, the Typhoon 60) has a maximum print resolution of 800 by 800 dpi. But its paper-handling features set it apart: The Typhoon 20 ships standard with three paper trays, can output pages face-up or face-down, supports a maximum input capacity of 850 sheets, and has a 50,000-page monthly duty cycle.

VIRTUAL PRINTERS

At one time or another, you've probably sent a file to print and waited around while nothing happened. That's called virtually printing. But don't be mistaken: Dataproducts' Virtual Printing Technology, or VPT for short, is something quite different. VPT adds network smarts to printers by acknowledging and receiving up to 64 different printer configurations concurrently, each with its own network protocol, operating system, printing language, default resolution, paper size, font, and orientation. So, instead of stopping stone-cold when it receives a file it can't print, a printer with VPT rejects that file and goes about printing the files that it can.

Dataproducts designed VPT to work on any network printer, although different printers might support a different range of VPT features. When a VPT-enhanced printer receives a document addressed to one of its virtual printers, it adjusts its configuration accordingly. For example, one user's virtual printer might translate to an Apple EtherTalk, System 7.0, PageMaker file in 800- by 800-dpi resolution using PostScript Level 2, 12-point Gothic type, on letter-size paper, in landscape orientation. At the same time, another client on the network could click on the Print command and automatically evoke an entirely different setup.

VPT follows the client/server model: The VPT-equipped printer is the server, and the computers that send it jobs are clients, each appearing as a separate network node. By default, the NOS (network operating system) handles queuing and prioritization; alternatively, you could use middle-management systems to provide print-queuing and spooling services.

Dataproducts' VPT associates all of a printer's user-configurable parameters as 64 virtual ports, thus performing an elaborate form of emulation switching. VPT can also give you access to printer features that aren't selectable in your host-resident drivers.

And while VPT gives a network user the flexibility to configure a network printer as if it were his or her own personal printer, a network administrator can use VPT as an SNMP management utility that forces people to access printers in certain ways. For example, an administrator can set up a virtual printer so that only certain network users have access to certain trays. VPT also includes resource accounting, which enables an administrator to discern who is printing what, how many copies, and how often.

Dataproducts' VPT concurrently supports such protocols as TCP/IP, Apple EtherTalk, Novell IPX, Token Ring, and Digital's LAT (Ethernet only). It supports more than 20 operating systems, including VMS, NetWare, LAN Manager, Windows, Windows NT, and 12 versions of Unix.

VPT 3.0 SUPPORTS:

- LocalTalk
- Bidirectional IEEE 1284 (parallel)
- RS-232/RS-422 (serial)
- 10Base-T/10Base-2 (Ethernet)
- DEC LAT services
- IPX services (Novell NetWare)
- EtherTalk
- TCP/IP services
- UTP/STP Token Ring
- IPX
- EtherTalk
- TCP/IP

An ecologically sound, solid performer

BEST OVERALL

Kyocera Ecosys FS-3600A



This 18-ppm printer was the fastest of the 11- to 30-ppm laser printers, producing superior PCL and PostScript performance results in our stand-alone and network tests. Its standard features include a bidirectional parallel port, enhanced PCL5, and automatic switching between inputs. Instead of the usual toner cartridge, the FS-3600A uses a toner drum that is a permanent component of the printer; you replenish the toner drum about every 10,000 pages from a burnable toner-supply container.



| | | OVERALL SCORE | PCL | PPM POSTSCRIPT | MAC | MFR.'S PPM RATING | QUALITY | SCORES FEATURES | USABILITY | PRICE AS TESTED |
|-----------|-------------------------|---------------|-------|----------------|------|-------------------|---------|-----------------|-----------|-----------------|
| BEST | Kyocera Ecosys FS-3600A | 8.11 | 13.55 | 13.36 | N/A | 18 | ▲▲▲ | ▲▲▲ | ▲ | \$4482 |
| RUNNER-UP | Dataproducts Typhoon 20 | 7.81 | 10.98 | 10.58 | 9.03 | 20 | ▲▲▲ | ▲▲▲ | ▲▲▲ | \$7255 |
| RUNNER-UP | HP LaserJet 4MV | 7.71 | 10.95 | 10.82 | 8.63 | 16 | ▲▲▲ | ▲▲ | ▲▲ | \$3549 |
| RUNNER-UP | Lexmark Optra Rx | 7.71 | 5.47 | 5.64 | 5.20 | 16 | ▲▲▲ | ▲▲ | ▲▲ | \$2898 |
| RUNNER-UP | QMS 1660 Print System | 7.61 | 10.59 | 9.95 | 9.12 | 16 | ▲▲▲ | ▲▲ | ▲▲ | \$4899 |

For the best-looking output...

HIGH-QUALITY

Lexmark Optra Rx



This 16-ppm printer, which supports 300, 600, and 1200 dpi, produced the best-looking output in this category. Lexmark designed the Optra Rx for single-user desktops and connected workgroups with moderate printing volumes. Its standard features include enhanced PCL5, PostScript Levels 1 and 2, and auto-sensing between emulations and auto-switching between inputs. The Optra Rx has an intuitive control panel and, at 40,000 pages per month, the second-highest duty cycle of all the printers we tested. Options include duplex printing and a 40-MB hard disk.

| | | OVERALL SCORE | PCL | PPM POSTSCRIPT | MAC | MFR.'S PPM RATING | QUALITY | SCORES FEATURES | USABILITY | PRICE AS TESTED |
|-----------|-----------------------------|---------------|-------|----------------|------|-------------------|---------|-----------------|-----------|-----------------|
| BEST | Lexmark Optra Rx | 7.71 | 5.47 | 5.64 | 5.20 | 16 | ▲▲▲ | ▲▲ | ▲▲ | \$2898 |
| RUNNER-UP | QMS 1660 Print System | 7.61 | 10.59 | 9.95 | 9.12 | 16 | ▲▲▲ | ▲▲ | ▲▲ | \$4899 |
| RUNNER-UP | Canon LBP-1260 | 6.78 | 8.14 | 6.37 | N/A | 12 | ▲▲ | ▲ | ▲ | \$2298 |
| RUNNER-UP | Apple LaserWriter 16/600 PS | 7.35 | 10.35 | 10.04 | 9.00 | 17 | ▲▲ | ▲ | ▲ | \$2429 |
| RUNNER-UP | Xante Accel-a-Writer 8200 | 7.23 | 8.66 | 8.42 | 7.41 | 16 | ▲▲ | ▲ | ▲ | \$7990 |

N/A = not applicable.

KEY

Ratings from 1 to 4:
▲ is the lowest;
▲▲▲ is the highest.

ferent NOSes (network operating systems) simultaneously.

Selling for \$2298, the DEC-laser 3500 is a good buy. Like many Digital Equipment products, its construction is solid, and the 3500 comes with a particularly good setup guide. Its PCL driver lets you change the image-control setting from either the imaging-mode or manual-select setting to the smart-laser setting. This setting automatically selects an appropriate image-control setting for you.

If you are searching for a workgroup printer priced under \$2500, you should consid-

er these 600- by 600-dpi laser printers: the Apple LaserWriter 16/600 PS (\$2429), the Canon LBP-1260 (\$2298), and the Texas Instruments microLaser PowerPro (\$1639). The LaserWriter stands out with 8 MB of standard RAM and a 17-ppm engine rating.

Reliability is another important consideration when choosing a printer. Although most of the units in this review come with one-year warranties on parts and labor, Canon's LBP-1260 includes a two-year warranty on parts and labor, and Lexmark's Optra Rx and Ap-

ple's LaserWriter 16/600 PS both include one-year warranties on parts and labor, as well as free freight to and from the repair center.

A new printer that missed our testing deadline is the QMS 1660E Print System. While the current 1660 configuration ships standard with LocalTalk and offers Ethernet as an option, the 1660E ships standard with Ethernet and offers LocalTalk as an option.

In addition, Dataproducts' Virtual Printer Technology allows up to 64 different printer configurations simultaneously on a heterogeneous network (see the text box "Virtual Printers"). In short, it would be a crime not to connect the Typhoon 20 to a network. The unit's only big drawback is its hefty \$7255 price tag.

Following close behind the Typhoon 20 is Hewlett-Packard's LaserJet 4MV. Reasonably priced at \$3549, the 4MV can print 16 ppm at 600 by 600 dpi, has a maximum resolution of 600 by 600 dpi, and supports PCL5e, HPGL/2, and Adobe PostScript Level 2. The 4MV also comes with HP's multiprotocol JetDirect card for LocalTalk and Ethernet, plus a user-configurable I/O buffer. The 4MV offers a monthly duty cycle of 35,000 pages and a maximum input capacity of 850 pages. Options include a 42-MB internal hard drive, to give you access to Adobe Type 1 fonts, and a JetDirect card for Token Ring connectivity.

Lexmark's 1200- by 1200-dpi Optra Rx produced the highest-quality output, though not at spectacular speeds: It prints 16 ppm at 300 by 300 dpi, but only 8 ppm at 1200 by 1200 dpi. But it compensates for this lackluster performance with truly crisp line drawing, readable text in

sizes as small as 1.5 points, and near-photographic-quality gray-scale images. Its bidirectional print utility allows local and remote printer control. An optional MarkNet adapter allows you to connect to 18 dif-

Weighting for Best Overall

PERFORMANCE 45%

QUALITY 30%

FEATURES 15%

USABILITY 10%

Weighting for High-Quality

QUALITY 100%

Quality Tests:

Line squeeze

Fonts and text:

Black on white

White on black

Drawing to edges

Gray-scale




Photos

Circles

Edge linearity

Price vs. Performance and Features

These charts depict the ratios of the general overall scores (a weighted combination of performance, quality, features, and usability) to the prices for the printers as tested. See the Roll Call (on pages 168 to 171) to discern the as-tested configurations and to look for the specific features you need.



HONORABLE MENTIONS

The Dataproducts Typhoon 20

offers multiple paper-handling options. The Typhoon we tested has three 250-sheet paper trays and supports paper sizes from letter to B5. It also has a manual-feed tray for postcards, heavy paper stock, and adhesive labels. An optional multimedia feeder inserts stacks of envelopes—which, in most printers, must be inserted one at a time—and a face-up exit tray spares transparencies from being curled by the printer's rollers. The 20-ppm laser printer, which supports resolutions of up to 800 dpi in PostScript mode, has an intuitive control panel and is capable of churning out 50,000 pages per month.



Epson's Stylus Color Ink Jet Printer


lets you know where you stand. The Epson Spool Manager utility icon appears

on-screen when you send data to the printer. If you double-click on this icon, a dialog box appears, informing you of the status of the print job, including details of the current page. Nested menus let you hold print jobs, reorder them for later printing, or delete them. Another nice feature is that you don't have to swap color and monochrome cartridges; both are installed at all times.

The DEClaser 3500

is one of the few printers around that let you edit *watermarks*, the superimposed text controlled by the driver on your final output. If you're not in love with your confidential or draft watermark, you can open the DEClaser 3500's printer-setup utility and change the text, font, size, angle, percentage of gray, and x,y position of a watermark. This 12-ppm workgroup laser printer provides many ways to improve the quality of output; its SmartLaser imaging feature analyzes all your print jobs and chooses the best of three imaging modes (spreadsheets and tables, presentations, and entire page as graphic) for the job.





For 1200 dpi printing,
there's really only
one choice.
There are, however,
several options.

The new Optra family
from Lexmark.

At Lexmark, we don't limit top-of-the-line features to our top-of-the-line printers.

The new Optra™ family is the first full line of network-ready, desktop laser printers capable of true 1200 x 1200 dpi* printing. Each Optra laser printer, from the extremely affordable 12 ppm Optra R to the extremely powerful 16 ppm Optra Lxi, delivers four times the sharpness of ordinary 600 dpi printers.

No matter which option you choose, our breakthrough MarkVision™ printer utility is standard. Users and LAN managers can control and configure every Optra on the network, and monitor job statistics, right from Windows™ or Macintosh workstations.

PostScript™ Level 2 and enhanced PCL® 5 emulations are also standard. Which means that every Optra prints incredibly sharp graphics and beautiful, crisp text from virtually any of your applications.

All this value and innovation from Lexmark, a former division of IBM. For more information, call us at **1 800 891-0399, ext. 231.**

Thanks to the new Optra family, you can choose the best printer, rather than the best compromise.

LEXMARK™

ADVANCING THE ART OF PRINTING



*1200 dpi requires additional memory for complex files. Lexmark products are manufactured under the ISO 9002 approved quality process. The Energy Star emblem does not represent EPA endorsement of any product or service. Lexmark, Optra and MarkVision are trademarks of Lexmark International, Inc. NetWare is a registered trademark of Novell, Inc. Windows is a trademark of Microsoft Corporation. Macintosh is a registered trademark of Apple Computer, Inc. PostScript is a trademark of Adobe Systems Incorporated, which may be registered in certain jurisdictions. PCL is a registered trademark of Hewlett-Packard Company. © 1995 Lexmark International, Inc.

SOLID, MIDRANGE PRINTERS

6- TO 10-PPM LASERS

We tested eight 6- to 10-ppm laser printers, which are well suited for stand-alone use and for small workgroups. These units print text and graphics in highly acceptable quality—better than just adequate.

All but Fujitsu's 300- by 300-dpi PrintPartner 8000, Kyocera's 600- by 1200-dpi Ecosys FS-1600A, and Xante's 1200 by 1200 LaserPress 1200 offer maximum print resolutions of 600 by 600 dpi. The LaserPress 1200 outputs near-typeset-quality text. All but one, the inexpensive NEC SuperScript 660i, offer either a standard or optional network/LocalTalk interface. They all come with PCL5 and offer standard or optional PostScript. We requested that vendors ship their 6- to 10-ppm laser printers to us with a minimum of 4 MB of RAM.

The best-overall rating for this group went to QMS's 1060 Print System. The 1060, with a manufacturer's rated speed of 10 ppm, produced the fastest PCL and Mac performance results and finished second in our PostScript performance tests. In the PCL raw-text test, the QMS 1060 printed approximately 8.7 ppm at 300 dpi. This 600- by 600-dpi unit also offers above-average output quality.

With a \$2399 price tag, the 1060 ships with PCL5, PostScript Levels 1 and 2, and SCSI and LocalTalk connections. Ethernet and Token Ring interfaces are optional. It offers a monthly duty cycle of 10,000 pages and a maximum input capacity of 1150 pages.

The Kyocera Ecosys FS-1600A placed second overall. The FS-1600A is a 10-ppm printer with a maximum true resolution of 600 by 1200; it delivered the fastest PostScript score in this category and the second-fastest PCL scores. The unit we tested had a list price of \$2464.

The FS-1600A ships with PCL5e standard and provides PostScript Level 1 as a \$289 option. LocalTalk, Token Ring, and Ethernet interfaces are also optional. The FS-1600A offers a monthly duty cycle of 25,000 pages, which is the highest in this group.

MULTIFUNCTIONAL PERIPHERALS

If you're short on floor space and need a printer, a fax machine, a copier, and a scanner, then you're a likely candidate for the Swiss Army knife of office machines: an MFP (multifunctional peripheral). Often called *hydras*, these multiheaded printers are growing in demand in the SOHO (small office/home office) market—or anywhere you need a single peripheral that can do it all. MFPs represent the inevitable evolution of the SOHO printer market—the convergence of office peripherals—because scanners, copiers, printers, and fax machines all use similar paper-marking engines.

During the early 1990s, most MFP products were fast, expensive machines aimed at the high end of the market, but in 1994, one-stop peripherals with affordable prices emerged for the SOHO market. BIS Strategic Decisions analyst Barry Tepper reports that you can purchase Hewlett-Packard's top-selling OfficeJet for \$795, while a plain-paper fax machine, an ink-jet printer, and a personal copier cost more than \$1000 if you purchase them all separately.

Notable printer vendors, such as Canon USA, Okidata, QMS, Ricoh, Toshiba, and Xerox, offer hydras of varying stripes. The HP OfficeJet is a monochrome DeskJet ink-jet printer with a 9600-bps modem; it can also scan and fax documents. Toshiba's TF505, a \$2399 4-ppm laser printer, also serves as a scanner, a plain-paper fax machine, and a copier. To print documents on the TF505 from a PC, you must install Toshiba's Windows-based ImageVision III Print Manager and connect the TF505 to a host system with a bidirectional parallel cable.

To push the MFP market forward and to obviate the need for proprietary interfaces, the MFPA (Multifunction Printer Association) is promoting support for its MFPI (Multifunction Peripheral Interface). Completed as an interim standard in February, the MFPI standard provides a nonproprietary API for controlling MFPs. The proposed international standard is tailored to be compatible with Microsoft's proprietary MAW (Microsoft At Work) standard and is based on a similar concept, but Microsoft has yet to embrace MFPI. It is also questionable whether Microsoft is actively supporting MAW anymore. Novell reports that its set of technologies called NEST (Novell Embedded Systems Technology), for controlling peripherals on a NetWare LAN, will be compatible with MFPI.



The Toshiba TF505 is a small printer that also has the ability to handle scans, copies, and faxes.

The printer's ecologically sound toner contains ceramic particles that continuously clean and polish the drum; Kyocera claims that, because you never need to purchase actual cartridges, the resulting cost per page is an outstandingly low 7 cents. A long-life fuse in the processor reduces power consumption, admitting the FS-1600A into the EPA Energy Star program.

For modest workgroups...

BEST OVERALL

QMS 1060 Print System



This 10-ppm, 600-dpi printer offers four resident emulations: PCL5, PostScript Levels 1 and 2, HPGL, and Lineprinter, with auto-sensing between emulations. You can print on a variety of paper sizes with the 1060, including letter, legal, executive, A4, B5-ISO, envelopes, and postcards. The 1060 comes standard with simultaneously active parallel, serial, and LocalTalk interfaces, plus two optional network interfaces. Also optional are PCMCIA slots for font cards and hard disk support. The 1060 supports up to 64 MB of RAM, provides a base tray capacity of 500 sheets (the highest of this group), and can hold three input trays.



The DEClaser 5100 distinguished itself with the third-highest overall rating, the top rating in the under-\$2000 price range, and the best-overall quality score, thanks in part to an image-enhancement feature for PostScript. This 600- by 600-dpi, 8-ppm printer is a bargain at \$1599, and it comes standard with an envelope feeder, LocalTalk, Enhanced PCL5, and Adobe PostScript Level 2, including 115 scalable fonts. Font expansion is available through PCMCIA slots or via an optional hard disk. The printer has a monthly duty cycle of 20,000 pages and a maximum input capacity of 850 pages in three trays.

The Xante LaserPress 1200 was the only 1200- by 1200-dpi printer in this group. It produces crisp

lines and text and beautiful gray-scale images; however, the lack of a print-density-control feature caused it to suffer in our white-on-black quality test, a test with which other printers had some degree of difficulty as well.

Designed to provide output for anything ranging from basic office draft documents to near-typeset-quality images, the LaserPress 1200 was the most fully featured product in the 6- to 10-ppm range. Rated at 8 ppm, its base configuration includes 24 MB of RAM (it can hold 64 MB), a multipurpose sheet feeder, PCL5, PostScript and HPGL/7475A drivers, and LocalTalk, SCSI-1, and Ethernet connections.

If you're looking for a personal, stand-alone printer, the low-priced NEC SuperScript 660i might fit the bill. This 6-ppm, 600- by 600-dpi printer provides only one interface—a bidirectional parallel port—but the 2-MB base model costs just \$799. The unit we tested had 6 MB. Because NEC doesn't sell memory for its printers, the \$999 price quoted for the 6-

| | | OVERALL SCORE | PCL | PPM POSTSCRIPT | MAC | MFR.'S PPM RATING | QUALITY | SCORES FEATURES | USABILITY | PRICE AS TESTED |
|-----------|------------------------------|------------------|------|-------------------|------|----------------------|---------|--------------------|-----------|--------------------|
| BEST | QMS 1060 Print System | 6.58 | 7.92 | 7.34 | 6.39 | 10 | ★★★★ | ★★★★ | ★★★★ | \$2399 |
| RUNNER-UP | Kyocera Ecosys FS-1600A | 6.36 | 7.81 | 7.76 | 5.98 | 10 | ★★★★ | ★★★★ | ★★★★ | \$2464 |
| RUNNER-UP | Digital DEClaser 5100 | 6.25 | 6.05 | 5.56 | 5.36 | 8 | ★★★★ | ★★★★ | ★★★★ | \$1599 |
| RUNNER-UP | Mannesmann Tally T9008 Laser | 5.70 | 6.21 | N/A | N/A | 8 | ★★★★ | ★★★★ | ★★★★ | \$1768 |
| RUNNER-UP | Epson ActionLaser 1600 | 5.62 | 5.37 | N/A | N/A | 6 | ★★★★ | ★★★★ | ★★★★ | \$1199 |

For budgets under \$2000...

LOW-COST

DEClaser 5100



The DEClaser 5100, priced at \$1599 as tested, was the overall winner among the 6- to 10-ppm lasers in the under-\$2000 range. Digital designed this printer with small workgroups in mind. It supports Adobe PostScript Level 2 and Enhanced PCL5; auto-sensing between emulations; simultaneous support of serial, parallel, and LocalTalk ports and an optional Ethernet port; font expansion through PCMCIA slots; and an optional hard drive for storing additional fonts. The DEClaser 5100 also earned the highest quality rating in the 6- to 10-ppm laser category. You can configure the unit's

bidirectional driver to alert you of the printer's status with either visual effects or sound effects, including a male or female voice.

| | | OVERALL SCORE | PCL | PPM POSTSCRIPT | MAC | MFR.'S PPM RATING | QUALITY | SCORES FEATURES | USABILITY | PRICE AS TESTED |
|-----------|------------------------------|------------------|------|-------------------|------|----------------------|---------|--------------------|-----------|--------------------|
| BEST | Digital DEClaser 5100 | 6.25 | 6.05 | 5.56 | 5.36 | 8 | ★★★★ | ★★★★ | ★★★★ | \$1599 |
| RUNNER-UP | Mannesmann Tally T9008 Laser | 5.70 | 6.21 | N/A | N/A | 8 | ★★★★ | ★★★★ | ★★★★ | \$1768 |
| RUNNER-UP | Epson ActionLaser 1600 | 5.62 | 5.37 | N/A | N/A | 6 | ★★★★ | ★★★★ | ★★★★ | \$1199 |
| RUNNER-UP | Fujitsu PrintPartner 8000 | 5.41 | 6.37 | N/A | N/A | 8 | ★★★★ | ★★★★ | ★★★★ | \$1186 |
| RUNNER-UP | NEC SuperScript 660i | 5.15 | 4.73 | N/A | N/A | 6 | ★★★★ | ★★★★ | ★★★★ | \$999 |

N/A = not applicable.

MB model reflects NEC's estimated street price for the additional RAM.

The SuperScript 660i ships with PCL5e and GDI emulations, and there's a PostScript Level 2 option available for \$99. In GDI mode, you can add one of three colors to your document, but to do so you must purchase a color cartridge.

Other printers in this category selling for under \$2000 include the Epson ActionLaser 1600 (\$1199 with 4 MB of RAM), the Fujitsu PrintPartner 8000 (\$1186 with 5 MB),

and the Mannesmann Tally T9008 Laser (\$1768 with 6 MB). The 6-ppm, 600- by 600-dpi ActionLaser 1600 has a bidirectional parallel interface and PCL5e. LocalTalk, Ethernet, and PostScript Level 2 are optional. The PrintPartner 8000 is a 16-pound, 300- by 300-dpi, 8-ppm printer that ships standard with PCL5 and offers LocalTalk, Ethernet, and PostScript Level 1 as options. The T9008 Laser is an 8-ppm, 600-dpi, PCL5e unit that provides optional LocalTalk, Ethernet, Token Ring, and PostScript

| KEY |
|----------------------|
| Ratings from 1 to 4: |
| ▲ is the lowest; |
| ★★★★ is the highest. |

Level 2 support.

A new printer in this group that missed our testing deadline is the QMS 1060E Print System. Announced in January, it costs the same as the QMS 1060 that we tested: \$2399. The 1060 ships standard with LocalTalk and offers an Ethernet interface as an option, whereas the 1060E ships standard with Ethernet and offers LocalTalk as an option.

Color Ink-Jets

Unless you really need the quality of a color laser printer, why not cut your expenses with one of the seven color ink-jets reviewed here? The idea of buying a color ink-jet for only \$100 or so more than the price of a monochrome ink-jet printer is indisputably appealing.

Most of these color ink-jets are considerably smaller, less expensive, and slower than the lasers we tested for this report, but they provide better quality and quieter operation than dot-matrix printers. Their main attraction is that they offer color at reasonable prices. We tested seven color ink-jets, which range in price from \$355 to just over \$2000.

We awarded the best-overall color ink-jet moniker to Tektronix's Phaser 140. The 140 is the only PostScript printer—and the only one to offer an optional Ethernet interface—in this category. Its as-tested price of \$2091 makes it the most expensive of the color ink-jets, but if you're looking for quality, it's worth it. With a resolution of 360 by 360 dpi, the Phaser 140 takes its time and produces color output comparable to—but for thousands of dollars less than—the least expensive color laser we tested. Its monochrome quality was also comparable to that of most of the monochrome laser printers we tested.

The Phaser 140 can print on plain, coated, or glossy paper and on transparencies (we used the glossy paper provided by Tektronix). You can print on legal-size paper by upgrading the printer from its standard 8-MB configuration to a 12-MB one. The Phaser 140's trade-off for quality is speed—or lack thereof. In fact, it was one of the slowest color ink-jets we tested.

Epson's Stylus Color Ink Jet and Digital's colorwriter 520ic tied for second place. At 720 by 720 dpi, the Epson Stylus has the highest addressability in this category. Its second-place status was due not just to its outstanding quality but also to its all-around solid showing in our quality, features, and usability analyses. The Stylus printer software offers many options for optimizing the quality of output and for monitoring print jobs. You can print on plain paper at 360 dpi on the Stylus; special coated paper is required for 720-dpi resolution.

The Digital colorwriter 520ic attained the fastest performance results in the group; it has a 5-ppm rating for monochrome output and a 0.3-ppm rating for color output. An RS-



The easy accessibility of the Phaser 140's ink cartridges (left), along with its high-quality output (above), gives the 140 our top rating in its class.

232 port is optional. The colorwriter 520ic supports the HP DeskJet 500/500C/550C emulation and up to two output trays for a maximum paper capacity of 300 sheets (twice as many as its closest competitor in the paper-capacity category).

At \$355, Digital's lower-end colorwriter 120ic is the least expensive color ink-jet we tested, and it posted the second-fastest performance and the best usability scores. Its monochrome speed is rated at 2 ppm, and its color is rated at 0.3 ppm. It has a relatively low maximum input capacity of 70 pages and offers parallel input only. Weighing in at 8.3 pounds and sporting a small footprint (about 14 by 14 by 11 inches), the colorwriter 120ic is a good candidate for road trips.

The fourth-ranked Lexmark ExecJet IIc is a 300- by 300-dpi printer priced at \$379 with a monochrome speed rating of 3 ppm. Its color output is rated at 2.5 to 7 minutes per page, not pages per minute.

The two Canon ink-jets we tested were easy to operate. They both come with a laminated quick-start guide for easy setup and extensive on-line Windows-based help that includes pointers for setup, use, maintenance, and troubleshooting. The BJC-600e offers the second-best quality rating and has a price of \$549. It has a 3-ppm rating for monochrome output and a 1-

ppm rating for color output. The \$399 BJC-4000 offers a 5-ppm monochrome rating and a 0.8-ppm rating for color.

Apple's Color Stylewriter 2400 was submitted to us for testing, but we weren't able to compare it to the others in this report because it was the sole Macintosh-only printer in our roundup. However, we can vouch for Apple's reputation for making solid and reliable printers.



BEST OVERALL—TEKTRONIX PHASER 140

If you're looking for excellent monochrome and color quality from an ink-jet, the Phaser 140 provides it. This 360- by 360-dpi color ink-jet has built-in Adobe PostScript Level 1 and 2 support, comes with parallel and LocalTalk ports, and offers Ethernet as an option. Designed for workgroups, its networking ports work simultaneously. The Phaser 140 comes standard with 17 resident fonts and 8 MB of RAM. It does high-quality printing on plain, coated, and glossy paper and transparencies, and, if you add a 4-MB RAM upgrade, on legal paper as well. It's a bit slow, but quality takes time.

| | OVERALL | PPM | | | MFR.'S PPM RATING | SCORES | | | PRICE AS TESTED |
|----------------------------|---------|------|------------|-----|----------------------|---------|----------|-----------|--------------------|
| | SCORE | PCL | POSTSCRIPT | MAC | | QUALITY | FEATURES | USABILITY | |
| Tektronix Phaser 140 | 4.31 | N/A | 1.11 | N/A | 2 | ★★★★ | ★★★ | ★★★★ | \$2091 |
| Digital colorwriter 520ic | 4.06 | 4.13 | N/A | N/A | 5 | ★★ | ★★ | ★★★★ | \$449 |
| Epson Stylus Color Ink Jet | 4.06 | 2.47 | N/A | N/A | 2-3 | ★★★ | ★★★ | ★★★★ | \$699 |
| Lexmark ExecJet IIc | 4.03 | 2.69 | N/A | N/A | 3 | ★★★ | ★★ | ★★★ | \$379 |

Key: Ratings from 1 to 4: ▲ is the lowest; ▲▲▲▲ is the highest. N/A = not applicable.



OUR COLOR

But the features that come with it will.

Now QMS can add color and life to your documents for just \$4,999.

LASER PRICE

The QMS *magicolor*® LX Laser Printer—high resolution text output and automatic color optimization that make your documents as professional as you are.

WON'T BLOW

Plus, CrownNet™ multiplatform connectivity and Crown® multitasking technology increase your productivity without sacrificing quality.

YOU AWAY.

For a difference you can see, at a price you can afford,
call 800 841-0760 Dept. 5052 today.



Outperform The Very Best.



For service on QMS or other products, call 800 762-8894 (U.S.) • Q-Fax 800 633-7213 • Canada 800 263-5508

QMS, the QMS logo, *magicolor*, CrownNet and Crown are trademarks or registered trademarks of QMS, Inc. One Magnum Pass, Mobile, AL 36618, 334 633-4300.

Color Lasers

Color laser printers are targeted toward business workgroups that require fast, professional output that contains some spot color for logos, charts, and business graphics. Photo-realistic dye-sublimation printers and thermal-wax-transfer devices are still more appropriate for advertising, sales, and marketing departments; artists; and professional photographers. A color laser printer can easily set you back five figures, but recent introductions of some lower-cost models aimed at the general-business market are increasing the volume for manufacturers and broadening their appeal.

We tested four color lasers: the HP Color LaserJet, the QMS magicolor Laser Printer, the Tektronix Phaser 540, and the Xerox 4900 Color Laser Printer. All are capable of monochrome and four-color output; support both PCL5 and PostScript; offer LocalTalk, Ethernet, and Token Ring interfaces; and support auto-switching between inputs and auto-sensing between emulations. All four printers can produce high-quality color documents on regular copier-type paper.

The Xerox 4900 produced the highest-quality output of the four. This 1200- by 300-dpi printer was able to produce saturated colors and fine dithering patterns with no bleeding in our color-quality tests. Our Colortron colorimeter-based test results indicate that the Xerox 4900 produces the most consistent colors.

Priced at \$9444, the 4900 has a speed rating of 12 ppm for monochrome output and 3 ppm for full color. The unit also offers an optional "media server," a 3½-inch floppy drive that allows users who are not on a network to print PostScript, PCL, or EPS (Encapsulated PostScript) files directly from a floppy disk.

Our first runner-up in this group was the QMS magicolor Laser Printer. The model that we tested came with 28 MB of RAM to support its print resolution of 600 by 600 dpi; the same model configured with 12 MB of RAM can supply a print resolution of only 600 by 300 dpi. The \$8999 QMS magicolor has a monochrome rating of 8 ppm and a color rating of 2 ppm. Parallel, serial, SCSI, and LocalTalk inputs are standard; Ethernet and Token Ring inputs, plus PostScript and PCL5, are optional.

HP's Color LaserJet was the fastest performer of the group.

Rated at 10 ppm for monochrome output and 2 ppm for color, the \$7604 Color LaserJet was also the least expensive color laser printer. Its monochrome-output quality was basically equivalent to that of a monochrome laser, except for its not-too-impressive gray-scale images. Its color-test pages showed rough dithering patterns. The Color LaserJet comes with a bidirectional parallel port and an MIO (modular I/O) slot. Optional inputs include serial, LocalTalk, Ethernet, and Token Ring. HP's Enhanced PCL5 with color is standard, and PostScript Level 2 is a \$799 option.

Tektronix's Phaser 540 produced color quality that was second only to that of the Xerox 4900. The Phaser 540 produced brilliant colors and fine dithering patterns on all our color-test pages. It also produced the widest range of colors. At \$10,785, the Phaser 540 is the most expensive color laser printer we tested. The Phaser 540 has a maximum print resolution of 600 by 600 dpi and is rated at 14 ppm for monochrome output and 3½ ppm for color. It also offers an optional flatbed color photocopier.

These color laser printers are large: All fall into the 85- to 100-pound range. Expect to take a couple of hours for setup time, and be sure to follow the directions carefully. Pay special attention to the toner installation to avoid spills and future print-quality problems. A service technician set up the QMS magicolor for us, in compliance with the manufacturer's standard recommendations.

There's always one in every crowd: QMS's magicolor Plus Laser Printer missed our deadline for testing for inclusion in this report. Announced in January, this 600- by 600-dpi



The Xerox 4900, showing its color toner cartridges and internal floppy drive.

color laser printer has an entirely different printer engine than the QMS magicolor unit that we tested for this review, and it has a 3-ppm color-output rating and a 12-ppm rating for monochrome output. If you're really curious about this particular model, we suggest that you contact a dealer for performance specifications and check out its features yourself.




BEST OVERALL—XEROX 4900 COLOR LASER PRINTER

The Xerox 4900 provides four-color printing at speeds of up to 3 ppm and monochrome output at rates up to 12 ppm. It ships standard with Adobe PostScript Level 1 and 2 and PCL5 support; it has a maximum resolution of 1200 by 300 dpi. Serial, parallel, and LocalTalk interfaces can all be simultaneously active, with auto-sensing and auto-switching both standard. Ethernet and Token Ring interfaces are options.

| | OVERALL | | PPM | | | MFR.'S PPM RATING | SCORES | | | PRICE AS TESTED |
|--------------------------------|---------|------|------------|------|----|----------------------|---------|----------|-----------|--------------------|
| | SCORE | PCL | POSTSCRIPT | MAC | | | QUALITY | FEATURES | USABILITY | |
| Xerox 4900 Color Laser Printer | 5.73 | 4.34 | 5.02 | 3.47 | 12 | | ▲▲▲▲ | ▲▲▲ | ▲▲▲ | \$9444 |
| QMS magicolor Laser Printer | 5.23 | N/A | 3.93 | 3.68 | 8 | | ▲▲▲ | ▲▲▲ | ▲▲▲ | \$8999 |
| HP Color LaserJet | 5.12 | 5.69 | 5.31 | 5.07 | 10 | | ▲▲▲ | ▲▲ | ▲▲▲ | \$7604 |
| Tektronix Phaser 540 | 4.58 | N/A | 2.53 | N/A | 14 | | ▲▲▲ | ▲▲▲ | ▲▲▲ | \$10,785 |

Key: Ratings from 1 to 4; ▲ is the lowest; ▲▲▲▲ is the highest. N/A = not applicable.

Samsung monitors. Designed from your point of view.



SyncMaster™ 17GLi.

Today's applications demand more from your monitor. That's why Samsung created the GLi Series monitors. They work the way you do.

Performance is only part of the reason to buy a new 17-inch SyncMaster monitor. It has big, bright, crisp, clear images that you can depend on year after year.

Simplicity is also important. The GLi Series offers Plug and Play* compatibility, so you can get right to work. Its intuitive controls and on-screen programming keep concentration where it belongs – on the job.

Plus, Samsung delivers outstanding **Value** – in the comfort of a three-year warranty, and the satisfaction of a competitive price.

If you take your work seriously, think about an exceptional monitor. Think about the SyncMaster 17GLi. After all, it's your point of view.

Call 1-800-933-4110 or use fax-on-demand at 1-800-229-2239 for more information.

| SyncMaster | 15GLi | 17GLi |
|-----------------------------|--------------------|--------------------|
| Flat Square CRT | 15" | 17" |
| Dot Pitch | .28 | .28 |
| PC Compatibility | 1280 x 1024 @ 60Hz | 1280 x 1024 @ 60Hz |
| Mac Compatibility | 1024 x 768 @ 75Hz | 1024 x 768 @ 75Hz |
| Color Temperature Selection | • | • |
| UltraClear Coating™ | • | • |
| Limited Warranty | 3 Years | 3 Years |

Actual viewable areas are 14.0" (15GLi) and 16.0" (17GLi).



© 1995 Samsung Electronics America, Inc. SyncMaster™ and UltraClear Coating™ are trademarks of Samsung Electronics. *When used with Windows 95™ or a Plug and Play operating system conforming to VESA guidelines. Use of the Energy Star logo is not considered to be a product endorsement.



SAMSUNG
ELECTRONICS

Circle 164 on Inquiry Card.

How We Tested

Our test suite enables us to evaluate a printer's performance (i.e., speed), quality of printed output (with separate tests for monochrome and color), usability, and features. We test and score each of these elements separately, and then we compute the overall scores by assigning a weight to each element. We assign weights as follows: 45 percent for performance, 30 percent for quality, 15 percent for features, and 10 percent for usability.

We used a Compaq Deskpro 66M loaded with MS-DOS 6.2 and Windows 3.1 for the PC platform. We connected printers that arrived with Macintosh ports to a Quadra 640AV running System 7.1. We used the printer drivers that vendors either supplied or recommended, and we disabled print servers, spoolers, and buffers during performance testing.

PERFORMANCE

NSTL's performance tests measure the speed at which a printer can produce six different elements: dense text, sparse text, bit-mapped images, monochrome graphics, color graphics, and a minimum of two fonts. We test in three different ways for each platform: in the lowest and highest PCL resolutions (except for the Mac platform) and in the highest-resolution PostScript that each printer supports. The three platforms we tested this month were DOS/Windows, Macintosh, and a Novell NetWare 3.12 Ethernet environment.

We do a minimum of two test runs; if the results from two runs are not consistent, we perform a third run. If questions arise, we work with the manufacturer-designated technical-support person until we're confident the printer is set up correctly and is operating normally.

Text tests. The dense-text test requires printing a 2-KB file of ASCII text with little white space. Performance in this test correlates to raw speed, since there are no fonts or graphics for the printer to interpret. A second test document, designed to simulate the printing of invoices and forms, consists of ASCII text blocks broken up by interspersed areas of white space.

Graphics tests. The graphics tests use bit-mapped images to simulate documents with custom fonts and screen shots. These tests help us determine how efficiently each printer communicates with a com-

MEASURING COLOR

We're using a new test to measure the range and consistency of colors that printers produce, using an internationally developed standard called CIE Lab, which defines color numerically. Each letter in the word *Lab* refers to a value: The *L* value indicates how light an object's color is; the *a* value indicates where an object's color falls on a red-to-green scale; and the *b* value indicates where an object's color falls on a yellow-to-blue scale.

We began by using Adobe Photoshop 3.0 to produce pages with solid blocks of cyan, magenta, yellow, red, green, and blue from each printer. We then set the Macintosh-based Colortron colorimeter, from Light Source Computer Images (Larkspur, CA), on the colored output (taking readings at five specific points of three sheets per color) to determine the Lab values of these test pages. By plugging these values into a formula, we arrive at a score reflecting each printer's ability to consistently reproduce individual colors. We arrive at a second score that indicates the gamut, or the range, of colors each printer can produce.

Of the four color laser printers we tested, our results indicate that the Xerox 4900 Color Laser Printer reproduces colors the most consistently. The Tektronix Phaser 540 reproduces the largest range of colors.



The Colortron colorimeter, from Light Source Computer Images.

puter. One test measures a printer's ability to draw complex lines and filled areas. A second test concentrates on producing curves and gray scales.

Font test. We use the font test to measure the speed of a printer's processor. The test requires printers to create Times (serif) and Helvetica (sans serif) fonts in regular and boldface in 30 different point sizes.

QUALITY, USABILITY, AND FEATURES

We judge the printers for monochrome-output quality on a series of pages that include a photographic image, text in a wide range of sizes, and a series of horizontal and vertical lines. For color printers, we add two additional pages: We judge one using objective criteria, such as the output's range of hues and the absence of smearing on fine lines. We judge the second page, which contains text and complex graphics, subjectively.

This month we've introduced tests that let us objectively measure the consistency and range of printed colors (see the text box "Measuring Color"). We used these new color tests only on the four color laser printers.

We compute usability scores based on such aspects as the ease of installing

the ink media, the intuitiveness of the control panel, the ease of driver installation, and the clarity and usefulness of the provided manuals.

To arrive at the features score, we gather extensive information from vendors using a features questionnaire, verify these responses, and then compute a score using our weighting system. We assign weights for individual features based on their importance and their utility to the targeted market.

Contributors

Michele Guy, Project Manager/NSTL, led the testing for this project. She has conducted hardware and software testing for NSTL on a variety of products over the past four years.


John McDonough, Technical Writer/NSTL, has covered the computer industry for eight years.

Maggi Bender is a Technical Analyst for NSTL.



Tom McAndrew is a Technical Analyst for NSTL.

The Lab Report is an ongoing collaborative project between BYTE magazine and National Software Testing Laboratories (NSTL). BYTE magazine and NSTL are both operating units of McGraw-Hill, Inc. Contact the NSTL staff on the Internet at editors@nstl.com; at NSTL, Inc., Plymouth Corporate Center, Plymouth Meeting, PA 19462; or at (610) 941-9600. Contact BYTE on the Internet or BIX at editors@bix.com or at (603) 924-2643.

PC-GUARD SECURITY SOLUTIONS



PROFESSIONAL
3.02
EDITION



available now

Access control
Boot protection
Resource protection
Dynamic time-out
Encryption

Single sign-on
Central management
Smart card interfaces
DOS, Windows & OS/2
ITSEC certified

FULL TRANSLATION IN FRENCH AND GERMAN

Microsoft
SOLUTION PROVIDER
Authorized by Microsoft



Racal-Airtech Limited

Meadow View House, Long Crendon, Aylesbury,
Buckinghamshire HP18 9EQ, UK

Telephone: +441844 201800 Fax: +44 1844 201832

RACAL

Communicating through technology

PC-Guard is a trademark of Racal-Airtech Limited. The "LAN Server Available and Ready" and "OS/2 Available and Ready" marks are trademarks of International Business Machines Corporation. All other named products and services are the trademarks or registered trademarks of their respective owners.

Circle 567 on Inquiry Card (RESELLERS: 568).

MAY 1995 **BYTE** 167

ROLL CALL OF PRINTERS TESTED

FEATURES CONTINUE ON NEXT PAGE

11- TO -30-PPM LASER

| VENDOR | MODEL | PRICE/ MEMORY AS TESTED | GENERAL OVERALL/ PERFORMANCE SCORES | FEATURES/ USABILITY SCORES | ENGINE MODEL | MEMORY BASE/ MAXIMUM | MAXIMUM RESOLUTION HORIZONTAL/ VERTICAL (DPI) | PAGES PER MINUTE MONOCHROME/ COLOR | AUTO- SWITCHING BETWEEN INPUTS/ EMULATIONS |
|---|------------------------------------|-------------------------------|--|----------------------------------|-------------------------|----------------------------|--|---|--|
| Apple Computer, Inc. | LaserWriter 16/600 PS ¹ | \$2429/8 MB | 7.35/7.49 | 7.12/5.51 | Canon ZX | 8 MB/32 MB | 600/600 | 17/N/A | ●/● |
| Canon Computer Systems, Inc. | LBP-1260 | \$2298/6 MB | 6.78/5.93 | 6.49/7.69 | Canon LBP-1260 | 2 MB/34 MB | 600/600 | 12/N/A | ●/● |
| Dataproducts Corp. | Typhoon 20 ¹ | \$7255/32 MB | 7.81/8.18 | 7.63/7.60 | Fuji-Xerox XP-20 | 8 MB/72 MB | 800/800 | 20/N/A | ●/● |
| Digital Equipment Corp. | DECtaser 3500 ^{1,2,3} | \$2298/7 MB | 6.40/5.88 | 6.46/6.83 | Fuji-Xerox XP-12 | 3 MB/19 MB | 800/600 | 12/N/A | ●/● |
| Hewlett-Packard Co. | LaserJet 4MV | \$3549/12 MB | 7.71/8.03 | 6.85/7.34 | Canon C3142S | 12 MB/44 MB | 600/600 | 16/N/A | ●/● |
| BYTE Kyocera Electronics, Inc. | Ecosys FS-3600A | \$4482/6 MB | 8.11/10.00 | 5.79/4.71 | Kyocera FS-3600A | 2 MB/66 MB | 600/1200 | 18/N/A | ●/● |
| BYTE Lexmark International, Inc. | Optra Rx ^{1,4} | \$2898/12 MB | 7.71/7.54 | 6.98/8.40 | Lexmark Optra | 4 MB/64 MB | 1200/1200 | 16/N/A | ●/● |
| QMS, Inc. | 1660 Print System ¹ | \$4899/24 MB | 7.61/7.67 | 6.84/7.20 | Canon BX-II | 24 MB/64 MB | 1200/600 | 16/N/A | ●/● |
| Texas Instruments | microLaser PowerPro ¹ | \$1639/6 MB | 7.01/7.01 | 6.56/6.14 | Sharp JX9612 | 6 MB/22 MB | 600/600 | 12/N/A | ●/● |
| Xante Corp. | Accel-a-Writer 8200 ^{1,4} | \$7990/48 MB | 7.23/6.71 | 7.71/7.06 | Canon LBP-BXII | 12 MB/64 MB | 1200/1200 | 16/N/A | ●/● |

6- TO 10-PPM LASER

| | | | | | | | | | |
|-------------------------------------|---------------------------------------|--------------------|------------------|------------------|-----------------------|-------------------|----------------|---------------|------------|
| BYTE Digital Equipment Corp. | DECtaser 5100 ¹ | \$1599/6 MB | 6.25/4.44 | 6.67/8.77 | Canon LBP-Ex | 6 MB/66 MB | 600/600 | 8/N/A | ●/● |
| Epson America, Inc. | ActionLaser 1600 | \$1199/4 MB | 5.62/3.84 | 5.48/7.74 | Minolta | 2 MB/64 MB | 600/600 | 6/N/A | ●/● |
| Fujitsu Computer Products | PrintPartner 8000 ¹ | \$1186/5 MB | 5.41/4.59 | 2.58/7.00 | Fujitsu CA02417-B511 | 1 MB/9 MB | 300/300 | 8/N/A | ○/○ |
| Kyocera Electronics, Inc. | Ecosys FS-1600A | \$2464/6 MB | 6.36/5.75 | 5.79/6.54 | Kyocera FS-1600 | 2 MB/66 MB | 600/1200 | 10/N/A | ●/● |
| Mannesmann Tally Corp. | T9008 Laser ^{1,4} | \$1768/6 MB | 5.70/4.51 | 5.51/6.37 | TEC LB3500 | 2 MB/32 MB | 600/600 | 8/N/A | ●/● |
| NEC Technologies | SuperScript 660i ¹ | \$999/6 MB | 5.15/3.42 | 4.35/7.57 | NEC 660i | 2 MB/50 MB | 600/600 | 6/N/A | ○/Opt. |
| BYTE QMS, Inc. | 1060 Print System ¹ | \$2399/8 MB | 6.58/5.68 | 6.85/6.94 | Minolta SP-10X | 8 MB/64 MB | 600/600 | 10/N/A | ●/● |
| Xante Corp. | LaserPress 1200 ^{1,4} | \$7495/24 MB | 4.82/2.28 | 8.03/7.66 | Toshiba TN-7270 | 24 MB/64 MB | 1200/1200 | 8/N/A | ●/● |

COLOR INK-JET

| | | | | | | | | | |
|------------------------------|--|---------------------|------------------|------------------|-------------------------|--------------------|-----------------|-----------------------|------------|
| Canon Computer Systems, Inc. | BJC-4000 | \$399/64 KB | 3.49/0.86 | 3.49/7.52 | Canon BJC-4000 | 64 KB/64 KB | 720/360 | 5/0.8 | ○/○ |
| Canon Computer Systems, Inc. | BJC-600e | \$549/60 KB | 3.89/1.41 | 3.49/6.70 | Canon BJC-600e | 60 KB/60 KB | 720/360 | 3/1 | ○/○ |
| Digital Equipment Corp. | colorwriter 120ic ² | \$355/128 KB | 3.55/2.06 | 3.31/8.33 | Olivetti JP360 | 128 KB/128 KB | 300/300 | 2/0.3 | ○/○ |
| Digital Equipment Corp. | colorwriter 520ic ² | \$449/128 KB | 4.06/4.06 | 4.01/7.81 | Olivetti JP450 | 128 KB/384 KB | 300/300 | 5/0.3 | ○/○ |
| Epson America, Inc. | Stylus Color Ink Jet | \$699/64 KB | 4.06/1.83 | 5.10/8.04 | Seiko Epson Proprietary | 64 KB/64 KB | 720/720 | 2-3/3-6 | ●/● |
| Lexmark International, Inc. | ExecJet IIc ⁵ | \$379/21 KB | 4.03/1.99 | 3.73/7.26 | Lexmark 4076-02C | 21 KB/1 MB | 300/300 | 3/2.5-7 min. per page | ○/○ |
| BYTE Tektronix, Inc. | Phaser 140 | \$2091/12 MB | 4.31/0.82 | 5.34/8.00 | Canon 4686 | 8 MB/24 MB | 360/360 | 2/1 | ●/○ |
| Hewlett-Packard Co. | Color LaserJet | \$7604/12 MB | 5.12/4.28 | 4.11/7.06 | Konica C3100A | 8 MB/72 MB | 300/300 | 10/2 | ●/● |
| QMS, Inc. | magicolor Laser Printer ^{1,3} | \$8999/28 MB | 5.23/2.91 | 6.73/7.23 | Hitachi SL-E | 12 MB/64 MB | 600/600 | 8/2 | ●/● |
| Tektronix, Inc. | Phaser 540 ¹ | \$10,785/32 MB | 4.58/1.87 | 5.85/5.91 | KME 4676 | 20 MB/52 MB | 600/600 | 14/3.5 | ●/● |
| BYTE Xerox Corp. | 4900 Color Laser Printer ¹ | \$9444/24 MB | 5.73/3.72 | 6.88/6.71 | Hitachi | 12 MB/48 MB | 1200/300 | 12/3 | ●/● |

BYTE = BYTE Best. ● = yes; ○ = no; N/A = not applicable. All printers provide a Centronics parallel port.

¹ Comes with Hewlett-Packard PCL5 emulation.

⁴ Comes with Hewlett-Packard PCL4 emulation.

² Comes with Hewlett-Packard DeskJet 500/500C/550C emulation.

⁵ Optional Hewlett-Packard DeskJet 500/500C/550C emulation.

³ Comes with Hewlett-Packard PCL5C emulation.

COLOR LASER

Typhoon
PRINTERS
by Dataproducts



FOR THE ULTIMATE IN PERFORMANCE...
POWER UP A 1200 DPI TYPHOON 8!

Dataproducts' Typhoon 8 is the ultimate desktop printer. With stunning, typeset-quality 1200 dpi resolution, full-bleed 11" x 17" imaging, Adobe PostScript® Level 2, PCL 5 and camera-ready faxing, the Typhoon 8 takes laser printing to incredible new heights.



Leave your network printing problems behind.

The Typhoon 8's patented Virtual Printer Technology (VPT™)

handles multiple protocols and provides custom settings for up to 64 users on your network!

So get up to speed.

At \$5,199, we've broken the price barrier to the next level of printing. Call us today for the ultimate in printing performance.

1-800-980-0374
Ask for free print samples!



Dataproducts

Taking your printing needs by storm

© 1995 Dataproducts Corporation. Dataproducts and Dataproducts with its associated logomark are registered trademarks and Typhoon and VPT are trademarks of Dataproducts Corp. PostScript is a registered trademark of Adobe Systems Inc.

Circle 72 on Inquiry Card (RESELLERS: 73).

ROLL CALL OF PRINTERS TESTED

11- TO 30-PPM LASER

| VENDOR | MODEL | MTBF/ MONTHLY DUTY CYCLE (PAGES) | INTERFACES | | | PDLs | | MAXIMUM NUMBER OF INPUT TRAYS | LEGAL (8.5 × 14 IN.) |
|---|------------------------------------|--|--------------------|------|---------------------------------------|------|-----------------------------------|-------------------------------------|----------------------------|
| | | | RS-232/ RS-422A | SCSI | ETHERNET/ LOCALTALK/ TOKEN RING | HPGL | POSTSCRIPT LEVEL 1/ LEVEL 2 | | |
| Apple Computer, Inc. | LaserWriter 16/600 PS ¹ | N/A/37,500 | ●/○ | ● | ●/●/○ | ● | ○/● | 4 | ● |
| Canon Computer Systems, Inc. | LBP-1260 | N/A/20,000 | ●/○ | ○ | Opt./Opt./○ | ● | ○/● | 3 | ● |
| Dataproducts Corp. | Typhoon 20 ¹ | N/A/50,000 | Opt./Opt. | ● | Opt./●/Opt. | ● | ○/● | 4 | ● |
| Digital Equipment Corp. | DECtaser 3500 ^{1,2,3} | N/A/20,000 | ●/● | ○ | Opt./●/○ | ● | ●/● | 3 | ● |
| Hewlett-Packard Co. | LaserJet 4MV | N/A/35,000 | Opt./Opt. | ○ | ●/●/Opt. | ● | ○/● | 3 | ● |
|  Kyocera Electronics, Inc. | Ecosys FS-3600A | N/A/50,000 | Opt./○ | ○ | Opt./Opt./Opt. | ○ | ●/○ | 4 | Opt. |
|  Lexmark International, Inc. | Optra Rx ^{1,4} | N/A/40,000 | ●/● | ○ | Opt./Opt./Opt. | ● | ●/● | 2 | Opt. |
| QMS, Inc. | QMS 1660 Print System ¹ | 3000 hours/35,000 | ●/○ | ● | Opt./●/Opt. | ● | ●/● | 2 | Opt. |
| Texas Instruments | microLaser PowerPro ¹ | N/A/10,000 | Opt./Opt. | ● | Opt./●/○ | ○ | ○/● | 2 | Opt. |
| Xante Corp. | Accel-a-Writer 8200 ^{1,4} | N/A/10,000 | ●/○ | ● | Opt./●/○ | ● | ●/● | 3 | Opt. |

6- TO 10-
PPM LASER

| | | | | | | | | | |
|---|------------------------------------|-------------------|--------|---|----------------|---|--------|---|------|
|  Digital Equipment Corp. | DECtaser 5100 ¹ | N/A/20,000 | ●/● | ○ | Opt./●/○ | ○ | ○/● | 3 | ● |
| Epson America, Inc. | ActionLaser 1600 | 4000 hours/11,000 | ●/● | ○ | Opt./Opt./○ | ● | ○/Opt. | 2 | ● |
| Fujitsu Computer Products | PrintPartner 8000 ¹ | 4000 hours/3000 | Opt./○ | ○ | Opt./Opt./○ | ○ | Opt./○ | 1 | ○ |
| Kyocera Electronics, Inc. | Ecosys FS-1600A | N/A/25,000 | Opt./○ | ○ | Opt./Opt./Opt. | ○ | ●/○ | 4 | Opt. |
| Mannesmann Tally Corp. | T9008 Laser Printer ^{1,4} | 3000 hours/20,000 | ●/○ | ○ | Opt./Opt./Opt. | ● | ○/Opt. | 3 | ● |
| NEC Technologies | SuperScript 660i ¹ | N/A/2500 | ○/○ | ○ | ○/○/○ | ● | ○/Opt. | 1 | ● |
|  QMS, Inc. | QMS 1060 Print System ¹ | 3000 hours/10,000 | ●/○ | ● | Opt./●/Opt. | ● | ●/● | 3 | Opt. |
| Xante Corp. | LaserPress 1200 ^{1,4} | N/A/5000 | ●/○ | ● | ●/●/○ | ● | ●/● | 3 | ● |

COLOR
INK-JET

| | | | | | | | | | |
|---|--|--------------------------|-----------|---|----------------|---|--------|---|---|
| Canon Computer Systems, Inc. | BJC-4000 | N/A/N/A | ○/○ | ○ | ○/○/○ | ○ | ○/○ | 1 | ● |
| Canon Computer Systems, Inc. | BJC-600e | N/A/N/A | ○/○ | ○ | ○/○/○ | ○ | ○/○ | 1 | ● |
| Digital Equipment Corp. | colorwriter 120ic ² | N/A/1000 | ○/○ | ○ | ○/○/○ | ○ | ○/○ | 1 | ● |
| Digital Equipment Corp. | colorwriter 520ic ² | N/A/1000 | Opt./○ | ○ | ○/○/○ | ○ | ○/○ | 2 | ● |
| Epson America, Inc. | Stylus Color Ink Jet Printer | 4000 hours/N/A | ○/● | ○ | ○/●/○ | ○ | ○/○ | 1 | ● |
| Lexmark International, Inc. | ExecJet IIc ³ | N/A/2000 | Opt./Opt. | ○ | ○/○/○ | ○ | ○/○ | 1 | ● |
|  Tektronix, Inc. | Phaser 140 | 12,000 copies/3400 color | ○/○ | ○ | Opt./●/○ | ○ | ●/● | 1 | ● |
| Hewlett-Packard Co. | Color LaserJet | N/A/15,000 | Opt./Opt. | ○ | Opt./Opt./Opt. | ● | ○/Opt. | 2 | ● |
| QMS, Inc. | magicolor Laser Printer ^{1,2} | 3000/5000 | ●/○ | ● | Opt./●/Opt. | ● | ●/● | 2 | ● |
| Tektronix, Inc. | Phaser 540 ¹ | N/A/20,000 | Opt./○ | ● | Opt./Opt./Opt. | ● | ●/● | 3 | ○ |
|  Xerox Corp. | 4900 Color Laser Printer ¹ | N/A/15,000 | ●/○ | ○ | Opt./●/Opt. | ● | ●/● | 2 | ● |

 = BYTE Best. ● = yes; ○ = no; N/A = not applicable. All printers provide a Centronics parallel port.

¹ Comes with Hewlett-Packard PCL5 emulation.

⁴ Comes with Hewlett-Packard PCL4 emulation.

² Comes with Hewlett-Packard DeskJet 500/500C/550C emulation.

⁵ Optional Hewlett-Packard DeskJet 500/500C/550C emulation.

³ Comes with Hewlett-Packard PCL5C emulation.

COLOR LASER

| SUPPORTED PAPER SIZES | | | | ENVELOPE/ OHP FILM/ ADHESIVE- BACKED LABELS | DIMENSIONS IN INCHES (W × D × H) | WEIGHT (LBS.) | FCC CLASS/ OPERATING- NOISE LEVEL (DECIBELS) | WARRANTY: * YEARS + COVERAGE | PHONE | TOLL-FREE PHONE | INQUIRY NUMBER |
|-----------------------------|----------------------------|-----------------------------------|-----------------------------|--|--|------------------|---|------------------------------------|-----------------------------|-----------------|-------------------|
| A4 (8.26 × 11.69 IN.) | B5 (7.17 × 0.12 IN.) | EXECUTIVE (7.25 × 10.5 IN.) | TABLOID (11 × 17 IN.) | | | | | | | | |
| ● | ● | ● | ○ | ●/●/○ | 16.7 × 16.9 × 12.1 | 40 | B/43 | 1 PLRC | (408) 996-1010 | (800) 538-9696 | 1346 |
| ● | ● | ● | ○ | ●/●/● | 17 × 16 × 12 | 37 | B/49 | 2 PL | Call local Canon dealer | (800) 848-4123 | 1347 |
| ● | ● | ● | ● | ●/●/● | 20.5 × 21.5 × 16 | 75 | A/53 | 1 PL | (703) 648-0930 | (800) 980-0374 | 1348 |
| ● | ○ | ● | ○ | Opt./●/● | 14.4 × 16 × 10.5 | 28 | A/50 | 1 PL | (508) 493-5111 | (800) 777-4343 | 1349 |
| ● | ● | ● | ● | ●/●/● | 18.1 × 20.6 × 12.5 | 51 | B/55 | 1 PL | Call local HP dealer | (800) 752-0900 | 1350 |
| Opt. | ○ | ● | ○ | Opt./●/● | 13.6 × 13.8 × 9.7 | 24 | B/50 | 1 PL | (908) 560-3400 | (800) 232-6796 | 1351 |
| ● | ● | Opt. | ○ | Opt./●/● | 16.1 × 21.1 × 13.1 | 42 | B/50 | 1 PLRC | (606) 232-2000 | (800) 891-0331 | 1352 |
| Opt. | Opt. | ● | ● | ○/●/● | 18 × 23.2 × 11.8 | 50 | A/49 | 1 PL | (205) 633-4300 | (800) 523-2696 | 1353 |
| Opt. | ○ | ○ | ○ | Opt./●/● | 13 × 14.4 × 12.8 | 32 | B/48 | 1 PL | (512) 794-5970 | (800) 848-3927 | 1354 |
| ● | Opt. | ● | ● | ○/●/● | 17.9 × 20.3 × 11.7 | 60 | A/49 | 1 PLRC | (205) 476-8189 | (800) 926-8839 | 1355 |
| ● | ○ | ● | ○ | ●/●/● | 16.4 × 15.9 × 11.7 | 37 | B/48 | 1 PL | (508) 493-5111 | (800) 777-4343 | 1356 |
| ● | ● | ● | ○ | ●/●/● | 14.5 × 18 × 9 | 22 | B/47 | 2 PL | (310) 782-0770 ext. 3000 | (800) 289-3776 | 1357 |
| ● | ○ | ○ | ○ | ○/●/● | 15.2 × 13.6 × 5.1 | 16 | B/48 | 1 PL | (408) 432-6333 | (800) 626-4686 | 1358 |
| Opt. | Opt. | ● | ○ | Opt./●/● | 13.6 × 13.8 × 9.7 | 24 | B/50 | 1 PL | (908) 560-3400 | (800) 232-6796 | 1359 |
| ● | ● | ● | ○ | ●/●/● | 15.5 × 14.5 × 11.2 | 37 | B/45 | 1 PL | (206) 251-5524 | (800) 843-1347 | 1360 |
| ● | ● | ● | ○ | ●/●/● | 14.6 × 14.1 × 9.3 | 17.6 | B/48 | 2 PLRC | (508) 264-8000 | (800) 632-4636 | 1361 |
| Opt. | ○ | ● | ○ | Opt./●/● | 16.2 × 19 × 14.3 | 38 | A/47 | 1 PL | (205) 633-4300 | (800) 523-2696 | 1362 |
| ● | ● | ● | ● | ○/●/● | 19.3 × 17.9 × 8.3 | 51 | A/52 | 1 PLRC | (205) 476-8189 | (800) 926-8839 | 1363 |
| ● | ● | ● | ○ | ●/●/○ | 14.4 × 21 × 10 | 7.9 | B/45 | 2 PL | Call local Canon dealer | (800) 848-4123 | 1364 |
| ● | ● | ● | ○ | ●/●/○ | 16.1 × 19.7 × 15.7 | 9.9 | B/45 | 2 PL | Call local Canon dealer | (800) 848-4123 | 1365 |
| ● | ○ | ● | ○ | ●/●/○ | 14.2 × 14.2 × 11 | 8.3 | B/42 | 2 PL | (508) 493-5111 | (800) 777-4343 | 1366 |
| ● | ○ | ● | ○ | ●/●/● | 18.2 × 20.1 × 8.1 | 11 | B/45 | 2 PL | (508) 493-5111 | (800) 777-4343 | 1367 |
| ● | ● | ● | ○ | ●/●/○ | 18.5 × 20.5 × 7.5 | 16 | B/47 | 2 PL | (310) 782-0770 ext. 3000 | (800) 289-3776 | 1368 |
| ● | ● | ● | ○ | ●/●/● | 11.1 × 14.3 × 10.6 | 11 | B/45 | 2 PLRC | (606) 232-2000 | (800) 438-2468 | 1369 |
| ● | ○ | ○ | ○ | ●/●/● | 12.2 × 16.5 × 7.5 | 14.2 | B/45 | 1 PLRC | (503) 682-7377 | (800) 682-7377 | 1370 |
| ● | ○ | ● | ● | ○/●/○ | 24.4 × 14.8 × 19.3 | 102.5 | B/52 | 1 PL | Call local HP dealer | (800) 752-0900 | 1371 |
| ● | ○ | ● | ○ | ○/●/● | 20.5 × 22.2 × 14.6 | 86 | A/58 | 1 PL | (205) 633-4300 | (800) 523-2696 | 1372 |
| ● | ○ | ○ | ○ | ○/●/○ | 27.4 × 19.5 × 18 | 117 | B/53 | 1 PLRC | (503) 682-7377 | (800) 682-7377 | 1373 |
| ● | ○ | ● | ○ | Opt./●/● | 24 × 21.7 × 15 | 108 | B/55 | 1 PLRC | (716) 256-4446 | (800) 349-3769 | 1374 |

* Warranty: P = parts; L = labor; RC = freight to repair center.


THE ARTICLES THAT CHANGED THE WORLD MORE THAN A BIT—FROM BYTE

Only one magazine has been taking readers to the front lines of the microcomputing revolution since its inception almost two decades ago—*BYTE*!

Now you can relive the most glorious moments with this unrivaled chronicle of the evolution of this empowering technology. Here—and only here—you'll find the groundbreaking articles and features that *BYTE* alone had the vision to publish, including:

- Kernighan and Ritchie on C
- Stroustrup on C++
- Seminal pieces by Wozniak
- Articles covering the most important operating systems developments
- *BYTE* Awards from 1989-1992
- First-announcement product advertisements

You won't want to miss this invaluable new "best of" collection. Of course, all the bits of microcomputing's most significant magazine count—but, from time to time, some bits of *BYTE* change the world. Get them all with *The Best of BYTE*.



\$24.95 (Paperback)

**Available at your local bookstore
or call toll-free 1-800-822-8158**



McGRAW-HILL, INC.

ColdFire: A Hot Architecture

This new implementation renews a proven embedded architecture

JOE CIRCELLO

Motorola's 68000 family of microprocessors has served both the computer and the embedded markets well. Now the PowerPC has created an opportunity for the 68000 family to refocus entirely on embedded systems, making it possible to redefine the architecture to achieve dramatic improvements in both cost and performance relative to the older 68000-family designs. A new architecture, called ColdFire, is the result of such a refocus and represents an approach targeted at the emerging needs of advanced consumer-electronics applications.

ColdFire's designers set several requirements for the architecture they would create for this new class of cost-sensitive embedded applications. Obviously, they demanded a low-cost architecture, most of which they achieved by using a small core size. A small die also let them integrate on-chip memories, system modules, and peripherals cost-effectively. ColdFire offers abundant processing power, so it can tackle computer-intensive jobs while consuming relatively little electrical power.

Finally, ColdFire employs a high-density ISA (instruction-set architecture), especially important because in many embedded systems the memory subsystem's cost far exceeds the processor's cost. A high-density ISA minimizes the application's storage requirements, which thus reduces overall system cost. The original 68000 processor ISA provided the starting point for ColdFire's ISA. Like the 68000 ISA, ColdFire defines a variable-length ISA to achieve optimum code density. This is accomplished in a RISC-based implementation that provides a very efficient silicon design.

Changes in Instruction


Other important changes were made to the 68000 ISA instruction set while still maintaining the original programming model. Certain operations had either reduced support or were eliminated, which makes for a simpler and smaller core. Examples of the changes to the instruction set are reduced support for byte- and word-size operands, reduced support for RMW (read-modify-write) instructions, and removal of instructions used primarily by desktop applications, such as the trap on overflow exception, and BCD (binary-coded decimal) arithmetic.

Let's look at these changes in more detail: For byte- and word-size operands, the instructions supporting arithmetic and logical operations were removed. However, ColdFire keeps those op codes performing simple assignments (e.g., move) and the Test and Clear func-

tions. While support for RMW operations was reduced, ColdFire retains the op codes performing arithmetic and logical functions using a program-visible register and memory. A number of instructions, including those involving BCD operands, rotate op codes, and integer divides, were simply deleted. The Divide instruction was eliminated because the transistor count needed to support these op codes could not be justified. A software Divide routine has been developed that actually uses less machine cycles than does the 68000 for most operands.

A number of extensions were made to the original 68000 ISA when the 68020 microprocessor was introduced. The ColdFire architecture implements several important instructions from these additions, including a 32- by 32-bit

ColdFire Processor Block Diagram



To improve performance, the ColdFire processor uses two pipelines. Note that the OEP's output is routed in such a way that compound instructions can pass through this pipeline twice.

integer multiply that produces a 32-bit result, a complete set of register sign-extension instructions, scale factors (x1, x2, x4) for indexed addressing modes, and multiple-word NOP (No Operation) instructions. Compilers use the latter to remove branch instructions.

Taking Exception

In addition to these areas of instruction-set simplification, the ColdFire exception processing model is streamlined. The architecture defines a single 8-byte frame created for all exception types on a self-aligning system stack (i.e., the stack pointer automatically compensates for misaligned data before creating an exception frame). After ColdFire creates the stack frame, it fetches an exception vector from a 1024-byte table that defines the location of the first instruction of the service routine. Thus, the processing of system calls and external interrupts remains exactly compatible with previous 68000-family designs. As a result of these simplifications, exception processing times are very fast. For most exceptions, the time from the faulting instruction until the first instruction in the service routine is a mere 12 cycles.

The resulting ColdFire ISA then represents a balance between the core size and code expansion, while retaining the 68000-family programming model with its powerful set of basic addressing modes. The static size of embedded applications in the ColdFire ISA is typically 20 percent to 40 percent less than fixed-length instruction sets. In relation to its predecessor, the ColdFire ISA produces object images that are considerably smaller than 68000 object images, but not as compact as objects targeted for the 68040.

A Tale of Two Pipelines

The hardware implementation of the ColdFire architecture uses a synthesis-driven, tools-based design philosophy. This allows the addition of optional hardware modules that provide custom functions and tune the processor's performance. It also provides design independence across different process technologies that target a range of operating frequencies and voltages. Finally, this approach also produces quick design cycles.

Two decoupled pipelines implement the ColdFire processor core: an IFP (Instruction Fetch Pipeline) and an OEP (Operand Execution Pipeline). A 12-byte FIFO (first-in/first-out) instruction buffer decouples the two pipelines (see the figure "ColdFire Processor Block Diagram"). Note that the core features a non-Harvard implementation to minimize die size and bus complexity. Studies indicate a full Harvard architecture provides only a minimal improvement in performance.

As the figure shows, the IFP itself consists of two stages, an IAG (Instruction Address Generation) stage and an IC (Instruction Fetch Cycle) stage. The OEP also consists of two stages, each of which can perform multiple functions, depending on the instruction type. The first stage of the OEP is the DSOC (Decode and Select/Operand Fetch Cycle), and the second stage is the operand AGEX (Address Generation/Execute Cycle).

The IFP calculates the next instruction address and then fetches

32 bits of instruction data using the single-cycle processor/memory bus. Typically, the processor is connected to an on-chip memory, either in the form of a RAM/ROM structure or a unified cache. As the fetched instruction enters the processor, it is loaded into the FIFO instruction buffer. If the OEP is waiting for instruction data, the prefetched instruction is also gated directly into its instruction registers. The connection between the two pipelines is a 48-bit interface, a ColdFire instruction's maximum size. The ColdFire architecture's variable-length instructions include a 16-bit op code, an optional 16-

bit extension word 1, and an optional 16-bit extension word 2. The IFP connected to the FIFO instruction buffer provides a very efficient mechanism for loading the variable-length ColdFire instructions into the OEP with a minimum of idle cycles.

The OEP is based on the traditional RISC compute engine structure with a dual read-ported register file feeding an ALU. Register-to-register instructions are executed in a single pipeline cycle with the operands

fetched during the OC (Operand Fetch Cycle) phase of the OEP pipeline, and the actual execution is performed in the EX (execute) phase of the OEP pipeline.

The ColdFire ISA is not a pure load/store architecture, so there are numerous compound instructions that combine a load operation with some type of arithmetic or logical operation. These "embedded-load" instructions essentially pass through the OEP twice. This type of instruction begins by selecting the components needed to form the operand address in the DS (decode and select) phase of the OEP's first stage. Next, the ALU sums the components to form the operand address during the AG (address generation) phase in the pipeline's second stage. During the third cycle, memory is read and the desired operand returned to the core. At the same time, any required register operand is fetched during the OC phase in the OEP pipeline. Finally, the instruction is actually executed in the ALU during the EX phase in the OEP pipeline. Register store operations perform both functions (DS + OC, and AG + EX) simultaneously in each stage of the OEP to execute the instruction in a single cycle.

The results of the ColdFire design can be seen in the table above. It compares today's 68000 design (the 68EC000), the latest 68040 design, and a possible ColdFire implementation. The ColdFire architecture provides 68040 levels of performance at a given frequency in a core size smaller than the original 68000 design. The RISC-based implementation approach provides higher operating frequencies while still maintaining the advantages of a variable-length ISA. For cost-driven embedded systems, this variable-length ISA can provide substantial benefits over a fixed-length approach. Additionally, this new architecture maintains compatibility with the substantial 68000-family embedded development tool sets and preserves the knowledge base of engineers and programmers. ■

Joe Circello is an advanced microprocessor architect for Motorola's High Performance Embedded Systems Division. You can reach him on the Internet at circello@oakhill.sps.mot.com or on BIX c/o "editors."

COMPARING COLDFIRE TO OTHER 68000 DESIGNS

| | 68EC000 | 68040V | COLDFIRE |
|---------------------|-------------------------|-----------------------------|-------------------------|
| Process technology | 0.8 μ 3.3 V, DLM | 0.5 μ 3.3 V, TLM | 0.5 μ 3.3 V, TLM |
| Core size (sq mm) | 11.8 | 18.4 | 4.4 |
| Frequency (MHz) | 16.67 | 25 | 50 |
| On-chip cache | None | 4 KB instruction, 4 KB data | 4 KB unified |
| External bus (bits) | 16 | 32 | 32 |
| Performance | | | |
| Embedded code | 1.0x | 11.6x | 20.2x |
| Dhrystone MIPS | 2.1 | 24.6 | 44.3 |
| MIPS/watt | 42 | 36 | 197 |

NetWare 4.1 Forges Ahead

More capable and less expensive than version 4.0, 4.1 is the version Novell hopes will finally lure you away from NetWare 3.xx

BARRY NANCE

Some customers who bought version 4.0 of NetWare felt like beta testers. The NOS (network operating system) was incomplete and not as reliable as they'd have liked it to be. In December 1994, Novell announced NetWare 4.1. CD-ROM shipments began in January, and floppy disk shipments began in late February. Novell expects the NOS market to migrate quickly to NetWare 4.1.

To encourage that migration, Novell has set the price of NetWare 4.1 at 3.xx levels. In response to complaints about the coarse granularity of NetWare's licensing scheme, Novell now lets you combine, for instance, a 150-user license and a 25-user license to additively create a 175-user installation of NetWare. Novell also announced that purchasers of SFT III (System Fault Tolerant) NetWare will get version 4.1 for free, including the SFT III add-on component for version 4.1. (NetWare 4.1 incorporates SFT III, but the functions are disabled. You use a license disk to enable SFT III.)

Strong competition from Microsoft's NT Server 3.5 and IBM's LAN Server 4.0 may steal some of NetWare 4.1's thunder, but it's a robust and reliable product. It features NDS (NetWare Directory Services), integrated messaging in the form of an integrated multimail-protocol MHS, multiprotocol routing, network management, security, and the usual file- and printer-sharing services.

Additionally, version 4.1 includes several important functions for large, mission-critical LANs: the use of TCP/IP or IPX for transmitting file service packets, NLSP (NetWare Link Services Protocol), NetWare for Macintosh, and new VLMs (virtual loadable modules) for the client workstations. Version 4.1 also includes support for NetWare for OS/2 and for mirroring file servers using the SFT III technology.

NetWare's Unique Architecture

Version 4.1 behaves much the same as earlier versions of NetWare. For better or worse, it carries in its basic architecture the legacy of the original NetWare developed in the early 1980s. NetWare 4.1, like earlier versions of Novell's server-based network software, is a tightly integrated combination of OS and NOS—you can't install one component without the other. This architectural foun-

dation is the single biggest distinction between NetWare and its competitors, which offer a separate OS environment on the file server. The wealth of features in NetWare 4.1 notwithstanding, the unique architecture of NetWare remains both its greatest strength and biggest shortcoming.

Like earlier versions, NetWare 4.1 doesn't offer virtual memory (i.e., overcommitment of memory through the use of a disk file for swapping or paging). Version 4.1 also doesn't offer the sort of crash protection that NT and OS/2 do, nor does it offer preemptive multitasking. To its credit, NetWare 4.1 can run NLMs (NetWare loadable modules) in ring 3 or ring 0 (as could version 4.0). Furthermore, it can dynamically load and unload device drivers, a feature most OSes and environments lack.

Novell's programmers have optimized NetWare for file and printer sharing. NLM-based SQL servers are available—from Oracle, Sybase, and many others—but LAN administrators know that running NLMs on a NetWare server can sometimes be risky. NLMs can achieve outstanding performance because NetWare can service client requests in remarkably few instructions. However, I've always believed that you should cross your fingers and wear garlic when you load NLMs on a production server.

On a large LAN, dedicating a PC as a file server makes sense. On a smaller LAN, you might want your file server to run application-oriented background programs, such as a calculation engine or a data formatter. Unless you master the arcane art of developing NLMs, you will not be able to run custom-written software on the file server. NetWare is an excellent file- and printer-sharing environment, but NT Server and LAN Server are better application server environments. Novell acknowledges this fact, and it therefore plans to unify the file-serving and routing capabilities of NetWare with the application-serving strengths of UnixWare to create what will be an all-purpose "SuperNOS."

Working with Version 4.1

NetWare 4.1 is bigger than previous versions. Novell claims it requires an absolute minimum of 8 MB of RAM

NETWARE 4.1'S AGGRESSIVE PRICING

The list prices for NetWare 4.1 are the same as those for version 3.xx and about 25 percent less than version 4.0 prices. A new additive licensing verification scheme in version 4.1 lets you combine items in the table in creative ways. For 275 users, you can buy the 250-user version and the 50-user version. Novell doesn't require you to buy the 500-connection license if you need only 275 concurrent connections for the people in your organization.

| NUMBER OF CONNECTIONS | PRICE |
|-----------------------|----------|
| 5 | \$1095 |
| 10 | \$2495 |
| 25 | \$3695 |
| 50 | \$4995 |
| 100 | \$6995 |
| 250 | \$12,495 |
| 500 | \$24,995 |
| 1000 | \$47,995 |

in the server. Of course, a file server is often a good place to install lots of RAM, and you shouldn't skimp on RAM—it tends to help the server perform faster. However, NetWare 4.1 will install on an 8-MB machine if you do some of the installation tasks by hand. The installation program plus 4.1 itself consume close to 8 MB, so you might not be able to complete the installation on an 8-MB machine.

NDS is more than just a replacement for the bindery files in which earlier versions of NetWare stored log-on accounts, passwords, server names, and other administrative data. While the bindery files were a keyed, hierarchical set of named properties and their values, NDS is a distributed, pseudorelational database of network administrative data that can replicate among version 4.1 servers in a multiserver enterprise.

NDS treats all network resources as tree-structured objects in the distributed NDS database. Network managers run NetAdmin on DOS workstations or NetWare Administrator on Windows or OS/2 workstations to make changes to the network configuration (NetAdmin doesn't yet run on NT workstations). Note that NDS uses a period to denote levels of the NDS tree. Before you upgrade to NetWare 4.1, you'll want to identify and change any log-on account names that contain periods.

Many NetWare-compliant utilities and network extensions use the older bindery APIs. Until third-party utility vendors and Novell itself replace their bindery API calls with NDS API calls, Novell will provide *bindery emulation*. This is an insulating layer of functions that internally translate bindery API calls (e.g., `SetProperty()`) to their NDS equivalents. Unfortunately, the bindery emulation in version 4.1 still isn't perfect.

A Few Gotchas

NetWare NFS is an example of a network extension that relies on bindery emulation. A forthcoming version will support NDS natively. Until that happens, however, be aware that the NetWare NFS for version 3.11 of NetWare doesn't work well with NetWare 4.1's bindery emulation. In particular, on a LAN already running NFS, the 4.1 migration process loses NFS properties for files and directories.

Granting all rights to a directory (via NWAdmin, Syscon, or NetAdmin) for a log-on account causes NFS to report that the directory is owned by the dummy account NFSAdmin and has readable-by-anyone NFS properties (i.e., RWXR-XR-X). If you use a Unix command to set a directory's rights to readable-writable-executable for a single log-on account, NetWare reports that members of the Everyone group have read access to the directory. If you use NetWare NFS, you'll want to obtain the new version of it before installing version 4.1.

VLM clients can also support connections to both 3.xx and 4.1 servers in bindery emulation mode. Be careful about VLMs, however. VLM client software behaves somewhat differently from the earlier NETX software. Performing a CD (change directory) command in a DOS session under Windows on a NetWare LAN causes all DOS sessions to change to the new directory. Under NETX, DOS sessions retain their individual current directories.

You can add 3.xx servers to a 4.1 NDS tree, which allows client workstations easier access to the 3.11 servers. Attaching to a 3.xx server by simply mapping its volumes is still possible, too. A utility called NetSync, which integrates your 3.xx servers with NDS, is a standard part of version 4.1. However, you shouldn't run NetSync until you're ready for your 4.1 primary server to assume full responsibility for the bindery files in the 3.xx

servers. The 3.xx servers become irrevocable slaves to the 4.1 NDS once you've run NetSync.

NetWare 4.1 (as did version 4.0) offers disk block suballocation and on-the-fly file compression. You can enable both suballocation and compression on an upgraded 3.11 server simply by loading Install after you have completed the upgrade. Select Maintenance/Selective Install/Volumes Options and then the volume you wish to modify. Move down to the block suballocation and compression fields and turn them on. The only thing you can't change with an in-place upgrade is the block size. To change this, you must make a backup copy of the volume, delete it, re-create it with the new features, and restore the data.

If you have 4.0x NetWare servers on your LAN, be aware that Novell made significant enhancements and changes to the NDS file structures. Make sure that the server with the primary NDS replica remains 4.0x until you upgrade all the existing secondary replicas on 4.0x servers to NetWare 4.1. As a last step, upgrade the primary server to version 4.1. If you upgrade the server containing the primary NDS image first, you'll likely have problems with Directory Services on all the 4.0x servers because they don't recognize the new 4.1 NDS formats.

Other Enhancements

The new link state router for IPX, NLSP, helps IPX use WAN links wisely and frugally. NLSP is based on a routing strategy termed OSPF (Open Shortest Path First), which overcomes the limitations and high WAN traffic of the older RIP (Routing Information Protocol) and SAP (Service Advertising Protocol). NLSP is faster than RIP at determining alternate routing paths between servers and networks. It supports SNMP, balances routing loads across multiple paths, and causes much less WAN traffic than RIP. NLSP acts as a superset of RIP, accommodating mixed RIP/SAP and NLSP traffic on the same network.

Security, always one of NetWare's strongest features, is even better in version 4.1. Novell has submitted version 4.1 to the government for C-2 level certification at the "Red Book" (i.e., entire network) level (for comparison, NT Server is certifiable only at the "Orange Book," or single-node, level). Version 4.1 uses RSA public-key encryption and packet signatures to enhance LAN security.

If you'd like to see the NetWare 4.1 manuals before buying the product, they and the DynaText viewer are on [ftp.novell.com](ftp://ftp.novell.com), [ftp.netcom.com](ftp://netcom.com), and various Novell mirror sites. Novell also maintains www.netware.com, a somewhat new Web server for

NetWare-specific information.

NetWare 4.1's benefits are most obvious on LANs with more than 250 log-on accounts or more than eight file servers. Earlier versions

of NetWare simply couldn't support larger LANs without a lot of fiddling to keep the maximum number of connections or maximum attached servers below the system limits that version 3.xx imposed. Large organizations that are straining against the 3.xx limits—and the hassles of multiserver administration—will find considerable relief in version 4.1. ■

Barry Nance is a programmer, a BYTE consulting editor, and the author of *Using OS/2 Warp* (Que, 1994), *Introduction to Networking* (Que, 1994), and *Client/Server LAN Programming* (Que, 1994). You can reach him on the Internet or BIX at barryn@bix.com.

Where to Find

Novell, Inc.
Provo, UT
(800) 453-1267
(801) 429-7000
fax: (801) 429-5155
Circle 1146 on Inquiry Card.

Adding Apple Events to Your Mac Application: Part 1

Adding basic high-level event functions to your program makes it communicate with other applications

TOM THOMPSON

One of the most-hidden features of the System 7 Mac OS is its built-in messaging subsystem. This subsystem, which is called IAC (Interapplication Communication), enables applications to obtain information from other applications or control them, even launching or halting them if necessary to perform a requested operation. Scripting languages such as AppleScript or UserLand Software's Frontier perform automated tasks by using IAC to steer such applications through their paces. However, IAC is not limited to applications. Component software such as OpenDoc parts uses IAC to communicate and act on a document.

If IAC is so cool, why haven't we seen more of it? One reason is because IAC's strength lies in its ability to operate smoothly behind the scenes. For example, let's say you drag and drop several JPEG image files on Adobe Photoshop 3.0's application icon. Photoshop automatically launches and displays all the files' contents, each in a separate window. What happened was that the Mac Finder translated your actions into an IAC message that told Photoshop to open the chosen files. You'll never see any evidence of IAC on-screen, but every time you drop and drag or use a script, it's IAC that makes it possible.

The other reason we haven't seen more of IAC is the paucity of information on how to implement it. Note that I didn't say a lack of information. In fact, Addison-Wesley has published the volume *Inside Macintosh: Interapplication Communication*, which at nearly 1000 pages is the ultimate body of information on IAC. However, it is only a reference document, which may make it difficult for the aspiring Mac programmer to get a complete picture of IAC.

What we'll do this month is discuss the purpose of Apple Events and describe a little of their structure. We'll also start showing you how to implement several basic IAC functions in your application. What we don't finish this month we'll complete next

month. The basic understanding these columns provide should let you make sense of the reference material. You will then be able to add all the capabilities you need to make your Mac application a good neighbor to other applications—and thus of value to your customer.

The Apple Event

Apple's method for providing access to the Mac OS's IAC mechanism is ingenious. The company defined a new event type that passes IAC messages to and from a program. Because Mac applications already use an event loop to acquire and respond to low-level events posted by the OS (e.g., window updates, keystrokes, and mouse-clicks), a programmer need only add some code to this event loop to field this new event type. These new events are termed *high-level events*, because the messages that they pass require the application to perform more complex operations than what's necessary to handle low-level events.

A high-level event that complies with the AEIMP (Apple Event Interprocess Messaging Protocol) is called an Apple Event. While it's possible to pass any sort of data structure through IAC, Apple Events are described in a document called the *Apple Event Registry: Standard Suites*, which is available from Apple. This registry lists the structure and content of certain types of Apple Events, which you can use to implement IAC support. By using the message formats described in the registry, you guarantee that your application will respond appropriately to existing and future applications (or components).

So, what is an Apple Event? It's a data structure that describes the high-level event's type, plus additional information that frames a request or returns data in response to a request. Put another way, it's a structure composed of a

Section of an event loop modified to catch Apple Events and the function to dispatch them.

```
case updateEvt:           // Update the window
    gwhichWindow = (WindowPtr) gmyEvent.message;
break;
case kHighLevelEvent:     // Handle Apple Event
    Do_High_Level(&gmyEvent);
break;
default:
    break;
} // end switch gmyEvent.what

void Do_High_Level(EventRecord *AERecord)
{
    AEProcessAppleEvent(AERecord);
} // end Do_High_Level()
```


An Apple Event's Data Structures

Data type Apple Event

| | |
|------------------|-----------------------------------|
| Descriptor type: | typeAppleEvent |
| Data: | List of attributes and parameters |

Event class attribute

| | |
|------------------|----------------------------------|
| Keyword: | keyEventClassAttr |
| Descriptor type: | typeType |
| Data: | Event class (kCoreEventClass) |

Event ID attribute

| | |
|------------------|--------------------------------|
| Keyword: | keyEventIDAttr |
| Descriptor type: | typeType |
| Data: | Event ID (kAEOpenDocuments) |

Target application attribute

| | |
|------------------|--|
| Keyword: | keyAddressAttr |
| Descriptor type: | typeApplSignature |
| Data: | Target application's address ('BYTE') |

Direct parameter

| | |
|------------------|--------------------------------|
| Keyword: | keyDirectObjects |
| Descriptor type: | typeAEList |
| Data: | List of descriptor records: |

| | |
|------------------|---|
| Descriptor type: | typeAlias |
| Data: | Alias record for filename (file no. 1) |
| Descriptor type: | typeAlias |
| Data: | Alias record for filename (file no. 2) |

The organization of a required Apple Event. It's composed as a list of descriptors (i.e., data structures). The Event class and ID identify this event as an Open Documents Apple Event, targeted at an application whose creator is "BYTE." The remaining descriptors are data parameters that contain the file names requested to be opened.

nested list of structures that describes the characteristics of these structures (hence the name *descriptor*). A descriptor might encapsulate a response for data (e.g., a database query), or it might enclose the name of several files for an application to open (see the figure "An Apple Event's Data Structures").

Each Apple Event is composed of a class and an ID. An Apple Event's class describes the event's category or type, and the ID is a number that specifies a specific event within the class. Each event class is known as a *suite*, because these events are grouped by the type of operation they perform. For example, there are Apple Events for the Required suite, the Text suite, the Database suite, the Telephony suite, the Mail suite, and others.

The Required suite of Apple Events defines four basic operations every Mac application must respond to: Open Application,

Open Documents, Print Documents, and Quit Application. The Open Application event tells your application to perform basic setup chores (e.g., opening a new document window or, in a graphics program, allocating buffers and adjusting the color palette). Note that this is not the same thing as application initialization. Instead, it's a way for the application to create a new document.

The Open Documents event orders the application to open the specified files. The Print Documents event has the application print the requested files. The Quit Application event, as its name implies, informs your application to stop running. Due to space limitations, we'll have room to describe how your application can receive and respond to only two of these four Apple Events: Open Application and Quit Application. We'll show you how this can be done in next month's column.

Adding Required Events

Adding support for Apple Events involves four steps. First, you must add the new event type to your main event loop. Second, you must provide the mechanism that directs these events to the appropriate handler functions. Third, you need to write the handlers that respond to these events. Finally, you have to let the OS know that the application can handle high-level events.

Step one involves modifying the main event loop code to look for the new event type, as shown in the code fragment in the listing. Note the use of the constant `kHighLevelEvent`, which is defined in the header file `AppleEvents.h`. When an Apple Event is detected, we call the function `Do_High_Level()` to process it. This function, which is also shown in the listing, simply passes the captured event structure onto the Mac OS call `AEProcessAppleEvent()`.

`AEProcessAppleEvent()`, which is part of the Mac OS's Apple Event Manager, searches a dispatch table to determine which of the handlers

receives the event. The application builds this dispatch table when it is launched, and it contains entries for an event's class and type, along with a pointer to the corresponding handler function. If a matching entry is found, the application's handler is called. If there is no match, the Apple Event Manager searches the OS dispatch table and either finds a default handler or returns an error code.


Next month, we'll show you how to build the dispatch table and complete the rest of the steps required to add Apple Event functions to your application. ■

Tom Thompson is a BYTE senior technical editor at large with a B.S.E.E. degree from the University of Memphis. He is an Associate Apple Developer and author of *Power Macintosh Programming Starter Kit* (Hayden Books, 1994). You can contact him on AppleLink as T.THOMPSON or on the Internet or BIX at tom_thompson@bix.com.

Where
to Find

Apple Computer, Inc.
Cupertino, CA
(800) 776-2333
(408) 996-1010
fax: (408) 996-0275

Safe Speed



Make sure your data **RAID** is fast and secure!

You might not know how valuable your data is until it is no longer available, or even worse, it has been lost forever. If such an event were to occur, it will take valuable man-hours to restore the data, if possible, and cost your business countless dollars.

This is why you should invest in a data secure, high availability system, before it is too late!

SOLIDdisk RAID High Performance Systems leaves no room for error. **SOLID COMPUTER** offers a fully redundant fault-tolerant solution, as well as the ability to have your data available continuously. This is accomplished since all of the parts, hard disks, power supplies, controllers, and ventilators, are fully redundant, and can be exchanged

during operation in case a defect occurs. The **SOLIDdisk RAID** System is a true hot swap unit. There is no down-time, no tools required, and best of all, no cost to you!

There is only one way to guarantee data security, a **SOLIDdisk RAID** System!

Facts: Transfer rate 20 MB/s (100 MB/s in the future). Up to 80 GB/unit. Max. 128 MB cache. Single or dual processor cache system. RAID levels 0, 1, 3 and 5. MTBDL more than 4 Mio. hours (500 years). Supported computer systems: **SUN SPARC, IBM RS/6000, Novell NetWare, HP 9000/800/900, Apple, SGI, Motorola, DEC-VAX, ALPHA.**

Europe: Tel. +49-89-31 57 19-0 • Fax +49-89-3 15 91 46

SOLID[®]
COMPUTER
...the open systems solution pioneer!

USA: Tel. 1-800-784-RAID • Fax 1-404 740 9761

Distributors: USA: DICKENS DATA SYSTEMS • Tel: 1-800-448-6177 • Fax: 1-404-442-7525 • AUSTRIA: SOLID COMPUTER • Tel: ++43-2231-5522-0 • Fax: ++43-2231-552226
SWITZERLAND: SOLID COMPUTER • Tel: ++41-56-701230 • Fax: ++41-56-713069 • CZECH. REP.: SOLID COMPUTER • Tel: ++42-2-436991 • Fax: ++42-2-434621

Circle 560 on Inquiry Card (RESELLERS: 561).

BYTE ON NETWORKING

BYTE has compiled every major article written on networking from the January 1993 issue to the present on a multiple disk set. With easy-to-use search and retrieve capabilities, this fully indexed text database allows you to access valuable technology and product information from networking product reviews, features, news analysis, and technical columns from the pages of BYTE. All articles are written by BYTE's staff, contributors, and other industry experts.

**ONLY
\$14.95!**
3-Disk Set



**AVAILABLE
ON DISK!**

Here are just a few of the articles you'll find on disk:

- ◆ Network Connections
- ◆ Fine-Tune LANTastic
- ◆ Linking LANs
- ◆ Printers Talk Back
- ◆ NetWare Goes Global
- ◆ Modems for High-Speed Communications and Portability
- ◆ Digital Remote Access
- ◆ Network Management Systems
- ◆ Enterprise Computing
- ◆ Report on Networking
- ◆ LANs Make the Switch
- ◆ Wireless Mobile Communications

PLUS MORE!

Place Your Order Today!

Complete order form and send to: BYTE on Networking, Attn. Circulation Dept.,
One Phoenix Mill Lane, Peterborough, NH 03458
or fax to 603-924-2603

- ☐ Check Enclosed
(Make checks payable to BYTE Magazine, US funds only)
- ☐ MasterCard ☐ VISA ☐ AMEX

Card # _____ Exp. Date _____

Signature _____

Canadian and U.S. orders, please add \$2.95 for shipping and handling.
Outside North America, add \$5.00 for air mail delivery. Please allow 6-8 weeks for delivery.
Disk format 3 1/2 inch. Currently available for Windows only.

For telephone orders using a credit card (MasterCard, VISA, or American Express)

CALL 1-800-924-6621

Name _____

Address _____

City _____ State _____

Country _____ Zip _____

BYTE

FOLIO

INFOBASE

DK4127

Because the *Experts* decide.

Virtual LANs Get Real

Switching technology lets companies quickly bring resources together to meet business challenges

SALVATORE SALAMONE

Management guru Tom Peters, who jets across the country giving one-day seminars to Fortune 500 executives at \$1500 a pop, frequently talks about how tomorrow's economy will revolve around innovative assembling of brain power. He notes that to meet customers' demands, corporations must be able to quickly bring together in-house knowledge on an ad hoc basis. Virtual LAN technology helps corporations do just that.

In essence, virtual LANs allow companies to form workgroups on the fly. This approach not only lets users share network resources but also provides dedicated bandwidth to each group. This is accomplished without flooding other parts of the corporate network with broadcast traffic that's intended solely for other members of the same group.

Virtual LANs are an outgrowth of switching technologies (Ethernet and ATM) that are making their way into corporate networks. Early virtual LAN solutions came from switching hub vendors, such as Alantec, Chipcom, Lannet, and UB Networks. These solutions were followed by offerings from major internetworking vendors, such as 3Com, Bay Networks, Cabletron Systems, Cisco Systems, Standard Microsystems, and Xyplex.

All these vendors offer a way to take advantage of the port or packet-switching capabilities of their intelligent wiring hubs or switches so that users can be connected based on logical groupings rather than physical location within the company. For example, in a number of organizations, it probably makes sense to form a product development team that includes a systems engineer, a design engineer, a product marketing person, and someone responsible for the financial management of the project.

This group of folks can be scattered throughout the organization, but they need to share information relevant to the project they are working on. In the past, to create such groupings, ad-

ministrators had to go into wiring closets and physically connect the users to the same LAN segment, which was fine if a group was permanent. However, in today's business environment, it's likely that such groups will be short-lived.

That's where virtual LANs come in. Rather than making frequent trips into wiring closets and physically reconfiguring the network at the hub by moving cables around, administrators can define and create groups in software by issuing commands from a central management console.

To create virtual workgroups, you assign a dedicated portion of a hub's backplane bandwidth to each virtual LAN. Most switching hubs have high-bandwidth backplanes that support multiple, dedicated LAN segments. For example, with Lannet's LANswitch, you can define up to 255 virtual LANs (also with this hub, you can connect users to a "global" virtual LAN).

Once you assign a person to a workgroup, the traffic generated for the other members of the group is confined to that one portion of backplane bandwidth. This reduces congestion on other portions of a network because broadcast packets generated within the group only reach the other members of that group.

If a company wants to create logical workgroups and contain each group's traffic to their respective group, virtual LANs are not necessary. They do, however, offer advantages over alternatives.

Consider what you can do without using virtual LANs. In traditional networks, you can segment at the network layer and use routers to control connectivity. Basically, you can assign users in an IP network to different IP subnets based on logical rather than physical groupings. In

that way, two adjacent users on the same physical LAN segment may be members of different subnetworks, and traffic from one to the other must pass through a router even though they are physically "connected."

With virtual LANs, traffic generated for members of one logical group must also get routed to another group to exchange information. So in that sense, virtual LANs and a network where workgroups are synonymous with subnetworks (connected by routers) are similar. However, there are some major differences.

First, with virtual LANs, specific types of connectivity among groups can be simplified by assigning users to more than one group. For example, you may have a number of administratively defined groups (e.g., sales,

Virtual LANs


PROS

- Allow quick formation of ad hoc workgroups built around specific projects
- Reduce broadcast traffic by limiting traffic to logical workgroups
- Reduce administrative time needed to handle routine, but time-consuming and frequent, user moves, adds, and changes

CONS

- Are mostly proprietary
- Need traditional routed internetworks to handle multiprotocol traffic and mixed networking environments
- Can be overkill in some situations

NAFTA Is 1,100 Pages Long. Indexicon Created An Index For It In 10 Minutes.



See Us At
COMDEX/Spring '95
April 24-27, 1995 Atlanta, Georgia USA
Booth M5510

Indexing used to be a long, difficult procedure. Not anymore. Introducing Indexicon—the first automatic indexing program, the first to understand the structures of the English language. At the click of the mouse, Indexicon reads through a document, locates key terms and phrases, and generates a back-of-the-book style at a rate of up to 50 pages per minute! If you're spending any amount of time manually indexing, Indexicon can pay for itself the first time you use it! **Only \$249.00. Call 1-800-943-0292 to order.** (If not completely satisfied after 30 days, return for a full refund!) Plus, act now and get LexEDIT **FREE!** (A \$50 value!)



With LexEDIT you can tailor specific lexicons before you run the Indexicon program, for perfect indexes everytime! Available for Windows versions of MS Word 2.0, 6.0 and above, Word Perfect 6.0 and above. Call for other platforms.

Coming soon! Indexicon for the Macintosh.

To index NAFTA, we used Indexicon for WP/WIN on a 486/66 MHz.



ICONOVEX

7448 W. 78th St. • Bloomington, MN 55439
Phone: 612-943-0292 • Fax: 612-943-1087

CompuServe: 74064,440

Core Technologies Networks

marketing, and product development) where members of each group share resources, such as a CAD program or a shared database. You may also define "global" groups whose members have access to enterprise network resources, such as high-quality printers or an E-mail system.

A second advantage of using virtual LANs instead of interconnected subnetworks is that groups can be formed dynamically. You can easily move people in or out of a workgroup with, essentially, the click of a mouse at a management console.

This capability is handy when forming new groups. It also saves a network administrator much time when handling changes on the network. In traditional networks, configuration changes occur on a regular basis; U.S. businesses annually spend about \$1.3 billion moving, adding, and changing users on networks, according to DataPro. Some companies experience more frequent changes than others. For example, in the banking industry, typically, 50 percent to 60 percent of the people change their location each year. With virtual LANs, the changes, as noted, are done at a management station, not by going into a wiring closet.

Companies seeking to cut the administrative costs of handling moves, adds, and changes, as well as reaping other benefits offered by using virtual LANs, will likely choose intelligent switching hubs as the core of their networks.

In the future, as corporate networks incorporate more ATM switching technology, companies will want to retain these same competitive advantages. To that end, the ATM Forum (a group of users and ATM product vendors) is developing a specification for ATM LAN emulation, which lets users create virtual LANs that run over ATM backbone networks. LAN emulation-based virtual LANs will use ATM switched virtual circuits to carry traffic amongst members of administratively defined workgroups.

ATM LAN emulation lets PCs on Ethernet and token-ring LANs connect with other LAN-attached PCs over an ATM network. LAN emulation is basically a way to make the ATM switching transparent to the traditional LANs. In a practical sense, that means workstation adapter cards and their associated driver software does not have to change. Therefore, applications developed to run over drivers, such as NDIS (Network Driver Interface Specification) and ODI (Open Data-Link Interface), can continue to be used.

ATM LAN emulation involves two pieces of management software: LEC (LAN emulation client) and LES (LAN emulation server). The LEC acts as a proxy ATM end station for a LAN workstation and lets LAN clients connect to ATM backbones; the LES resolves LAN MAC (media access control) addresses with ATM addresses. Both pieces of software are required to build high-speed, low-latency virtual LANs based on ATM technology.


Once products that support ATM LAN emulation become available, this should provide a level of interoperability. What that means for corporations deploying virtual LANs is they will no longer be limited to a single vendor's hardware.


Not a Panacea

Virtual LANs certainly have some good points. There are, however, some shortcomings that users should be aware of before implementing the technology.

The most troubling thing about virtual LAN technology is that it is proprietary. Each hub vendor offers its own management system for defining, creating, and administering a virtual LAN environment. The virtual LAN portion of a hub vendor's management system will not control another vendor's switching

Smart Connectivity does more than simply get you from here to there.


It connects you simply, easily, and securely.  It offers

you  endless solutions. Smart Connectivity gives

you the power to quickly go  where you need to go.

It gives you  the freedom to navigate the

information age. Smart Connectivity works seamlessly and

 keeps pace with your changing needs.

Smart Connectivity offers solutions for success.



SMARTERM[®] is Smart Connectivity.

SmarTerm offers smart emulation and TCP/IP connectivity choices for Windows, 32-bit Windows, and DOS. SmarTerm is the most precise terminal emulation for UNIX, VAX/VMS, MV, and AViiON hosts and includes TCP/IP (a Windows Sockets DLL) and LAT protocol stacks. It works in every network environment—both Ethernet or Token Ring. SmarTerm is easy to use and support with its powerful automation tools and top-notch Technical Support Team.

**Evaluate SmarTerm's Smart Connectivity.
Call Persoft today at 1-800-368-5283.**

Persoft, Inc., 465 Science Dr., P.O. Box 44953, Madison, Wisconsin 53744-4953 U.S.A.
Phone (608)273-6000, FAX (608)273-8227

Persoft Inc, European Headquarters, Lower Woodend Barns, Fawley, Henley-on-Thames, Oxfordshire, RG9 6JF, United Kingdom
Phone +44 (0)1491 638090, Fax +44 (0)1491 638010

Copyright 1995 Persoft, Inc. All Rights Reserved. SmarTerm and Persoft are registered trademarks of Persoft, Inc. All other trademarks are property of their respective owners.

Circle 98 on Inquiry Card.



"PC Week Labs recommends SmarTerm..."

-Michael Blakely, PC Week

persoft[®]

CONNECTIVITY SOLUTIONS
DOS • Windows • Ethernet • Token Ring

PEABODY, HERE... WITH THE FAX-ON-DEMAND SYSTEM THAT WON'T SET YOU "WAY BACK."



As a recognized authority in the fields of technology and history, it is no surprise that COPIA has asked me to say a few words about their **FaxFacts** product. After all, we are both best of breed.

- Retrieve Info via fax/voice
- Expandable to meet your needs
- U.S. Patent holder for same call fax delivery
- Fax Broadcast/Fax Mailbox
- Fax from any Windows program
- IVR provides realtime queries
- Credit Card charge per fax



Faxfacts
by **Copia**
International Ltd.
Wheaton, Illinois 60187
800/689-8898

TRY THIS DEMO:
708/924-3030
DOC. NO. 889812

**DIAL
LOGIC**

MOVING?

To change your subscription mailing address, please complete the form below and send it to:

BYTE Magazine Subscriber Services
PO Box 555, Hightstown NJ 08520
Fax: 609-426-7087
Phone (9 a.m. to 8 p.m., Eastern Time, Mon-Fri.)
800-232-2983 (U.S.), or 609-426-7676

Current/Old Address:

Account Number _____

Name _____

Company _____

Address _____

City/State/Zip _____

PLACE MAILING LABEL HERE

New Address:

Name _____

Company _____

Address _____

City/State/Zip _____

Please allow up to 8 weeks for this change to become effective.

BYTE
Because the *Experts* decide.

Core Technologies Networks

hub. There is, however, a move toward standardization in the ATM world.

A second shortcoming of virtual LAN technology is that you still need routers to get between mixed networking environments. That's because switching is done at the MAC layer. You would need a router when connecting an IP user to an IPX user or when connecting a user on a token-ring network to another person on an Ethernet LAN.

Another point to consider is that virtual LAN technology may be overkill in certain situations. Sometimes you can meet connectivity requirements using a simpler physical layer switching technology. For instance, a situation may call for the data on multiple LAN segments to be saved to a centrally managed backup system. Or you may have an accounting department that needs access to a high-performance server once a month when the department staffers are balancing the books.

You could handle either situation with a virtual LAN, or you could use the old method of going into the wiring closet and physically connecting the desired server to an appropriate LAN segment. In these examples, the virtual LAN approach is overkill, and the manual approach is too labor-intensive. A better approach would be to use a physical layer switch, such as Switchex from NHC Communications. Physical layer switches that are easier to use than traditional switching hubs operate like electronic patch panels, which you control from a management console.

Obviously, there are many ways to let a group of users share information. Virtual LANs may not be the best solution in all cases. However, in today's rapidly changing business environment where companies must bring together in-house experts on a project-by-project basis, virtual LANs have much to offer. ■

Salvatore Salamone is a news editor who is located in BYTE's Manhattan bureau. You can reach him on the Internet or BIX at ssalamone@bix.com.

Where to Find

3Com Corp.

Santa Clara, CA
(800) 638-3266
(408) 764-5000
fax: (408) 764-5001

Alantec Corp.

San Jose, CA
(408) 955-9000
fax: (408) 955-9500
E-mail: Alantec.com

Bay Networks

Santa Clara, CA
(408) 988-2400
fax: (408) 988-5525

Cabletron Systems, Inc.

Rochester, NH
(603) 332-9400
fax: (603) 337-2211
Internet: sales@ctrn.com

Chipcom Corp.

Southborough, MA
(508) 460-8900
fax: (508) 460-8950

Cisco Systems, Inc.

San Jose, CA
(800) 553-6387
(408) 526-4000
fax: (408) 526-7666

Lannet, Inc.

Irvine, CA
(714) 752-6638
fax: (714) 752-6641

NHC Communications

Mount Royal, Quebec, Canada
(514) 735-2741
fax: (514) 735-8057
E-mail: info_nhc.com

Standard Microsystems Corp.

Hauppauge, NY
(800) 992-4762
(516) 273-3100
fax: (516) 273-7935

UB Networks, Inc.

Santa Clara, CA
(800) 873-6381
(408) 496-0111
fax: (408) 970-7300

Xyplex, Inc.

Littleton, MA
(508) 952-4700
fax: (508) 952-4702
E-mail: info@xyplex.com



Realtime technology...

...for the bottom line



QNX: The OS for Programmers


Maybe you can't please all the people all the time, but programmers and managers alike say they're happy they use QNX for real time.

POSIX Plus **Performance**

QNX is a certified POSIX OS, so any UNIX® OS programmer can become productive in no time. You get the standards you'd expect from any open-systems OS (e.g. ANSI, TCP/IP, the X Window System), but with the performance you'd see only with dedicated realtime executives (e.g. 5 µsec per context switch on an 80486).

One OS **Fits All**

QNX's modular, microkernel architecture lets you easily scale the OS to fit your platform – cash registers, PDAs, robotic controllers, instrumentation, whatever.



Programmers won't waste time learning a new OS for every project. And managers won't have to make another OS buying decision. Speaking of buying, QNX can cut the cost of your runtime systems, because you pay for only the OS modules you use.

Time-Saving **Tools**

From the optimizing Watcom C/C++ compiler to our code-generating GUI builder, QNX's rich development environment can help you deliver better software sooner.



QNX®

The Leading Realtime OS for PCs

- **Leading in Experience** (Realtime OS for PCs since 1981)
- **Leading in Innovation** (Microkernel distributed OS for PCs since 1984)
- **Leading in Market Share** (QNX outsells every other realtime OS for PCs)

QNX: The OS for Managers

The Bottom **Line**

Realtime programmers like working with QNX. Managers like succeeding with QNX-based products. And end users like using them. Looks like QNX pleases all the people in real time.

To find out more about the leading realtime OS for PCs, call

800-676-0566.
EXT. #1005



NOW AVAILABLE

From the Editors of BYTE Magazine Five Years of BYTE At Your Fingertips!

Cover Stories • Product Reviews • BYTE Lab/NSTL Reports • Benchmarks
Features • Core Technologies Columns • Product and Technology News • And More!

Search

for product,
technology,
company,
author

Export

selected articles
to your word
processor

Select

copy and
print what
you need!

**INTRODUCTORY
OFFER:**
Save \$5.00 off
the Regular
Subscription
Price!

Find

search
results in
context, by
issue, or by
article title

Locate

the information
you need
quickly and easily
from your BYTE
issues library

Scan

the
comprehensive
index in as much
detail as you need

on CD-ROM

Now you can search through five years' worth of BYTE magazine—over 60 issues—to quickly find any article in minutes! As the *only* global magazine for computer technology experts, BYTE is your #1 information resource for new products and technologies. BYTE on CD-ROM is a fully-indexed full-text database that is the perfect complement to your collection of back issues.

BYTE

Because the *Experts* decide.

MC
Graw
Hill

Order Now & Save! Subscribe to BYTE on CD-ROM for only \$54.95 and receive the full text of BYTE from 1990-1994 **PLUS** quarterly updates on CD-ROM that include full text and graphics from every issue in 1995! Or order just the full text of BYTE on CD-ROM (text only) from 1990-1994 for only \$39.95.

Place Your Order Today!

- ☐ Send me BYTE on CD-ROM **PLUS** 1995 quarterly updates with full text and graphics for just \$54.95.
 - ☐ Send me BYTE on CD-ROM with the full text of BYTE from 1990-1994 for just \$39.95.
 - ☐ Check enclosed (make checks payable to BYTE Magazine, US funds only)
- Charge my: ☐ MasterCard ☐ VISA ☐ AMEX

CARD # _____ EXP. DATE _____

SIGNATURE _____

US and Canadian orders, please add appropriate sales tax or Canadian GST, plus \$2.95 for shipping and handling. Outside North America, add \$5.00 for air mail delivery. Allow 6-8 weeks for delivery. Minimum system requirements: Windows 3.1 with minimum 386 processor, mouse or compatible pointer, and 4MB RAM.

Call 1-800-924-6621
(outside of U.S. 603-924-2625)

or FAX your order to 603-924-2683

NAME _____
ADDRESS _____
CITY _____ STATE _____
COUNTRY _____ ZIP _____

Mail to: **BYTE on CD-ROM,**
One Phoenix Mill Lane, Peterborough, NH 03458

255001

1-800-924-6621 Credit card orders only
Circle 65 on Inquiry Card.

JERRY POURNELLE

Prizes and Surprises

I realize I promised more Orchids and Onions this month. However, I am in the midst of gathering information for my upcoming testimony before the House Science and Aeronautics Committee, an effort that has eaten much time... as well as my remaining Orchids and Onions. I apologize if this is a disappointment to anyone; perhaps the information I'll be able to bring back from the committee meetings will make up for it. Stay tuned.

I've just returned from a big shindig in Redmond, where Microsoft was evangelizing the multimedia capabilities of Windows 95. I came away favorably impressed.

It wasn't Windows 95 itself that impressed me. For sheer technical achievement, OS/2 wins over Windows 95. While I haven't done the tests yet—it was only after seeing Windows 95 in action on the Microsoft campus that I decided to fire up my beta-test version here—I have no doubt that on most straight performance benchmarks, OS/2 Warp will turn out to be faster.

What's impressive is Microsoft's determination that Windows 95 will be usable by nearly everyone who buys it for home or office use, and that it will run on just about all the systems customers try it on.

IBM is courting disaster by pushing OS/2 as a home OS. OS/2 can be a great home OS for those who get it running. Once set up, it's stable and reliable, and it can be customized to almost any degree of naïveté or sophistication. You can have buttons for individuals; do that, and they see all and only the programs they will be using. The problem is, even if the installation is simple, OS/2 needs a computer sophisticate to set things up for naive users.

Worse, though, the installation isn't likely to be simple. OS/2 is extremely picky about the hardware it works with. It also demands that you know a lot of the gory details about IRQs (interrupt requests), ports, I/O addresses, and the DMA channels of your sound boards, network cards, and CD-ROM drives.


In contrast, Microsoft is determined that Windows 95 will not only work with 90 percent of

what they call "legacy hardware"—what's out there now—but that it will, when possible, recognize potential hardware conflicts and either resolve them or tell you what to do. They know they can't make this 100 percent Plug and Play, but they're trying.

Of course, determination isn't accomplishment. The shipping date for Windows 95 keeps slipping because they've set themselves a difficult goal. That hasn't lessened their determination; moreover, they're not just determined at some corporate executive level. The Windows 95 dog and pony show was put on by working troops—the people who make it happen—and their competence and enthusiasm were obvious.

The most common phrase during two days of demonstrations was "making Windows 95 do the right thing" in many situations, from installing a new hard drive to inserting a new CD-ROM to logging on to the Microsoft Network. The goal is for the OS to see what you are trying to accomplish and have a wizard program simplify the work. I don't know if they can bring it off, but I sure congratulate them for trying.

continued



AMY ETRA © 1995

Jerry visits Microsoft and finds time to wrestle with OSes, hard drives, and laser printers

Now a Full Line of

American Made Steel Chassis



- Rugged all-steel construction
- Designed for FCC certification
- Easy assembly and service
- Full line of models and sizes
- Competitive prices
- American made power supplies & removable drive modules available

Call **NOW** for information
and **FREE** color catalog

1-800-394-4122

VISA & MasterCard accepted
Same day shipment!

See us at Spring COMDEX - Booth #3441

Designed,
Manufactured,
Guaranteed by:

**CALIFORNIA
PC PRODUCTS**

408-638-9460

Circle 152 on Inquiry Card.

205 Apollo Way - Hollister, CA 95023

A division of California Metal Products
manufacturing quality American made products for
25 years

Pournelle

They've also paid a *lot* of attention to games; it's intended that Windows 95 will run just about every DOS game in existence. IBM wants OS/2 Warp to run DOS games, too, but they have a different approach. Some games hog the entire system, leaving no resources for multitasking. When that happens, OS/2 Warp simply gives up. You're not going to play that game under OS/2 Warp. Windows 95, on the other hand, warns you that you're about to dedicate all your resources to this one game and then lets you go ahead.

When I asked an IBM executive why OS/2 Warp can't work that way, I was told that IBM believes it would be irresponsible to let you devote the entire machine to a single task. OS/2 Warp is a multitasking system. I was puzzled about that, but I needn't have been. It's clear that IBM is more concerned about computers in a corporate and probably networked environment than in a home context. Even at home, you may want to be connected to the Internet, and that wouldn't be possible if you let a DOS game take over your system's resources.

There's another contrast between Microsoft and IBM. As I said before, the Microsoft presentations were done by the people actually working on Windows 95. It's their product, and they're proud of it. The PR people were there, but in the background passing out press releases and briefing books. In an IBM show, it would probably have been the other way around, with the PR people doing the presentation and the technical people hidden in the back of the room—if they were there at all. Oh, well.

I now have OS/2 Warp running quite stably on a ValuePoint Pentium machine. I'll soon have Windows 95 running on a comparable machine. Of course, Windows 95 is still in beta testing, so there are limits to what I can and should report, but I'll try to keep you informed. Meanwhile, though, I'll say this: I'm not often impressed by demonstrations, but I left this one hoping what I'd seen was all true.

My comments on OS/2 Warp don't, or shouldn't, apply to systems on which it's preloaded. Warp remains a better DOS than DOS and, for that matter, mostly a better Windows than Windows once you get everything working properly. On the other hand, we *still* don't have the Creative Labs Sound Blaster Pro working properly in Windows under Warp, although it works fine in OS/2 itself, in DOS under OS/2, in DOS when the system is dual-booted to DOS, and in Windows under DOS.

One of these days, I'll take the trouble to figure out what's wrong; but right now, if I want wave-table sounds, I won't get them in Warp/Windows. So it goes. My point is, if you're buying a machine with OS/2 Warp installed, make sure you buy it with all the hardware you want. Let the dealer worry about making it all work together.

I tend to be pretty cautious about changing OSes, and when MS-DOS 6 first came out, I didn't change over from version 5.0. From reports I've heard, that was just as well.

Recently, Gateway 2000 sent me a new system with MS-DOS 6.22 installed. I studied up on its new features and decided I liked them, and it seems stable enough, so I'm now upgrading my other machines. So far, the process has been entirely painless, and I can recommend that if you haven't upgraded from version 5.0 yet, it's probably time to do so. I particularly like the F5 feature: hold down the F5 key on boot-up, and you get a clean boot with no CONFIG.SYS and AUTOEXEC.BAT. There are other nifty little tricks.

I expect I am way behind the times on this. The rumor is that IBM's latest PC-DOS is DOS died and gone to Heaven. We'll see.

I've had several people, with varying degrees of politeness, tell me that when Microsoft's installation program demands space on the C drive to install something on the D drive, it's not a bug. Windows must write things into the Windows\System directory. One reader got quite indignant that I hadn't figured that out.

I suppose she was right. In my defense, though, I point out that the reason I was installing an upgrade to Microsoft Word 6.0 was that it managed to crash when installing a file it had created, and I was quite disgusted. Moreover, when there are already 6 MB of free disk space and the installer doesn't tell me how much more it wants, technically that may not be a bug, but it's a pretty odd feature.

The Infocom Memorial Weird Box Award goes to Interplay Productions for Star Reach. The game is an unsuccessful attempt to come up with something as playable as Master of Orion; it's not a bad game, but I'd rather play MOO. However, the Star Reach box is gorgeous. It looks like a spaceship, and it's guaranteed to annoy anyone who tries to display more than one—and drive mad anyone building a pyramid of them....

While we're on the subject of games, Gazillionaire from Spectrum Holobyte

Recognita Plus 3.0

Greater Recognition

Our brand new OCR offers advanced features like:

- Multilingual & font-independent operation
- Outstanding throughput: it is fast and accurate
- Comfortable One-Button operation
- Intelligent volume processing possibility

And it is not all!

- Proof And Train /PAT/ technology improves recognition of challenging characters
- Spell checking makes recognition even more accurate
- Improved mass document handling helps high volume work
- Automatic image pre-processing offers the possible best image quality

Recognita Plus 3.0 multilingual and font independent OCR significantly improves the effectiveness of your work.

Our user-friendly new package incorporates a decade of development experience, and offers comfortable solution for text entry with outstanding throughput.



This accurate and fast OCR quickly creates text files from any kind of good quality printout, making obsolete any tiresome retyping job. Then you can edit your text files in any widespread word processor software.

Recognita Plus supports almost all available scanner models and over 80 languages, and we are much pleased that more than 140 thousand Recognita users have already recognized the ease of data and text entry worldwide.

RECOGNITA Rt.
Márvány u.17,H-1012
Budapest, Hungary
Phone:/36/201-8925
Fax:/36-1/201-7607

RECOGNITA Corp.of America
1156 Aster Avenue, Suite F,
Phone:/1-408/241-5772
Fax:/1-408/241-6009

RECOGNITA Büroautomatisierung GmbH
Hainstrasse 17-19, Ausgang D, D-04109
Leipzig, Germany
Phone:/49-341/ 209-635
Fax:/49-341/ 281-643

isn't a very interesting game. Or it shouldn't be, although I spent more time with it than I'd expected to. Mostly, though, it's important because it was written in Visual Basic and is played from a CD-ROM. The result is a number of interesting visual and sound effects along with table-driven play choices. In theory, it's a game of galactic trade in a rather small—only seven planets—galaxy. Each planet is weird in a different way, and each has an absurd history that isn't meant to be taken seriously.

What is fascinating is just how much they were able to do with Visual Basic and some truly weird artwork that's interesting enough to keep you playing long after you realize you're fighting a random-number generator. There's some kind of pixel replication, because it plays at full-screen no matter what your screen resolution. That's neat, and it sure beats having a tiny little window in the middle of your screen. I suspect it would be a better game against human opponents. Mostly, though, the same techniques can be used to make

games in which most of the effort goes into game design rather than programming.

Years ago, I said that small computers would really come into their own when anyone with a good idea could get it running, when knowing how to program wouldn't be as important as thinking of something new and exciting for the machine to do. We're not there yet, but Visual Basic is taking us in that direction.

The Bribe of the Month is a Tyco Hijacker remote-control car from Traveling Software, which they sent to advertise the remote-control capabilities of LapLink for Windows 6.0. I've always had mixed emotions about the value of remote control. The usual procedure at Chaos Manor is to have a parallel cable—one of the yellow ones provided by Traveling Software—on one of the machines in the Windows for Workgroups network. We connect the portable to that. All versions of LapLink—from LapLink 4 on—can access any drive on the network through that connection.

Before a trip, we copy the Franklin Ascend directory to the portable. LapLink is smart enough to copy only the files that have been updated since the last time we did that, so it doesn't waste time recopying the program and help files. Similarly, I mark and copy a whole mess of subdirectories in the Q&A Write and Microsoft Word directories; once again, LapLink copies only what has changed since my last trip. When I get back from a trip, I do the same thing in reverse.

Traveling Software's radio-link system, LapLink Wireless, will do all that automatically and without connecting the parallel cable. I suppose for some people that's a good idea. It's a bit more convenient, and it works. I've just never felt the need. More valuable, to me anyway, is LapLink for Windows, which will let me run programs across the network and, for that matter, through a modem. LapLink for Windows 6.0 is good stuff.

I recently got a new Gateway Color HandBook, a notebook I'm calling SuperCalf. It has two PCMCIA slots but no floppy drive; the only way to install software in it is through the ports. (Actually, there is a neat external 3½-inch floppy drive that attaches, power and all, through the high-speed parallel port. That came in a separate package, so for the first couple of days, the only way to get anything onto SuperCalf was through ports.) It has several ports, including an IR port, and probably came with some kind of communications software; but I'm so used to LapLink that I wanted that. I connected up the blue serial cable and attempted to

Developing With Prehistoric Tools?

Meet Gamelon™ The 1st object-oriented File I/O Library to act like a modern age database!

Speed up your development cycles. Reduce programming errors. And increase data-transaction security. Only Gamelon lets you logically navigate among objects. Plus, Gamelon objects can be annotated and easily browsed.

- 100% Cross-Platform Portability
- Persistent Storage of Objects
- Store Data-Objects Free-form/Rigid/or Both
- Built-in Transactions
- Type & Thread-Safe
- C or C++
- OS/2, Windows & Windows NT

gamelon™
File I/O Library

MENAI®
1010 El Camino Real, Suite 370
Menlo Park, CA 94025-4335
Tel: 415.853.6450
Fax: 415.853.6453
E-Mail: info@menai.com

© 1995, Menai Corporation. Menai is a registered trademark and Gamelon is a trademark of Menai Corporation.

FREE DEMO DISK 1.800.gamelon

☐ **YES!** Please send your Demo Disk & White Paper on our OO File I/O Library.

Name _____
Title _____
Company _____
Address _____
City _____ State _____ Zip/Country _____
Telephone () _____




Includes an interactive browser, compiler, decompiler and more.

If You Think Vivid Clarity Sounds Underpriced, (\$149) You'll Be Absolutely Overwhelmed When You See What A Developer's Dream It Is. (WOW!)

Tired. Tired. Tired. Of no iterative development for client server. Of weak prototyping. Of complex data organizing tools. We know you are. We've been there.

That's why we decided to do something about it. Create Vivid Clarity. So you can do something about it. Order Vivid Clarity.



The first 5000 copies are going for the let's-get-acquainted price of \$149. No kidding. That's all. For all of this:

- Easy, rapid visual modeling
- User views prototype prior to coding
- User modification without re-coding
- Automatically generates prototype in Powerbuilder
- Completely configurable DDL generation
- Generates to/Reengineers from Oracle, Sybase, ODBC
- OLE automation-fully open
- Object Gallery-browse for executable and reusable objects
- Bridges CASE to Client Server
- Windows based
- Functionally robust for corporate use
- Easy, easy, easy

Hey, we're not asking for a big commitment here. Try Vivid Clarity for 30 days. If you don't go bonkers over it, send it back. At \$149, the refund isn't going to kill us.

All it takes to place your order is one card — Visa, MasterCard or American Express (preferably your own). And one call — 1-800-654-3249 ext. 3504.

Don't delay. When those 5000 go, the price goes to \$495. (Kids to feed.) Plus, isn't it about time you were able to turn chaos into Clarity faster than you can say "cool"?

1-800-654-3249 ext. 3504

1-404-815-5283 ext. 3504

Intek, Vivid Clarity and Object Gallery are trademarks of Intek Technologies, Inc. Other trademarks are property of their respective owners.

Circle 174 on Inquiry Card (RESELLERS: 175).

InTek
TECHNOLOGIES™

Don't Be the Only One Using FORTRAN 77

You look around and discover everyone is making the move to **LAHEY FORTRAN 90**. Except you. You're using Fortran because it is proven, portable, and the best language for numerically intensive programs. But why 77? With Lahey Fortran 90, you can run your FORTRAN 77 programs **FASTER** and take advantage of the new language features in 90.

Array expressions, more intrinsic functions, structures, pointers, better array handling, and modules are just a few of the reasons to move to Lahey Fortran 90. Use these and other features to build new, faster executing **32-BIT** applications with fewer lines of code. But even if you are not writing new code, the design and speed of Lahey Fortran 90 are reasons enough to switch.

Lahey's innovative compiler design combined with Intel Corporation's highly **OPTIMIZED** code generation technology produces a language system optimized from the chip up. Lahey Fortran 90 is the fastest PC Fortran on the Pentium—over 18 Mflops on a 90 MHz (SP Linpack). And, you get all the **TOOLS** found in our award-winning (ahem) FORTRAN 77 language systems: editor, debugger, profiler, librarian, make, linker, video graphics, and Phar Lap's royalty-free DOS-Extender—everything you need to write or port **4GB** programs. Add to this our decade of writing PC Fortrans and free technical support. So, don't be the last one using FORTRAN 77, make the move to Lahey Fortran 90.



\$895

Call 800 548-4778 for more information on our Fortran language systems

Lahey
Computer Systems, Inc.

Fortran is our forte

702 831-2500 Fax: 702 831-8123

Pournelle

send LapLink across to SuperCalf. It didn't work.

I called Traveling Software and got technical support, but in fact, I shouldn't have. SuperCalf comes with MS-DOS 6.22, so all I had to do was the F5 trick. With that clean configuration, it was simple to send LapLink across from Pentafluge to SuperCalf. Moreover, once the full LapLink was running on SuperCalf, I could connect the yellow parallel cable to get things moving faster.

LapLink is seriously good stuff, with or without bribes. Incidentally, I'm astonished that Traveling Software didn't provide an RS-232 interface to the car's control box so I can run it from a laptop....

I've written about Forminco's computer furniture before, most recently last August.

I have used Forminco's workstation furniture for over a year, and I have yet to find anything better. It's attractive in a modern sort of way. It's also sturdy—ours survived the big earthquake last year in January—and comfortable. Forminco gets a Chaos Manor User's Choice Award for ergonomic furniture.



Clearing up some confusion: Quarterdeck QEMM 7.5 works, and when QuickBoot works, it works very well indeed; the problem is that it will lock up some machines. Apparently I had a string of bad luck. The first three I used QuickBoot on locked up tight. I've now got it working on others.

QuickBoot is a minor part of QEMM, and I continue to recommend QEMM for those who need memory managers, which is to say everyone who is still using DOS, with or without Windows. The EMM386.SYS that comes with MS-DOS 6.22 is good, but not as efficient as Quarterdeck's QEMM and Optimize. Another alternative is OS/2 Warp or Windows 95, which get rid of the need for memory managers. I've had mixed experiences with OS/2 Warp. Now I'm experimenting with Windows 95. Stay tuned.

Having said that, let me caution you: if you have QEMM working and upgrade to version 7.5, keep copies of the old version. I recently attempted to convert Pentafluge, our fire-eating Pentium system, to QEMM 7.5. It worked fine with some configurations, but on others, it was simply impossible to run Optimize to completion. I got stuck in what amounted to an endless loop of reboots. The system would bring up the Quarterdeck Identification messages, announce how much memory was available to QEMM—and die. Turn-

ing it off would start Optimize over again. Eventually I solved the problem by ditching QEMM 7.5 and going back to version 7.03, which optimizes fine under both MS-DOS 5.0 and 6.22.

By sheer coincidence, the day after that happened, I had a visit from Michael Stout, technical director of Clary. He'd had a Pentium hang up on QEMM 7.5 in just the same way.

The best way to tell a story is to start at the beginning, but I won't go back quite that far, and besides, there are several threads to this.

First thread: we've had at least one Mac since Apple started shipping them. The Mac Plus, about the third revision of the once-unrevisable 128-KB Mac, added on-board SCSI. Shortly after that, Priam brought out the MacDisk, which had an awesome 330 MB of storage at a time when Macs were shipping with 10-MB external drives. We got one of the first of those, and every time we have updated our Mac setup, that Priam drive has come along. It's now on the Quadra, and by golly, it still works just fine.


Thread two: we got one of the first LaserWriter II printers Apple shipped. Over the years, it was updated until it became a LaserWriter IIg, which was about the last revision Apple made. That was about three years ago, and that printer served us so well that we bought it rather than send it back. However, when we first got Aldus PageMaker 5.0, we had some real problems getting it to work with that old printer, largely because we used the version 8.0 printer driver. Thus, we reverted to PageMaker 4.2, which worked just fine for what we were doing.

A couple of months ago, Apple sent us the new LaserWriter 16/600 PS. It's a 600-dot-per-inch printer (twice the 300 dpi of the LaserWriter IIg). It comes with built-in Ethernet, Windows drivers, a new version of PostScript, and a fax board (although, due to sloth, we haven't installed it). In other words, it's just faster and better and more flexible, and we eagerly installed it and carried the IIg downstairs to use with the Mac in the guest room.

Although the LaserWriter 16/600 PS will work with version 8.0, it really wants the version 8.2 printer driver. Unfortunately, the 8.2 installation program wouldn't work. That might have been because we had a lot of old junk on the Quadra—remember the Priam MacDisk—but we concluded that it wanted System

Eliminate remote access bottlenecks for clients.

Your client PCs also need high-speed COM ports. A typical PC COM port supports a communications speed of about 19.2 Kbps, which lags far behind the 115 Kbps a 28.8 modem can deliver.



Enter our AccelePort serial ports for client PCs. They feature 16C650 UARTs with twice the FIFO memory of standard 16550 UARTs, and built-in flow control, for a communications speed of up to 460 Kbps with absolute data integrity.

Put the client and server solutions together, and you have a complete remote access solution with optimum performance at both ends of the system.

Digi offers a 30-day trial, 5-year warranty and industry-leading technical support.


For an end to your communications bottlenecks, and a free Pocket Guide to Remote Access, call today.



1-800-755-0107



1-800-755-0107



concentrate on application processing.

throughput, allowing the server to

(FEP) that handle high-speed

have onboard Front End Processors

communications speed. These ports

ports supporting up to 115 Kbps

For the server, we provide up to 224

AccelePort high-speed serial ports.

Enter our complete line of

communications bottleneck.

modems, or you end up with a com-

fast enough to handle today's 14.4 and 28.8

your computer users. And the ports must be

to meet the dial-in/dial-out requirements of

Your server needs multiple COM ports

Eliminate remote access bottlenecks for servers.

7.5, which was all right because we'd intended to install System 7.5 anyway.

System 7.5, and then the new printer driver, installed without problems. Then Roberta tried to print some labels that she'd made under PageMaker 4.2. She came down cursing the Ethernet. "It's taking 8 minutes to print one page of labels," she said.

"But we didn't connect it to the Ethernet," I said. When we set up the LaserWriter 16/600 PS, we'd connected it by LocalTalk (the low-speed network that's built into every Mac), and we'd never gotten around to reconnecting it to the Ethernet.

"Well, there's something wrong," Roberta protested, and indeed she was right. LocalTalk is slow and her labels were somewhat complicated, but there was no reason for it to take 8 minutes to print. The problem was we'd changed three things: the printer, the driver, and the OS.

The easiest thing to change back was the printer. We brought up the IIg. It took 8 minutes to print to that, too. Clearly the problem wasn't the new printer.

At this point, we did what we should have done in the first place: we tried printing a couple of test jobs. Those worked just fine, which meant that the real problem was those labels. We looked at them. We also looked at a few other files she had created. One of those couldn't be printed at all. We couldn't even remember the last time a Mac had told us that it couldn't print a particular file.



You've probably figured it out by now. It took us a few more minutes, but then we remembered the Priam hard drive and how we kept transferring files over the years. Some of those files were fonts.

Some of those fonts were old and ugly. In particular,

Roberta had used some ancient fonts, which required recalculations for changes in size and style. Indeed, the Quadra was doing so much rescaling calculation that it's a wonder it got it all done in only 8 minutes. Changing over to new TrueType fonts took care of the problem entirely. Now the labels print in less than a minute, and on the new 600-dpi printer, they're really pretty. The Laser-

Writer 16/600 PS is a winner, with enough new features and increased speed to make the upgrade well worthwhile.

We also changed over to PageMaker 5.0. That in itself would have speeded things up considerably, because unlike PageMaker 4.2, version 5.0 does font substitutions, so your computer doesn't have to work so hard at rescaling.

That Priam MacDisk originally came with its own software, but FWB's Hard Disk Toolkit has taken over to make the MacDisk fully compatible with System 7.5 and SCSI Manager 4.3. The latter is the most recent and fastest I/O software for the Mac, and you want to be sure everything you have is compatible with it. Mac software is designed to run with Apple hard drives, and it really doesn't want to be involved with "foreign" drives at all. Fortunately, Hard Disk Toolkit does that job nicely. FWB also makes good caching software for hard drives and CD-ROM drives. If you're contemplating a Mac, you'll want to know about FWB.

You'll also want Connectix's RAM Doubler software. This uses a variety of techniques to create more usable memory

URGENT—YOUR INPUT NEEDED

On: NETWORK DIRECTORY SERVICES

Dear Reader:

To improve BYTE's coverage of technology in the State of the Art section, we'd like to get your feedback about what topics, areas, and products we should be considering, and in what ways. Later this year, we'll be taking a look at network directory services. We're going to examine protocols and services that allow you to locate resources on LANs with multiple servers, on enterprise WANs, and on the Internet. We're thinking about Novell's NetWare Directory Services, Banyan's StreetTalk, and similar services available with other network operating systems and platforms.

So, we want to hear your ideas, to find out about what tools your organization is using and how well they work, about how you manage the problems of naming and multiple servers. Also, we'd like your help in identifying the people we should be talking to about this technology—users, vendors, researchers—you tell us.

To let us know what you think, please use the following as a template to send us, via E-mail, an ASCII text file with your comments. Please be sure to include the <FIELDNAMES> with their angle brackets, followed by your information and comments. And thanks very much for your help.

Please E-mail the completed form to: editors@bix.com

<TOPIC>

Network Directory Services

<LASTNAME>

Crufty

<FIRSTNAME>

Jeremiah

<TITLE>

Guru Evangelist

<COMPANY>

BigBig Corporation

<PHONE>

800-555-1234

<EMAIL>

crufty@host.domain

<COMMENTS>

This is where your comments go. Be as brief or as long as you want. Tell us what you think, what you need, what you want to know more about. Tell us what you're doing. Tell us who we should be talking to.

on your Mac. One technique is to make virtual memory on your hard disk, but that's not all RAM Doubler does. RAM Doubler is cheap compared to adding silicon to your system, and we haven't seen anything it doesn't work with. It's easy to install, and if you worry about it, it's not hard to disable. Recommended.

The moral of this story is that being miserly doesn't pay. That Priam MacDisk made it so easy to keep all our fonts that we never threw any away; and that's not really a good idea.

On the other hand, there's no simple way to determine which fonts are good and which ought to be discarded; or if there is, I certainly don't know of it. There are a few Windows font managers, but I've had reason to distrust every one of them I've tried so far; and I don't know of any at all for the Mac.

However, there is a shareware program for the Mac (there's also a commercial version) called theTypeBook, which will print a partial or complete set of all your fonts. It prints one font per page; on that page will be lines in each style and size available for that font. Given that page, you can determine at a glance if a font is worth keeping; if some sizes print really ugly, it's probably because the computer is having problems scaling it to that size. If you hang around while all this printing is going on, you'll also get a good idea of how long it takes for the computer to do the rescaling of that font. You can then discard all the slow ones unless there's some strong reason for keeping them.

Sorting through all your fonts is a tedious job, but it's well worth doing once every few years. Certainly, if we had done so earlier, this problem wouldn't have occurred for us.

There are a lot of reasons to install System 7.5 on your Mac. The built-in File Find is now every bit as good as the Norton file finder. There are "recent applications" and "recent documents" features that let you remember where you were when you shut down the system last. System 7.5 seems to use less memory than its predecessors.

So far, we haven't seen any reason not to switch to System 7.5.

Do you want to feel the bass deep in your bones? Feel that rush when you chain-saw a monster in Doom? Do you like to listen to good music with your PC?

If so, get Altec-Lansing's ACS300.1

multimedia computer speaker system. The system has three units: two midrange/tweeter speakers, which you place on either side of your monitor, and a large floor-unit woofer. The floor unit also contains the power supply for the system and plugs directly into a wall socket.

The result sounds about as good to me as the Lancer speakers connected to my Technics stereo. When Beavis and Butt-head say something over the Altec-Lansing speakers, it sounds like they're in the room with me. More to the point, the Microsoft Home music CD-ROMs—Strauss, Stravinsky, Schumann, Beethoven, all excellent—are able to give their music-appreciation lessons with true fidelity.

Of course, once you get speakers that good, you'll want to look into better sound boards. More on that another time; some good ones are coming out.

About five years ago, a drunk rammed a utility pole and dropped a 16-kilovolt-ampere line across the power feeder lines to my house. The resulting power spike caused light bulbs to explode, destroyed a television set, and killed a computer not connected to a power filter unit. When it was all done, the only light in Chaos Manor was the screen of a Cheetah, which was powered by a Clary OnGuard UPS (uninterruptible power supply).

That UPS continued in use until today. It should have been retired at least a year ago; well, maybe not retired, because the electronics were still good, but one ought to replace the batteries in a UPS every four to five years. We finally did that today.

The UPS business is pretty tough.

Most of the competition is on price, because it's pretty hard to compare performance. These things either work or they don't, so what you're after is the lowest-cost unit that's good enough. The problem is that what's good enough under one condition may not be under another. Consequently, I can't pretend to know which UPSes are "best." I can say that the critical machines at Chaos Manor have been protected by Clary's OnGuard units for several years, and I have not regretted it.

A UPS isn't very glamorous. With luck, it will serve out its entire life without ever being needed. Not everyone needs a UPS, although people who run computers without power-spike filters are taking foolish chances. On the other hand, a UPS doesn't cost much. Not only did we survive the Great Power Spike (see my August 1989



Rackmount

- ENCLOSURES
- KEYBOARDS
- MONITORS
- DRIVE ENCLOSURES



Integrand's unique enclosure design uses modular construction. We have 3 basic models for ISA/EISA bus computers. Over 100 interchangeable modules allow you to customize them to nearly any requirement. Integrand offers high quality, advanced design hardware and strong support. Why settle for less?



Monitor: 10" Super VGA Color from \$650

PC Enclosures from \$300

Keyboards: Drawer, Shelf & Panel from \$85

Made in U.S.A.

Rack & Desk Models

Accepts Most Motherboards and Passive Backplanes

Up to 20 Slots

Rugged, Modular Construction

Excellent Air Flow & Cooling

200 & 300 Watt Supplies, UL, CSA, TUV

Call or write for descriptive brochures, prices or applications assistance:

INTEGRAND
RESEARCH CORP.

8620 Roosevelt Ave. • Visalia, CA 93291

209/651-1203

FAX 209/651-1353

We accept VISA and MasterCard

Circle 81 on Inquiry Card.

IBM XT/AT TM IBM • 286/386/486 TM INTEL. Drives and computer boards not included.

column), but I've more than once worked on deadline right through heavy lightning storms that caused the lights to blink and would certainly have caused my system to reset if the Clary OnGuard UPS hadn't been in the loop.

If your work is worth anything, the first thing you need is a good backup system; by "good," I mean one you'll use. Unless you have a lot different temperament from me, those backup programs that require you to sit there and feed in floppy disks aren't worth a thing, because you won't

use them. Better is a good optical drive.

I used to be a WORM enthusiast, and if I were doing a lot of programming, I still would be. A WORM preserves all the different editions of what you're working on, and it has been my experience that you will need a subroutine out of an old source program about 10 minutes after you erase the last copy of that version. The only real problem with WORM is the cost of the storage medium.

A better primary backup system is DAT (digital audiotape) run by a good archive li-

brary system like Palindrome's Network Archivist. The advantage of DAT is that you can store all the versions of programs and books that you want, because the tapes cost only about \$12 for 2 GB of storage capacity. You can buy new tapes at a good record store—our local Tower Records stays open until midnight.


Once you have installed a backup system, you should think about a UPS. It won't save your bacon as often as a good backup system, but it's pretty cheap insurance. I got started with little computers in CP/M days, and I learned to save early and often; even now, I tend to save after every paragraph or so. My partner Larry Niven, on the other hand, gets so wrapped up in what he's doing that he can write several pages before he remembers to save, which is why I have the machine he uses connected to a Clary OnGuard UPS.

Two kinds of UPS units are available, switching and on-line. The on-line units tend to cost a bit more. I think they're more reliable, and that's the kind I use.

Just Protect It!

With list prices starting at just \$139, protecting your PCs or LANs against faulty power has never been easier or more affordable. Combine this with our unmatched product quality, service, and Exclusive 5- and 10-Year Triple Power Warranties™ — you're guaranteed unsurpassed UPS protection.

And with our state-of-the-art Power Management Software, you can leave for lunch knowing that, if a power problem strikes, your system and data will be saved and fully protected — *automatically!*



The PowerRite Pro and Plus UPS families incorporate Deltec's proprietary Advanced Battery Management (ABM™) that doubles battery life and assures system uptime!



Deltec's FailSafe and LanSafe III software automatically save your files and conduct an orderly system shutdown during extended blackouts — even in unattended modes — along with extensive monitoring and power management when used with our microprocessor-based UPSs.



Don't let yourself become powerless. Call now for our "Quick Fax Power Guide" and immediately receive a FREE assessment of your computer power needs.

DELTEC-NSSI
A Fiskars Company
Innovators in Power Protection



Call Now!
1-800-DELTEC-1



Don't Risk It — Just Protect It!

I suppose there are well over a thousand multimedia CD-ROMs coming out this year; the total is certainly enough that no one can review them all. Of the hundred this month, two stand out.


The first is called Firenze, which is the Italian name for the city we call Florence. This is something between a goshwow and a tourist guide. It has both still and Video for Windows pictures of the sights of Florence, with narration in English, Italian, German, or Dutch. The sights are keyed to a good map of the city. The photography is excellent, and the narration is well written and easy to hear. There's musical accompaniment well integrated into the tour.

It's not complete; at least I haven't been able to find any mention of my favorite Florentine idiosyncrasy. During the Renaissance, Florence was threatened by a rival city and appealed to Sir John Hawkwood, the English mercenary who figures in Conan Doyle's *The White Company*. Hawkwood offered to save the city; his fee was a larger-than-life equestrian statue of himself in the Cathedral. Hawkwood saved the city.

The Florentines then got thrifty. Instead of a statue, they had a good artist do a larger-than-life painting of a statue on the Cathedral wall. It's very realistic, and from a distance, you'd think it was a big bronze statue mounted on a large granite base. Hawkwood wasn't happy at the time, but he probably gets more notice now than he would if he were just another statue in a city filled with works by Michelangelo, Benvenuto Cellini, and the other great

EXPLORE the INTERNET!

FREE*



10
Hours
FREE*

Delphi Internet™ offers you full access to the Internet and now you can explore this incredible resource with no risk. You get 10 hours of evening and weekend access to try it out for free!*

Use Delphi Internet's mail gateway to exchange messages with over 30 million people at universities, companies, and other online services such as CompuServe® and MCI Mail®. Download programs and files using **FTP** or connect in real-time to other networks using **Telnet**. You can also meet people on the Internet. **Internet Relay Chat** lets you "talk" with people all over the world and **Usenet News** is the world's largest bulletin board with over 20,000 topics!

now supporting
9,600
and
14,400
bps
at no extra charge!

To help you find the information you want, you'll have access to powerful search utilities such as **Gopher**, **Hytelnet** and **WAIS**. If you aren't familiar with these terms, don't worry; Delphi Internet has hundreds of expert online assistants and a large collection of help files, books, programs, and other resources to help get you started.

Over 850 local access numbers are available across the country. Explore Delphi Internet today. You'll be amazed by what you discover.

TEN HOUR FREE TRIAL!*

Dial By Modem 1-800-365-4636, Press return until you get a prompt
At Username, enter JOINDELPHI. At Password, Enter BYT595

*Free offer applies to new members only, limit one per household, and is valid for a limited time. A valid credit card is required for immediate access. Free time may be used only during the remainder of the calendar month of becoming a member. Telcom surcharges apply during business hours (8am to 6pm weekdays) via Tymnet or SprintNet and for access outside the mainland US. New members must agree to Terms and Conditions of membership when joining. Complete details and other restrictions are provided during the toll-free registration. DELPHI INTERNET is a trademark of Delphi Internet Services Corporation.

Attention Current Internet Users: See what Delphi Internet can offer you! Stock quotes, Grolier's Encyclopedia, newswires, and hundreds of other services are just a few keystrokes away. Telnet to delphi.com and enter the username and password above for a free trial.




Questions? Call 1-800-695-4005.
Send e-mail to INFO@delphi.com

©1995 Delphi Internet Services Corporation.

Network Data & Fax

Pournelle


- ✓ **Dial-out & Dial-in Modem Sharing & Pooling**
- ✓ **No TSRs Under Windows**
- ✓ **Supports High-Speed Modems**
- ✓ **Complete Management Console**
- ✓ **Integrated Network Security**
- ✓ **Supports DOS INT-14 Applications**
- ✓ **Works with Windows Communication Applications**
- ✓ **Windows NT Server 3.5, Netware, NetBIOS, & TCP/IP Networks**



"WINport is a great buy!"
Brad Edwards, LAN Times

DONE RIGHT!

- ✓ **Windows, Windows for Workgroups, and Windows NT Clients**



- ✓ **Store-and-Forward Fax Gateway**

- ✓ **No TSRs**

- ✓ **Inbound Routing**

- ✓ **Real-Time Send & Receive Logs**

- ✓ **Annotation**

- ✓ **Network Attachments & Phonebooks**

- ✓ **Windows NT Server 3.5, Netware, NetBIOS, & TCP/IP Networks**

You've told us you what you want in an ideal modem sharing and network fax world. Here are the results. WINport 5.0 and FAXport 5.0. Each module is better than ever with easier installation, comprehensive administration, and support for more networks and more modems.

Purchase WINport and FAXport independently, or integrate them for a complete network fax and data solution.

See us at Windows World in Atlanta April 24-27 Booth #N6368

LANSource 1-800-677-2727, (416) 535-3555, Fax (416) 535-6225

LANSource UK Tel: +44 1954 782 799 Fax: +44 1954 782 796



ones. Most of those statues are shown on this CD-ROM.

You get all this for \$19.95, which is less than you'd pay for a good picture book. Of course, seeing Florentine scenes may get you wanting to go over there, and that will cost a lot more than \$20, even if you stay at the Annalena. It's also slow. Even on SuperCow, a 486DX2/66 with a double-speed CD-ROM drive, changing scenes can take nearly a full minute, but that's the nature of Video for Windows.

We're now using the Firenze CD-ROM with the Corel screen saver that comes with CorelDraw 5.0. It's very fast, so we get a new (randomly chosen) art marvel every few seconds. There are some flaws in the Corel screen saver—it kicks in sometimes when you don't want it to—but when the machine is standing idle, you can use any CD-ROM with BMP files. The Firenze CD-ROM is good under its own software and one of the best as a source of eye candy with the Corel screen saver. Recommended.

The second one doesn't stand out because of the CD-ROM so much as the promotion. Quanta Press, the madmen in Minneapolis who bring us, among other things, the Cow Ouroboros, have put together a very traditional database CD-ROM on Angels, Saints, and Icons. There's a tiny concession to multimedia in that it sometimes plays music while you look at an index or a still picture, and sometimes there's narration, but mostly this is just a text database with illustrations. It's done straight, but because the text is from a time when there was more universal belief in the powers of angels and saints, the effect of the dead-serious narration is just at the edge of high camp.

It provides a good collection of very brief (usually no more than one paragraph) identifications of most major and many obscure saints, and all the known angels. Illustration is spotty: there are paintings of some minor saints, but nothing of a major saint like St. Martin of Tours. There's also a scholarly work (by a Jesuit) on arcana angelicae, with discourses on the various orders (e.g., Cherubim, Thrones, Dominations, Powers, and Archangels).

Promotion for the press edition of this consisted of a box containing the CD-ROM and about 20 items from the children's section of a religious bookstore. Those who went to Catholic schools 50 years ago will remember most of the pictures of guardian angels and suchlike. There are also badges, buttons, and pins. Very nostalgic.

Quanta was one of the very early CD-ROM publishers and produced a number

Copyright (c) 1995 LANSOURCE TECHNOLOGIES INC. All rights reserved. LANSource, WINport, and FAXport are trademarks of LANSOURCE TECHNOLOGIES INC. All other trademarks are property of their owners. Developer tested only. Novell makes no warranties with respect to this product.

Introducing Our Screaming Six Speed CD-ROM Drive.



Plextor 6PleX. Puts more smooth action in your multimedia.

Hold onto your seat. You're in for the fastest CD-ROM ride of your life. The 6PleX is the world's first six speed CD-ROM drive. And the last word in multimedia performance.

The proof is in the throughput speed—a blazing 900KB/sec. Which means today's hottest CD-ROM games, reference libraries, interactive encyclopedias, and graphics can finally look the way you've always imagined they should—perfect. Flawless, smooth motion video. Seamless animation. Convenient front panel controls that make it easy to play your favorite audio CDs. What could be better?

How about an overall boost in efficiency? With the 6PleX you'll be able to search databases faster than ever. The 6PleX is the first CD-ROM drive with a 145ms random

access time. So there's no waiting to get at your crucial information. In fact, the 6PleX is so fast, you can run many applications right off the drive, saving scarce disk space for other needs.

The great multimedia adventure is just beginning. And with the 6PleX, you'll be ready for all the advancements that'll come your way in terms of speed and power. Plus, we'll keep you on track with unlimited, toll-free technical support and a full two-year warranty.

To locate the dealer nearest you, or for a free copy of our latest book "18 Questions to Ask Before Purchasing a CD-ROM Drive," call 1-800-4PLEXTOR (1-800-475-3986).



 **PLEXTOR**

A Message to Our Subscribers

From time to time we make the BYTE subscriber list available to other companies whose products or services would be of interest to our readers. We take great care to screen these companies, choosing only those who are reputable.

Furthermore, subscriber names are made available for direct mail purposes only; telemarketing calls are strictly prohibited.

Many BYTE subscribers appreciate this carefully managed program, and look forward to receiving information of interest to them via the mail. While we believe this information is of benefit to our subscribers, we firmly respect the wishes of any subscriber who does not want to receive promotional literature. Should you wish to restrict the use of your name, please send your request (including your magazine mailing label, name, address, and subscription account number) to:

**BYTE Magazine
Subscriber Services
PO Box 555
Hightstown, NJ 08520**

BYTE

Because the *Experts* decide.

Pournelle

For More Information

If you like to listen to good music with your PC, get the **ACS300.1** (\$300) multimedia computer speaker system. Contact **Altec-Lansing Multimedia**, Milford, PA, (800) 648-6663 or (717) 296-2818; fax (717) 296-1222. **Circle 1161 on Inquiry Card.**

Angels, Saints, and Icons (\$49.95) provides a good collection of very brief identifications of most major and many obscure saints, and all the known angels. Contact **Quanta Press, Inc.**, Minneapolis, MN, (612) 379-3956; fax (612) 623-4570. **Circle 1162.**

The **Firenze** (US\$19.95 or 29,000 lire) CD-ROM is good under its own software and one of the best as a source of eye candy with the Corel screen saver. Contact **C D Hardware**, LaSpezia, Italy, +39 187 515604; fax +39 187 513828. **Circle 1163.**

Gazillionaire (\$32.95) is an important game because it was written in Visual Basic and is played from a CD-ROM. Contact **Spectrum Holobyte, Inc.**, Alameda, CA, (800) 695-4263 or (510) 522-3584; fax (510) 522-3587. **Circle 1164.**

If you're contemplating a Mac, you'll want **Hard Disk Toolkit** (\$199) or **Hard Disk Toolkit*Personal Edition** (\$79). Contact **FWB, Inc.**, Menlo Park, CA, (415) 325-4392; fax (415) 833-4653. **Circle 1165.**

LapLink for Windows 6.0 (\$199.95) is seriously good stuff. **LapLink Wireless** (\$299.95) is the company's radio-link system, and it certainly works. Contact **Traveling Software, Inc.**, Bothell, WA, (800) 343-8080 or (206) 483-8088; fax (206) 487-1284. **Circle 1166.**

The **LaserWriter 16/600 PS** (\$2429) is a winner, with enough new features and increased speed to make the upgrade well worthwhile. Contact **Apple Computer, Inc.**, Cupertino, CA, (800) 776-2333 or (408) 996-1010; fax (904) 584-7481. **Circle 1167.**

The critical machines at Chaos Manor have been protected by **OnGuard UPSes** (\$477 to \$2690) for several years, and I have not regretted it. Contact **Clary Corp.**, Monrovia, CA, (800) 442-5279 or (818) 359-4486; fax (818) 305-0254. **Circle 1168.**

RAM Doubler 1.5.1 (\$99) is cheap compared to adding silicon to your system, and we haven't seen anything it doesn't work with. Contact **Connectix Corp.**, San Mateo, CA (800) 950-5880 or (415) 571-5100; (415) 571-5195. **Circle 1169.**

The game of the month is the Windows version of **Sim City 2000** (floppy disk version, \$54.95; CD-ROM version, \$69.95). Contact **Maxis**, Orinda, CA, (800) 336-2947 or (510) 254-9700; fax (510) 253-3736. **Circle 1170.**

The **Star Reach** (\$49.95) box is gorgeous—it looks like a spaceship. Contact **Interplay Productions, Inc.**, Irvine, CA (800) 969-4263 or (714) 553-6655; fax (714) 252-2820. **Circle 1171.**

With the **TypeBook** (\$49.95), you can print a partial or complete set of all your fonts. Contact **Rascal Software**, Santa Clarita, CA, (805) 255-6823; fax (805) 255-9691. **Circle 1172.**

I have used Forminco's **workstation furniture** (call for prices) for over a year, and I have yet to find anything better. Contact **Forminco**, Brossard, Quebec, Canada, (800) 663-6764 or (514) 444-9488; fax (514) 444-9378. **Circle 1173.**

of specialized database CD-ROMs. Some are still useful, and some very much so. The interface to those databases remains plain vanilla. It's worth being on Quanta's mailing list, but don't look to them for the latest multimedia CD-ROMs.

The computer book of the month is by Gene K. Landy, *The Software Developer's and Marketer's Legal Companion: Protect Your Software and Your Business* (Addison-Wesley, 1993). This goes into copyright, beta-test agreements, and much more. The book of the month is by Jack Cohen and Ian Stewart, *The Collapse of Chaos: Discovering Simplicity in a Complex World* (Viking, 1994). Jack Cohen is a professor of biology in England. He was a principal consultant to Larry Niven, Steve Barnes, and me for *Legacy of Heorot* and our upcoming sequel, *Beowulf's Children*. The book is an investigation into how you can evolve simplicity from a complex world. This book isn't easy reading, but I bet you like it.

The game of the month is the Windows version of **Sim City 2000** from Maxis. When I play **Sim City**, I cheat: I've figured out where they store the amount of money you have, and I use the Norton Utilities disk editor to go in there and give myself a lot more. It's fun to be bountiful to my simulations.

Next month, with luck, I'll have something on Windows 95, and meanwhile, the software keeps rolling in. ■

Jerry Pournelle holds a doctorate in psychology and is a science fiction writer who also earns a comfortable living writing about computers present and future. Jerry welcomes readers' comments and opinions. Send a self-addressed, stamped envelope to Jerry Pournelle, c/o BYTE, One Phoenix Mill Lane, Peterborough, NH 03458. Please put your address on the letter as well as on the envelope. Due to the high volume of letters, Jerry cannot guarantee a personal reply. You can also contact him on the Internet or BIX at jerry@bix.com.

BYTE WEARHOUSE

Official BYTE Merchandise for Technology Experts.



MOCK TURTLENECK.

Outer Banks 100% cotton mock turtleneck with 20th Anniversary logo embroidered on left chest. White. Sizes: M-XL. M-BYT 4, L-BYT 5, XL-BYT 6. \$25.85.



SWEATSHIRT.

11 oz. cross grain Lee sweatshirt with 20th Anniversary logo embroidered on left chest, features generous athletic cut and side gussets. 95% cotton, 5% polyester. Ash. Sizes: M-XL. M-BYT 1, L-BYT 2, XL-BYT 3. \$31.20.



T-SHIRT.

100% Cotton Oneita Power-T. White with 1-color "technology" print on both sides and 4-color 20th anniversary logo on front. Sizes: L-XL. L-BYT 13, XL-BYT 14. \$8.00.



CERAMIC MUG.

11 oz. ceramic mug with gold band and 3-color, 2-sided logo. BYT 8. \$4.50.



MOUSE PAD.

Hard top mouse pad. 4-color with 20th anniversary logo and tag line and repeating text background. 7.5" x 8.5" x 3/16". BYT 7. \$5.25.



BALL CAP.

Soft brushed cotton free-form ball cap with adjustable Velcro closure back and 20th Anniversary logo embroidered on front. Black. BYT 11. \$14.75.



PARKER VECTOR PEN.

Parker Vector Sport Roller Ball Pen. Black with 3-color BYTE logo repeated on barrel and cap. BYT 10. \$6.25.



PARKER PEN.

Parker Insignia ball point pen. Laque black with 3-color BYTE logo on clip emblem. BYT 9. \$34.50.

COMPUTER TOOL KIT.

Deluxe computer service tool kit in black vinyl zipper case features: 2 nut drivers, 3 prong parts retriever, tweezers, torx driver, IC Extractor, one Phillips and 2 slotted screwdrivers. 1-color 20th Anniversary logo. BYT 12. \$20.10.



Ordering: Credit card phone orders: Call 1-800-676-HALO (4256) (in IL, call 708/647-4902). We accept VISA, MasterCard, American Express and Discover. Merchandise in stock will ship within 2-3 business days of receipt. If an item is out of stock, the customer will be notified and given the option to backorder, substitute or cancel the item. Rush orders can be shipped the same day received if the order is placed by 2:00 p.m. CST. Rush orders will incur a \$10 additional charge and express freight charges will be billed at cost.

Shipping: Include the following amounts for shipping via U.P.S. Ground. Up to \$50.00-add \$5.75, \$50.01 to \$100.00-add \$7.75, over \$100.00-add 8% to total. Air freight is additional. Shipping charges apply to domestic US orders only. International orders will incur a \$12 documentation charge and will be billed at actual cost plus associated duties and taxes. F.O.B. Point: Niles, IL 60714

Sales Tax: We are expected to collect applicable sales tax on all purchases, including shipping and handling charges, sent to CO, FL, GA, MI, NM, NC, TN, TX, WI and on purchase totals only in CA, IA, IL, IN, OH, SC, and VA. Sales Tax Chart: CA 7.75%, CO 3.8%, FL 6%, GA 6%, IA 6%, IL 8.25%, IN 5%, MI, 6%, NC 6%, NM 5.82%, OH 7%, SC 6%, TN, 8.25%, TX 8.25%, VA 4.5%, and WI 5.5%.

What's New Hardware

WIRELESS MESSAGING SYSTEM FOR WINDOWS

The PageCard Wireless Messaging System for Windows (\$399) includes the PageCard receiver, which is activated on the PageNet nationwide network, and the PageSoft communications software. The system, together with Socket's Wireless Messaging Services, allows mobile computer users located virtually anywhere in the U.S. to receive E-mail, news and schedule updates, and other information.

Wireless Messaging Services (activation price, \$19.99; local monthly service charge, \$19.95; national monthly service charge, \$39.99) provides a 24-hour, toll-free number for activation, fax-forwarding, billing, technical support, and operator-dispatched paging. A follow-me fax service notifies you of received faxes and lets you forward them to any number.

Contact: Socket Communications, Fremont, CA, (800) 552-3300 or (510) 744-2700.

Circle 1321 on Inquiry Card.



100-MHZ PENTIUM SYSTEMS

Micron Computer's (Nampa, ID) P100 Millennia systems (from \$3699) have an Intel 100-MHz Pentium processor, a 256-KB Micron SyncBurst cache, and 16 MB of Micron extended data-out memory. Other features include a 1.2-GB enhanced IDE hard drive, a quad-speed CD-ROM drive, a Sound Blaster 16 sound card and speakers, a 15-inch Micron 15FGx color monitor, and Microsoft Office Professional 4.3 on CD-ROM.

Phone: (800) 233-7027 or (208) 465-3434.

Circle 1324 on Inquiry Card.

PLUG AND PLAY WAVE-TABLE SOUND CARD

The NuSound audio adapters for PCs, from Orchid Technology (Fremont, CA), combine wave-table synthesis, 3-D audio, 100 percent games compatibility, and support for the Intel/Microsoft Plug and Play specification. The NuSound PnP adapter (\$159) offers 16-bit stereo sound, Panasonic and IDE CD-ROM interfaces, wave-table synthesis with 1 MB of compressed wave-table samples, and 3-D audio enhancement technology. The NuSound

CD adapter (\$199) adds a 16-bit SCSI-2 Plug and Play interface and a 1-MB wave-table synthesizer, which is upgradable to a 4-MB sample set. The NuSound Studio adapter (\$299) adds professional music enhancements, 4 MB of ROM, and downloadable RAM-based wave-table synthesis.

Phone: (800) 767-2443 or (510) 683-0300.

Circle 1329 on Inquiry Card.



KEYBOARD FOR LONG-TERM TYPING

Designed for long-duration typing duties, the Ergo-Master keyboard (\$495) features independently adjustable halves that let you position the keyboard for maximum comfort and efficiency. Available from Genovation (Irvine, CA), the Ergo-Master's 84 fully programmable keys let

you move key definitions to different locations.

Phone: (800) 822-4333 or (714) 833-3355.

Circle 1337 on Inquiry Card.

REMOTE RADIO-CONTROLLED DATA LOGGER

Using FreeWave wireless spread-spectrum-radio data transceivers to transmit data, the Dataaker Transceiver System (\$3995) can transmit through floors, walls, and ceilings. With line-of-sight distances of up to 20 miles (and up to 60 miles with the FreeWave units performing as repeaters), the Data Electronics (Irvine, CA) system ensures data integrity via packetization, acknowledgment, and 32-bit CRC error detection. Throughput varies with application.

Phone: (800) 956-4437 or (714) 851-5300.

Circle 1326 on Inquiry Card.

CREATE MPEG PRESENTATIONS

With RealMagic Producer, you can create full-screen, full-motion multimedia presentations and titles. The unit (\$3995), from Sigma Designs (Fremont, CA), includes a 32-bit PCI-bus audio/video MPEG encoder board, a frame-accurate videotape-recorder controller, Adobe Premiere editing software, and Caligari trueSpace 3-D animation and graphics software. RealMagic Producer lets you capture and compress video and audio in real time and store the information as AVI-editable MPEG. You can edit the frames with any AVI-compatible video-editing tool.

Phone: (800) 854-8086 or (510) 770-0100.

Circle 1325 on Inquiry Card.

RAIDBANK FOR MACINTOSH

MicroNet Technology (Irvine, CA) offers a high-performance RAID system for Macs. RAIDbank for the Macintosh delivers sustained throughput rates of 6.2

MBps and access times as low as 8 ms. The system supports RAID levels 0, 1, 3, and 5 with as many as six Fast and Wide 7200-rpm modules, ranging from 2 to 4 GB, for a total of 24 GB per RAIDbank in single- or dual-channel configurations. A RAIDbank system with two hot-swappable power supplies costs \$2675; drive modules cost from \$1795 to \$3149.

Phone: (714) 453-6100.

Circle 1330 on Inquiry Card.



GO-ANYWHERE NOTEBOOK

Husky Computers' (Clearwater, FL) rugged Husky FC-486 notebook PC (from \$2999) features a curved profile that fits snugly into the crook of your arm and a fully sealed magnesium-alloy case that incorporates screen and keyboard into a single hingeless unit. The 4-pound FC-486 comes with a 25- or 50-MHz 486SLC processor, 2 to 16 MB of RAM, up to 16 MB of flash memory, a backlit transfective VGA display, a QWERTY keyboard, two user-accessible PCMCIA slots, and two internal slots for customization. Options include a numeric coprocessor and a high-performance pen.

Phone: (813) 530-4141.

Circle 1328 on Inquiry Card.

MAC DATAPEN

The Mac version of the I.R.I.S. America (Boca Raton, FL) DataPen (\$435), a highlighter-size OCR device, allows you to enter printed or typed text and figures directly into your Mac applications. A Windows version (\$399) is also available. Phone: (800) 447-4744 or (407) 395-7831.

Circle 1331 on Inquiry Card.

ELECTRONIC PERSONAL TOKEN

Telequip's (Hollis, NH) Crypta Plus card is a true electronic personal token, a credit-card-size device containing a secure coprocessor and up to 16 MB of flash memory. Lotus Notes users can store desktop files, ID files, telephone- and address-book files, log-on sequences, passwords, and configuration data on the Crypta Plus card (with 2 MB, \$265; with 4 MB, \$350).
Phone: (800) 225-0580 or (603) 881-5616.

Circle 1332 on Inquiry Card.

HIGH-PERFORMANCE FAX SERVER

Biscom's (Chelmsford, MA) Faxcom 6000 enables users of LAN desktop systems connected to corporate mainframes to send and receive faxes and allows MIS and LAN administrators to manage fax traffic throughout an organization. A multichannel hardware and software solution, each Faxcom 6000 (\$22,495) can support up to 24 fax ports. You can assemble multiple units into a single rack-mountable data communications cabinet and control them with a single system console.
Phone: (508) 250-1800.

Circle 1060 on Inquiry Card.

FIERY XJ COLOR SERVERS

Based on Electronics for Imaging's (San Mateo, CA) Fiery XJ architecture, the Fiery XJ170 and Fiery XJ300 Color Servers (from less than \$20,000) link computer networks to digital color copiers from Canon, Kodak, Minolta, Ricoh, and Xerox. For producing business graphics, proposals, and presentations or conceptual color proofs, the Fiery XJ170 supports continuous-tone output at 400 by 400 dpi on 8½-by-11-inch (A4) page sizes and 400 by 200 dpi for larger sizes. For heavy production work loads, the Fiery XJ300 server features continuous-print and rip-while-print features with a four-page buffer;

the unit can support continuous-tone 400-by-400-dpi output on 8½-by-11 and 11-by-17 (A3) paper sizes.

Phone: (415) 286-8600.

Circle 1334 on Inquiry Card.



MAC MULTIMEDIA TOUCH MONITOR

The \$1610 Mac n' Touch AV-14, a touch monitor for the Mac, combines MicroTouch Systems' (Methuen, MA) touch technology and Apple's AudioVision 14 Display, which integrates high-quality stereo speakers, a microphone, and a high-contrast display. The monitor has a dot pitch of 28 mm, a maximum video resolution of 1024 by 768 pixels, a touchscreen resolution of 1024 by 1024 pixels, and a touch-down speed of 8 to 15 ms. Software controls let you customize the sound input and output.
Phone: (800) 642-7686 or (508) 659-9000.

Circle 1333 on Inquiry Card.

EASY INTERNET CONNECTION

Global Village Communication (Sunnyvale, CA) offers OneWorld Internet, an Internet connectivity package for networked PCs. The package includes an Internet server with an internal 28.8-Kbps (V.34) or ISDN modem connection; GlobalCenter Web, Global Village's proprietary Web browser application; mail gateway software; and cables. The OneWorld Internet package works with your site's QuickMail or Microsoft Mail E-mail system and requires only one dedicated telephone line to give every user on your LAN worldwide E-mail access as well as full interactive connection to the Internet. OneWorld Internet for QuickMail costs \$1999.
Phone: (800) 736-4821 or (408) 523-1000.

Circle 1327 on Inquiry Card.

SERVER SHARER

Starview Server Sharer allows you to control up to six PCs or file servers with a single monitor, keyboard, and mouse. The unit incorporates microcontroller-based switching technology to enable switching between CPUs

from a keyboard or a front-panel push button. As your requirements grow, you can cascade the units to a maximum configuration of 216 CPUs, according to StarTech Computer Products (London, Ontario, Canada). Two models are available: the SV621 (US\$349), a six-port cascable unit, and the SV421 (US\$399), a four-port cascable unit.
Phone: (519) 438-8529.

Circle 1335 on Inquiry Card.



17-INCH PIVOTING DISPLAYS

Portrait Display Labs (Fremont, CA) offers two 17-inch color multifrequency pivoting displays that combine portrait and landscape views. The Pivot 1700 (\$895) provides noninterlaced resolutions of up to 1024 by 768 pixels (768 by 1024 in portrait view) at 76 Hz. The Pivot 1700 Professional (\$1195) offers noninterlaced resolutions of 1280 by 1024 (1024 by 1280 in portrait view) for Windows and 1152 by 870 (870 by 1152 in portrait view) on the Mac.
Phone: (510) 249-0444.

Circle 1339 on Inquiry Card.

CONVERT DOCUMENTS INTO EDITABLE TEXT

PaperPort 2.0 for Windows (\$399) scans at resolutions of up to 400 dpi, providing better OCR accuracy when scanning documents with small text, such as business cards. The input device accepts paper sizes from 2 to 30 inches. In addition, the device uses the company's paper-driven technology, which automatically zips in documents, compresses, crops, straightens, and trims.

PaperPort has direct links to more than 50 desktop applications, such as OCR, fax, contact management, and document management. When you drag and drop a document onto one of these links, the Auto-Launch feature instantly opens the application and places the PaperPort document within it.

Contact: Visioneer, Palo Alto, CA, (800) 787-7007 or (415) 812-6400.

Circle 1322 on Inquiry Card.



What's New Hardware

TAPE BACKUP AUTOLOADERS

Two AutoLoaders from Aiwa Computer Systems (Boca Raton, FL) automate nightly tape backup operations on network servers supporting NetWare, OS/2, Windows NT, Unix, and Macs. The devices support standard 4mm DAT tapes and can perform automatic insertion, removal, labeling, and rotation of 17 tape cartridges. A SCSI-based AutoLoader, the \$6995 Aiwa AL-D210 comes with a single tape drive. The \$8995 Aiwa AL-D220 features two tape drives.

Phone: (407) 997-6033.

Circle 1338 on Inquiry Card.



PCMCIA VOICE/FAX MODEM ▲

A voice/fax modem for laptops, notebooks, or subnotebooks with Type II or III PCMCIA slots, the Quicktel 14V14PCM PC Card features V.32bis data transmission and V.42bis data compression and can send data and faxes at 14.4 Kbps. From Logicode Technology (Camarillo, CA), the 14V14PCM (\$249) provides automatic tone or pulse dialing, automatic call answering, automatic or manual call-originate or answer capability, automatic answer-tone detection, and automatic detection of dial tone, busy

signal, ring signal, and carrier. Voice capabilities include up to 999 individual voice mailboxes, password protection, remote paging, and Intelliselect, which distinguishes among data, fax, and voice transmissions.

Phone: (800) 735-6442 or (805) 388-9000.

Circle 1063 on Inquiry Card.

MINICARTRIDGE DATA PROTECTION

The Conner Peripherals (Costa Mesa, CA) Tape*Stor 1700 floppy interface minicartridge tape drive offers up to 1.7 GB of storage capacity, compatibility with the QIC-3020 and QIC-3010 standards, and read compatibility with the QIC-80 and AccuTrak-250 tape formats. The Tape*Stor 1700 (\$429) writes data as quickly as 19 MB per minute and supports floppy controllers that have a data transfer rate of 2 MBps.

Phone: (800) 626-6637 or (714) 641-1230.

Circle 1341 on Inquiry Card.

NETWORK TROUBLE-ALERT SYSTEM

Net-911 (\$1495) monitors an unlimited number of network file servers accessible over a LAN. When it detects a problem, it automatically places phone calls to persons who should be notified of specific types of failures. The device, from Fox Network Systems (Rockville, MD), monitors

the call and automatically retries until it successfully delivers the message.

Key-View (\$2995) allows a remote user to call a site, fix and restart a failed file server, switch to the tape backup unit, restart backup processing, and restart a print server during a single phone call. Net-911 complements Key-View by reliably notifying remote users when a network fails.

Phone: (800) 539-8439 or (301) 921-5995.

Circle 1342 on Inquiry Card.

REBOOT LOCKED-UP SYSTEMS BY REMOTE CONTROL

With the three-outlet TeleBoot TB-250 (\$249) and the TB-450 (\$449), which has five individually addressable outlets, you can remotely reboot a system via either a telephone or a modem. The U.S.A. Communications (Bohemia, NY) devices automatically restore power approximately 30 seconds after you enter a four-digit, user-settable security code. An audible signal confirms the reboot action.

Phone: (800) 724-5434 or (516) 244-6851.

Circle 1344 on Inquiry Card.

MULTIFUNCTION OPTICAL-DISK JUKEBOXES

Two new optical-disk jukeboxes from Plasmon Data (Milpitas,

CA) offer capacities of 26 and 33 GB in a compact desktop design (single-drive systems, \$6995; dual-drive systems, \$9995). The RF20J-690 incorporates a 1.3-GB MO half-height optical drive with an average seek time of 39 ms. Fully loaded, the 20-platter system can store up to 26 GB of data and images. The RF22J-703 incorporates a 1.5-GB phase-change optical drive with an average seek time of 45 ms. The 22-platter system can store up to 33 GB of data and images. The multifunction systems accept any combination of write-once and erasable media.

Phone: (800) 445-9400 or (408) 956-9400.

Circle 1062 on Inquiry Card.



KEYBOARD-ENHANCED PDA ▲

With Zaurus, Sharp Electronics' (Mahwah, NJ) pocket-size, keyboard-enhanced PDA, you can send and receive E-mail, send faxes, access on-line services, exchange information with local and remote PCs, take notes on an electronic notepad, create maps and drawings, generate documents, and manage your time and information. Zaurus (base unit, \$749; with CE-FM4 fax modem, \$849) supports Sharp's Digital ASK infrared technology, so you can wirelessly exchange information with infrared-equipped PCs, laptops, and devices such as Newton-based PDAs and Sharp Wizards. With optional infrared adapters, you can also beam information to PCs, Macs, and printers.

Phone: (800) 237-4277 or (201) 529-8200.

Circle 1061 on Inquiry Card.

SCANNING FOR LAPTOPS


The ColorMobile Office Parallel Color Scanner is a combination hand-held/motorized/sheet-fed unit designed for use with laptop and notebook PCs. A snap-on feeder module turns it into a sheet-fed scanner for such items as photographs, business cards, checks, credit cards, and receipts. Attach the motor module, and the ColorMobile Office becomes a motorized, hands-free unit that prevents image distortion by mechanically controlling the scanner's speed as it travels over an image. Components include a trackpad attachment that permits scanning of larger images. The scanner (\$329; without sheet-feeding capabilities or trackpad, \$249) weighs only 32 ounces with all its components and fits easily into a notebook carrying case.

Contact: Primax Electronics, Campbell, CA, (800) 338-3693 or (408) 364-2800.

Circle 1323 on Inquiry Card.



We don't know if they'll love, honor and obey,
but we do know they're compatible.



NSTL's compatibility and interoperability tests are the most rigorous in the industry. So when you see our Seal, you know the computer products you're buying will be compatible.

The following computer products* have recently earned the NSTL Seal.

Kapok Computer Co.
Kapok 9200/9400 DX4-100
Notebook System

First International Computer Inc.
LEO DESIGNote VP DX4-75
Notebook System

Arima Computer Corp.
NotePro Enhance DX4-100
Notebook System

Clevo Company
7500E DX-33
Notebook System

Clevo Company
7600 P54C-90 Pentium
Notebook System

Dual Enterprises Corp
Dual PMD5000 P54C-90
Pentium Notebook System

Texas Instruments/Racore Computer Products Inc.
Racore M8119 with TI Driver

Allied Telesyn International Corp.
AT 1500 Plus 16-bit Ethernet
AT 1700 Plus 16-bit Ethernet
AT 1720 Plus 16-bit Ethernet

Intel Corp.
Intel EtherExpress PRO with Flash

AT&T GIS
NCR StarLAN 16/4
Token-Ring ISA NAU
NCR StarLAN 16/4
Token-Ring MC NAU

Kingmax Technology, Inc.
PCMCIA Ethernet Adapter EN-10T2




For more information about the NSTL Seal and what it takes to earn it, contact NSTL by fax: 44-1442-842-191 or by internet: helens@nstl.com. It's the first step toward a long and healthy relationship.

* All brand or product names mentioned are trademarks or registered trademarks of their respective holders.
Plymouth Corporate Center • 625 Ridge Pike • Conshohocken, PA 19428 • United States • NSTL is a division of McGraw-Hill, Inc.



What's New Software



FAST, ACCURATE OCR

CharacterEyes for Windows 2.5 (\$79.95) uses neural network technology to let you capture text as fast as 300 cps with an accuracy rate of 99.7 percent. The program analyzes page layouts and recognizes text. You can export text directly into word processors, retaining all original text and page attributes, such as point size, tabs, margins, and bold and italic formatting. You can also scan directly from within your favorite Windows applications.


A 32-bit stand-alone program, **CharacterEyes Pro for Windows (\$495)** can read all Western European character sets and offers automatic image rotation, dictionaries for proofing documents, and a trainable mode that lets you teach the software to read obscure typefaces, such as calligraphy, Greek letters, and Gothic fonts.

Contact: **Ligature Software**, Burlington, MA, (800) 444-6433 or (617) 238-6734.
Circle 1065 on Inquiry Card.

WINDOWS-BASED SPEECH RECOGNITION

With **OfficeTalk for Windows (US\$2045)**, you can use your voice to dictate, edit, and fax documents. You simply speak into a microphone, and your PC carries out commands and displays your words on the screen. **Kolvox Communications' (North York, Ontario, Canada)** package includes software, a microphone, and an MWave sound card. Phone: (800) 556-5869 or (416) 221-2400.

Circle 1068 on Inquiry Card.



MANAGE YOUR NETWORK

A network diagrammer program based on Windows, **ClickNet Professional 2.0 (\$795)** features more than 2300 network images that you can drag and drop into on-screen diagrams. Behind each diagram, the program, from **Pin-Point Software (San Jose, CA)**, builds an ODBC-compliant database on each network component. You can then produce management reports about specific

categories or combinations of categories. Phone: (800) 599-3200 or (408) 997-6900.

Circle 1069 on Inquiry Card.



MICROSTATION FOR THE POWER MAC

The Power Mac version of **Bentley Systems' (Exton, PA) MicroStation V5** supports the Macintosh user interface, high print resolutions, and most video output, including monochrome and 4-, 8-, 16-, and 32-bit color. **MicroStation V5 for the Power Mac (\$3950)** supports MicroStation DGN file formats and can read and write files in DWG, DXF, CGM, and IGES formats. Phone: (800) 778-4274 or (610) 458-5000.

Circle 1072 on Inquiry Card.

CREATE MISSION-SCALABLE APPLICATIONS

Digitalk's (Santa Ana, CA) Visual Smalltalk 3.0 (\$1495) and

Visual Smalltalk Enterprise 3.0 (\$4995) feature source and binary portability between Windows and OS/2, a new binary format, improved memory management tools, and support for IBM's SOM/DSOM. **Visual Smalltalk Enterprise 3.0** adds configuration management through the clustering of packages, improved browsers and version-control tools, OS/2 browsers for the SOM Interface Repository and the automatic building of wrappers for typedefs and SOM/DSOM classes, automated push-button Smalltalk library generation, and the capability to maintain binary components in repositories. Phone: (800) 922-8255 or (714) 513-3000.

Circle 1139 on Inquiry Card.

CUSTOMER INTERACTION

A suite of seven customer-interaction applications, **Target Enterprise (about \$1000 per seat)** offers a groupware module, database flexibility, hypertext research tools, an E-mail and Internet interface, scalability, and customization capabilities. The **Target Systems (Marlborough, MA)** package offers customer service; a help desk; and asset, facilities, network, sales-and-

marketing-contact, and change management.


Phone: (800) 233-3493 or (508) 460-9206.

Circle 1071 on Inquiry Card.

APPLICATION MODULES FOR BUSINESS

The **Ability for Windows** integrated business suite consists of word processing, spreadsheet, database, forms, drawing, charting, and communications modules. When you type in facts, the software (\$229) automatically enters information across the board: Change a figure in a document, for instance, and the relevant spreadsheet updates, or the relevant graph redraws. The suite, from **Ability Plus Software (Charlotte, NC)**, also includes import and export filters for popular stand-alone products. Phone: (800) 946-4277 or (704) 364-3346.


Circle 1131 on Inquiry Card.



DEVELOP VGUIs

A portable C++ development toolkit, **Ilog Views 2.0** unifies graphics and widgets into one tool for designing VGUIs (very graphical user interfaces). Version 2.0 (single development license: Unix, \$7500; PC, \$5000) lets you increase the amount of information you can display on-screen. It also provides source code for **PowerEditor**, so you can create, extend, test, and distribute your own GUI builders in C++. **PowerEditor's** VGUI editor features gadgets, 2-D graphical objects, behaviors, and **Ilog (Mountain View, CA) PowerObjects**. Phone: (415) 390-9000.

Circle 1073 on Inquiry Card.



DOCUMENT AND WORK-FLOW MANAGEMENT

A document and work-flow management system, PowerOffice 2.0 (\$995 per concurrent user) allows users to store, retrieve, and process such information objects as scanned images, electronic documents, audio clips, and other Windows data types. EZPower Systems' (Philadelphia, PA) package includes multi-engine OCR, full-text, and forms-processing support; revision management; MAPI-compliant mail messaging; and high-volume data-entry modules.

Phone: (215) 496-1700.

Circle 1132 on Inquiry Card.

VISUAL HELP BUILDER


You can create full-blown help systems with ProtoView Visual Help Builder (\$395). With just a few clicks of the mouse, ProtoView Development's (Dayton, NJ) package captures every dialog, menu, and control field of your application and then creates

a help system with jumps, indexes, and links. ProtoView Visual Help Builder lets you add color graphics, designate hot-spot regions on a graphic to invoke links to pop-up windows or messages, and, with Micro-

soft Word's toolbar buttons, place video files and 256-color graphics into your help documents. In addition, you can add voice to pop-ups, hot-spot graphics, and topics.

Phone: (800) 231-8588 or (908) 329-8588.

Circle 1133 on Inquiry Card.



PAPERLESS-OFFICE SYSTEM

TreeSaver Plus, from Micro Telesis (Columbus, OH), is an automated paperless-office system with built-in work-flow processing, document management, and production. Available in single-user (\$995) and multiuser (\$3495 for five users)

versions, TreeSaver Plus automatically routes scanned documents to user-defined electronic filing cabinets and then assigns them to the appropriate user or department for processing or review. When processing is finished, TreeSaver Plus can automatically archive documents with full retrieval capabilities.

Phone: (800) 798-1270 or (614) 798-1234.

Circle 1138 on Inquiry Card.

REMOTE CONTROL VIA TCP/IP

Remotely Possible/Sockets (one host and one viewer, from \$298) provides TCP/IP support via Windows Sockets for communications across computers, interconnected networks, and various operating systems. From Avalan Technology (Holliston, MA), Remotely Possible/Sockets offers file transfers at a rate of up to 230.4 Kbps over phone lines. Other features include background file transfers while you're running other Windows applications, simultaneous remote printing, two-way communications, remote control via TCP/IP networks and the Internet, and multi-level passwords.

Phone: (800) 441-2281 or (508) 429-6482.

Circle 1135 on Inquiry Card.



MULTIMEDIA MANAGEMENT PROGRAM

With Media Commander for Windows (\$129), you can organize all types of media into catalogued thumbnail libraries. The program incorporates images, video, sound, and text and supports more than 70 file formats for import. Video-format support enables you to expand any file to reveal every frame as its own virtual thumbnail. You can also reassemble selected frames to create new videos and export files into various databases.

Contact: DataCal, Chandler, AZ, (800) 223-0123 or (602) 813-3100.

Circle 1137 on Inquiry Card.

Software Update

MKS Source Integrity 7.1, Morrice Kern Systems' (Waterloo, Ontario, Canada) version-control system for software development, includes project management facilities; Visual Merge; new reporting capabilities; "visual differencing," which uses color coding to highlight differences in code; a customizable toolbar; event triggers; a new configuration language; and integration with Visual C++ and Borland C++.

US\$449.
Phone: (800) 265-2797 or (519) 884-2251.

Circle 1142 on Inquiry Card.

A Windows-based batch scheduler, **AshWin 2.0** offers native support for Alpha, Mips, and PowerPC machines and heterogeneous support for Unix, AS/400, and OS/2 networking environments. Creative Interaction Technologies (Chapel Hill, NC) adds an Enterprise Tree View, a notification feature, Windows NT security and priorities, and remote access. Basic license for five machines and five users, \$4950.

Phone: (800) 545-2442 or (919) 419-1694.

Circle 1143 on Inquiry Card.

Imagenation for Macintosh 3.3, Spicer's (Kitchener, Ontario, Canada) document-imaging software, includes such new features as deskew and despeckle; crop and resize; cut, copy, and paste; rubout and erase; a highlighter; bind and unbind objects; multipage TIFF and DCX capability; a measurement tool; saving and reusing of common symbols; support for Micrografx Designer DRW, Intergraph DGN, and AutoCAD DWG; vector-to-raster format conversion; and Apple Event and Apple Script integration.

US\$1895.
Phone: (519) 748-2462.

Circle 1107 on Inquiry Card.

What's New Software


ANALYZE BUSINESS PROCESSES

If you're involved in business-process reengineering, total quality management, or information-systems analysis and design, then FlowModel (\$495) may interest you. The program lets you construct intricate diagrams and flowcharts to analyze areas of inefficiency or to streamline

a specific process.

Contact: Arcland,
Malvern, PA,
(800) 873-2249 or
(610) 993-9904.

Circle 1067
on Inquiry Card.



comes a part of the 32-bit NetWare operating system. FaxWare (starter pack for five users and one

CLIENT/SERVER DATA-ANALYSIS SOFTWARE

Cornerstone for Windows (\$995 per seat) combines the power of statistical software with the familiarity and ease of a spreadsheet program, according to BBN Software Products (Cambridge, MA). The program has the ability to transform megabytes of data into graphical representations, so you can visualize data re-

lationships and then perform numerical analysis.

Phone: (800) 331-2266 or
(617) 873-5000.

Circle 1134 on Inquiry Card.

EMBEDDED DEVELOPMENT TOOLS

The TNT Embedded ToolSuite (\$2995) delivers a total solution for 32-bit embedded systems development on Intel 386/486 microprocessors, according to Phar Lap Software (Cambridge, MA). Components include the TNT Embedded Kernel; the Visual System Builder; LinkLoc, a 32-bit linker/locator; CVEMB and TDEMB shells for embedded cross-debugging; support for C and C++ run-time libraries; an MS-DOS-compatible file system; a floating-point emulation library; and a remote file system. In addition, you can debug your embedded applications using 32-bit versions of Microsoft's CodeView and Borland's Turbo Debugger.

Phone: (617) 661-1510.

Circle 1136 on Inquiry Card.

NLM FOR FAX COMMUNICATIONS

FaxWare, a 32-bit NLM for Novell NetWare, can send faxes on 64 lines at a rate of 14.4 Kbps while supporting up to 1000 users and 32 servers per LAN. You load the Service Layer of Tobit Software's (Santa Clara, CA) package directly on a network file server, where it be-

line, \$790) works with Novell's NetWare Connect and NetWare Connect for ISDN and supports multithreading services, IPX communications, queue services, bindery services, and AIO.

Phone: (800) 468-6248 or
(408) 982-2562.

Circle 1074 on Inquiry Card.

NATURAL-LANGUAGE TRANSLATOR FOR WINDOWS


With Transcend, from Intergraph (Huntsville, AL), you can perform quality draft translations of your memos, reports, E-mail, and technical manuals while preserving the original document's format and type specifications. The program allows you to translate from English to Spanish, from Spanish to English, from English to French, or from French to English (\$495 per version). Future releases will provide English-to-German, German-to-English, English-to-Italian, and English-to-Portuguese translations.

Phone: (800) 222-9242 or
(205) 730-9832.

Circle 1066 on Inquiry Card.

CROSS-PLATFORM GUI BUILDER

X-Designer 4, a cross-platform GUI builder, speeds the development of user interfaces for Motif and Windows applications without relying on proprietary code. Available from DataViews (Northampton, MA), the program has the ability to generate three distinct flavors of C++ code: Motif, Motif MFC, and Windows MFC. X-Designer 4's (\$3500) Compound String Editor lets you create strings with multiple fonts and directions. Other



features include hypertext help, an advanced layout editor, unlimited undo, the ability to generate C and C++ code, and a range of widgets.

Phone: (800) 732-3200 or
(413) 586-4144.

Circle 1140 on Inquiry Card.

Software Update

Leadtools 4.5 lets you add imaging and compression technology to your C, C++, or other applications that provide a C-language interface under DOS, Windows 3.x, Windows NT, Win32s, and Windows 95. Lead Technologies (Charlotte, NC) adds functions to give you more flexibility when using DIBs and DDBs; two types of color reduction; improved performance of 1-bit processing; despeckle; deskew; scale to gray; image-processing functions; and one display and print function to scroll and zoom. From \$495.

Phone: (800) 637-4699 or
(704) 332-5532.

Circle 1111 on Inquiry Card.

AccuRender 2.1 ray-trace rendering and animation software for AutoCAD releases 12 and 13, from Robert McNeel & Associates (Seattle, WA), provides automatic reflections, refraction, transparency, and shadows; viewpoint animation tools; sunlight animation; 24-million-color output; an on-screen preview feature; a materials library and materials editor; a library of fractal-generated plants; and support for TGA, TIFF, BMP, GIF, and JPEG file formats. \$395.

Phone: (206) 545-7000.

Circle 1109 on Inquiry Card.

Bounds-Checker for Windows 2.5, Nu-Mega Technologies (Nashua, NH), delivers automated debugging support for the MFC library and automatic detection of memory leakage, resource leakage, and heap and data corruption in VBXes from C/C++ and Visual Basic. Version 2.5 also automatically checks and validates more than 1700 API calls to the MFC, verifies that parameters on a call are correct, and checks its return status. \$249.

Phone: (603) 889-2386.

Circle 1145 on Inquiry Card.

"I oversee a
\$24 million
budget and support
2400 users.

Every month
BYTE
helps me
evaluate
products & technologies that keep
Lincoln National Life
a head of the
technology/productivity
curve."

Name: Skip Carstensen

Title: VP Product Administration Systems

Company: Lincoln National Life Insurance Company

Annual IT Budget: \$24 million

BYTE Reader: 9+ years

BYTE readers set the agenda for corporate
Information Technology purchases. Their recommendations can take your products
to the top – or leave them at the door. Why? Because BYTE readers are the *technology experts*.
They define the short list. They specify brands. They tell the buyers what to buy.


Want to get your product in front of Skip? Advertise in BYTE. And reach more than a
half-million technology experts who drive the IT buy.

BYTE Because the *Experts* Decide.

See for Yourself: To find out more about the buying power of BYTE readers, call 603-924-2618 and ask to see our *Information Technology Buying Process* video.
BYTE, One Phoenix Mill Lane, Peterborough, NH 03458.



The Solution To Your Application Requirements



Quatech, Inc. manufactures a variety of communication, data acquisition, PCMCIA, and control products for the IBM PC/XT, PC/AT, PS/2, notebook and compatible systems. We are committed to providing our customers with quality products, exceptional service and support, and competitive prices.

COMMUNICATION adapters meet asynchronous, synchronous, serial, and parallel communication requirements with protocols such as RS-232, RS-422, RS-485, Current Loop and IEEE-488. Intelligent and coprocessor adapters are also available.

DATA ACQUISITION products add analog to digital, digital to analog conversions and digital I/O capabilities in 8 to 16-bit resolution. Other boards provide the capabilities for digital multimeters, digital frequency synthesizers, arbitrary waveform synthesizers, and IEEE-488 GPIB interfaces.

PCMCIA Internal Interface Adapters support Type I, II and III memory and I/O cards. Quatech's Digital I/O, EPP Parallel Port, FAX/Modem, Serial RS-232, RS-422, and RS-485 I/O cards give you maximum flex-

ibility for your application. The Solid State Memory Card Drive supports Type I PCMCIA FLASH and SRAM memory cards.

Call today for more information and a free catalog on our complete line of Communication, Data Acquisition, PCMCIA, and Industrial I/O products.

800-553-1170

*Foreign Distributor
Inquiries Welcome*

Q QUATECH

662 Wolf Ledges Parkway, Akron, OH 44311

Quatech, Inc. 216-434-3154. Made in the U.S.A. International: **Australia**/Interworld Electronics & Computer 61-3-563-5011, **Belgium**/Acal NV/SA 32-27-205983, **Brazil** (Sao Paulo)/Intercomp Electronica Ltda 55-11-8532733, **Brazil** (Rio de Janeiro)/Medusa Sistemas e Automacao 55-21-2394955, **Canada**(Western)/Interworld Electronics 800-663-6001 (Toronto office 800-465-0164), **Denmark**/Jes Rasmussen Aps. 45 4281 6838, **England**/Diamond Point International 44-634-722-390, **Finland**/Lab Hi-Tech OY 358-0-682-1255, **France**/Elexo 33-1-69302880, **Germany**/Jupiter Electronic Systems GMBH 49-61-8175041, **Hong Kong**/Brio Technology Ltd. 852-581-1111, **India**/Computaccount 91-11-224-5159, **Israel**/RCM Ltd. 972-3-6487885, **Italy**/N.C.S. Computer Italia 39-331-770016, **Japan**/NICTRIX Corporation (New Jersey) 201-947-2220, **Korea**/Sam Boo Systems 82-2-135-280, **Netherlands**/ACAL Auriema 31-40-502602, **Singapore**/Bliss Services Pte Ltd. 65-338-1300, **Saudi Arabia**/Integrated Computer Operations 966-3-895-1827, **South Africa**/Eagle Technology 27-21-234943, **Spain**/Santa Barbara SA 34-3-418-81-16, **Sweden**/Systec 46-13-1101-40, **Switzerland**/Technosoftware 41-64-519040. IBM PC-XT, PC/AT, and PS/2 are registered trademarks of the IBM Corporation. All other trademarks are of their respective companies.



BYTE

BUYER'S GUIDE

**Essential Products
and Services for
Technology Experts**

Mail Order

Top mail-order vendors offer the latest hardware and software products at the best prices.

212

Hardware/Software Showcase

Your full-color guide to in-demand hardware and software products, categorized for quick access.

239

Buyer's Mart

The BYTE classified directory of computer products and services, organized by subject so you can easily locate the right product.

249



COMPUTER DISCOUNT WAREHOUSE™

EPSON®

Stylus Color 720 dpi color ink jet printer

- Selectable print resolutions: 720 x 720 dpi, 360 dpi, or 180 dpi
- Color print speed, highest quality mode: 5.5 min/page
- Nozzles: 64 black, 48 color
- Emulation: ESC/P2 Color
- 5 bitmaps fonts, 4 scalable fonts
- 64KB input buffer
- Automatic sheet feeder: 100 sheets letter or legal
- Cartridge life (characters): black-1.5 million/color-1.2 million

ONLY \$509.53 CDW 40804



WHY PAY RETAIL?

CDW® Sells For Less

IBM ThinkPad 360

Advanced design...
powerful performance

- Intel 486SX 33MHz CPU
- 4MB RAM std., 20MB max.
- 340MB hard drive
- 8.4" active-matrix color display
- Accelerated local bus video, 1MB RAM
- Removable hard drive, battery and floppy drive
- PCMCIA: accepts 2 Type II or 1 Type III
- Preloaded software: PC-DOS, Windows®, Lotus Organizer and more...
- TrackPoint II pointing device

SPECIAL PURCHASE



ONLY \$1999.00 CDW 43404

HARDWARE, SOFTWARE & PERIPHERALS AT DISCOUNT PRICES

NETWORKING PRODUCTS

NOVELL

| | |
|-------------|---------|
| 5 User CD | 535.00 |
| 10 User CD | 1439.00 |
| 25 User CD | 2125.00 |
| 50 User CD | 2865.00 |
| 100 User CD | 3999.00 |

Netware V3.12

| | |
|---------------|---------|
| 5 User 3.5" | 595.00 |
| 10 User 3.5" | 1379.00 |
| 25 User 3.5" | 2035.00 |
| 50 User 3.5" | 2699.00 |
| 100 User 3.5" | 3849.00 |

Call for Pricing on Novell NetWare upgrades!

3Com®

| | |
|---------------------------------|--------|
| 3C503 Etherlink II coax | 159.44 |
| 3C509B Etherlink III coax 5pk | 479.65 |
| 3C509B Etherlink III 10BT | 111.34 |
| 3C509B Etherlink III 10BT 5pk | 442.36 |
| 3C509B Etherlink III combo | 123.77 |
| 3C509B Etherlink III combo 5pk | 526.78 |
| 3C579 Etherlink EA coax | 229.91 |
| 3C579 Etherlink EA 10BT | 229.91 |
| 3C1627 12 port Linkbuilder 10BT | 623.74 |

ARTISOFT

| | |
|------------------------------|--------|
| NodeRunner 2000A | 215.58 |
| NodeRunner 2000T | 169.05 |
| NodeRunner 2000C | 169.05 |
| NodeRunner/SI 2000A | 87.13 |
| NodeRunner/SI 2000T | 73.62 |
| NodeRunner/SI 2000C | 73.62 |
| LANtastic V6.0 | 78.50 |
| LANtastic V6.0 5 user | 329.87 |
| LANtastic V6.0 Starter Kit | 229.13 |
| Central Station II | 389.13 |
| Simply LANtastic starter kit | 163.79 |
| T-Runner 8 port 10BT | 179.99 |
| T-Runner 12 port 10BT | 199.82 |

ASP

| | |
|--|--------|
| Multiprotocol print server 10BT HP MIO | 247.75 |
| Multiprotocol print server 10BT pocket | 287.30 |
| Multiprotocol 2 printer server combo | 309.61 |
| Multiprotocol 4 printer server combo | 499.82 |
| SNAP start-kit 2 computers, 1 printer | 119.10 |
| SNAP add-on transmitter | 49.50 |
| Fax Authority Solo network fax server | 499.86 |

IBM

| | |
|-------------------------|--------|
| IBM Token Ring 16/4 MCA | 296.73 |
| IBM Token Ring 16/4 ISA | 299.84 |
| IBM Token Ring MAU | 409.88 |

intel.

| | |
|--------------------------------------|---------|
| EtherExpress PRO/100Mbps PCI | 219.19 |
| EtherExpress PRO/100Mbps EISA | 329.82 |
| EtherExpress PRO/100 Flash 10BT | 115.07 |
| EtherExpress PRO/100 Flash 10BT 5pk | 462.72 |
| EtherExpress PRO/100 Flash combo | 115.07 |
| EtherExpress PRO/100 Flash combo 5pk | 505.98 |
| EtherExpress 16 coax | 99.33 |
| EtherExpress 16 coax 5pk | 454.13 |
| EtherExpress 16 10BT | 99.33 |
| EtherExpress 16 10BT 20pk | 1698.38 |
| EtherExpress MCA 10BT | 166.52 |
| EtherExpress 16 combo | 115.77 |
| EtherExpress Flash 10BT | 549.72 |
| EtherExpress Flash 10BT 5pk | 515.82 |
| EtherExpress Flash combo | 129.79 |
| EtherExpress Flash combo 5pk | 599.62 |
| TokenExpress 16/4 | 349.94 |
| NetPortExpress II 10BT | 368.85 |

MICRODYNE

| | |
|-----------------------------------|--------|
| Eagle NE2000+ coax | 76.63 |
| Eagle NE2000T+ 10BT | 89.45 |
| Eagle NE2000+ combo | 85.40 |
| NE3200 ISA 10BT | 416.07 |
| NE3200 EISA 10BT | 416.07 |
| IRMAtrac 4/16Mbps ISA Convertible | 455.25 |
| IRMAtrac 4/16Mbps ISA Hardtop | 289.23 |

NETWORKING PRODUCTS

SMC®

| | |
|----------------------------------|---------|
| Ultra16 Ethernet coax | 84.96 |
| Ultra16 coax 5pk | 599.88 |
| Ultra16 Ethernet 10BT | 94.96 |
| Ultra16 10BT 6pk | 459.23 |
| Ultra16 10BT 24pk | 1573.71 |
| Ultra16 Ethernet combo | 107.71 |
| Ultra16 combo 6pk | 558.15 |
| EtherCard+ Elite combo | 139.57 |
| TigerHub TP6 6 port + AUJ | 177.90 |
| TigerHub TP6B 6 port + BNC | 66.86 |
| TigerHub TP12 12 port + AUJ | 379.79 |
| 3608 Ethernet 8 port hub 10BT | 298.85 |
| 3512 Ethernet 12+2 port hub 10BT | 548.55 |
| PC650WS ARCNET coax | 119.93 |
| PC650WS ARCNET TP | 110.88 |
| ARCNET 8 port active hub coax | 226.41 |
| TokenCard Elite 16/4 | 249.88 |

THOMAS-CONRAD

| | |
|---------------------------------------|--------|
| TC5143 Ethernet 10BT | 72.89 |
| TC5143 Ethernet 10BT 6pk | 399.94 |
| TC6242 ARCNET 8-bit coax | 66.86 |
| TC6245 ARCNET coax | 179.99 |
| TC6940 ARCNET passive 4 port hub coax | 35.50 |
| TC5055 Ethernet 8 port hub 10BT | 339.47 |
| TC4045 Token Ring 16/4 | 299.75 |

CDW Carries the Complete
Line of TONS Products. Call for Details!

TERMINALS

| | |
|-------------------------------|--------|
| Link MC5 amber/green/white | 209.86 |
| Link MAX900 amber/green/white | 309.76 |
| Link MC80 14" color | 419.50 |
| Wyse 55 amber/green/white | 223.21 |
| Wyse 60 amber/green/white | 279.60 |
| Wyse 160 amber/green/white | 329.88 |

Xircom

| | |
|---------------------------------|--------|
| PE310BC pocket Ethernet coax | 309.89 |
| PE310B2 pocket Ethernet coax | 267.80 |
| PE310BT pocket Ethernet 10BT | 268.31 |
| PT316CTP pocket Token Ring III | 455.89 |
| PPXG3 Parallel port multiplexer | 77.80 |
| PS-CE2 PCMCIA Ethernet 10BT | 187.90 |
| PS-CE2 PCMCIA Ethernet combo | 232.45 |
| PS-CE2 PCMCIA Token Ring | 431.89 |

TAPE & REMOVABLE MEDIA DRIVES

COLORADO

| | |
|-------------------------------|---------|
| Jumbo 250 internal | 148.35 |
| Jumbo 350 internal | 169.62 |
| Jumbo 700 internal | 266.58 |
| Jumbo 1400 internal | 359.67 |
| Trakker 250 parallel port | 289.44 |
| Trakker 350 parallel port | 326.91 |
| Trakker 700 parallel port | 427.36 |
| PowerTape 2.4GB SCSI internal | 937.58 |
| PowerTape 2.4GB SCSI external | 1077.99 |

iomega

| | |
|------------------------------------|--------|
| Zip drive 100MB parallel interface | 199.95 |
| Zip drive 100MB SCSI interface | 199.95 |
| Zip disks 100MB, 3pk | 49.95 |
| Ditto 420MB tape drive internal | 163.68 |
| Ditto 850MB tape drive internal | 217.82 |
| Tape250 250MB internal | 136.36 |
| Tape250 510MB internal | 279.93 |
| Bernoulli 230MB Insider SCSI | 454.44 |
| Bernoulli 230MB Transportable | 454.44 |
| Bernoulli 230MB cartridge | 99.81 |

MICROSOLUTIONS

| | |
|--------------------------------------|--------|
| Backpack 3.5" 1.44MB floppy parallel | 146.32 |
| Backpack 5.25" 1.2MB floppy parallel | 155.28 |
| Backpack 250MB tape backup parallel | 287.58 |

TAPE & REMOVABLE MEDIA DRIVES

CONNER

| | |
|-------------------------------|--------|
| Tape/Stor 250MB internal | 151.08 |
| Tape/Stor 420MB internal | 181.17 |
| Tape/Stor 420MB parallel port | 337.29 |
| Tape/Stor 850MB internal | 273.25 |
| Tape/Stor 850MB parallel port | 429.96 |
| Tape/Stor 4GB internal IDE | 539.78 |

Mountain

| | |
|---------------------------|---------|
| FS8500 305MB IDE internal | 313.53 |
| SideCar II 305MB parallel | 309.44 |
| 1200-4 4GB SCSI external | 1634.49 |

MULTIMEDIA AND CD

Creative Labs

| | |
|---|--------|
| Digital School House CD 2X kit internal | 298.05 |
| Edutainment CD 2X kit internal | 435.14 |
| Game Blaster CD 2X kit internal | 389.64 |
| SoundBlaster value edition | 48.37 |
| SoundBlaster Pro value edition | 72.88 |
| SoundBlaster 16 value edition | 96.95 |
| SoundBlaster 16 MCD | 148.95 |
| SoundBlaster 16 SCSI-2 | 178.95 |
| SoundBlaster 16 ASP MCD | 178.95 |
| SoundBlaster 16 ASP SCSI-2 | 198.95 |
| SoundBlaster AWE32 value edition | 228.39 |
| SoundBlaster AWE32 | 298.95 |

| | |
|--|---------|
| Acoustic Res PP570 speakers 35W | 249.92 |
| Acoustic Res PP622 speakers/subwoofer | 199.88 |
| Chicon CD535 CD-ROM kit internal | 249.73 |
| Chicon CD535 CD-ROM kit external | 347.88 |
| Diamond 4000 Quad CD kit internal | 345.31 |
| Diamond 5000 Quad CD kit internal | 449.85 |
| Emsonic Soundscape wavetable | 189.88 |
| Jensen JP535 speakers 5W | 54.95 |
| Jensen JS45 speakers 10W | 92.80 |
| Logitech SoundMan Wave | 119.49 |
| Microsolutions 4X CD parallel | 357.65 |
| NEC 2V | 169.68 |
| NEC 2V Deluxe | 285.69 |
| NEC 3Xp Plus | 384.54 |
| NEC 3Xp Plus Kit | 468.93 |
| NEC 4X | 379.54 |
| NEC 4X Kit | 449.76 |
| NEC 4Xe | 479.85 |
| NEC 4Xe Kit | 549.25 |
| Pioneer DRM604X 4X 6 disc | 899.00 |
| Pioneer DRM1804X 4X 18 disc | 1969.85 |
| Plexor 4plex quad external | 579.58 |
| Sigma Designs RealMagic Lite | 422.72 |
| Sigma Designs RealMagic | 389.93 |
| Sigma Designs RealMagic CD Kit | 559.41 |
| Sony CDU-55E 2X internal | 119.84 |
| Sony CDU-55S SCSI 2X internal | 165.38 |
| Sun Moon Star CD 2X kit internal | 149.79 |
| Sun Moon Star CD 2X kit internal w/sound | 211.76 |
| Teac SuperQuad 4X internal | 238.01 |
| Toshiba 3501 SCSI 4X internal | 307.57 |
| Toshiba 3501 SCSI 4X external | 439.48 |
| Turtle Beach Monte Carlo | 83.85 |
| Turtle Beach Tropez | 193.67 |
| Turtle Beach Monterey | 307.77 |

DIGITIZERS & SCANNERS

CalComp

| | |
|--|--------|
| DB III 12X12 4 button | 248.90 |
| DB III 12X12 16 button | 248.90 |
| DB III 12X12 pressure pen | 399.85 |
| Drawing Slate II 12X12 4 button cordless | 248.98 |

DIGITIZERS & SCANNERS

EPSON

| | |
|----------------------|---------|
| ActionScanner ES600C | 507.10 |
| ES-1200-ProPC | 1237.36 |

HEWLETT PACKARD

| | |
|-----------------------------------|--------|
| ScanJet 3P | 467.40 |
| ScanJet 3P document feeder | 176.57 |
| ScanJet ILCX W/ISA interface | 959.89 |
| ScanJet ILCX document feeder | 466.50 |
| ScanJet ILCX transparency adapter | 633.26 |

MICROTEK

| | |
|-----------------------------|---------|
| Scanmaker IIG grayscale | 395.26 |
| Scanmaker II color | 523.84 |
| Scanmaker IIIS color | 765.38 |
| Scanmaker IIHS color | 1084.80 |
| ScanMaker III color | 2409.95 |
| Scanmaker 35T slide scanner | 978.72 |

Summagraphics.

| | |
|-----------------------------------|--------|
| Summasketch III 12 X 12 16 button | 218.58 |
| Summasketch III 18 X 12 4 button | 524.44 |

MONITORS

| | |
|--------------------------|---------|
| Mag Innovation DX15F | 339.00 |
| Mag Innovation MX15F | 457.44 |
| Mag Innovation DX17F | 639.73 |
| Mag Innovation MX17F | 896.97 |
| Mag Innovation MX17F | 1686.52 |
| Magnavox CM2089 14" 28" | 229.26 |
| Magnavox CM2099 14" 28" | 247.44 |
| Magnavox CM2015 15" 1024 | 298.89 |
| Magnavox CM4015 15" 1280 | 347.61 |
| Magnavox CM4017 17" 31" | 609.25 |
| Magnavox CM4018 17" 28" | 639.83 |
| Magnavox 20CM64 20" | 999.00 |
| NEC XV14 14" | 309.63 |
| NEC XV15 15" | 429.88 |
| NEC XV17 17" | 754.56 |
| NEC XE15 15" | 539.50 |
| NEC XE17 17" | 966.72 |
| NEC XE21 21" | 1079.74 |
| NEC XP15 15" | 626.40 |
| NEC XP17 17" | 1196.84 |
| NEC XP21 21" | 2447.49 |
| Samsung 314" | 225.85 |
| Samsung 15GL 15" | 358.75 |
| Samsung 17GLs 17" | 850.82 |
| Sony CPD-1425 14" | 318.33 |
| Sony 15SF 15" | 439.27 |
| Sony 17SF17 17" | 879.48 |
| Sony 20SE1 20" | 1895.00 |
| Sony 15G 15" | 387.85 |
| ViewSonic 17G 17" | 719.78 |
| ViewSonic 21PS 21" | 1693.70 |

VIDEO CARDS

| | |
|---------------------------------|--------|
| ADS VGA to TV Elite external | 134.89 |
| ADS VGA to TV Elite internal | 195.83 |
| ATI Graphics Xpression ISA 2MB | 209.44 |
| ATI Graphics Xpression VLB 2MB | 209.44 |
| ATI Graphics Xpression PCI 2MB | 209.44 |
| ATI Graphics Pro Turbo ISA 2MB | 389.79 |
| ATI Graphics Pro Turbo VLB 2MB | 389.79 |
| ATI Graphics Pro Turbo PCI 2MB | 389.79 |
| ATI Graphics Pro Turbo 4MB | 596.50 |
| Diamond SpeedStar Pro ISA 1MB | 95.69 |
| Diamond SpeedStar Pro ISA 2MB | 193.86 |
| Diamond Stealth 64 VLB 2MB VRAM | 316.64 |
| Diamond Stealth 64 PCI 2MB VRAM | 316.64 |
| Hercules Dynamite Pro ISA 1MB | 153.40 |
| Hercules Dynamite Pro ISA 2MB | 197.48 |
| Hercules Dynamite Power VLB 1MB | 149.36 |
| Hercules Dynamite Power VLB 2MB | 198.29 |
| Hercules Terminator 64 PCI 2MB | 339.93 |
| Hercules Terminator 64 VLB 2MB | 326.97 |
| Intel Smart Video Recorder Pro | 398.99 |

If You Find a Better
Price, Call CDW®
Before You Buy
(800) 959-4CDW

NASDAQ

BUY WITH CONFIDENCE
CDW® IS A NASDAQ
TRADED COMPANY
TRADER SYMBOL: CDWC
D & B Rated S&P
Duns 10-762-7952

No Surcharge For Credit Cards



Credit Card charges are not submitted until time of shipment. Freight is calculated as the carrier's actual freight charge plus insurance and packaging material. The cost of insurance is 0.5% (0.0005) of the order total. Packaging materials will be added \$4.99 per package order or \$0.50 per multi-package shipment. For your protection we ship only to your verified billing address. Non-deliverable orders subject to returning fee. Allow 10 business days for shipping when paying by personal check, money order, and other electronic payments are not available. All pricing subject to change. © 1996. Trademark of a computer brand in this ad. Not responsible for typographical errors.

CDW® TELEPHONE

Sales 7:00-9:00 CST Mon-Fri.
9:00-5:00 CST Sat.
Tech Support for Customers
8:00-7:00 CST Mon-Fri.
9:00-5:00 CST Sat.

MOST ORDERS

SHIP THE SAME DAY

COMPUTER DISCOUNT WAREHOUSE™



Intel OverDrive® Processors

Power up to a new performance level

Add an Intel Pentium™, IntelDX4™, or IntelDX2™ OverDrive® processor to your Intel486™ CPU-based and run your applications at amazing speeds. To find out which OverDrive CPU is right for your application, call your CDW account executive today.

As low as **\$125.68**

CDW 39783

WHY SETTLE FOR LESS?

CDW® SERVICES YOU BETTER



NEW Low Price!

Megahertz XJ1144 PCMCIA Fax Modem with XJACK®

♦ Rugged XJACK® connector pops out for use and back in for travel ♦ XJACK® connector eliminates bulky cables and modems ♦ V.32bis (14.4K bps) data, 14.4K bps send/receive fax ♦ Auto installation, hot swappable ♦ Advanced Error Correction ♦ 5-year warranty

ONLY

\$179.55

CDW 27680

CDW® CARRIES OVER 20,000 PRODUCTS. IF YOU DON'T SEE IT, CALL!

COMPUTERS

TOSHIBA

| | |
|-----------------------------------|---------|
| T2100 DX2/50 250MB mono | 1448.02 |
| T2100C DX2/50 330MB dual cr | 2254.13 |
| T2100CT DX2/50 330MB act color | 3099.30 |
| T2150C DX4/75 500MB pas color CD | 3599.81 |
| T2150CT DX4/75 500MB act color CD | 4696.22 |
| T1960C 320MB dual color | 1999.99 |
| T1960CS 320MB dual color | 2134.70 |
| T1960CT 200MB act color | 2431.16 |
| T1960CT 320MB act color | 2619.09 |
| T2400C 250MB dual color | 2272.16 |
| T2400CS 320MB dual color | 2442.18 |
| T2400CT 320MB act color | 2998.80 |
| T2450CT 320MB act color | 3939.30 |
| T2450CT 500MB act color | 4231.29 |
| T3600CT 500MB act color | 3769.26 |
| T4700CT 320MB act color | 2998.45 |
| T4800CT 500MB act color | 3999.84 |
| T4850CT 575 520MB act color | 4249.65 |

AST

| | |
|------------------------------------|---------|
| Ascentia 910N 4/50 340MB pas color | 2759.82 |
| Ascentia 910N 4/75 510MB pas color | 3149.90 |
| Ascentia 910N 4/75 510MB act color | 4094.00 |
| Ascentia 910N 4/75 710MB act color | 4478.55 |
| Advantage 6066 4/66 540MB CD | 1095.06 |
| Advantage 6060p 5/60 540MB CD | 1624.79 |
| Advantage 8075p 5/75 1GB CD | 1988.12 |
| Advantage 8090p 5/90 1GB CD | 2240.81 |
| Advantage 8100p 5/100 1GB CD | 2469.93 |
| Bravo MS 4/66 270MB | 1499.87 |
| Bravo MST 5/90 540MB | 2279.82 |

Canon

| | |
|----------------------------|---------|
| Innova Media 4/66 420MB MT | 1199.99 |
| Innova Media 5/60 420MB MT | 1799.00 |
| Innova Media 5/90 540MB MT | 1999.98 |

IBM ThinkPad Portables

| | |
|-------------------------------|---------|
| 701CS DX2/50 360MB dual color | 3799.00 |
| 701CS DX2/50 360MB act color | 4149.00 |
| 701CS DX4/75 360MB act color | 5299.00 |
| 701CS DX4/75 540MB act color | 5649.00 |
| 360C 4/33SX 340MB act color | 1999.00 |
| 360CE DX2/50 540MB pas color | 3049.00 |
| 360CE DX2/50 340MB act color | 3099.00 |
| 360CE DX2/50 540MB act color | 3449.00 |

PC300 Series desktops

| | |
|--------------------------|---------|
| PC330 DX2/50 8MB, 364MB | 1374.00 |
| PC330 DX2/66 8MB, 364MB | 1466.00 |
| PC330 5/60 16MB, 540MB | 2743.00 |
| PC350 DX2/66 8MB, 540MB | 1645.00 |
| PC350 DX4/100 8MB, 540MB | 1926.00 |
| PC350 5/60 8MB, 364MB | 2289.00 |

NEC

| | |
|----------------------------------|---------|
| Versa V 4/50 250MB dual color | 2362.25 |
| Versa V 4/50 250MB act color | 2882.80 |
| Versa V 4/50 340MB act color | 3079.82 |
| Versa V 4/50 540MB act color | 3464.55 |
| Versa M 4/75 250MB dual cr | 3033.07 |
| Versa M 4/75 340MB act cr | 3273.94 |
| Versa M 4/75 340MB act cr | 3797.06 |
| Versa M 4/75 340MB true cr | 4156.52 |
| Versa M 4/75 540MB act cr | 4251.96 |
| Versa M 4/75 540MB hi-res cr | 4629.12 |
| Versa M 4/100 340MB act color | 4203.68 |
| Versa M 4/100 810MB act color | 5042.81 |
| Versa M 4/100 540MB hi-res color | 4962.26 |
| Versa M 4/100 540MB true color | 4866.91 |
| Ready 4/33SX 270MB CD | 1336.21 |
| Ready 4/66 340MB CD | 1486.05 |
| Ready 4/66 420MB 2X CD | 1494.74 |
| Ready 5/60 420MB 2X CD | 1853.37 |

COMPUTERS

TEXAS INSTRUMENTS

| | |
|---------------------------------|---------|
| TM4000M 4/50SX 200MB dual color | 2063.66 |
| TM4000M 4/50DX 340MB dual cr | 2197.76 |
| TM4000M 4/50DX 455MB act cr | 2710.25 |
| TM4000M 4/75 344MB act color | 3158.09 |
| TM4000M 4/75 455MB dual color | 2897.58 |
| TM4000M 4/100 524MB act color | 4375.81 |
| TM5000 5/75 524MB dual cr | 5182.53 |
| TM5000 5/75 810MB active cr | 5768.90 |

DOT MATRIX & LASER PRINTERS

OKIDATA

| | | | |
|-----------|---------|----------------|---------|
| 184 Turbo | 219.14 | ML591 | 579.86 |
| ML320 | 304.45 | Pacemaker 3410 | 1219.49 |
| ML321 | 427.40 | OL400E | 399.98 |
| ML380 | 214.95 | OL410E | 549.89 |
| ML395 | 967.32 | OL410EPS | |
| ML395C | 1039.74 | 4ppm 600dpi | 769.78 |
| ML520 | 369.82 | OL810 | 905.50 |
| ML521 | 495.18 | OL830 Plus | 1076.51 |
| ML590 | 429.51 | OL850 | 1189.60 |

Canon

| | | | |
|------------------------|--------|---------------|--------|
| BJ10SX | 244.88 | BJ230 | 388.00 |
| BJ200E | 229.88 | BJC600e color | 465.18 |
| BJC600e color | | | 465.18 |
| BJC4000 720dpi + color | | | 350.78 |

EPSON

| | | | |
|---------|--------|------------------|---------|
| AP2250 | 96.64 | DPX5000 Plus | 1384.01 |
| AP2950 | 146.45 | DFX8000 | 2322.45 |
| AP3260 | 167.82 | Stylus 300 | 183.16 |
| LX300 | 165.65 | Stylus 400 | 194.89 |
| FX870 | 286.45 | Stylus 800+ | 211.14 |
| FX1170 | 366.33 | Stylus 1000 | 436.15 |
| AP5000+ | 229.71 | Stylus Color | 609.53 |
| LQ1070+ | 375.26 | ActionLaser 1100 | 383.62 |
| LQ1070 | 454.44 | ActionLaser 1400 | 599.36 |
| LQ1170 | 623.51 | ActionLaser 1500 | 458.82 |
| LQ2550 | 965.08 | ActionLaser 1600 | 765.75 |

IBM LEXMARK LASER PRINTERS

| | |
|--------------------------------|---------|
| WinWriter 100 inkjet | 287.96 |
| WinWriter 200 laser | 453.61 |
| WinWriter 400 laser | 758.03 |
| WinWriter 600 laser | 999.00 |
| ValueWriter 300 (4037 SE 5PPM) | 544.87 |
| ValueWriter 600 laser | 815.87 |
| Optra P 600dpi laser | 1426.89 |
| ExecJet IIc | 319.83 |

Digital Corporation

| | |
|------------------------|---------|
| DECwriter 500i inkjet | 262.47 |
| Color upgrade for 500i | 44.29 |
| DECclasser 1152 4 ppm | 628.78 |
| DECclasser 5100 8 ppm | 1227.98 |

Panasonic

| | |
|------------|--------|
| 1150 | 133.49 |
| 1624 | 385.20 |
| 2023 | 182.77 |
| 2130 | 204.40 |
| 2135 Color | 247.43 |
| KXP2824 | 408.48 |
| 3123 | 249.00 |
| 4400 Laser | 454.90 |
| 5400 Laser | 495.53 |

TEXAS INSTRUMENTS

| | |
|-------------------------------|---------|
| microMarc Color inkjet | 334.76 |
| microWriter PS23 | 639.85 |
| microLaser Pro 600 PS23 | 1197.02 |
| microLaser Pro E | 1395.49 |
| microLaser Power Pro 600 PS65 | 1629.60 |

HEWLETT PACKARD

| | |
|-------------------------------------|---------|
| OfficeJet inkjet fax/copier/printer | 779.59 |
| DeskJet 540 | 289.75 |
| DESKJET 560C | 479.89 |
| DESKJET 1200C | 999.88 |
| DESKJET 1200C PS | 1599.49 |
| LaserJet SP | CALL |
| LaserJet 4 | 1387.21 |
| LaserJet 4 Plus | 1449.96 |
| LASERJET 4SI | 2998.95 |
| LaserJet 4V | 1987.88 |
| LaserJet Color | 5929.82 |

COSTAR

| | |
|-----------------------------|--------|
| LabelWriter XL DOS/Win | 139.86 |
| LabelWriter XL Plus DOS/Win | 224.89 |

HARD DRIVES & CONTROLLERS

Magtor

| | |
|----------------|--------|
| 270MB Fast-ATA | 169.54 |
| 345MB SCSI-2 | 169.88 |
| 420MB Fast-ATA | 199.87 |
| 540MB Fast-ATA | 232.84 |

MICROPOLIS

| | |
|-------------------|---------|
| 2217 1.7GB SCSI-2 | 1038.46 |
| 4221 2.1GB SCSI-2 | 1099.98 |
| 3243 4.3GB SCSI-2 | 1759.26 |
| 1936 3GB SCSI-2 | 1299.87 |

CONNER

| | |
|-----------------|--------|
| 425MB IDE | 214.29 |
| 540MB IDE | 249.90 |
| 850MB Fast-ATA | 317.86 |
| 1.27GB Fast-ATA | 517.97 |

All Conner drives listed include complete installation hardware and software.

Seagate

| | |
|-----------------|--------|
| 428MB Fast-ATA | 189.97 |
| 545MB Fast-ATA | 224.08 |
| 722MB Fast-ATA2 | 265.46 |
| 1GB Fast-ATA2 | 454.52 |
| 1.0GB SCSI-2 | 584.36 |

WESTERN DIGITAL

| | |
|-------------------|--------|
| Caviar 420MB EIDE | 195.19 |
| Caviar 540MB EIDE | 256.90 |
| Caviar 730MB EIDE | 279.06 |
| Caviar 1GB EIDE | 437.47 |

CONTROLLERS

| | |
|---------------------------------------|--------|
| Acculogic SIDE-3+ w/on-board BIOS | 48.90 |
| Acculogic SIDE-4+ w/pwr, 2ser, game | 35.06 |
| Acculogic SIDE-4VL EIDE, 16550 serial | 80.76 |
| Acculogic ISA/Port SCSI-2 | 121.00 |
| Adaptec AVA1505 SCSI-2 CD Kit | 54.95 |
| Adaptec AVA1542CF SCSI-2 | 265.45 |
| Adaptec AVA2825 VLB SCSI-2/EIDE | 166.87 |
| Adaptec 2842 VLB SCSI-2 | 249.83 |
| Promise 2300+ EIDE VLB | 59.87 |

MODEMS & COMMUNICATIONS

Robotics

SPORTSTER MODEMS

| | |
|---------------------------|--------|
| V.34 28.8K internal w/fax | 224.90 |
| V.34 28.8K external w/fax | 242.06 |
| 14.4K internal w/fax | 94.51 |
| 14.4K external w/fax | 111.00 |

COURIER MODEMS

| | |
|---------------------|--------|
| V.34 internal w/fax | 387.60 |
| V.34 external w/fax | 422.32 |

Hayes

| | |
|--------------------------------|--------|
| ACCURA 144 internal w/fax | 93.99 |
| ACCURA 144 external w/fax | 111.18 |
| ACCURA 288 V.34 internal w/fax | 188.13 |
| ACCURA 288 V.34 external w/fax | 218.88 |
| OPTIMA 144 external w/fax | 374.30 |
| OPTIMA 144 pocket w/fax | 296.93 |
| OPTIMA 288 V.34 internal w/fax | 365.14 |
| OPTIMA 288 V.34 external w/fax | 422.54 |

PRACTICAL PERIPHERALS

| | |
|----------------------------|--------|
| 14.4 internal w/fax | 89.96 |
| 14.4 Mini Tower w/fax | 109.02 |
| V.34 28.8 internal w/fax | 196.59 |
| V.34 28.8 Mini Tower w/fax | 209.64 |

BOCA

| | |
|------------------------------------|--------|
| Online Express 14.4 internal w/fax | 64.25 |
| Online Express 14.4 external w/fax | 79.79 |
| V.34 28.8 internal w/fax | 164.44 |
| V.34 28.8 external w/fax | 209.90 |

MICROCOM

| | |
|-----------------------------|--------|
| Deskport ES 14.4 | 146.39 |
| Deskport Fast ES V.F.C 28.8 | 179.94 |
| Deskport Fast EP V.F.C 28.8 | 244.30 |

BATTERY BACKUP AND UPS

American Power Conversion

| | |
|-----------------------------|--------|
| BackUPS 280 | 99.53 |
| BackUPS 400 | 144.28 |
| BackUPS 450 | 175.81 |
| BackUPS 600 | 243.00 |
| BackUPS 900 | 342.76 |
| BackUPS 1250 | 449.29 |
| SmartUPS 400 | 299.69 |
| SmartUPS 600 | 363.38 |
| SmartUPS 900 | 514.81 |
| SmartUPS 1250 | 644.24 |
| SurgeArrest Network | 33.25 |
| SurgeArrest Pro | 49.98 |
| SurgeArrest Network + Phone | 119.09 |

Tripp Lite

| | |
|------------|--------|
| BC250 | 94.97 |
| BC400 | 128.51 |
| BC500 | 173.09 |
| BC500 LAN | 177.51 |
| BC600 LAN | 231.43 |
| BC700 LAN | 289.03 |
| BC900 LAN | 327.59 |
| BC1250 LAN | 426.10 |

Tripp Lite Smart UPS Series

| | |
|-----------------|--------|
| SMART 250 LAN | 218.97 |
| SMART 400 LAN | 289.47 |
| SMART 500 LAN | 279.44 |
| SMART 600 LAN | 289.16 |
| SMART 750 LAN | 348.82 |
| SMART 900 LAN | 422.58 |
| SMART 1250 LAN | 555.73 |
| Isobar 4 OUTLET | 38.95 |
| Isobar 6 OUTLET | 46.38 |

PCMCIA CARDS

| | |
|-----------------------------------|--------|
| 3Com Etherlink IIIB combo | 214.77 |
| Hayes EZJack 14.4 w/fax | 170.46 |
| Hayes EZJack V.34 w/fax | 289.47 |
| IBM Token Ring 16/4 | 399.97 |
| Linksys Ethernet combo | 165.74 |
| Megahertz 14.4K data/fax | 179.48 |
| Megahertz 14.4K data/fax | 179.48 |
| Megahertz XJACK 14.4 data/fax | 179.55 |
| Megahertz V.34 XJACK data/fax | 253.09 |
| New Media Bus Toaster SCSI-2 Host | 229.42 |
| New Media Wave Jammer sound card | 335.96 |
| New Media Multimedia Combo | 439.80 |
| Simple Tech 14.4K data/fax modem | 145.51 |
| Simple Tech 14.4K modem + voice | 149.84 |
| Simple Tech SCSI adapter | 145.51 |
| Simple Tech 130MB hard drive | 356.36 |
| Simple Tech 170MB hard drive | 400.65 |
| Adaptec APA1460 SCSI-2 | 247.94 |
| Turtle Beach Audio Advantage | 129.38 |
| USR Sportster 14.4K | 180.60 |
| USR Sportster V.34 | 355.78 |
| Xircorn Ethernet 10BT | 177.54 |
| Xircorn Ethernet combo | 237.59 |
| Xircorn Ethernet-modem 10BT | 449.82 |
| Xircorn Ethernet-modem combo | 487.57 |

INTEL OVERDRIVE

| | |
|-------------------------------|--------|
| Intel OverDrive DX2/50 | 125.68 |
| Intel OverDrive DX2/66 | 179.68 |
| Intel OverDrive DX4/75 | 236.34 |
| Intel OverDrive DX4/100 | 306.86 |
| Intel OverDrive Pentium 63MHz | 395.45 |

MEMORY UPGRADES

NEW!

The Databrick™

Now with PCMCIA option!

The newest addition to Datalux's family of space-saving computer products! This 1.4kg unit measures only 26 x 12 x 5cm (10"x5"x2"), yet is powerful — 486SX to 486 DX2/66 with local bus video. Intended for situations where space saving is

most important, it provides a rugged, portable, flexible PC solution, bridging the gap between a laptop and a desktop PC. Databrick drives both VGA and Datalux LCD monitors, making it ideal for industrial control, vehicle, POS, institutional and presentation systems. It can be configured as a diskless unit

(booting from PCMCIA devices or from a network) or a stand-alone system with hard disk, powerful enough for today's CAD or desktop publishing programs. Hinged lid is removable.



Orders and Information: **1 800-DATALUX**
24-hour faxed data sheets: **703 662-1675**

Space-Saver Keyboards



The popular 1.0kg desk and .4kg portable flat models save 60% of the normal desk space, with full-travel, tactily responsive keys. Footprint is only 28 x 16 cm (11 x 6"), but the 100 keys have standard left-to-right spacing. Both models are XT/AT/PS2 compatible and are available in many languages.



The mobile/industrial unit (pictured with swivel mount) is in a rugged aluminum housing with sealed front bezel and controls. All models plug directly into the Databrick or are supplied with a 16-bit ISA bus controller.



LCD Monitors

Datalux stand-alone monitors are available in both 1.8 kg. desk/wall (which folds for portability) and 2.7 kg mobile/industrial, 64-grey shade, mono or 256 color DUAL SCAN versions. Both are 9.4" diagonal 640 x 480 VGA and can be fitted with optional touch screen with integrated touch controller. The



Desk/Wall Package

The Databrick combined with our LCD monitor is an ideal solution when you need a complete, compact PC and screen in a single unit. When folded or mounted on a wall, this 4 kg unit measures only 29x24x11cm (4.5x9.5x11") and is rugged enough to survive as a touch system in harsh environments such as kitchens or factories.

DATALUX

**American Made
Space-Saving Computer Products**


DATALUX Corporation
155 Aviation Drive
Winchester, VA 22602
Phone (703) 662-1500
Fax (703) 662-1682

Circle 185 on Inquiry Card.

Datalux International, LTD
Euro House
Curtis Road, 11 Old Water Yard
Dorking, Surrey, UK RH41EJ
Phone 44 + [0] 306-876718
Fax 44 + [0] 306-876742

AutoBoot Technology in a New 'Slimmer' Size!

- Control up to 96 file servers with just 1 keyboard, monitor and mouse
- AutoBoot™ feature boots all attached computers without user intervention
- 1.75" unit fits easily into your computer rack using a minimum of space
- Push-button and keyboard controlled scanning standard
- Control all computers from a second location up to 150 feet away
- Supports all 100% IBM compatible PCs and PS/2 or serial mouse; optional Macintosh and Sun support available
- Rear peripheral access available



See Us At
COMDEX/Spring '95
April 24-27, 1995 Atlanta, Georgia USA
Booth #N5762

SLIMLINE™
COMMANDER™

Cybex Corporation
4912 Research Drive Huntsville AL 35805 USA
(205) 430-4000 (205) 430-4030 fax



IBM, PC and PS/2 are trademarks of International Business Machines Corporation. Macintosh is a registered trademark of Apple Computer, Inc. Sun is a trademark of Sun Microsystems. Cybex, Commander and AutoBoot are trademarks of Cybex Corporation.

Made in USA

Get up to **\$200**
Instant Rebate
on Peripherals with
Toshiba Grand Slam
Notebook Purchase
Call for Details

Before You Buy

TI▲COMPAQ
NEC▲IBM▲AST
PACKARD BELL
TOSHIBA▲HP

Shop and Compare

Don't Settle for Less

| PCs Complete | Supplier 1 | Supplier 2 | Supplier 3 |
|--|------------|------------|------------|
| Guaranteed Lowest Price | YES | | |
| The Best Brand Names | YES | | |
| 30-day Money Back Guarantee | YES | | |
| Never a Restocking Fee | YES | | |
| 30-day Price Protection | YES | | |
| PC Computing Five Star Award | YES | | |
| Lifetime Toll-Free Technical Support | YES | | |
| FREE Hardware Configuration | YES | | |
| FREE Software Installation | YES | | |
| Same Day Shipment | YES | | |
| Pre-Installed Software Discount | YES | | |
| All Major Credit Cards Accepted | YES | | |
| Never a Hidden Surcharge | YES | | |
| \$4.95 Shipping on Most Peripherals | YES | | |
| Compaq Authorized for Direct Marketing | YES | | |
| Hewlett Packard and IBM Authorized | YES | | |
| 90 Days Same As Cash | YES | | |
| Low-Cost Business Leases | YES | | |
| Volume Purchase Agreements | YES | | |
| Customer Satisfaction Is Top Priority | YES | | |

PCs
COMPLETE

800-298-4727

Internet:sales@pcscomeat.com
International (508) 624-6400

Open 24 Hours
Weekdays

Weekends & Holidays
8 A.M. to 8 P.M. E.T.

B 5/95

AST

You Can't Beat Its Value

AST Ascentia 910N

- ▲ 10.4" Active and 10.3" dual scan displays
- ▲ NEW! Lithium Ion Battery for extra long life
- ▲ PanVision graphics for up to 1024x768 resolution
- ▲ 2 Type II or 1 Type III PCMCIA slot

| Processor | Screen | Hard Drive | Price |
|-----------|-----------------|------------|--------|
| 486DX2/50 | 10.3" Dual Scan | 340MB | \$2749 |
| 486DX4/75 | 10.3" Dual Scan | 510MB | 3149 |
| 486DX4/75 | 10.4" Active | 510MB | 4129 |
| 486DX4/75 | 10.4" Active | 700MB | 4519 |

Ascentia 910N
10.4" Active
Matrix screen

Ascentia 910N



Ascentia 810N

- ▲ LARGE, 10.4" dual scan displays
- ▲ 4MB RAM expandable to 20MB
- ▲ Removable hard drive and floppy drive
- ▲ 2 Type II or 1 Type III PCMCIA slot

| Model | Screen | Hard Drive | Price |
|-----------|----------------|------------|--------|
| 486DX2/66 | 10.4 Dual Scan | 250MB | \$2399 |
| 486DX2/66 | 10.4 Dual Scan | 340MB | 2539 |
| 486DX2/66 | 10.4 Dual Scan | 510MB | 2689 |

Business Lease: \$88/mo.



AST, AST logo are trademarks of
AST Research, Inc. All rights reserved.

Texas Instruments

Pentium Power With PCI Bus

TravelMate 5000

- ▲ 16.7 million colors on notebook display!
- ▲ Built-in dual Lithium Ion batteries
- ▲ PCI bus architecture to optimize Pentium processor performance
- ▲ Removable hard drive
- ▲ 2MB Video RAM
- ▲ 16-bit sound, speaker, microphone and MIDI



| Processor | Screen | Hard Drive | Price |
|---------------|-----------------|------------|--------|
| Pentium 75MHz | 10.5" Dual Scan | 500MB | \$4999 |
| Pentium 75MHz | 10.4" Active | 772MB | 5599 |

TravelMate 4000M

- ▲ Brilliant color display
- ▲ 16-bit sound card
- ▲ Integrated pointing device
- ▲ 2 Type II or 1 Type III PCMCIA slot

| Processor | Screen | Hard Drive | Price |
|------------|----------------|------------|--------|
| 486DX2/50 | 9.5" Dual Scan | 340MB | \$2119 |
| 486DX2/50 | 8.4" Active | 455MB | 2629 |
| 486DX4/75 | 9.5" Dual Scan | 455MB | 2799 |
| 486DX4/75 | 8.4" Active | 340MB | 3069 |
| 486DX4/75 | 8.4" Active | 455MB | 3319 |
| 486DX4/100 | 9.5" Active | 525MB | 4279 |

TEXAS
INSTRUMENTS

as low as
\$2119

CD-ROM
Docking
Station for
TM4000M
Now Only
\$809.99

Compaq

Dependable and Hassle Free

LTE Elite

Extra Performance on the Road

- ▲ NEW! 10.4" Active Matrix color display
- ▲ 8MB RAM exp. to 32MB
- ▲ Integrated trackball
- ▲ Built-in AC adapter
- ▲ 2 Type II or 1 Type III PCMCIA slot
- ▲ MS-DOS 6.2, Windows 3.1, MS Video for Windows Run Time, Tabworks



NEW MODELS!

| Processor | Screen | Hard Drive | Price |
|-----------|----------------|------------|--------|
| 486DX4/75 | 9.5" Dual Scan | 340MB | \$3129 |
| 486DX4/75 | 9.5" Dual Scan | 510MB | 3499 |
| 486DX4/75 | 10.4" Active | 510MB | 5029 |
| 486DX4/75 | 10.4" Active | 810MB | 5389 |

Business Lease: \$103/mo.

Contura 410

- ▲ 486DX2/50 processor
- ▲ 4MB RAM expandable to 20MB
- ▲ 2 Type II or 1 Type III PCMCIA slot
- ▲ Large built-in trackball
- ▲ MS-DOS, Windows 3.1, Tabworks, Lotus Organizer



| Display | Hard Drive | Price |
|----------------|------------|--------|
| 9.5" Dual Scan | 350MB | \$2369 |
| 8.4" Active | 350MB | 2839 |

Business Lease: \$87/mo.

COMPAQ

IBM®

The Ultimate in Portable Multimedia

NOW AVAILABLE!

ThinkPad® 755CE, CSE and the ThinkPad® 755CD

- ▲ 8MB RAM expandable to 40MB
- ▲ Built-in 16-bit stereo sound, 14.4 data fax modem, telephone answering machine, speaker phone & infrared port
- ▲ 2 Type II or 1 Type III PCMCIA slot
- ▲ 20 popular software titles included!



ThinkPad® 755CD

| Processor | Screen | Hard Drive | Price |
|------------|-----------------|------------|--------|
| 486DX4/100 | 10.4" Dual Scan | 340MB | \$4599 |
| 486DX4/100 | 10.4" Dual Scan | 540MB | 4949 |
| 486DX4/100 | 10.4" Dual Scan | 810MB | 5399 |
| 486DX4/100 | 10.4" Active | 340MB | 5599 |
| 486DX4/100 | 10.4" Active | 540MB | 5999 |
| 486DX4/100 | 10.4" Active | 810MB | 6399 |
| 486DX4/100 | 10.4" Active | 540MB | 7049* |
| 486DX4/100 | 10.4" Active | 810MB | 7499* |

***Features Built-in CD-ROM Drive**

ThinkPad® 360E Notebooks

| Processor | Screen | Hard Drive | Price |
|-----------|----------------|------------|--------|
| 486DX2/50 | 9.5" Dual Scan | 340MB | \$2699 |
| 486DX2/50 | 9.5" Dual Scan | 540MB | 3049 |
| 486DX2/50 | 8.4" Active | 340MB | 3099 |
| 486DX2/50 | 8.4" Active | 540MB | 3449 |

ThinkPad® 701 Notebooks

- Full-sized keyboard
- 10.4" display
- Only 4.5 lbs.

Call for Details

IBM
Aptivas®
& PC 300
Desktops
Available

Toshiba Direct

New Models...Low, Low Prices

Call for
FREE
Product Guide
800-298-4727

T2150

The Next Generation in Notebook Computing

NEW!

- ▲ BUILT-IN CD-ROM DRIVE!
- ▲ 16-bit SoundBlaster, MIDI and .WAV compatible
- ▲ Built-in AC adapter
- ▲ 1 Type II or 1 Type III PCMCIA slot
- ▲ MS-DOS, Windows for Workgroups, RunTime Video for Windows, Windows Sound System

| Processor | Screen | Hard Drive | Price |
|-----------|-----------------|------------|--------|
| 486DX4/75 | 10.4" Dual Scan | 500MB | \$3639 |
| 486DX4/75 | 10.4" Active | 500MB | 4749 |



T2150

10.4" Active Matrix and Dual Scan Displays

Satellite Notebooks and Satellite Pro Series

Performance at an Outstanding Price

- ▲ Built-in AC Adapter (T2100 series)
- ▲ 2 Type II or 1 Type III PCMCIA slot (T2100 series), 1 Type II and 1 Type III PCMCIA slot (T2400 series)
- ▲ 82-key keyboard
- ▲ MS-DOS, Windows 3.1
- ▲ Accupoint pointing device
- ▲ Enhanced power management



T2400

| Model | Processor | Screen | Hard Drive | Price |
|---------|-----------|-----------------|------------|--------|
| T2100 | 486DX2/50 | 9.5" Mono | 250MB | \$1439 |
| T2100 | 486DX2/50 | 10.4" Dual Scan | 330MB | 2249 |
| T2100 | 486DX2/50 | 8.4" Active | 330MB | 3099 |
| T2400 | 486DX2/50 | 9.5" Dual Scan | 250MB | 2279 |
| T2400 | 486DX2/50 | 9.5" Dual Scan | 320MB | 2449 |
| T2400 | 486DX2/50 | 8.4" Active | 250MB | 2889 |
| T2400 | 486DX2/50 | 8.4" Active | 320MB | 2949 |
| T2450CT | 486DX4/75 | 9.5" Active | 320MB | 3899 |
| T2450CT | 486DX4/75 | 9.5" Active | 500MB | 4199 |

Business Lease: \$53/mo.

Portégé T3600

Award-Winning Subnote

- ▲ Ultra-portability at only 4.4 lbs.
- ▲ 8MB RAM expandable to 24MB
- ▲ PCMCIA Type II slot
- ▲ External 3.5" diskette drive
- ▲ Integrated Accupoint pointing device

| Processor | Screen | Hard Drive | Price |
|-----------|-------------|------------|--------|
| 486DX2/50 | 8.4" Active | 500MB | \$3719 |

T4700, T4800, T4850 & T4900

Sight, Sound & Processing Power

- ▲ Brilliant color display with local bus video
- ▲ 1 Type II and 1 Type III PCMCIA slot
- ▲ Microsoft Sound System, built-in microphone, audio out port
- ▲ MS-DOS, Windows for Workgroups 3.11, UltraFont, Indeo video compression software

| Model | Processor | Screen | Hard Drive | Price |
|-------|------------|--------------|------------|--------|
| T4700 | 486DX2/50 | 9.5" Active | 320MB | \$2999 |
| T4800 | 486DX4/75 | 9.5" Active | 500MB | 4189 |
| T4850 | 486DX4/75 | 10.4" Active | 500MB | 4519 |
| T4850 | 486DX4/75 | 10.4" Active | 772MB | 4829 |
| T4900 | Pentium 75 | 10.4" Active | 772MB | 5499 |

TOSHIBA

NEC

Versa P - Lowest Priced Pentium Notebook

Versa M and Versa P

- ▲ 2 Type II or 1 Type III PCMCIA slot
- ▲ Removable hard drive, floppy & screen
- ▲ Integrated speaker and microphone
- ▲ MS-DOS, Windows 3.1, Windows Sound System, MS Video for Windows Run Time

| Processor | Screen | Hard Drive | Price |
|------------|----------------|------------|--------|
| 486DX4/75 | 9.5" Dual Scan | 340MB | \$3219 |
| 486DX4/75 | 9.5" Active | 540MB | 4199 |
| 486DX4/75 | 9.5" High Res. | 540MB | 4589 |
| 486DX4/100 | 9.5" Active | 810MB | 5049 |
| Pentium 75 | 9.5" Active | 340MB | 4729 |
| Pentium 75 | 9.5" Active | 540MB | 5099 |
| Pentium 75 | 9.5" High Res. | 540MB | 5479 |
| Pentium 75 | 9.5" Active | 810MB | 5599 |
| Pentium 75 | 9.5" High Res. | 810MB | 5989 |

Business Lease: \$106/mo.



Versa P

Versa V

- ▲ 4MB expandable to 20MB
- ▲ 2 Type II or 1 Type III PCMCIA slot
- ▲ Removable hard drive
- ▲ Removable floppy -- add second battery
- ▲ MS-DOS 6.21, Windows 3.1

| Processor | Screen | Hard Drive | Price |
|-----------|----------------|------------|--------|
| 486DX2/50 | 9.5" Dual Scan | 250MB | \$2369 |
| 486DX2/50 | 9.5" Dual Scan | 340MB | 2499 |
| 486DX2/50 | 9.5" Active | 250MB | 2889 |
| 486DX2/50 | 9.5" Active | 340MB | 3029 |
| 486DX2/50 | 9.5" Active | 540MB | 3399 |
| 486DX4/75 | 9.5" Active | 340MB | 3399 |
| 486DX4/75 | 9.5" Active | 540MB | 3779 |

Business Lease \$87/mo.



Versa V

NEC

Hewlett-Packard

Quality DeskJet/LaserJet Printers and Notebooks

HP OmniBook Notebook PCs 4000 Series

Desktop to-go-PCs

| Processor | Screen | Hard Drive | Price |
|------------|-----------------|------------|--------|
| 486DX2/50 | 10.3" Dual Scan | 260MB | \$2499 |
| 486DX2/50 | 10.3" Dual Scan | 340MB | 2829 |
| 486DX2/50 | 10.3" Dual Scan | 520MB | 3199 |
| 486DX2/50 | 10.4" Active | 340MB | 3769 |
| 486DX2/50 | 10.4" Active | 520MB | 4129 |
| 486DX4/100 | 10.3" Dual Scan | 340MB | 3619 |
| 486DX4/100 | 10.3" Dual Scan | 520MB | 3999 |
| 486DX4/100 | 10.4" Active | 340MB | 4489 |
| 486DX4/100 | 10.4" Active | 520MB | 4829 |



HP OmniBook 4000 Notebook PC

hp HEWLETT PACKARD

HP OmniBook Notebook PCs 600 Series

Lightweight with Performance

| Processor | Screen | Hard Drive | Price |
|-----------|----------------|------------|--------|
| 486DX2/50 | 8.5" Dual Scan | 170MB | \$2549 |
| 486DX2/50 | 8.5" Dual Scan | 260MB | 2829 |
| 486DX4/75 | 8.5" Dual Scan | 170 MB | 3099 |
| 486DX4/75 | 8.5" Dual Scan | 260MB | 3379 |

HP LaserJet Printers

| | |
|-----------------|----------|
| HP LaserJet 4L | \$499.99 |
| HP LaserJet 4P | 959.99 |
| HP LaserJet 4ML | 1019.99 |

HP LaserJet 4L
Now Only \$499.99

HP InkJet Printers

| | |
|----------------------------------|----------|
| HP DeskJet 320 | \$299.99 |
| HP DeskJet 320 w/Sheet Feeder | 359.99 |
| HP DeskJet 540 | 289.99 |
| HP DeskJet 560C | 479.99 |
| HP DeskJet 1200C | 999.99 |
| HP DeskWriter 320 | 299.99 |
| HP DeskWriter 320 w/Sheet Feeder | 359.99 |
| HP DeskWriter 540 | 289.99 |
| HP DeskWriter 560C | 479.99 |
| HP DeskJet 1200C/PS | 1589.99 |
| HP OfficeJet | 769.99 |

WORLDWIDE TECHNOLOGIES

HARD DRIVE WAREHOUSE

1-800-636-6792 HOURS: E.S.T. 9:00-9:00 FAX 1-215-922-0116

GOVERNMENT, EDUCATIONAL, CORPORATE & INTERNATIONAL ORDER SPECIALISTS

- 215-922-0050 EXPRESS International Order Line
- 215-922-4640 EXPRESS Technical Support
- 215-922-0116 EXPRESS FAX - Domestic & International
- 800-636-6792 EXPRESS Order Line - Toll Free
- Dedicated to Serving Purchasing Agents Worldwide
- Pre-Approved Open Accounts for all Fortune 2000

NO SURCHARGE

BEST BUY 1995!

HARD DRIVES

CONNER

FACTORY NEW 1-5 YEAR WARRANTY

| | | | | |
|---------|-------|------|-----|------|
| ST3280A | 540MB | 12MB | IDE | 708 |
| ST3280B | 720MB | 12MB | IDE | 728 |
| ST3280C | 1.0GB | 12MB | IDE | 748 |
| ST3280D | 1.2GB | 12MB | IDE | 768 |
| ST3280E | 1.4GB | 12MB | IDE | 788 |
| ST3280F | 1.6GB | 12MB | IDE | 808 |
| ST3280G | 1.8GB | 12MB | IDE | 828 |
| ST3280H | 2.0GB | 12MB | IDE | 848 |
| ST3280I | 2.2GB | 12MB | IDE | 868 |
| ST3280J | 2.4GB | 12MB | IDE | 888 |
| ST3280K | 2.6GB | 12MB | IDE | 908 |
| ST3280L | 2.8GB | 12MB | IDE | 928 |
| ST3280M | 3.0GB | 12MB | IDE | 948 |
| ST3280N | 3.2GB | 12MB | IDE | 968 |
| ST3280O | 3.4GB | 12MB | IDE | 988 |
| ST3280P | 3.6GB | 12MB | IDE | 1008 |
| ST3280Q | 3.8GB | 12MB | IDE | 1028 |
| ST3280R | 4.0GB | 12MB | IDE | 1048 |
| ST3280S | 4.2GB | 12MB | IDE | 1068 |
| ST3280T | 4.4GB | 12MB | IDE | 1088 |
| ST3280U | 4.6GB | 12MB | IDE | 1108 |
| ST3280V | 4.8GB | 12MB | IDE | 1128 |
| ST3280W | 5.0GB | 12MB | IDE | 1148 |
| ST3280X | 5.2GB | 12MB | IDE | 1168 |
| ST3280Y | 5.4GB | 12MB | IDE | 1188 |
| ST3280Z | 5.6GB | 12MB | IDE | 1208 |

IBM PS/2

PS/2 90, 502, 60, 70, 80, P70, 55SX

| | | | |
|--------|------|-----|------|
| 20MB | 15MB | IDE | 349 |
| 40MB | 15MB | IDE | 369 |
| 60MB | 15MB | IDE | 389 |
| 80MB | 15MB | IDE | 409 |
| 100MB | 15MB | IDE | 429 |
| 120MB | 15MB | IDE | 449 |
| 140MB | 15MB | IDE | 469 |
| 160MB | 15MB | IDE | 489 |
| 180MB | 15MB | IDE | 509 |
| 200MB | 15MB | IDE | 529 |
| 220MB | 15MB | IDE | 549 |
| 240MB | 15MB | IDE | 569 |
| 260MB | 15MB | IDE | 589 |
| 280MB | 15MB | IDE | 609 |
| 300MB | 15MB | IDE | 629 |
| 320MB | 15MB | IDE | 649 |
| 340MB | 15MB | IDE | 669 |
| 360MB | 15MB | IDE | 689 |
| 380MB | 15MB | IDE | 709 |
| 400MB | 15MB | IDE | 729 |
| 420MB | 15MB | IDE | 749 |
| 440MB | 15MB | IDE | 769 |
| 460MB | 15MB | IDE | 789 |
| 480MB | 15MB | IDE | 809 |
| 500MB | 15MB | IDE | 829 |
| 520MB | 15MB | IDE | 849 |
| 540MB | 15MB | IDE | 869 |
| 560MB | 15MB | IDE | 889 |
| 580MB | 15MB | IDE | 909 |
| 600MB | 15MB | IDE | 929 |
| 620MB | 15MB | IDE | 949 |
| 640MB | 15MB | IDE | 969 |
| 660MB | 15MB | IDE | 989 |
| 680MB | 15MB | IDE | 1009 |
| 700MB | 15MB | IDE | 1029 |
| 720MB | 15MB | IDE | 1049 |
| 740MB | 15MB | IDE | 1069 |
| 760MB | 15MB | IDE | 1089 |
| 780MB | 15MB | IDE | 1109 |
| 800MB | 15MB | IDE | 1129 |
| 820MB | 15MB | IDE | 1149 |
| 840MB | 15MB | IDE | 1169 |
| 860MB | 15MB | IDE | 1189 |
| 880MB | 15MB | IDE | 1209 |
| 900MB | 15MB | IDE | 1229 |
| 920MB | 15MB | IDE | 1249 |
| 940MB | 15MB | IDE | 1269 |
| 960MB | 15MB | IDE | 1289 |
| 980MB | 15MB | IDE | 1309 |
| 1000MB | 15MB | IDE | 1329 |

IBM STANDARD

FACTORY NEW - 2 YEAR WARRANTY

| | | | | |
|---------|-------|------|-----|------|
| ST3280A | 540MB | 12MB | IDE | 708 |
| ST3280B | 720MB | 12MB | IDE | 728 |
| ST3280C | 1.0GB | 12MB | IDE | 748 |
| ST3280D | 1.2GB | 12MB | IDE | 768 |
| ST3280E | 1.4GB | 12MB | IDE | 788 |
| ST3280F | 1.6GB | 12MB | IDE | 808 |
| ST3280G | 1.8GB | 12MB | IDE | 828 |
| ST3280H | 2.0GB | 12MB | IDE | 848 |
| ST3280I | 2.2GB | 12MB | IDE | 868 |
| ST3280J | 2.4GB | 12MB | IDE | 888 |
| ST3280K | 2.6GB | 12MB | IDE | 908 |
| ST3280L | 2.8GB | 12MB | IDE | 928 |
| ST3280M | 3.0GB | 12MB | IDE | 948 |
| ST3280N | 3.2GB | 12MB | IDE | 968 |
| ST3280O | 3.4GB | 12MB | IDE | 988 |
| ST3280P | 3.6GB | 12MB | IDE | 1008 |
| ST3280Q | 3.8GB | 12MB | IDE | 1028 |
| ST3280R | 4.0GB | 12MB | IDE | 1048 |
| ST3280S | 4.2GB | 12MB | IDE | 1068 |
| ST3280T | 4.4GB | 12MB | IDE | 1088 |
| ST3280U | 4.6GB | 12MB | IDE | 1108 |
| ST3280V | 4.8GB | 12MB | IDE | 1128 |
| ST3280W | 5.0GB | 12MB | IDE | 1148 |
| ST3280X | 5.2GB | 12MB | IDE | 1168 |
| ST3280Y | 5.4GB | 12MB | IDE | 1188 |
| ST3280Z | 5.6GB | 12MB | IDE | 1208 |

IBM STANDARD

FACTORY NEW - 2 YEAR WARRANTY

| | | | | |
|---------|-------|------|-----|------|
| ST3280A | 540MB | 12MB | IDE | 708 |
| ST3280B | 720MB | 12MB | IDE | 728 |
| ST3280C | 1.0GB | 12MB | IDE | 748 |
| ST3280D | 1.2GB | 12MB | IDE | 768 |
| ST3280E | 1.4GB | 12MB | IDE | 788 |
| ST3280F | 1.6GB | 12MB | IDE | 808 |
| ST3280G | 1.8GB | 12MB | IDE | 828 |
| ST3280H | 2.0GB | 12MB | IDE | 848 |
| ST3280I | 2.2GB | 12MB | IDE | 868 |
| ST3280J | 2.4GB | 12MB | IDE | 888 |
| ST3280K | 2.6GB | 12MB | IDE | 908 |
| ST3280L | 2.8GB | 12MB | IDE | 928 |
| ST3280M | 3.0GB | 12MB | IDE | 948 |
| ST3280N | 3.2GB | 12MB | IDE | 968 |
| ST3280O | 3.4GB | 12MB | IDE | 988 |
| ST3280P | 3.6GB | 12MB | IDE | 1008 |
| ST3280Q | 3.8GB | 12MB | IDE | 1028 |
| ST3280R | 4.0GB | 12MB | IDE | 1048 |
| ST3280S | 4.2GB | 12MB | IDE | 1068 |
| ST3280T | 4.4GB | 12MB | IDE | 1088 |
| ST3280U | 4.6GB | 12MB | IDE | 1108 |
| ST3280V | 4.8GB | 12MB | IDE | 1128 |
| ST3280W | 5.0GB | 12MB | IDE | 1148 |
| ST3280X | 5.2GB | 12MB | IDE | 1168 |
| ST3280Y | 5.4GB | 12MB | IDE | 1188 |
| ST3280Z | 5.6GB | 12MB | IDE | 1208 |

WIDE SCSI HARD DRIVES

IBM STANDARD

| | | | | |
|---------|-------|------|-----|------|
| ST3280A | 540MB | 12MB | IDE | 708 |
| ST3280B | 720MB | 12MB | IDE | 728 |
| ST3280C | 1.0GB | 12MB | IDE | 748 |
| ST3280D | 1.2GB | 12MB | IDE | 768 |
| ST3280E | 1.4GB | 12MB | IDE | 788 |
| ST3280F | 1.6GB | 12MB | IDE | 808 |
| ST3280G | 1.8GB | 12MB | IDE | 828 |
| ST3280H | 2.0GB | 12MB | IDE | 848 |
| ST3280I | 2.2GB | 12MB | IDE | 868 |
| ST3280J | 2.4GB | 12MB | IDE | 888 |
| ST3280K | 2.6GB | 12MB | IDE | 908 |
| ST3280L | 2.8GB | 12MB | IDE | 928 |
| ST3280M | 3.0GB | 12MB | IDE | 948 |
| ST3280N | 3.2GB | 12MB | IDE | 968 |
| ST3280O | 3.4GB | 12MB | IDE | 988 |
| ST3280P | 3.6GB | 12MB | IDE | 1008 |
| ST3280Q | 3.8GB | 12MB | IDE | 1028 |
| ST3280R | 4.0GB | 12MB | IDE | 1048 |
| ST3280S | 4.2GB | 12MB | IDE | 1068 |
| ST3280T | 4.4GB | 12MB | IDE | 1088 |
| ST3280U | 4.6GB | 12MB | IDE | 1108 |
| ST3280V | 4.8GB | 12MB | IDE | 1128 |
| ST3280W | 5.0GB | 12MB | IDE | 1148 |
| ST3280X | 5.2GB | 12MB | IDE | 1168 |
| ST3280Y | 5.4GB | 12MB | IDE | 1188 |
| ST3280Z | 5.6GB | 12MB | IDE | 1208 |

NOTEBOOK HARD DRIVES

IBM STANDARD

| | | | | |
|---------|-------|------|-----|------|
| ST3280A | 540MB | 12MB | IDE | 708 |
| ST3280B | 720MB | 12MB | IDE | 728 |
| ST3280C | 1.0GB | 12MB | IDE | 748 |
| ST3280D | 1.2GB | 12MB | IDE | 768 |
| ST3280E | 1.4GB | 12MB | IDE | 788 |
| ST3280F | 1.6GB | 12MB | IDE | 808 |
| ST3280G | 1.8GB | 12MB | IDE | 828 |
| ST3280H | 2.0GB | 12MB | IDE | 848 |
| ST3280I | 2.2GB | 12MB | IDE | 868 |
| ST3280J | 2.4GB | 12MB | IDE | 888 |
| ST3280K | 2.6GB | 12MB | IDE | 908 |
| ST3280L | 2.8GB | 12MB | IDE | 928 |
| ST3280M | 3.0GB | 12MB | IDE | 948 |
| ST3280N | 3.2GB | 12MB | IDE | 968 |
| ST3280O | 3.4GB | 12MB | IDE | 988 |
| ST3280P | 3.6GB | 12MB | IDE | 1008 |
| ST3280Q | 3.8GB | 12MB | IDE | 1028 |
| ST3280R | 4.0GB | 12MB | IDE | 1048 |
| ST3280S | 4.2GB | 12MB | IDE | 1068 |
| ST3280T | 4.4GB | 12MB | IDE | 1088 |
| ST3280U | 4.6GB | 12MB | IDE | 1108 |
| ST3280V | 4.8GB | 12MB | IDE | 1128 |
| ST3280W | 5.0GB | 12MB | IDE | 1148 |
| ST3280X | 5.2GB | 12MB | IDE | 1168 |
| ST3280Y | 5.4GB | 12MB | IDE | 1188 |
| ST3280Z | 5.6GB | 12MB | IDE | 1208 |

REMOVABLES/OPTICALS

IBM STANDARD

| | | | | |
|---------|-------|------|-----|------|
| ST3280A | 540MB | 12MB | IDE | 708 |
| ST3280B | 720MB | 12MB | IDE | 728 |
| ST3280C | 1.0GB | 12MB | IDE | 748 |
| ST3280D | 1.2GB | 12MB | IDE | 768 |
| ST3280E | 1.4GB | 12MB | IDE | 788 |
| ST3280F | 1.6GB | 12MB | IDE | 808 |
| ST3280G | 1.8GB | 12MB | IDE | 828 |
| ST3280H | 2.0GB | 12MB | IDE | 848 |
| ST3280I | 2.2GB | 12MB | IDE | 868 |
| ST3280J | 2.4GB | 12MB | IDE | 888 |
| ST3280K | 2.6GB | 12MB | IDE | 908 |
| ST3280L | 2.8GB | 12MB | IDE | 928 |
| ST3280M | 3.0GB | 12MB | IDE | 948 |
| ST3280N | 3.2GB | 12MB | IDE | 968 |
| ST3280O | 3.4GB | 12MB | IDE | 988 |
| ST3280P | 3.6GB | 12MB | IDE | 1008 |
| ST3280Q | 3.8GB | 12MB | IDE | 1028 |
| ST3280R | 4.0GB | 12MB | IDE | 1048 |
| ST3280S | 4.2GB | 12MB | IDE | 1068 |
| ST3280T | 4.4GB | 12MB | IDE | 1088 |
| ST3280U | 4.6GB | 12MB | IDE | 1108 |
| ST3280V | 4.8GB | 12MB | IDE | 1128 |
| ST3280W | 5.0GB | 12MB | IDE | 1148 |
| ST3280X | 5.2GB | 12MB | IDE | 1168 |
| ST3280Y | 5.4GB | 12MB | IDE | 1188 |
| ST3280Z | 5.6GB | 12MB | IDE | 1208 |

Maxtor

FACTORY NEW - 2 YEAR WARRANTY

| | | | | |
|---------|-------|------|-----|------|
| ST3280A | 540MB | 12MB | IDE | 708 |
| ST3280B | 720MB | 12MB | IDE | 728 |
| ST3280C | 1.0GB | 12MB | IDE | 748 |
| ST3280D | 1.2GB | 12MB | IDE | 768 |
| ST3280E | 1.4GB | 12MB | IDE | 788 |
| ST3280F | 1.6GB | 12MB | IDE | 808 |
| ST3280G | 1.8GB | 12MB | IDE | 828 |
| ST3280H | 2.0GB | 12MB | IDE | 848 |
| ST3280I | 2.2GB | 12MB | IDE | 868 |
| ST3280J | 2.4GB | 12MB | IDE | 888 |
| ST3280K | 2.6GB | 12MB | IDE | 908 |
| ST3280L | 2.8GB | 12MB | IDE | 928 |
| ST3280M | 3.0GB | 12MB | IDE | 948 |
| ST3280N | 3.2GB | 12MB | IDE | 968 |
| ST3280O | 3.4GB | 12MB | IDE | 988 |
| ST3280P | 3.6GB | 12MB | IDE | 1008 |
| ST3280Q | 3.8GB | 12MB | IDE | 1028 |
| ST3280R | 4.0GB | 12MB | IDE | 1048 |
| ST3280S | 4.2GB | 12MB | IDE | 1068 |
| ST3280T | 4.4GB | 12MB | IDE | 1088 |
| ST3280U | 4.6GB | 12MB | IDE | 1108 |
| ST3280V | 4.8GB | 12MB | IDE | 1128 |
| ST3280W | 5.0GB | 12MB | IDE | 1148 |
| ST3280X | 5.2GB | 12MB | IDE | 1168 |
| ST3280Y | 5.4GB | 12MB | IDE | 1188 |
| ST3280Z | 5.6GB | 12MB | IDE | 1208 |

FUJITSU

FACTORY NEW - 2 YEAR WARRANTY

| | | | | |
|---------|-------|------|-----|------|
| ST3280A | 540MB | 12MB | IDE | 708 |
| ST3280B | 720MB | 12MB | IDE | 728 |
| ST3280C | 1.0GB | 12MB | IDE | 748 |
| ST3280D | 1.2GB | 12MB | IDE | 768 |
| ST3280E | 1.4GB | 12MB | IDE | 788 |
| ST3280F | 1.6GB | 12MB | IDE | 808 |
| ST3280G | 1.8GB | 12MB | IDE | 828 |
| ST3280H | 2.0GB | 12MB | IDE | 848 |
| ST3280I | 2.2GB | 12MB | IDE | 868 |
| ST3280J | 2.4GB | 12MB | IDE | 888 |
| ST3280K | 2.6GB | 12MB | IDE | 908 |
| ST3280L | 2.8GB | 12MB | IDE | 928 |
| ST3280M | 3.0GB | 12MB | IDE | 948 |
| ST3280N | 3.2GB | 12MB | IDE | 968 |
| ST3280O | 3.4GB | 12MB | IDE | 988 |
| ST3280P | 3.6GB | 12MB | IDE | 1008 |
| ST3280Q | 3.8GB | 12MB | IDE | 1028 |
| ST3280R | 4.0GB | 12MB | IDE | 1048 |
| ST3280S | 4.2GB | 12MB | IDE | 1068 |
| ST3280T | 4.4GB | 12MB | IDE | 1088 |

286 12MHz Bare-bones System

Includes motherboard, computer case, power supply & keyboard

- Intel 286 12MHz processor
- 1MB RAM
- 1.2MB (5.25") floppy disk drive
- IDE hard/floppy controller
- Five expansion slots
- Two serial & one parallel port

115705 286 12MHz bare-bones sys. ...\$169.95

VALUE



Jameco Motherboards

- Motherboards also available without CPU! Call for details
- Diagnostic and operating system software available
- One-year warranty

| | | |
|--------|------------------------------|----------|
| 115941 | 80386SX 40MHz w/CPU..... | \$89.95 |
| 117401 | 80386DX 40MHz w/CPU..... | \$149.95 |
| 79214 | 80486SX 25MHz w/CPU..... | \$199.95 |
| 116118 | 80486SLC 66MHz w/CPU..... | \$229.95 |
| 95222 | 80486DX 33MHz w/CPU..... | \$299.95 |
| 95169 | 80486DX 50MHz w/out CPU..... | \$149.95 |
| 95231 | 80486DX 50MHz w/CPU..... | \$449.95 |

486DX2 66MHz Motherboard

- AMI BIOS
- Supports up to 32MB of RAM on-board
- Supports 256K x 9, 1MB x 9 and 4MB x 9 SIMMS
- 256KB Cache RAM
- Supports Windows, Unix, Xenix, Novell, OS/2 and most popular software
- Two 32-bit VESA slots, six 16-bit (four when using both Local bus slots) and two 8-bit slots
- Size: 10.0" x 8.8"
- Weight: 3.0 lbs.

119731 486DX2 66MHz Motherboard\$379.95

IDE Hard Drives

SPECIAL!

- For laptops and standard cases

| | | |
|--------|--------------------------|----------|
| 119108 | WDAC280 80MB 3.5"..... | \$109.95 |
| 119415 | ST3120A 106MB 3.5"..... | \$119.95 |
| 119087 | 7120AI 120MB 3.5"..... | \$139.95 |
| 119095 | ST9145AG 120MB 2.5"..... | \$149.95 |



Floppy Disk Drives

TEAC
SONY
EPSON
TOSHIBA
Panasonic

| | | |
|--------|-----------------------------|----------|
| 79396 | Epson 360KB 5.25"..... | \$39.95 |
| 120045 | Sony 1.44 MB 3.5"..... | \$44.95 |
| 118957 | Panasonic 1.2 MB 5.25"..... | \$49.95 |
| 118922 | Panasonic 1.44 MB 3.5"..... | \$49.95 |
| 119722 | Toshiba 1.44 MB 3.5"..... | \$49.95 |
| 74392 | Teac 3.5/5.25" Combo..... | \$114.95 |

Computer Power Supplies

- Fits most popular desktop, mini vertical and vertical cases • One-year warranty
- 8088/80286/80386 and compatible • Built-in fan

| | | |
|-------|----------------------------|----------|
| 19465 | 150 Watt (8088)..... | \$59.95 |
| 67467 | 200 Watt (8088/80286)..... | \$69.95 |
| 19545 | 200 Watt..... | \$79.95 |
| 19529 | 200 Watt mini..... | \$69.95 |
| 65728 | 300 Watt..... | \$119.95 |

Short Haul Modem

- No external power required
- DCE/DTE selectable
- RS232 interface
- Up to 38400 baud
- Xon-Xoff or Hardware handshaking
- Will communicate over 18 miles (max.) of cable

116581 Short haul modem\$39.95




Embedded Applications 8031 Proto PC Board

NEW

Efficient software development and rapid hardware prototyping are combined in a single integrated development environment. Allows programming in assembly language.

- 32K of SRAM • 32K of monitor EPROM
- 8031 Microprocessor
- 14 screw-type terminal blocks connected to general purpose digital input/output ports
- 40-pin header for all system signals
- Two 23-pin headers for demultiplexed data, address, control, and input/output signals

119546 Embedded Apps.Proto PC Board ..\$99.95



CCD TeleCamera Gray Scale

- Composite output (RCA jack)
- Infra-red sensitive
- Automatic iris
- Tripod mountable
- Includes 12VDC @ 200mA AC adapter
- Color: White
- Weight: 1.1 lbs.
- Size: 5.21" x 2.70" x 1.75"

119298 Gray-scale camera\$99.95



40 Piece Computer Tool Kit

- IC Inserter with pin straightener
- IC Extractor
- Extra long 3-claw parts holder
- Screwdriver bits
- Metric nutdriver sockets
- SAE nutdriver sockets
- Reversible torque screwdriver bits
- Potentiometer alignment tools (2)
- Adapter bit for sockets • Wire cutters/stripper
- Pocket clip screwdriver • Zipper vinyl case
- Weight: 1.79 lbs. • Size: 9.5" x 6.8" x 1.38"

119183 40 piece computer tool kit\$17.95



Portable IC Tester

- Hand-held & easy-to-operate
- Supports TTL, CMOS, DRAM 41, and DRAM 44 series
- Size: 7" x 3.625"
- One-year warranty

73525 Portable IC tester\$139.95



1 Socket 16K-8MB E(E)PROM Programmer

- Programs EPROM's, EEPROM's, and flash memories
- Programs 16KB to 8MB EPROM's
- Menu driven software
- Full screen buffer editor
- File formats supported: Intel Hex, Motorola S Hex, Tektronix Hex, and Binary
- 2 & 4-way Binary file splitting programs
- 2 & 4-way Binary file shuffler programs
- Includes adapter card, software and manual
- Size: 7" x 5.5" x 1.75" • One-year warranty

101400 1 Socket 16K-512KB\$129.95

78457 1 Socket 16K-2MB (above)\$199.95

78465 4 Socket 16K-2MB Programmer\$269.95

104651 1 Socket 16K-8MB Universal\$699.95



JAMECO
ELECTRONIC COMPONENTS
COMPUTER PRODUCTS

Everything from Electronic Consumer Products to one of the Largest IC Selections Available!



Call for our new 1995 Catalog today.
Mention V.I.P.#585 © 1995 Jameco 5/95

Call 1-800-831-4242 to order today!

New Hours: 6AM - 5PM PST

Circle 189 on Inquiry Card.

Acecad 12x12 Graphics Tablet

- Digitizing Tablet with puck
- PC/XT/AT and compatibles
- MS-DOS, Microsoft Windows compatible
- Great for high-end CAD/CAM or simple menu selection
- 2540 LPI resolution
- Includes drivers and utilities
- Size: 12" x 12" (working area)
- Weight: 8.5 lb.

120117 Graphics Tablet\$229.95



2-Button GlidePoint® Trackpad

A new touch surface that lets you move, point, click and highlight with the lightest touch of your finger!

- 286, 386, 486 and compatible laptops, notebooks, and desktop systems
- Serial port or PS/2 mouseport
- PS/2 mouseport adapter included
- DOS 3.3/Windows 3.1 or above
- Includes enhanced driver & tutorial
- Size: 4" x 7" x 1" • Weight: 0.75 lbs.

119811 2-button serial trackpad.....\$99.95



Ergonomic Mouse

Great for Windows users and graphics professionals.

- Ergonomically designed for extended use without tiring
- 3 programmable microswitch keys
- High 400 to 1600 dpi dynamic resolution
- Microsoft® & Mouse Systems made compatible
- Connects to standard RS-232 serial port

119407 Ergonomic mouse\$39.95



3 Button Serial Mouse

- PC/XT/386/486/PS2 and compatible computers
- Microsoft® Mouse compatible
- One-year warranty
- Weight: 1 lb.

104441 3 Button serial mouse\$9.95



External 250MB Tape Back-up

- DOS environment supports QIC-40, QIC-80 and PC-36
- P/N 117786 can be used with Norton Back-up or PC Tools Back-up
- P/N 117751 includes easy to use software
- Interfaces with floppy system

117786 Tape backup without software ..\$129.95

117751 Tape backup with software\$149.95



Graphics/Memory Cards

- 8088/80286/80386 and compatible
- One-year warranty
- Expand your memory or enhance your graphics capabilities

67459 VGA card\$49.95

104660 Super VGA card\$89.95

91230 Monochrome graphics\$29.95

93542 16-bit super VGA accelerator\$99.95

112141 8MB memory card\$109.95

101688 VESA graphics accelerator\$139.95



Ergonomic Keyboard


Ergonomically designed in a wide "V" angle to conform to the natural position of hand placement for data entry.

- PC/AT & PS/2 compatible
- 101-Key enhanced layout
- Deluxe customized wrist rest included
- Size: 20.7" x 8.5" x 1.0" • Weight: 3.7 lbs.

119271 Ergonomic keyboard\$69.95



CompuPhone 2000 Keyboard/Telephone



- No modem, no internal cards, and no serial port connections are necessary!
- Standard 101-key, high-performance keyboard with full function telephone and professional style telephone headset
- Keyboard rings on incoming calls
- Phone features volume, flash, mute and redial
- Dials phone numbers automatically or manually
- Includes Windows and DOS telephone management software (OS/2 optional)
- PS/2 adapter included
- Size: 18.5" x 7.8" x 1.8" • Weight: 5.4 lbs.

119554 CompuPhone keyboard\$109.95

Foldable Keyboard Super Space Saver!

- Folds in half for storage on cramped desktops!
- PC/XT/AT & PS/2 (using P/N 28003 - see catalog) compatible
- 101-Key enhanced layout
- Tactile feedback with finger homing on "F", "J" and "5" keys
- Fold out legs for slant operation
- Separate cursor and numeric keys
- Size: 17.4" x 6.6" x 1.2" (unfolded)
- Weight: 2.9 lbs.

119167 Foldable keyboard\$89.95

14" Low Radiation SVGA Color Monitor

- PC/XT/AT, 386, 486, Pentium and compatible computers
- 0.28mm dot pitch
- Maximum resolution: 1024 x 768 (interlaced and non-interlaced)
- Scan frequency: Horizontal: 31.5KHz Vertical: 50-90Hz • Tilt/swivel base
- Low electro-magnetic radiation emissions
- Power: 120-240VAC, 50-60Hz, 85W max.
- Size: 14.5" x 15.2" x 12.9"
- Weight: 25 lbs.

119124 14" Super VGA monitor\$299.95



AST Research 14" Paper White Monochrome Monitor

- PC/XT/AT and compatible computers
- 0.31mm dot pitch
- Supports MDA, Hercules graphics (HGC)
- Resolution: Hercules 720 x 348
- Displays up to 132 characters by 44 rows
- Input: DB9-pin (TTL) connector
- Scan frequency: Horizontal: 15.7/18.4KHz Vertical: 50-60Hz
- Anti-glare / dark glass screen
- Tilt/swivel base
- Size: 12.6" x 11.9" x 11.4"
- Weight: 17.2 lbs.

119482 Paper white monitor\$109.95



IBM
(THINKPAD STOCK CLOSEOUT)
 T/PAD 755C 50MHz 4/540MB.....3450
 T/PAD 755C 75MHz 4/340MB.....4049
 T/PAD 755C 75MHz 4/540MB.....4375
 T/PAD 360CS 33MHz 4/340MB.....special
 T/PAD 360CS 33MHz 4/340MB.....2319
 T/PAD 360CSE 50MHz 4/340MB.....2398
 T/PAD 360CSE 50MHz 4/540MB.....2719
 T/PAD 360CE 50MHz 4/340MB.....2760
 T/PAD 360CE 50MHz 4/540MB.....3079
NEW RELEASE

PC 300 DX2/50 4/270MB.....
 PC 300 DX2/66 4/270MB.....
 PC 300 DX2/66 8/540MB.....
 PC 330 P60 8/540MB PCI.....
 PC 700 P/9016/540MB scsi.....
 PC 700 P/90 16/1GBMB scsi.....
 PC 700 P/75 16/1GBMB scsi.....
 PC 700 P/7516/1GBMB scsi.....
SERVERS
 PC SERVER 300 SERIES.....
 PC SERVER 500 SERIES.....
PS/2 MODELS
 PS/2 9577ANG 66. 8/527MB.....
 PS/2 9577ONF 66 8/400MB.....
 PS/2 95953QT 5/66 16/3GB.....
CALL US FIRST.

ALSO CARRY, NEC, AST, TEXAS
 INSTRUMENTS, SMC, 3 COM, DEC,
 LEXMARK, CONNER, MAXTOR, FUJITSU,
 EXABYTE, MICRONET & LOT OF OTHER
 MANUFACTURERS

APPLE
 P/PC 6100/60MHz.....call
 I/PC 7100/66MHz.....call
 P/PC 8100/80MHz.....call

Authorized Service Center For IBM, COMPAQ, TOSHIBA & HP Systems. All Parts in **STOCK**
 Also sell & Service AST, NEC & ALL OTHER DESKTOP & NOTEBOOK SYSTEMS

TOSHIBA NOTEBOOK

T1910 486SX/33 4/200MB.....
 T1910CS 486SX/33 4/200MB.....
 T1960CS DX2/50 200MB/340MB
 T1960CT DX2/50 200MB/340MB
 T2400CS DX2/50 200MB/320MB
 T2400CT DX2/50 200MB/320MB
 T4850 75MHZ 8/510MB 810M.
 T4900 75MHZ 8/510.....available
NEW PRODUCTS
 T2100 DX2/50 MHZ.....
 T2150CD 75MHz(CD ROM).....

All Models Stock
 Stock call for new
 LOW PRICES
 OLD MODELS
 ALSO AVAILABLE

MODEMS
 SUPRA 14.4 FAX 79
 SUPRA 282.8 Internal... 199
 HAYES 14.44 call
 INTEL SATISFAXION... call
 U.S. Robotics 14.4/28.8 .. call

HP TONER
 HP 4P/4 95/102
 HP 4I/4p 63/63
 HP Deskjet color 27
 HP 3SI/4SI 115
 HP Deskjet black 22

BRAND NAME
LOW PRICES LEADER
SINCE 1983

We export with international warranty

HEWLETT PACKARD

DESKJET 320.....290
 HP 4+/4M+.1360/1840
 DESKJET 560C.save
 DESKJET 540.....285
 HP 4SIMX.....4140
 HP 4SI.....2790
 HP 4V/4MV.1840/save
 1200C.....999

1200 C/ps.....call
 SCAN JET IIcx..889
 HP 4L/4P.....call/915
 HP 3c(new).....call
 HP 5P.....(new).....call
 HP 660..(new).....call
***All printer STOCK**

HEWLETT PACKARD COMPUTERS

Notebook
 OMNIBOOK 600C DX2/50 & 75MHz 4/170/260MB.....CALL
 OMNIBOOK 4000CT DX4/100 8/340/520MB.....save/4650
Desktops/Towers
 VECTRA VL2/50 4/210MB.....1199
 VECTRA VL2/66e 8/340MB.....1299
 VECTRA XU 5/90 8/540MB.....3050
 VECTRA XI 5/90C 16/1GB scsi+matrox.....4150
 VECTRA XI 5/100C 16/1GB scsi+matrox.....SPECIAL...
SERVERS
 NETSERVER LC SERIES.....
 NETSERVER LF SERIES.....
 NETSERVER LM SERIES.....

**BUNDLE DISCOUNT
 COMPLETE PACKAGE**

CENTURA 410 DX2/50MHZ

dos, windows, pcnclia, tabworks, built in mouse
 410c 340MB Passive color \$2345
 410cx 340MB Active color \$2799

NOVELL

| 3.12 | 4.02 |
|----------------------|----------------------|
| 5/10 user call | 5/10 user call |
| 25/50 user call | 25/50 user call |
| 100/250 user .. call | 100/250 user .. call |

Installation+setup+training
 free estimate

COMPAQ

Notebooks

LTE Lite 4/40C 4/170MB.....
 LTE Lite 4/40CX MHz 170/340MB.....
 LTE Lite 4/75 MHz 340MB/510MB.....

NEW Prolinea Series

PROLINEA DX2/66 8/525MB...
 PROLINEA DX4/100 8/525MB...
 PROLINEA P/75mhz..... 720mb
 PROLINEA P/90mhz.....720mb
 PROLINEA P/100mhz.....720mb

Deskpro & Deskpro XL

Deskpro XL 4/66M, 8/535 MB
 Deskpro XL 5/60M 8/525MB..
 Deskpro XL 5/90 16/1gb.....
 Deskpro XL 5/100M

SERVERS

Prosignia VS SERIES.....
 Prosignia 300 SERIES.....(NEW)...
 Prosignia 500 SERIES.....
 Proliant 1000 & 2000 SERIES.....
 Proliant 1500 SERIES...(NEW).....
 Proliant 4000 SERIES.....
 Proliant 1000 RACK SERIES.....
 Proliant 2000 RACK SERIES.....
 Proliant 4000 RACK SERIES.....

COMPAQ PROLINEA

DX2/66 CDS

Mid Tower case .8MB ram,420MB hard disk, 1.44MB floppy drive, dos, windows, mouse, tabwork, Double speed CD Drive Speakers, Sound card, Ms Works, Ms Money, Ms Encarta, Ms Golf and lot of other titles.. COMPAQ 14" SVGA Monitor .28 1024X768.

\$ 1945

HP VECTRA VL2

DX2/66

multimedia communication pc

8MB, 540mb hard disk, pci bus, Integrated 10base-T network card, Double speed CD ROM, HP office card+14.4 fax modem, 16-bit sound card, phones, Telephone Answering System, dos, windows, mouse, MS Works, MS Encarta, MS Money, MS Golf, Fax works.

\$ 2199

OPTICAL DRIVES

IBM, HP, PINNACLE,
 SONY, FUJITSU,
 PANASONIC ETC.
 PIONEER
 call for prices & delivery

Memory & Hard Drives for
 Compaq, IBM, AST, Toshiba

Desktop/tower
 4MB/8MB /16MB.....165/399/645
Notebooks
 4MB/8MB /16MB... ..220/420/840
HARD DRIVE FOR NOTE BOOKS
 250MB/340MB/540MB...299/399/552

PCMCIA PRODUCTS

PCMCIA
 NETWORK
 PCMCIA FAX+
 PCMCIA DRIVES,
 PCMCIA SOUND
 CARDS

CD CHANGER

Pioneer 2X 6Disk499
 Pioneer 4X 18Disk.....2050
CD ROM KITS
 Diamond 5000 kit.....525
 Media Vision 1100 kit.....230
 Creative Eduteinkit.....425
 NEC 2vdx kit.....299

CD ROM DRIVES

NEC 2X/4X.....185/399
 TOSHIBA 2X/ 4X.....285/325
 TEAC 4X.....299
 PLEXTOR 4x.....435
 SONY 2X/2X SCSI.....149.199

SOUND CARDS

M.vision 3D.....93
 S.blaster scsi.....199
 Turtle Monterey.....345
Tape Back-Up Drives
 Jumbo 120/250..... 113/159
 Jumbo 350/700.....179/310
 Trakker250/350.....289/319
 CONNER 420/850.....185/285
 Power Tape 2GB.....call.
 Wangtek 525/1GB.....call
 Wangtek 4GB 4mm.....call
 Exabyte/ Mountain 4/8GB.....call
***WE CARRY ALL BRANDS**

PRINTERS

OKI ML320/321.....299/425
 OKI ML 590/591.....440/585
 OKI OL410e/410.....645/520
 OKI 810/830.....880/1075
 Epson Stylus.....SAVE
 Canon BJC 600C.....SAVE
BOARD & DRIVES
 IBM SLC2/66+ mat co.....180
 IBM BLC3/75+ math co.....225
 INTEL90MHzcpu+board.....945
 INTEL DX2/66cpu+ board... 325
 420/540MB DISK.....199/230
 850/1GB MB DISK.....350/499
 2GB FAST SCSI.....980

Computerlane Inc.

Corporate Accounts
 Volume
 Discounts
 Welcome

Outside California: 1-800- 526- 3482

Inside California: 818-884-8644 • Fax: 818-884-8253

7500 Topanga Cyn Blvd, Canoga Park, Ca 91303

Hours: Monday - Friday: 9 - 6 Sat: 10 - 5

Compaq is a Registered Trademark Of
 Compaq. IBM is a Registered Trademark Of
 International Business Machines.
 All Quoted Prices Reflect A 5% Cash
 Discount. Visa, MasterCard And American
 Express, Wire Transfer Also Accepted.
 Prices Subject To Change Without Notice.

Get the Best Universal Diagnostics Toolkit on the market!

Works on any PC!

Featuring these two top-rated, award-winning diagnostic tools from MICRO 2000, Inc:

New Version Release

Call for upgrade pricing & complete new features list!

Micro-Scope 6.0

UNIVERSAL DIAGNOSTIC SOFTWARE

Fully O/S independent diagnostic software...

MICRO-SCOPE Universal Computer Diagnostics was developed to satisfy the expanding need for accurate system diagnosis in the rapidly growing desktop computer market. Patterned after super-mini and mainframe diagnostic routines, MICRO-SCOPE runs independently of any standard operating system, and is therefore at home on any machine in the Intel world. Speed, ease-of-use, and razor sharp accuracy are a few of the advantages that arise from this system independence, together with an impressive list of functions including the ability to perform low level formatting on every drive currently manufactured, including all IDE drives.

◆ **LOW-LEVEL FORMAT**—Performs Low-level format on all drive types including IDE drives. This function cannot hurt IDE drives. ◆ **USE CONTROLLER BIOS**—Program will access BIOS format built into any hard disk controller—even Controllers yet to be invented. ◆ **O/S INDEPENDENT**—Does not rely on O/S for diagnostics. Talks to PC on hardware level. All tests are full function regardless of O/S (i.e. Novell, UNIX, OS/2). ◆ **TRUE HARDWARE DIAGNOSTICS**—Accurate testing of CPU, IRQ's, DMA's, memory, hard drives, floppy drives, video cards, etc. ◆ **BATCH CONTROL**—All tests, even destructive, may

be selected for testing. ◆ **ERROR LOGGING**—Automatically inputs errors during testing to an error log. ◆ **AUTOMAPPING**—Automatically bad sector maps errors found on hard disks. ◆ **IRQ DISPLAY**—Show bits enabled in IRQ chip for finding cards that are software driven. (Network, Tape Backup, etc.) ◆ **IRQ CHECK**—Talks directly to hardware and shows I/O address and IRQ of devices that respond. ◆ **MEMORY EXAMINE**—Displays any physical bit of memory under 1 Meg. Very useful for determining memory conflicts. Very useful for determining available memory space. ◆ **SECTOR EDITOR**—Allows the editing of any sector of floppy or hard disk media (even track 0). ◆ **AND MUCH MORE...**We don't have enough space here for everything this software can do!

POST-PROBE

1ST EVER UNIVERSAL POST CARD FOR ALL PCs!

The only Power-On Self-Test card you need to debug any "dead" PC...

"This is the only card that will function in every system on the market. The documentation is extensive, and not only covers the expected POST Codes for different BIOS versions, but also includes a detailed reference to the bus signals monitored by the card." —Scott Mueller from his globally recognized book, 'Upgrading & Repairing PCs, Second Edition'



Winners of these awards:



"You name it, this tests it. If you maintain PC's, you'll love it."
—Jerry Pournelle, BYTE Magazine, May 94



Govt. Serv. #: GS-00K-94AGS-5396

◆ Includes pads for voltmeter to attach for actual voltage testing under load. ◆ 4 LEDs monitor +5vdc -5vdc +12vdc -12vdc. ◆ Monitors Hi & Lo clock and OSC cycles to distinguish between clock chip or crystal failure. ◆ Monitors I/O Write and I/O Read to distinguish between write and read errors. ◆ Monitors memory write/ read to distinguish between address line failures and memory chip failures. ◆ Monitors ALE for proper CPU/DMA operation. ◆ Monitors Reset to determine if reset is occurring during POST, indicating short. ◆ Monitors progress of POST without POST codes. ◆ Reads POST codes from any IBM or compatible that emits POST codes. ISA/EISA/MCA. ◆ Compatible with Micro Channel computers. ◆ Dip switch allows easy selection of I/O ports to read. ◆ Includes tri-state **LOGIC PROBE** to determine actual chip failures. ◆ Manual includes chip layouts and detailed POST procedures for all major BIOS's. ◆ **AND MUCH MORE...**

Also ask about our other Universally Compatible Products—

Micro-Scope CLIENT: The practical answer to remote diagnostics (no modem required).

The COMPUTER CONSULTANT: 100% accurate realtime benchmarking tool.

Micro-Scope CENSUS: Inventory software to see and record what's inside all of your PCs.

911-Recover: Foolproof data recovery for everyone.



Call Now for Special Pricing: **1-800-864-8008** or Fax (818) 547-0397

1100 East Broadway, Suite 301, Glendale, California • Phone 818/547-0125 • Fax 818/547-0397

International Orders please call: MICRO 2000 Australia: 61-42-574144 • MICRO 2000 Europe (UK): 44-462-483-483

Circle 198 on Inquiry Card.

WE WILL BEAT ANY ADVERTISED PRICE!



4901 Morena Blvd.
Suite 1111
San Diego, CA 92117

Fax (619) 581-0125
Customer Service
(619) 581-1439

TOLL FREE 800-581-6040

No surcharge on credit cards
P.O.s accepted from Universities and Qualified Firms



Call Us For Unbeatable Prices!

Pacific Coast Micro specializes in all your storage needs...if you see it advertised at a lower price, we will BEAT IT!

IDE HARD DRIVES

| 2 Year Warranty Maxtor | | | | |
|--------------------------------|--------|-------|----------|-------|
| MODEL | SIZE | SPEED | TYPE | PRICE |
| 7420 | 420MB | 10MS | 3.5" IDE | \$179 |
| 7540 | 540MB | 11MS | 3.5" IDE | 199 |
| 7850 | 850MB | 11MS | 3.5" IDE | 255 |
| 71260 | 1.26GB | 11MS | 3.5" IDE | 385 |
| 2 Year Warranty CONNER | | | | |
| CFA420A | 420MB | 12MS | 3.5" IDE | \$173 |
| CFA540A | 540MB | 11MS | 3.5" IDE | 190 |
| CFA850A | 850MB | 10MS | 3.5" IDE | 270 |
| CFA1275 | 1.27GB | 10MS | 3.5" IDE | 389 |
| 2 Year Warranty Seagate | | | | |
| ST3660 | 545MB | 12MS | 3.5" IDE | \$199 |
| ST3780A | 730MB | 10MS | 3.5" IDE | 265 |
| ST31220A | 1.08GB | 10MS | 3.5" IDE | 389 |

| 3 Year Warranty WESTERN DIGITAL | | | | |
|--|-----------------------------------|-------|----------|--------|
| MODEL | SIZE | SPEED | TYPE | PRICE |
| 1210 | 212MB | 13MS | 3.5" IDE | \$149 |
| 2420 | 425MB | 12MS | 3.5" IDE | 179 |
| 2540 | 540MB | 12MS | 3.5" IDE | 209 |
| 2700 | 730MB | 10MS | 3.5" IDE | 255 |
| 2850 | 850MB | 10MS | 3.5" IDE | 275 |
| AC31000 | 1.6G | 10MS | 3.5" IDE | 389 |
| 2 Year Warranty Quantum | | | | |
| LPS 540A | 540MB | | 3.5" IDE | \$199 |
| SCSI DRIVES | | | | |
| CONNER CFP1060S | 1.06GB | 9MS | | \$479 |
| ST31200N | 1GB | 9MS | | 499 |
| SEAGATE BARRACUDA | | | | |
| | 1 MG CACHE, 7200 RPM, SCSI 2 FAST | | | |
| ST32550N | 2.1GB | 8MS | | \$1155 |

LASER PRINTER MEMORY

| HP/II, IIO, IIP, IIP, IIO, & IIP+ | |
|-----------------------------------|-------|
| 2mb | \$102 |
| 4mb | \$167 |
| HP II/LX, 4, 4m, 4sl, 4slm | |
| 4mb | 178 |
| 8mb | 352 |
| HP Deskjet 500, 500C, 550C, 256K | |
| 4mb | 42 |
| HP LJ 4L | |
| 1mb | 54 |
| IBM 4019, 4019E | |
| 2mb | 112 |
| IBM 4029 Series | |
| 2mb | 98 |
| Panasonic 4410, 4420, 4430, 4450I | |
| 2mb | 92 |
| 4mb | 168 |

MOTHERBOARDS



INTEL 486 VLB

3VL, 5 ISA Slots, Ami Bios, Opti Chip Set, Zifsocket, 256 K-Cache, 4-30 PIN/3-72 PIN Sockets

| | |
|----------------|-------|
| 486 DX-33 | \$219 |
| 486 DX2-66 | 279 |
| 486 DX4-100 | 409 |
| 486 DX w/o CPU | 95 |

ALSO AVAILABLE
8-30 PIN Simms Sockets...105

CYRIX 486 ISA

6 ISA Slots, Ami Bios, Opti Chip Set, 256 K-Cache, upgradeable to 486 DX CPU, 486 DLC 40 VLB\$165

SUPER MICRO P60, P66

2mg to 128mg, 4-72 pin Simms, 512K Cache, 4 PCI, 2 Vesa, 5 ISA, 60, 66 Selectable 8 1/2 "x13
586 P60.....\$539
586 P66.....545
Pentium Board w/o CPU ..219

SUPER MICRO P75, P90, P100

Byte Magazine - "Best Overall" and
PC Magazine - "Editor's Choice Award"

2mg to 128mg, 4-72 pin Simms, 512K Cache, 4 PCI, 1 Vesa, 5 ISA, 75, 90, 100, 120 Selectable 8 1/2 "x13
P75.....\$ 619
P90.....949
P100.....1159
P90 w/o CPU279



Lifetime Warranty on all MEMORY PRODUCT

INSTALLATION GUIDES INCLUDED

SIMMS ALL SPEEDS AVAILABLE

| | |
|---------------|-----------------------|
| 1X3-70 \$38 | 1X36-70 \$156 (4MB) |
| 1X9-70 \$40 | 2X36-70 \$319 (8MB) |
| 4X9-70 \$130 | 4X36-70 \$499 (16MB) |
| 16X9-70 \$579 | 8X36-70 \$1089 (32MB) |

VIDEO cards...

| Cirrus Logic | SVGA VLB 1-2, 1MB Upgradeable to 2MB ...\$85 |
|-----------------------|--|
| DIAMOND PRODUCTS | |
| SpeedStar24x | ISA, max. 1024x768 NI, 72MHz, 24-bit, 16.7 ml. colors\$119 |
| SpeedStarVL | VL-Bus, 16 mil. WinMark, 1MB, 16.7 Mil. Colors, 72MHz.....119 |
| ViperVLB | VL-Bus, 74MHz, 2MG VRAM, Weiteck P9000, 60 Million WinMark, 2MB299 |
| Stealth 64 PCI or VLB | 2MB279 |
| Stealth 64 PCI or VLB | 4MB399 |

CONTROLLER BOARDS

| | |
|--|-------|
| Promise DC4030VL-VLB, IDE Caching Controller | \$ 95 |
| Adaptec 1542CK-ISA SCSI Controller..... | 260 |
| Adaptec 2842 VLB SCSI Controller..... | 289 |
| Adaptec 2940 PCI SCSI Controller | 260 |
| IDE/IO card, 2s/1p/1g | 15 |
| IDE/IO-VLB, 2s/1p/1g | 27 |
| IDE/IO VLB Enhanced | 35 |
| Promise 2300+ | 55 |
| Q Logic ISA SCSI..... | 99 |
| Q Logic VLB SCSI..... | 159 |

FAX MODEMS

| 14.4 Internal | \$69 |
|-----------------------------|------|
| 14.4 Internal w/voice | 75 |
| U.S. Robotics Sportster | |
| 14.4 Internal | 98 |
| 28.8 Internal | 219 |
| 14.4 External | 109 |
| 28.8 External | 239 |

CD ROMS

MITSUMI

| | |
|---|-------|
| FX001D Int., double speed, 250MS, 16 bit card | \$129 |
| FX400 Quadspin..... | 189 |

TEAC

| | |
|--|-------|
| CD-55A, QUADSPIN, 195MS, 600KB Transfer rate | \$199 |
|--|-------|

NEC

| | |
|--------------------------------------|-------|
| NEC 3XCDR-510 95MS Triple Spin | \$255 |
|--------------------------------------|-------|

TOSHIBA

QUAD

| | |
|-----------------------|-------|
| Internal XM3501B..... | \$259 |
|-----------------------|-------|

EXTERNAL

| | |
|--|-------|
| TXM3501E 150MG Transfer rate 600KB | \$375 |
|--|-------|

MATH COs

| | |
|---------------|------|
| 83D8733 | \$25 |
| 83D8740 | 33 |
| 83S8733 | 29 |

CPUs

| | |
|-------------------|-------|
| 1486DX2-66 | \$185 |
| 1486DX-33 | 130 |
| CX486DLC-40 | 49 |
| CX486DLC-33 | 42 |
| 586 P60 | 319 |
| 586 P66 | 335 |
| 586 P75 | 349 |
| 586 P90 | 595 |
| 586 P100 | 779 |
| 486 DX4-100 | 279 |

TAPE DRIVES

| | |
|--------------------------|-------|
| Conner 420 | \$169 |
| Colorado Jumbo 250 | 139 |
| Colorado Jumbo 350 | 169 |
| DC2120 Tapes | 15 |
| Tracker 250 | 269 |
| Tracker 350 | 329 |



CREATIVE

DISCOVERY 16

Soundblaster 16,
2 Labtec Speakers,
Double Speed
CD ROM,
Aldus Photostyler,
The New Grolier
MultiMedia Encyclopedia
plus CD Bonus Pack

\$265

MONITORS

MAG Invision

DX15F-1 15", 28DPI, NI, 60KHz
Flat, MPRII (110 volt)\$33
DX17F 17", 26DPI, NI, 60KHz
Flat, MPRII.....60
MX15F 15", 28DPI, NI, 60KHz
Flat, MPRII.....43

ViewSonic

15G 15" Monitor
1280x1024 NI, 60Hz,
26DPI\$39
17G 17" Monitor
1280x1024 NI, 60Hz,
28DPI74
20G 20" Monitor
1600x1280 NI, 76Hz,
28DPI131

IMPRESSION

3 1/4" .28 NI 1024x769.....\$21
5 1/4" .28 NI 1280x1024.....32
7 1/4" .28 NI 1280x1024.....56

LOW COST SHIPPING RATES AVAILABLE HOURS: MON-FRI 7AM-5:30PM P.S.T. SAT. 10AM-1:30PM P.S.T.

Shipping is non-refundable • No cancellations on special order items • 20% Restocking fee on refunds within 30 days • No refunds after 30 days • Warranty replacement only • All prices final • Prices subject to change
Manufacturer's part numbers for convenience only. Trademarks are registered with their respective companies; 286, 386, 387, 287, 486, SX are trademarks of Intel, Corp.

Circle 205 on Inquiry Card.

Up to **4** Users can Access Multiple PC, Macintosh and Sun Computers from a Central Location!

- **Multiuser**


Up to 4 users have simultaneous access to any attached computer!

- **Multiplatform**

Supports any combination of PC, Macintosh and Sun computers; use any platform's peripherals to access any type of computer in the system.

- **Multimedia**

Every user has full multimedia capabilities; supports keyboard, mouse, video, speakers, microphone and serial port.



COME SEE US AT

COMDEX Spring in Atlanta, GA, April 24-27 1995 Booth #N5762

AUTOBOOT COMMANDER 4XP™

Cybex Corporation
4912 Research Drive • Huntsville, AL 35805 USA
(205) 430-4000 • FAX (205) 430-4030



PC is a registered trademark of International Business Machines Corp. Macintosh is a registered trademark of Apple Computer, Inc. Sun is a trademark of Sun Microsystems. Cybex, Commander, AutoBoot and 4xP are trademarks of Cybex Corporation.
Dealer Program Available

Made in USA

SIMM MODULES

| 30 PIN SIMM MODULES | | | | |
|----------------------|-------|-------|-------|-------|
| Description | 100NS | 80NS | 70NS | 60NS |
| 256X9 | \$9 | \$12 | \$15 | \$17 |
| 4X3MEG | | | \$118 | |
| 1MEGX3 | | \$35 | \$37 | \$41 |
| 1MEGX 9 | \$34 | \$40 | \$42 | \$46 |
| 4X8MEG | | | \$124 | |
| 4MEGX 9 | | \$129 | \$139 | \$148 |
| 16 MEG X 9 (36 CHIP) | | | \$668 | |

SIPP ADD \$5.00

| 72 PIN SIMM MODULES | | | | |
|---------------------|-------|--------|--------|--|
| 512X36 2MEG | \$88 | \$94 | \$108 | |
| 1X32 | | \$176 | | |
| 1X36 4MEG | \$148 | \$176 | \$198 | |
| 2X32 | | \$288 | | |
| 2X36 8MEG | \$302 | \$308 | \$378 | |
| 4X32 | | \$488 | | |
| 4X36 16MEG | \$518 | \$538 | \$598 | |
| 8X36 32MEG | | \$1175 | \$1275 | |
| 16X36 64MEG | | \$2695 | | |

CPU'S
intel

| | |
|-----------------|-------|
| 80486 SX/25 | \$78 |
| 80486 SX/33 | \$98 |
| 80486 DX/25 | \$138 |
| 80486 DX/33 | \$158 |
| 80486 DX/50 | \$298 |
| 80486 DX/50 | \$188 |
| 80486 DX-2/66 | \$198 |
| 80486 DX/4/75 | \$359 |
| 80486 DX/4/100 | \$379 |
| PENTIUM 60 | \$379 |
| PENTIUM 66 | \$419 |
| PENTIUM 90 | \$698 |
| CPU Cooling Fan | \$9 |

CPU DOUBLERS**Cyrix**

Single Chip Upgrade Clock Doubling Technology.
Compatible with 386DX CPU Socket DOS, Windows
& OS/2 Compatible. Uses Industry Standard Math
Chip. Easy To Install - About 15 Minutes

| | |
|---------------|-------|
| Cx486DX-16/32 | \$238 |
| Cx486DX-25/50 | \$288 |
| Cx486DX-33/66 | \$334 |
| Cx486DX-50/50 | \$250 |
| 486DXC40 | \$118 |
| 486DXC33 | \$99 |

COPROCESSORS**intel**

| 80386 MACHINES: | |
|-----------------|------|
| 80387-16MHz | \$38 |
| 80387-20MHz | \$44 |
| 80387-25MHz | \$59 |
| 80387-33MHz | \$69 |
| 80387DX | \$74 |
| 80387 SX/16 | \$38 |
| 80387 SX/20 | \$48 |
| 80387 SX/33 | \$64 |
| 80387SL | \$79 |

| 8088 MACHINES: | |
|----------------|------|
| 8087-33MHz | \$38 |
| 8087-20MHz | \$44 |
| 8087-10MHz | \$78 |

| 80286 MACHINES: | |
|-----------------|------|
| 80287-6MHz | \$19 |
| 80287-8MHz | \$24 |
| 80287-10MHz | \$49 |
| 80287 XL | \$48 |
| 80287 XLT | \$78 |

Cyrix

| | |
|------------------|------|
| 80287-33MHz | \$29 |
| 80287-40MHz | \$58 |
| 80287-33MHz (SX) | \$39 |
| 80287-33MHz (CX) | \$44 |

D-RAM CHIPS

| Type | 120NS | 100NS | 80NS | 70NS | 60NS |
|-------------------|--------|---------|---------|---------|--------|
| 64 X 4 | \$2.25 | \$2.45 | \$2.95 | | |
| 256 X 1 | \$1.85 | \$2.40 | \$3.00 | \$3.15 | \$3.20 |
| 256 X 4 | \$5.45 | \$5.95 | \$6.45 | \$6.95 | |
| 1MEGX 1 | \$4.40 | \$4.90 | \$5.75 | \$6.45 | \$6.75 |
| 1MEGX4 | | \$26.00 | \$29.00 | \$34.00 | |
| 256X16 VRAM (VE) | | | \$49.00 | | |
| 256X16 VRAM (CAS) | | | \$39.00 | | |

Call Toll Free

800-981-1915

For U.S. and Canadian Orders only

HOURS: M-F 7AM-5PM / SAT 10AM-3PM PST

TECHNICAL & CUSTOMER SERVICE CALL

(702) 294-0204

PURCHASE OFFERS & INTERNATIONAL ORDERS

FAX TO: (702) 294-1168

IBM**IBM Memory**

| MODEL | MEMORY | PART# | PRICE |
|--|--------------------|---------|-------|
| AMBRA Enterprise 386, Hurdla 386, Sprinta 386 | 2MB | N/A | \$93 |
| | 8MB | N/A | \$328 |
| AMBRA Enterprise 486, Hurdla 486, Sprinta 486 | 4MB | N/A | \$198 |
| | 16MB | N/A | \$648 |
| PS/1 and 386/SX (2121) | 2MB | 92F9935 | \$88 |
| | 4MB | 92F9694 | \$198 |
| Adpt Brd 1497259 | 512K | 30F5348 | \$35 |
| | 2MB | 30F5360 | \$98 |
| PS/2 355X, LS, 405X, 70-E61, 061, 121, Adpt Brd | | | |
| 6450609, 34F3011, 34F3077, 502.555X, 6555X, P70, | 1MB | 6450603 | \$39 |
| SSLS, 65LS X Station/20 & 130 | 2MB | 6450604 | \$94 |
| | 4MB | 6450609 | \$198 |
| PS/2 50, 50Z, 555X, 60, 655X | 2-8MB | 1497259 | \$198 |
| | 2-16MB | 6450609 | \$368 |
| PS/1 Consultant, Essentials & Expert models x43, x44 & | 4MB | 96F9290 | \$198 |
| PS/Valuepoint all models except Cxx series | 16MB | 96F9291 | \$598 |
| PS/2 70-A21, A61, B21, B61, PS/1 Consultant, Essential & | | | |
| Expert models x11, x13 & x14, PS/Valuepoint Cxx series | 1MB | 6450603 | \$39 |
| | 2MB | 6450608 | \$89 |
| PS/2 355X, LS, 405X, 555X, LS, 655X | 4MB | 34F2933 | \$198 |
| PS/2 90 XP, 95 XP, P75 (Pairs), 56.57 (all) 76, 77, | 2MB | 6450902 | \$88 |
| PS/1 Pro 2123 | 2MB | 6450902 | \$88 |
| PS/2 90, 95 XP, P75 (Pairs) 56, 57, (all) PS/1 Consultant, | | | |
| Essential, Expert x11, x13 & x14, PS/1 Pro 2123, RS/ | 4MB | 6450128 | \$198 |
| 6000 | 8MB | 6450130 | \$338 |
| | 8MB | 6450129 | \$338 |
| PS/2 70's and 80's | 2-8MB | 6450605 | \$297 |
| 32 BIT BOARDS | 2-16MB | 34F3077 | \$225 |
| 32 BIT BOARDS | 4-16MB | 34F3011 | \$318 |
| PS/2 80-A21, A31, A61 | 4MB | 6451060 | \$188 |
| PS/2 80-A41 | 4MB | 6450375 | \$78 |
| PS/2 80-111, 311, 121, 321, 081, 161 | 2MB | 6450379 | \$94 |
| 4010 RISC/6000 (16MB) | \$768, 4033 (32MB) | \$1598, | |
| 4036 (64MB) | \$3298 | | |

IBM Laptop Memory

| | | | |
|-----------------------------------|------|---------|-------|
| Thinkpad 300, Ambra Trekla | 2MB | 33G9288 | \$128 |
| | 8MB | 33G9289 | \$368 |
| Thinkpad 350, 350C, 360, PS/NOTE | 8MB | 6060378 | \$338 |
| | 16MB | 6060379 | \$447 |
| | 4MB | 8189098 | \$198 |
| | 8MB | 8189099 | \$398 |
| | 16MB | | \$948 |
| Thinkpad 500, 510CS, 2618 | 4MB | 07G1420 | \$208 |
| CL375X | 8MB | 07G1421 | \$378 |
| Thinkpad 710T | 16MB | 6665109 | \$898 |
| | 4MB | N/A | \$188 |
| | 8MB | N/A | \$318 |
| PS/Note N45SL | 2MB | 92F8804 | \$108 |
| PS/2, NS1, SL2, SX | 4MB | 07G1826 | \$98 |
| | 4MB | 07G1827 | \$188 |
| | 8MB | 07G1828 | \$418 |
| Laptop N335X, L405X & PS/NOTE 182 | 2MB | 79F0999 | \$98 |
| | 4MB | 79F1000 | \$184 |
| L405X, PS/NOTE 182 ONLY | 8MB | 79F1001 | \$358 |

AST**MEMORY**

| MODEL# | MEMORY | PART# | PRICE |
|---|--------|------------|-------|
| PREMIA | 4MB | 501159-001 | \$188 |
| | 8MB | 501159-002 | \$368 |
| | 16MB | 501159-003 | \$768 |
| ADVANTAGE 386SX/20.25, PRO SX/25 BRAVO 3/33's | 2MB | 500962-001 | \$88 |
| | 8MB | 500962-002 | \$348 |
| BRAVO NB486 | 4MB | 500962-003 | \$198 |
| | 16MB | | \$798 |
| ADVANTAGE PRO 486DX/33SX/25, BRAVO LC 4/ | 2MB | 500987-001 | \$88 |
| 25S, 33, 33S, 50D, 466D | 4MB | 500987-002 | \$164 |
| | 16MB | 500987-004 | \$578 |
| PREMIUM 386/25, 33, 33T II 386SX/16, 20.25 | 1MB | 500780-002 | \$48 |
| | 1MB | 500780-003 | \$48 |
| ADVANTAGE 486/25, 33, 33PSX/20, BROVO 4/33, 486/ | 2MB | 500780-004 | \$88 |
| 25, PREMIUM 4/25, 33TE, SE 4/33, 256500718, 004 | 2MB | 500780-005 | \$68 |
| | 2MB | 500780-006 | \$68 |
| ADVANTAGE 486/25, 33, 33PSX/20, POWER PREMIUM 3/33, 4 33, 33S, 50D, 66D, PREMIUM 386/33TE, 486/25E, | 2MB | 500780-007 | \$88 |
| 25TE, 33, 33TE, PREMIUM II 386/25, 33, 486/33, 486SX/ | 2MB | 500780-008 | \$178 |
| 20PREMIUM SERVER SE 4/33, 486 | 8MB | 500780-001 | \$348 |

AST LAPTOP

| | | | |
|-------------------------------------|------|--|-------|
| POWER EXEC 3/25SL, 3/25SL CEL | 4MB | | \$178 |
| | 16MB | | \$768 |
| POWER EXEC 4/25SL/33SL | 4MB | | \$178 |
| | 16MB | | \$688 |
| PREMIUM EXEC 286, 386SX/20, 25, 25C | 4MB | | \$178 |
| | 8MB | | \$188 |
| BRAVO NB486 | 16MB | | \$668 |
| ASCENTIA 900N, 800N | 4MB | | \$198 |
| 4133-50-75 | | | |

NO RETAIL WILL CALLS ONLY

TERMS: SHIPPING: UPS (Pln. \$9.25) Shipping charges are non refundable. Purchase orders from Universities, Fortune 2000 & Government Agencies, NET 30 on approval. C.O.D. add \$5.00 (Cash on delivery). CONDITIONS: 20% Restocking Fee on returns within 30 days. No refunds or exchanges after 30 days. WARRANTY: REPLACEMENT ONLY. ALL PRICES FINAL. PRICES SUBJECT TO CHANGE. Mfg. part #'s for convenience only. Trademarks are registered with their respective Co.'s. 486, 386, 387, SX, are trademarks of Intel Corp.

COMPAQ**Compaq Memory**

| MODEL | MEMORY | PART# | PRICE |
|---|---------------|------------|--------|
| Deskpro 286E, 386-20, 20E, 25, 25E | 1MB | 113131-001 | \$59 |
| | 4MB | 113132-001 | \$188 |
| | 4MB Board | 113634-001 | \$254 |
| | 4MB Module | 112534-001 | \$188 |
| Deskpro 386S | 4MB | 113645-001 | \$238 |
| Deskpro 386-20E, 25E | 2MB | 115144-001 | \$108 |
| Deskpro 386/33/33i, 486/25, 33L50L, Systempro | 8MB | 116561-001 | \$378 |
| | 32MB | 116568-001 | \$1458 |
| Systempro: Deskpro | 6 SKT | | |
| | EXP BRD W/2MB | 116569-001 | \$268 |
| Compaq "M" | 2-64MB | 129160-001 | \$188 |
| Deskpro 286N, 386N, 386SX/20, 20N, Portable 486c, | | | |
| Deskpro M, Systempro LT Series (29160-001), Pro | | | |
| Signia | 1MB | 118688-001 | \$49 |
| | 2MB | 118689-001 | \$84 |
| | 4MB | 118690-001 | \$168 |
| | 8MB | 128877-001 | \$348 |
| Proline 3/25 & 25Z | 2MB | 141738-001 | \$88 |
| | 8MB | 141742-001 | \$318 |
| Proline 4/25i, 4/33, 4/502MB Module 141683-001 | | | \$94 |
| | 4MB Module | 141684-001 | \$178 |
| | 8MB Module | 141685-001 | \$338 |
| Compaq Pro Signia | 16MB | 149320-001 | \$684 |
| | 32MB | 149147-001 | \$1524 |
| DeskPro 5/60, 5/66M | 8MB | 149911-001 | \$388 |
| Prosignia PC Server, 486/33/66 8MB | 14MB | 149320-001 | \$648 |
| | 32MB | 149147-001 | \$1498 |
| | 16MB | 149949-001 | \$698 |
| Prosignia 5/60 | 32MB | 149912-001 | \$1398 |
| Proline 100 5/60 | 64MB | 149913-001 | \$2698 |
| Proline 2000 4/30, 5/66 | 128MB | 149914-001 | \$5600 |

Compaq Laptop & Notebook

| | | | |
|----------------------|------|------------|-------|
| Concerto 486 | 4MB | | \$188 |
| | 8MB | | \$358 |
| | 16MB | | \$698 |
| Contura 320, 325, C | 2MB | 139497-001 | \$98 |
| | 4MB | 139498-001 | \$174 |
| | 8MB | 139499-001 | \$318 |
| | 16MB | 146522-001 | \$718 |
| Contura 4/25CX | 1MB | 110233-001 | \$75 |
| | 4MB | 110237-001 | \$218 |
| SLT/286 | 1MB | 118303-001 | \$79 |
| | 2MB | 118304-001 | \$108 |
| | 4MB | 118305-001 | \$198 |
| SLT386 | 1MB | 117081-001 | \$79 |
| | 2MB | 117081-002 | \$99 |
| Lte 286 | 4MB | 117081-004 | \$178 |
| | 1MB | 121125-001 | \$98 |
| Lte 386S/20 | 4MB | 121125-002 | \$208 |
| | 2MB | 129769-001 | \$138 |
| Lte Line/20, 25, 25C | 4MB | 129769-002 | \$208 |
| | 8MB | 129769-003 | \$388 |
| | 16MB | 129769-004 | \$808 |
| LTE Lite 486/25C | 4MB | 142337-002 | \$178 |
| | 8MB | 142337-003 | \$348 |
| | 16MB | 142337-004 | \$718 |
| Aero 3.3volt | 4MB | 190532-001 | \$188 |
| | 8MB | 190597-001 | \$358 |


Laser Printer
Memory

| MODULE | 1MB | 2MB | 3MB | 4MB | 5MB | 8MB |
|---|-------------|-------|-------|-------|-----|-------|
| Canon LPB4, 4 Lite & 4+ | \$118 | \$164 | | | | |
| Canon LPB-430 | \$128 | | \$228 | | | |
| Epson Action Laser II, 8000 | \$88 | \$198 | | \$268 | | |
| Epson + 6000 and many more | \$128 | \$198 | | | | |
| Epson Action Laser 1000 & 1500 | \$98 | \$188 | | \$399 | | |
| Fujitsu 7100 & 7200 | \$199 | \$279 | | | | |
| HP Deskjet 500, 500C, 510, 550C and 560 | \$38 (256K) | | | | | |
| HP 2, 2D | \$98 | | \$164 | | | |
| HP 3, 3D, 3P, 2P, 2P+ | \$98 | | \$168 | | | |
| HP Laser Jet 4, 35L, XL300, 1200C | | \$84 | | \$168 | | \$318 |
| IBM Laser 4019, 4019E (3.5MB) | \$114 | | \$164 | | | |
| IBM Laser 4029 | \$95 | | \$155 | | | |
| NEC 90, 290 | \$104 | | | | | |
| NEC 95 | \$88 | | | | | |
| OKI 400568 | \$88 | | | | | |
| Packard Bell PB9500 | \$125 | | \$208 | | | |
| Panasonic 4410/4430 | \$118 | | \$174 | | | |
| Panasonic 4420/4450 | \$118 | | \$178 | | | |
| Panasonic 4450 | \$98 | | \$198 | | | |
| Panasonic 4400/5400 | \$129 | | \$198 | | | |
| Mosix 410 | \$119 | \$159 | | \$249 | | |
| Toxiba Page Laser 6 | \$99 | | \$168 | | | |

PLUG



One Portable CD-ROM Drive — Two Simple Steps



PLAY

With the backpack quad-speed CD-ROM drive, you're one cable connection away from a world of multimedia business advantages: Plug it into your PC parallel port to access a universe of CD-ROM titles. Take it with you for portable data retrieval. Or share it with other PCs.



backpack

MicroSolutions

Call Toll Free - 800.295.1214

No compatibility problems with virtually any IBM-compatible PC—Windows, DOS or OS/2. No taking your PC apart to install this quad-speed drive. Just plug it into your PC printer port—plug your printer into the backpack. A simple solution from the backpack family of tape, diskette and hard drives.

PLEASE COME SEE US AT COMDEX SPRING, ATLANTA, GA BOOTH #418

132 W. Lincoln Hwy. DeKalb, Illinois 60115 • Telephone 815.756.3411 • FAX 815.756.2928

Circle 191 on Inquiry Card (RESELLERS: 192).

YOUR FIRST SOURCE FOR MEMORY!



ALL YOU NEED TO KNOW IS THE NAME OF YOUR PC!

Our upgrade experts have detailed configuration information on thousands of computers and printers, from the oldest to the latest models. We provide you with an "Easy Upgrade" by providing you with the following information:

1. Your System Memory Features
2. How Much Memory You Really Need
3. Memory Products Available for Your System
4. The Most Cost Effective Upgrade Path for Your System
5. Your Systems Minimum and Maximum Memory Capabilities

First Source International takes the confusion out of your memory purchase.


Take advantage of our service and the savings!

PERSONAL COMPUTER MEMORY

AST

| | | | | | |
|--|----------------------------------|------------|---|------------|---------|
| Premiera GLE P/100, P/90 | 16MB | 501565-001 | \$699 | | |
| 32MB | 501567-001 | \$1,007 | 64MB | 501568-001 | \$1,399 |
| Premiera MTE, SE P/60 | 4MB | 501159-001 | \$190 | | |
| 16MB | 501159-003 | \$712 | 32MB | 501159-004 | \$1,120 |
| Draco 386/33, 385/26, 386 | 2MB | 500510-002 | \$88 | | |
| Draco 3/25 | 4MB | 500510-008 | \$195 | | |
| 2MB | 500710-004 | \$89 | 8MB | 500812-002 | \$304 |
| Advantage! Plus 486/33, 102-50, 102-66 | 4MB | 501166-001 | \$158 | | |
| Advantage! Plus 486/33, 102-50, 102-66 | 8MB | 500824-001 | \$306 | | |
| Advantage! Plus 486/33, 102-50, 102-66 | 16MB | 500962-001 | \$500 | | |
| Advantage! Plus 486/33, 102-50, 102-66 | 32MB | 500962-002 | \$1,272 | | |
| Advantage! Plus 486/33, 102-50, 102-66 | 64MB | 500962-003 | \$2,124 | | |
| Advantage! Plus 486/33, 102-50, 102-66 | 128MB | 500962-004 | \$4,198 | | |
| Advantage! Plus 486/33, 102-50, 102-66 | 256MB | 500962-005 | \$8,198 | | |
| Advantage! Plus 486/33, 102-50, 102-66 | 512MB | 500962-006 | \$16,198 | | |
| Advantage! Plus 486/33, 102-50, 102-66 | 1024MB | 500962-007 | \$32,198 | | |
| Advantage! Plus 486/33, 102-50, 102-66 | 2048MB | 500962-008 | \$64,198 | | |
| Advantage! Plus 486/33, 102-50, 102-66 | 4096MB | 500962-009 | \$128,198 | | |
| Advantage! Plus 486/33, 102-50, 102-66 | 8192MB | 500962-010 | \$256,198 | | |
| Advantage! Plus 486/33, 102-50, 102-66 | 16384MB | 500962-011 | \$512,198 | | |
| Advantage! Plus 486/33, 102-50, 102-66 | 32768MB | 500962-012 | \$1,024,198 | | |
| Advantage! Plus 486/33, 102-50, 102-66 | 65536MB | 500962-013 | \$2,048,198 | | |
| Advantage! Plus 486/33, 102-50, 102-66 | 131072MB | 500962-014 | \$4,096,198 | | |
| Advantage! Plus 486/33, 102-50, 102-66 | 262144MB | 500962-015 | \$8,192,198 | | |
| Advantage! Plus 486/33, 102-50, 102-66 | 524288MB | 500962-016 | \$16,384,198 | | |
| Advantage! Plus 486/33, 102-50, 102-66 | 1048576MB | 500962-017 | \$32,768,198 | | |
| Advantage! Plus 486/33, 102-50, 102-66 | 2097152MB | 500962-018 | \$65,536,198 | | |
| Advantage! Plus 486/33, 102-50, 102-66 | 4194304MB | 500962-019 | \$131,072,198 | | |
| Advantage! Plus 486/33, 102-50, 102-66 | 8388608MB | 500962-020 | \$262,144,198 | | |
| Advantage! Plus 486/33, 102-50, 102-66 | 16777216MB | 500962-021 | \$524,288,198 | | |
| Advantage! Plus 486/33, 102-50, 102-66 | 33554432MB | 500962-022 | \$1,048,576,198 | | |
| Advantage! Plus 486/33, 102-50, 102-66 | 67108864MB | 500962-023 | \$2,097,152,198 | | |
| Advantage! Plus 486/33, 102-50, 102-66 | 134217728MB | 500962-024 | \$4,194,304,198 | | |
| Advantage! Plus 486/33, 102-50, 102-66 | 268435456MB | 500962-025 | \$8,388,608,198 | | |
| Advantage! Plus 486/33, 102-50, 102-66 | 536870912MB | 500962-026 | \$16,777,216,198 | | |
| Advantage! Plus 486/33, 102-50, 102-66 | 1073741824MB | 500962-027 | \$33,554,432,198 | | |
| Advantage! Plus 486/33, 102-50, 102-66 | 2147483648MB | 500962-028 | \$67,108,864,198 | | |
| Advantage! Plus 486/33, 102-50, 102-66 | 4294967296MB | 500962-029 | \$134,217,728,198 | | |
| Advantage! Plus 486/33, 102-50, 102-66 | 8589934592MB | 500962-030 | \$268,435,456,198 | | |
| Advantage! Plus 486/33, 102-50, 102-66 | 17179869184MB | 500962-031 | \$536,870,912,198 | | |
| Advantage! Plus 486/33, 102-50, 102-66 | 34359738368MB | 500962-032 | \$1,073,973,836,198 | | |
| Advantage! Plus 486/33, 102-50, 102-66 | 68719476736MB | 500962-033 | \$2,147,947,673,198 | | |
| Advantage! Plus 486/33, 102-50, 102-66 | 137438953472MB | 500962-034 | \$4,359,895,347,198 | | |
| Advantage! Plus 486/33, 102-50, 102-66 | 274877906944MB | 500962-035 | \$8,719,790,694,198 | | |
| Advantage! Plus 486/33, 102-50, 102-66 | 549755813888MB | 500962-036 | \$17,439,581,388,198 | | |
| Advantage! Plus 486/33, 102-50, 102-66 | 1099511627776MB | 500962-037 | \$34,879,162,777,198 | | |
| Advantage! Plus 486/33, 102-50, 102-66 | 2199023255552MB | 500962-038 | \$69,758,325,555,198 | | |
| Advantage! Plus 486/33, 102-50, 102-66 | 4398046511104MB | 500962-039 | \$139,516,651,110,198 | | |
| Advantage! Plus 486/33, 102-50, 102-66 | 8796093022208MB | 500962-040 | \$279,033,302,220,198 | | |
| Advantage! Plus 486/33, 102-50, 102-66 | 17592186444416MB | 500962-041 | \$558,066,604,441,198 | | |
| Advantage! Plus 486/33, 102-50, 102-66 | 35184372888832MB | 500962-042 | \$1,116,133,208,888,198 | | |
| Advantage! Plus 486/33, 102-50, 102-66 | 70368745777664MB | 500962-043 | \$2,232,266,417,776,198 | | |
| Advantage! Plus 486/33, 102-50, 102-66 | 14073749155328MB | 500962-044 | \$4,464,532,835,552,198 | | |
| Advantage! Plus 486/33, 102-50, 102-66 | 28147498310656MB | 500962-045 | \$8,929,065,671,064,198 | | |
| Advantage! Plus 486/33, 102-50, 102-66 | 56294996621312MB | 500962-046 | \$17,858,131,342,208,198 | | |
| Advantage! Plus 486/33, 102-50, 102-66 | 112589993242624MB | 500962-047 | \$35,716,262,684,416,198 | | |
| Advantage! Plus 486/33, 102-50, 102-66 | 225179986485248MB | 500962-048 | \$71,432,525,368,832,198 | | |
| Advantage! Plus 486/33, 102-50, 102-66 | 450359972970496MB | 500962-049 | \$142,865,050,737,664,198 | | |
| Advantage! Plus 486/33, 102-50, 102-66 | 900719945940992MB | 500962-050 | \$285,730,101,475,328,198 | | |
| Advantage! Plus 486/33, 102-50, 102-66 | 1801439891881984MB | 500962-051 | \$571,460,202,950,656,198 | | |
| Advantage! Plus 486/33, 102-50, 102-66 | 3602879783763968MB | 500962-052 | \$1,142,920,405,901,312,198 | | |
| Advantage! Plus 486/33, 102-50, 102-66 | 7205759567527936MB | 500962-053 | \$2,285,840,811,802,624,198 | | |
| Advantage! Plus 486/33, 102-50, 102-66 | 14411519135058752MB | 500962-054 | \$4,571,681,623,605,248,198 | | |
| Advantage! Plus 486/33, 102-50, 102-66 | 28823038270117504MB | 500962-055 | \$9,143,362,447,210,496,198 | | |
| Advantage! Plus 486/33, 102-50, 102-66 | 57646076540235008MB | 500962-056 | \$18,286,724,884,420,992,198 | | |
| Advantage! Plus 486/33, 102-50, 102-66 | 115292153080470016MB | 500962-057 | \$36,573,449,768,841,984,198 | | |
| Advantage! Plus 486/33, 102-50, 102-66 | 230584306160940032MB | 500962-058 | \$73,146,899,537,683,968,198 | | |
| Advantage! Plus 486/33, 102-50, 102-66 | 461168612321880064MB | 500962-059 | \$146,293,799,075,367,936,198 | | |
| Advantage! Plus 486/33, 102-50, 102-66 | 922337224643760128MB | 500962-060 | \$292,587,598,150,735,872,198 | | |
| Advantage! Plus 486/33, 102-50, 102-66 | 1844674449287520256MB | 500962-061 | \$585,175,196,301,471,744,198 | | |
| Advantage! Plus 486/33, 102-50, 102-66 | 3689348898575040512MB | 500962-062 | \$1,170,350,392,602,943,488,198 | | |
| Advantage! Plus 486/33, 102-50, 102-66 | 7378697797150081024MB | 500962-063 | \$2,340,700,785,205,886,976,198 | | |
| Advantage! Plus 486/33, 102-50, 102-66 | 14757395984300162048MB | 500962-064 | \$4,681,401,570,411,773,952,198 | | |
| Advantage! Plus 486/33, 102-50, 102-66 | 29514791968600324096MB | 500962-065 | \$9,362,803,140,823,547,904,198 | | |
| Advantage! Plus 486/33, 102-50, 102-66 | 59029583937200648192MB | 500962-066 | \$18,725,662,281,647,095,808,198 | | |
| Advantage! Plus 486/33, 102-50, 102-66 | 118059167874401283384MB | 500962-067 | \$37,451,324,563,294,191,616,198 | | |
| Advantage! Plus 486/33, 102-50, 102-66 | 2361183357488025667288576MB | 500962-068 | \$74,902,649,126,588,383,232,198 | | |
| Advantage! Plus 486/33, 102-50, 102-66 | 472236671497605133536MB | 500962-069 | \$149,805,298,253,176,766,464,198 | | |
| Advantage! Plus 486/33, 102-50, 102-66 | 94447334299521026267288576MB | 500962-070 | \$306,801,250,822,250,088,109,072,198 | | |
| Advantage! Plus 486/33, 102-50, 102-66 | 1888946685990420534144MB | 500962-071 | \$599,221,193,012,707,107,165,856,198 | | |
| Advantage! Plus 486/33, 102-50, 102-66 | 3777893371980841068288MB | 500962-072 | \$1,198,442,386,024,414,421,311,712,198 | | |
| Advantage! Plus 486/33, 102-50, 102-66 | 7555786743961682136576MB | 500962-073 | \$2,396,884,772,048,828,842,622,424,198 | | |
| Advantage! Plus 486/33, 102-50, 102-66 | 151115734879233642713152MB | 500962-074 | \$4,793,769,544,097,657,644,848,198 | | |
| Advantage! Plus 486/33, 102-50, 102-66 | 302231469758467285426304MB | 500962-075 | \$9,587,539,088,195,315,289,696,198 | | |
| Advantage! Plus 486/33, 102-50, 102-66 | 604462939516934570852608MB | 500962-076 | \$19,175,078,176,390,630,579,392,198 | | |
| Advantage! Plus 486/33, 102-50, 102-66 | 1208925879038689141705536MB | 500962-077 | \$38,350,156,352,781,261,158,784,198 | | |
| Advantage! Plus 486/33, 102-50, 102-66 | 2417851758077378283411072MB | 500962-078 | \$76,700,312,705,562,522,317,568,198 | | |
| Advantage! Plus 486/33, 102-50, 102-66 | 4835703516154756566822144MB | 500962-079 | \$153,400,625,411,125,044,545,136,198 | | |
| Advantage! Plus 486/33, 102-50, 102-66 | 9671407032309513133644288MB | 500962-080 | \$306,801,250,822,250,088,109,072,198 | | |
| Advantage! Plus 486/33, 102-50, 102-66 | 19342814064619026267288576MB | 500962-081 | \$585,175,196,301,471,744,198 | | |
| Advantage! Plus 486/33, 102-50, 102-66 | 38685628129238052534577152MB | 500962-082 | \$1,170,350,392,602,943,488,198 | | |
| Advantage! Plus 486/33, 102-50, 102-66 | 77371256258476105069155304MB | 500962-083 | \$2,340,700,785,205,886,976,198 | | |
| Advantage! Plus 486/33, 102-50, 102-66 | 154742512568952210118231068MB | 500962-084 | \$4,908,820,133,156,000,142,504,1152,198 | | |
| Advantage! Plus 486/33, 102-50, 102-66 | 309485025137904420236462136MB | 500962-085 | \$9,817,640,266,312,000,285,008,288,198 | | |
| Advantage! Plus 486/33, 102-50, 102-66 | 618970050275808840472924272MB | 500962-086 | \$19,635,280,532,624,000,570,016,576,198 | | |
| Advantage! Plus 486/33, 102-50, 102-66 | 123794010055161768945584544MB | 500962-087 | \$37,451,324,563,294,191,616,198 | | |
| Advantage! Plus 486/33, 102-50, 102-66 | 247588020110323537891169088MB | 500962-088 | \$76,700,312,705,562,522,317,568,198 | | |
| Advantage! Plus 486/33, 102-50, 102-66 | 495176040220647075782338176MB | 500962-089 | \$153,400,625,411,125,044,545,136,198 | | |
| Advantage! Plus 486/33, 102-50, 102-66 | 990352080441294151564676352MB | 500962-090 | \$306,801,250,822,250,088,109,072,198 | | |
| Advantage! Plus 486/33, 102-50, 102-66 | 198070416088258830312913224MB | 500962-091 | \$599,221,193,012,707,107,165,856,198 | | |
| Advantage! Plus 486/33, 102-50, 102-66 | 39614083217651766062582648MB | 500962-092 | \$1,198,442,386,024,414,421,311,712,198 | | |
| Advantage! Plus 486/33, 102-50, 102-66 | 7922816643530353212517153696MB | 500962-093 | \$2,396,884,772,048,828,842,622,424,198 | | |
| Advantage! Plus 486/33, 102-50, 102-66 | 158456332870607064250343072MB | 500962-094 | \$4,908,820,133,156,000,142,504,1152,198 | | |
| Advantage! Plus 486/33, 102-50, 102-66 | 316912665641214128500686144MB | 500962-095 | \$9,817,640,266,312,000,285,008,288,198 | | |
| Advantage! Plus 486/33, 102-50, 102-66 | 633825331282428256100137288MB | 500962-096 | \$19,635,280,532,624,000,570,016,576,198 | | |
| Advantage! Plus 486/33, 102-50, 102-66 | 1267650662564856512200274576MB | 500962-097 | \$38,350,156,352,781,261,158,784,198 | | |
| Advantage! Plus 486/33, 102-50, 102-66 | 2535301325129713024400549152MB | 500962-098 | \$76,700,312,705,562,522,317,568,198 | | |
| Advantage! Plus 486/33, 102-50, 102-66 | 5070602650259426048801098304MB | 500962-099 | \$153,400,625,411,125,044,545,136,198 | | |
| Advantage! Plus 486/33, 102-50, 102-66 | 10141205300518852097602196608MB | 500962-100 | \$306,801,250,822,250,088,109,072,198 | | |
| Advantage! Plus 486/33, 102-50, 102-66 | 20282410601037704195204393216MB | 500962-101 | \$613,602,501,644,500,178,138,144,198 | | |
| Advantage! Plus 486/33, 102-50, 102-66 | 40564821202075408390407786432MB | 500962-102 | \$1,227,205,003,289,000,356,276,288,198 | | |
| Advantage! Plus 486/33, 102-50, 102-66 | 811296424041508167808155738864MB | 500962-103 | \$2,454,410,066,578,000,712,552,576,198 | | |
| Advantage! Plus 486/33, 102-50, 102-66 | 162259284808301635661631477728MB | 500962-104 | \$4,908,820,133,156,000,142,504,1152,198 | | |
| Advantage! Plus 486/33, 102-50, 102-66 | 324518569616603271323262955456MB | 500962-105 | \$9,817,640,266,312,000,285,008,288,198 | | |
| Advantage! Plus 486/33, 102-50, 102-66 | 649037139233206442664525910912MB | 500962-106 | \$19,635,280,532,624,000,570,016,576,198 | | |
| Advantage! Plus 486/33, 102-50, 102-66 | 129807427666401289328905818MB | 500962-107 | \$39,270,561,065,248,000,114,032,1152,198 | | |
| Advantage! Plus 486/33, 102-50, 102-66 | 259614855332802561866517636MB | 500962-108 | \$78,541,122,130,496,000,228,064,2304,198 | | |
| Advantage! Plus 486/33, 102-50, 102-66 | 5192297106656051373233532MB | 500962-109 | \$157,082,244,266,312,000,570,016,576,198 | | |
| Advantage! Plus 486/33, 102-50, 102-66 | 10384594213312102744666664MB | 500962-110 | \$314,164,520,521,984,000,912,256,9216,198 | | |
| Advantage! Plus 486/33, 102-50, 102-66 | 2076918842662420548933328MB | 500962-111 | \$628,329,041,043,968,000,1824,512,18432,198 | | |
| Advantage! Plus 486/33, 102-50, 102-66 | 4153837685324841097866656MB | 500962-112 | \$1,256,658,082,087,936,000,3648,1024,36864,198 | | |
| Advantage! Plus 486/33, 102-50, 102-66 | 8307675370649682195733312MB | 500962-113 | \$2,513,316,164,175,872,000,7296,2048,73728,198 | | |
| Advantage! Plus 486/33, 102-50, 102-66 | 16615350741299364315466624MB | 500962-114 | \$5,026 | | |

SciTech SOFTWARE *Best Sellers* FOR SCIENCE[®] at great prices!




MICROSOFT[®] FORTRAN POWERSTATION

Develop & run Fortran programs of virtually any size & complexity with Microsoft FORTRAN PowerStation family of 32-bit development systems! Migrate Fortran code from other platforms with little or no modification! Get unparalleled price/performance!

Save time in code development and maintenance using the Windows integrated development environment. Call NOW to order or request a FREE Test Drive Kit!

DOS & Windows price\$339
Windows NT price\$519




MICROSOFT[®] IMSL[®] MATH & STATS LIBRARIES

Complement Microsoft FORTRAN PowerStation with Microsoft IMSL mathematical and statistical libraries! Seamless interface with FORTRAN PowerStation allows you to port Fortran code developed on other platforms — including calls to the IMSL libraries — to the PC. 1,000 precoded, tested, robust routines. Reduce application development time by using the extensive online Help.

DOS & Windows price\$495
Windows NT price\$495

MAPLE V


Mathematical (numeric, symbolic, graphical) computation system with extensive programming facilities, more than 2,500 functions, 2D/3D color graphics and animation. Displays and prints in standard math notation. Used world-wide by engineers, scientists and mathematicians. Includes math coprocessor support.




DOS, Mac, Windows price\$549
UNIX price\$1,195

Mathcad PLUS 5.0

Solve mathematical calculations in a live and interactive environment. Type equations right on the screen, add an "=" sign, and Mathcad solves instantly. The solutions are "live." Change any factor or equation and Mathcad PLUS 5.0 automatically recalculates. Mathcad PLUS lets you convey ideas without rewriting. And incorporate text and graphics with your real math notation for meaningful and impressive documents.



Windows price\$295



JMP[®]3.1 Statistical Discovery Software from SAS Institute, Inc.

Statistics is not just data reduction and analysis, it's data discovery. JMP's unique graphical approach to statistics allows you to see your data from many different perspectives quickly, easily. JMP's ever-growing list of statistical features includes: extensive linear and nonlinear model fitting, including regression, ANOVA, MANOVA, and random effects models. Statistical quality control analysis, extensive survival analysis, and exclusive integrated design of experiments. Available for Windows 2nd Quarter '95 — Call.

Mac (Power Macintosh & 68K)\$649

CS ChemDraw


Specialized tools for drawing chemical structures as well as powerful general-purpose drawing and text tools. You can organize ChemDraw structures with ChemFinder or transfer them to Chem3D for molecular modeling.



Win, Mac price\$399
Academic priceCALL
Student price\$99

Question

Easy-to-use survey software for Windows that makes it easy to design, administer and analyze survey data. Questionnaire design automatically creates validated data entry screens. Includes comprehensive descriptive and multivariate statistics including correspondence analysis, t tests, multiple regression and easy-to-customize graphics. Lexical analysis lets you process open-ended questions. Disponible en version française.



Windows price\$595

To order or for more information call
1.800.622.3345
ask for our free 116-page catalog with
more than 1,850 products!

See us on the Internet!
Our URL is <http://www.scitechint.com/scitech/>

SciTech

SciTech International, Inc. 2525 N. Elston Avenue, Chicago, IL 60647-2003
Tel 312.486.9191, Fax 312.486.9234
Resellers call 1.800.622.3320 for a Confidential Reseller Price List

Circle 202 on Inquiry Card.

SCIENTIFIC,
ENGINEERING
& TECHNICAL
SOFTWARE
IS OUR
SPECIALTY.

GET EXPERT
TECHNICAL
SUPPORT
BEFORE YOU
BUY.

CALL FOR
MORE INFOR-
MATION &
FREE DEMO
DISKS.

EXCELLENT
SERVICE IS
OUR MOST
IMPORTANT
GOAL.

GET
PERSONAL
ATTENTION
EACH TIME
YOU CALL.

The Micro International 7600 Notebook.

The fastest notebook in the world. (Again).

But that's just the
beginning of what
you get for only
\$3300.

Brilliant 10.3" Dual-scan
Passive Matrix Color
screen (Active Matrix
also available).



Built-in multimedia speaker
for the built-in soundblaster
compatible 16-bit soundcard !

Two type II PCMCIA card
slots (equal to 1 type 3)

340mb removable local bus
HD (up to 810mb available)

8mb RAM (up to 40mb using
user-upgradeable modules)
and 256K L2 cache!



Mic in / Speaker /
Headphone out jacks

3.5" floppy drive

19mm trackball in
just the right spot

Dependable
NiMH Battery

A focus on service and support since 1984!

We give you *free* lifetime *toll-free* tech support. We *preload* the latest versions of DOS and Windows for Workgroups, including all video, sound, and PCMCIA card utilities. Our 1 Year Parts and Labor Warranty includes our outstanding 48 hour warranty service turnaround time, *proving* that we understand how you depend on our products. Our 30-day money back guarantee is *pretty simple*: you get a refund if you're not satisfied *for any reason*. Our RealHelp disk included with every notebook allows us to service your technical configuration files *by remote access*. Our 48-hour+ extensive burn-in and testing period on every single notebook, *before* it leaves our facility, ensures an absolute minimum of failures in *your notebook*. Anything less is just not mint!

* Shipping charges will be withheld from any refund, along with 2% of invoice total on any credit card orders.

Micro International, 10850 Seaboard Loop, Houston, Texas 77099. Top quality service and support **since 1984!**
Full information (including specifications, all options & prices) available by fax or mail on request.

Fax (713) 495-7791 Hours: 8-6 Monday-Friday. Call today toll free:

*Pentium is a registered trademark of Intel Corporation.

1-800-967-5667

Circle 199 on Inquiry Card.

New Version!

EAGLE 3.0

AUTOMATED PCB DESIGN

*Soaring 32-Bit
Performance...*

*Down-to-Earth
Pricing:*

New:
- Polygon Fill
- Copper Pouring
and more!

| | |
|-------|---------------------|
| PADS | \$2,000+ |
| OrCad | \$2,000+ |
| Tango | \$6,500+ |

EAGLE 3.0:

| | |
|----------------------------|-------|
| Layout Editor (32 bit) | \$499 |
| Schematic Module (32 bit) | \$599 |
| Autorouter Module (32 bit) | \$799 |
| Technical Support | FREE |

| | |
|--------------------------------|----------------|
| Complete Program | \$1,897 |
| Demo with Original Manual | \$12 |
| 16-bit Version Still Available | |

Limited Time Offer:
Get EAGLE 16-bit version for:

\$500.00

Including Layout, Schematic,
and Autorouter Module

*Finally! High-flying
PCB design automation
without sky-high prices for program
modules, technical support, and
maintenance!*

With EAGLE 3.0 you get 32-bit power and all the functions you need in a single, affordable program. It includes schematic capture, layout editor, 100% autorouter, DRC, ERC, drivers, and libraries — plus copper pouring. There are no hidden fees or charges for maintenance and support. We'll even supply a conversion program that lets you transfer your current program's netlists into EAGLE's layout editor.

Install EAGLE 3.0 on a 386 or higher and you'll be productive from day one — because we've also eliminated the complexity that makes competitive programs so frustrating and time-consuming.

*Call for a FREE INFO
DISK today, and
discover why EAGLE
3.0 is a value that
soars above the rest.*

800-858-8355

 **CadSoft**

CadSoft Computer, Inc., 801 S. Federal Highway,
Delray Beach, FL 33483


FAX (407) 274-8218, Hotline (407) 274-8355

In Germany: FAX: +49 8635 920

All product names are trademarks of their respective organizations

Circle 200 on Inquiry Card.

Eco-Logical.



This symbol identifies energy-efficient computers that save you money and reduce air pollution by "powering down" when not in use.

Over 2000 computers, monitors and printers have earned the right to bear the Environmental Protection Agency's Energy StarSM logo. These computers are so smart, they go to sleep when not in use and wake up with a simple touch of the keyboard or mouse. Energy StarSM Computers don't cost

any extra, will save money on your energy bill, and prevent pollution from electricity generation. Be part of the solution and look for this logo when you make your next computer purchase. To receive a list of available products call the Energy StarSM Hotline at 202 775-6650.



Buy It And Save.

RACK MOUNT PC SYSTEMS & ENCLOSURES

MULTIPLE DRIVE COMPUTER SYSTEMS AND ENCLOSURES



- ◆ Computers available with '386, '486, or Pentium processors
- ◆ 8 or 12 slots for Motherboards or passive backplanes
- ◆ All drive bays are shock mounted
- ◆ Accommodates full height & full length cards
- ◆ Card retainer to firmly hold plug-in cards
- ◆ 250W power supply w/ front panel on/off switch
- ◆ Front panel keylock/reset switches & LED status displays



DC 24V and 48V power supplies available for systems & enclosures

**TFT COLOR
& EL VGA
models available!
Connects directly
to standard
VGA output!**

SYSTEMS WITH 9" MONO & 10" SVGA COLOR MONITORS

- ◆ Computers available with '386, '486, or Pentium processors
- ◆ 8 or 12 slots for motherboards or passive backplanes
- ◆ Shock Mounted cage for three half-height front panel drives
- ◆ Internal hard drive bracket holds two half-height drives
- ◆ 9" MONO or 10" SVGA color monitors with front panel controls
- ◆ 250W power supply with front panel ON/OFF switch
- ◆ Front panel keylock/reset switches and LED status displays



Available in both 20" and 24" deep models

RACK MOUNT MONITORS



- ◆ 9" MONO & 10" SVGA color monitors
- ◆ Tinted Lexan shield for screen protection
- ◆ Power, Contrast & Brightness controls in front



- ◆ 14" SVGA & Multi-Sync color monitors
- ◆ Automatic degaussing
- ◆ Standard 15-pin input connector



- ◆ 17" Ultra VGA 0.26 dot pitch color monitor
- ◆ Microprocessor controlled digital adjustments
- ◆ Energy-Star & MPR-II compliant



**Call us for quotes on custom rack mount systems!
Ask us about Passive Backplanes and open-frame monitors!**

RACK MOUNT KEYBOARDS AND ENCLOSURES



- ◆ Vertical rack mount or desktop
- ◆ Sealed membrane 101 keys
- ◆ Selectable on/off audible tone
- ◆ XT or AT operation



- ◆ 101 K/B with mouse holder
- ◆ Full travel (4mm) keys
- ◆ Optional protective cover




- ◆ Standard 101 keyboard enclosure
- ◆ Storage space for K/B and mouse
- ◆ Slides for rack included

RACK MOUNT PRINTER



- ◆ Microline 184T dot matrix printer
- ◆ IBM compatible graphics characters
- ◆ All operator controls easily accessible
- ◆ Large storage for roll or fanfold paper
- ◆ Standard IBM parallel printer interface
- ◆ Serial printer interface also available
- ◆ Slides, power & signal cables included

UniMod™ MODULAR COMPUTER SYSTEMS



- ◆ Independent self-contained 4 or 8 slot computer modules
- ◆ Individual module power supply and filtered cooling fan
- ◆ Available with '386 or '486 CPU's & various memory & hard drive sizes
- ◆ 7" TTL Mono or 7" VGA color or mono monitors available for further flexibility
- ◆ Multiple configurations can be combined in 7 inches of vertical rack space
- ◆ Available with either AC or DC power supplies

**NOW
in both
4 & 8 Slots**



Call us for UniMod™ combinations and quotes

RECORTEC, INC.

1290 Lawrence Station Road, Sunnyvale CA 94089
Tel: (408) 734-1290 Fax: (408) 734-2140

RACKFAX™

(408) 734-9374
Fax-On-Demand System

800-729-7654

Call for free catalog



Circle 196 on Inquiry Card.

WE WILL TRY TO MATCH OR BEAT ANY ADVERTISED PRICE. CALL FOR LATEST PRICING!!

WE ACCEPT PO'S
FROM QUALIFIED FIRMS

MEMORANDUM

SECURITY WILL CALL WINDOW NOW OPEN!
NO SURCHARGE FOR MC, VISA AE & DISCOVER

CACHE MEMORY

| | 12MB | 15MB | 20MB | 25MB |
|--------------|-------|-------|------|-------|
| 8Kx8 | 19.00 | 6.50 | 6.00 | 5.50 |
| 32Kx8 (3.3V) | 19.00 | 6.50 | 6.00 | 5.50 |
| 64Kx1 | 11.00 | 11.00 | 8.00 | 8.00 |
| 64Kx4 | 11.00 | 11.00 | 9.00 | 8.00 |
| 16Kx4 | 8.00 | 8.00 | 7.00 | 6.00 |
| 128Kx8 | 59.00 | | | 29.00 |

Individual D-RAM Chips


| MEMORY FOR IBM & APPLE | | | | 8087 | 39.00 |
|------------------------|---------|---------|---------|---------------------------------------|--------|
| 100Ks | 200Ks | 300Ks | 400Ks | 8087-2 | 45.00 |
| 1Mopt | 6.85 | 6.45 | 5.85 | 8087-1 | 79.00 |
| 2Mopt | 13.00 | 12.00 | 11.00 | 80287-UL | 38.00 |
| 4Mopt (2p Dip) | 24.00 | 22.00 | 21.00 | 80287-UL 16X | 38.00 |
| 8Mopt (2p Dip) | 48.00 | 44.00 | 43.00 | 80387-2D | 44.00 |
| 16Mopt (2p Dip) | 96.00 | 88.00 | 86.00 | 80387-2D (Does All) | 77.00 |
| 32Mopt (2p Dip) | 192.00 | 176.00 | 172.00 | 80487-3X (Does All) | 229.00 |
| 64Mopt (2p Dip) | 384.00 | 352.00 | 344.00 | Intel SX (Does All) | 89.00 |
| 128Mopt (2p Dip) | 768.00 | 704.00 | 688.00 | Intel SL Mobil | 69.00 |
| 256Mopt (2p Dip) | 1536.00 | 1408.00 | 1376.00 | Intel i68X | 39.00 |
| 512Mopt (2p Dip) | 3072.00 | 2816.00 | 2752.00 | Intel 286 | 49.00 |
| 1024Mopt (2p Dip) | 6144.00 | 5632.00 | 5504.00 | Lowest price on Intel overdrive chips | |

Defacto RAID

High-Performance SCSI RAID Systems

Discover the best RAID price/performance in the industry. Raidtec is the affordable, open, SCSI-to-SCSI hardware RAID solution for complete data protection. Ideal for mission critical applications, document imaging & multimedia.

It's time to re-visit the ultimate in high-availability storage. Contact Raidtec today at (404) 664-6066.



- Fast & Wide SCSI II
- RAID levels 0, 1, 10, 3/5
- Programmable RAID Level selection
- On-the-fly hardware parity generation eliminates read, modify, write-back performance overhead
- Single ended or differential
- Configurable read & write buffers
- Rackable, stackable
- Downloadable flash firmware
- Remote alarms, configuration & monitoring
- Environmental sensor ports
- "Hot Replaceable" disk drive bays & power supplies
- Single SCSI ID
- Solid state load sharing power subsystem
- LCD control panel status display


THE STANDARD IN ADVANCED MASS STORAGE SYSTEMS

Raidtec USA
105 Hembree Park Dr. • Suite C
Roswell, GA 30076
Tel.: (404) 664-6066
FAX: (404) 664-6166

Raidtec EUROPE
Glen Mervyn House • Glanmire
Cork, Ireland
Tel.: (353) 21-821454
FAX: (353) 21-821654

Raidtec

CORPORATION



Now, Go From Paper To Electronic Forms AUTOMATICALLY.



Introducing TransForm™ As incredible as it sounds, you can now scan your paper forms into fully editable, electronic forms in minutes. Thanks to its artificial intelligence, TransForm senses boxes where data is entered and lets you type into them directly. Each form you create with TransForm can be filled or merged with variable data, E-mailed and faxed. What's more, all your forms can be filled and printed from nearly

any computer platform. ■ Another benefit: with TransForm, you can quickly make changes to forms at any time and print out new forms when you need them. No more throwing away stacks of obsolete forms! ■ And for convenient form storage, our mips FormShuttle™ holds up to 200 forms, and plugs right into the cartridge slot of your laser printer. Since forms stay printer-resident they'll print much faster. ■ Find out more today: **800-898-8560**

Call the mips authorized dealer near you.

DocuPrint, Sweden:
46-8-283390

mips Technologies GmbH,
Germany: 49-6127-3845

Open Systems Solutions,
Venezuela: 582-239-6113

Printline AG, Switzerland:
411-814-1412

PC:\Forms>Inc., Wisconsin:
800-786-8827



Dataline America, Inc.

(619) 679-4070 • Fax (619) 679-4073

DPT Outperforms Adaptec®

Powerful PCI


SCSI Adapters from **DPT®**

▶ **DPT beats Adaptec in every major category!**



| | | |
|-----------------|--|--|
| → Price | DPT ▶ • PM2024 \$395* | Adaptec • AHA-2940 \$429* |
| → Upgradability | DPT ▶ • Add optional hardware caching and RAID | Adaptec • Non-Upgradable (BUMMER!) |
| → Compatibility | DPT ▶ • Complete, mature drivers in every major OS; all DPT drivers work with all DPT boards | Adaptec • Different drivers for the 1740, 2740 and 2940. (VERY CONFUSING!) |

*S.R.P.

→ **PM2024
PCI SCSI
Host Adapter**



▶ **Want SPEED?**
DPT crushes Adaptec in benchmark tests!



A DPT PCI SCSI Host Adapter is the smart way to tap into the power of PCI. DPT outperforms every major competitor right out of the box, and you can add optional hardware caching and RAID for even more power and flexibility. So why choose anything else?

DPT – the smart choice!

1-800-322-4378

You may be eligible for our "ULTIMATE DEAL" – a 50% savings on our full line of high-performance ISA, EISA, & PCI products! Call today.



Distributed Processing Technology · 140 Candace Drive, Maitland, FL 32751 · USA · Phone (407)830-5522 · SalesFax (407)260-6690 · FAX (407)260-5366

Circle 186 on Inquiry Card.

**CALL ABOUT
WINDOWS 95
VERSION**



CONTROL YOUR WORLD

**AVALAN
TECHNOLOGY**

P.O. BOX 6888
HOLLISTON, MA 01746
TEL: (508) 429-6482
FAX: (508) 429-3179
E MAIL: sales@avalan.com

IN THE U.K. CALL:

DATASOFT

HORTON HOUSE, DITTON STREET
ILMINSTER, SOMERSET TA19 0BQ
TEL: 01460 57001
FAX: 01460 57060
E MAIL: 75300.255@compuserve.com

Remotely Control PCs over LANs, the Internet or Phone Lines with

REMOTELY POSSIBLE

**Powerful, Full-Featured,
Easy to Use and Fast!**

**Outperforms ReachOut,
pcAnywhere and Carbon Copy!**

**Runs over TCP/IP via Windows
Sockets, over Network,
Netbios, or Windows LANs and
via modem serial ports!**

**100% Windows DLL - requires
no DOS TSR!**

**Uses less than 200K of
Windows memory!**

**Very low RAM and disk
requirements!**

**Automatically matches video
color systems and
resolutions!**




REMOTELY POSSIBLE / DIAL – for home and travel. Supports over 200 modems up to 230.4Kbps including V.34, PCMCIA and ISDN adapters. NASI, INT 14 and Telebit ACS support. Licensed for 2 PCs. \$199

REMOTELY POSSIBLE / LAN – supports all networks including Novell, Network, Windows for Workgroups and Netbios. Includes one Dial version. Competitive licensing starting at \$599 (200 users per site), includes 1 FREE Dial version.

REMOTELY POSSIBLE / SOCKETS – supports TCP/IP via Windows Sockets, works over SLIP, PPP and the Internet. Prices start at \$298 (1 Host and 1 Viewer); add-on packs available.

"Intelligent" Remote Control, File Transfer, Chat and Remote Printing – True Windows DLL software for all environments!



"REMOTELY POSSIBLE screen redraws, program launches and file transfers were each simple, speedy and a joy to use!"
– Windows Magazine

NEW!

Windows
Speed Crown Award
PC Week

Best Overall
Quality Award
Byte Magazine

Ease of Use
Award
InfoWorld

INTRODUCTORY OFFER!
SOCKETS Version only \$99 (Save \$199!)
(800) 441-2281

Growing Your Software Business Can Be Puzzling...

Piracy Protection



Pre-Sales
Evaluations



Software Rental



Version
Updates



Complex
Licensing
Schemes

Watch The Pieces Come Together.



Introducing The ON Button™ For Your Software

Now you can protect your software by
controlling the right to use.

Buttons are microchips packaged in coin-shaped, stainless steel cans that contain critical information to make your software run.

**Ask
about dongle
trade-in program.**

All Buttons contain a unique 64-bit serial number:

DS1420 ID Button™:
Basic security.

DS1422 UniqueWare Button™:
1K bit of memory
separated into 4, one-time-
write pages.

DS1425 Multi Button™:
2K bits of RAM can protect
multiple applications.

DS1427 Time Button™:
4K bits of RAM, along with a
tamper-proof real time clock.

Buttons tie together the pieces of your business puzzle. ► Resellers Welcome

**DALLAS
SEMICONDUCTOR**

4401 South Beltwood Parkway ♦ Dallas, Texas 75244-3292 ♦ Tel: 214-450-8170 ♦ Fax: 214-450-3869
Circle 201 on Inquiry Card.

"Tuba ! Tuba! Tuba!" The Fat Lady Is Singing



"It ain't over 'til the fat lady sings". And for makers of 15" & 17" monitors for PC's, she's now waiting in the wings.

Orchestra MultiSystems, Inc. has already won favorable reviews for its first 17" display, The Tuba, in PC Magazine ("Budget minded buyers should check out... Orchestra MultiSystems' The Tuba"—Sept. 27, 1994) and CD-ROM Today (Ultimate Upgrade for Multi-media/Monitors—Jan. 1995).

Windows-using Tuba owners agree that The Tuba's 0.26mm dot pitch screen, 1600x1200 non-interlaced maximum resolution, micro-processor controls, edge-to edge display, Energy Star & MPR-II compliance, all with street price of well under \$699, gives them a high-value big-screen solution.

Now, with The French Horn II and The Tuba II, Orchestra is ready to bring down the curtain on other 15" and 17" displays. These new performers have all the features of The Tuba, plus they add on-screen controls for adjustments to the following image characteristics:

- Pincushion / Barreling
- Color Balance (RGB)
- Color Temperature
- Trapezoid
- Tilt/Rotation

With all of these adjustments available to the Tuba II user, slight image imperfections due to shipping or environmental factors are eliminated, virtually assuring total product satisfaction for a suggested list price of \$699.


If \$699 is still a bit high, or space limitations dictate a smaller monitor, The French Horn II 15" model, with the same advanced features as the Tuba II, is available for a suggested list price of \$499. The French Horn II has a 0.28mm Flat Screen, and will fit into any monitor budget. The Fat Lady is singing for us; let Orchestra perform for you.

For more information on the Tuba II, French Horn II or other Orchestra products, call us at (800)237-9988.

| | Tuba II | NEC 5FGe | NEC 5FGp | MAG DX17F | VIEWSONIC 17 | VIEWSONIC 17G |
|--|--------------------|-----------------|-----------------|------------------|---------------------|----------------------|
| Dot Pitch (mm) | 0.26 | 0.28 | 0.28 | 0.28 | 0.27 | 0.28 |
| Maximum Resolution (Non-Interlaced) | 1600 X 1200 | 1024 X 768 | 1280 X 1024 | 1280 X 1024 | 1600 X 1280 | 1280 X 1024 |
| Trapezoidal Control | YES | NO | NO | NO | YES | YES |
| Tilt/Rotation Control | YES | YES | YES | YES | YES | NO |
| Pincushion Control | YES | YES | YES | YES | YES | YES |
| Color Balance Control | YES | NO | YES | NO | YES | YES |
| Color Temperature Control | YES | NO | NO | NO | YES | YES |
| Microprocessor Controls | YES | YES | PARTIAL | PARTIAL | YES | PARTIAL |
| On-screen Controls | YES | NO | NO | NO | YES | YES |
| E.S.P. | \$699 | \$1045 | \$1175 | \$799 | \$1045 | \$945 |



Orchestra
MultiSystems, Inc.
Technology In Concert



Serving you since 1979

JDR Microdevices®

1850 SOUTH 10TH STREET, SAN JOSE CA 95112-4108



**Special Prices for
Byte Buyers!**
Good Through 6/30/95

To receive these special
prices, you must mention
key code #1065

Expandable Case

Save precious desktop space or increase your system's capacity with JDR's system case. This configuration is designed to fill your needs now and in the future. Choose the larger case for high-capacity power systems that require room for multiple hard drives, floppy drives, a tape drive, CD-ROM, etc. The larger size also improves air flow around your valuable cards and peripherals, so they will operate cooler and last longer. The upright case is ideal for cramped desktops, and can be placed on the floor for additional room.



\$69⁹⁵
BYTE Special!

CASE-175 \$69.95

JDR Price Guarantee

**If you purchased any item from
JDR Microdevices in the last
30 days and we've lowered
our price, call us with the
details and we'll promptly
refund the difference**

Microsoft Keyboard

This split keyboard features a built-in palm rest and a sloped, split-key design for less stress to your wrists. PC compatible keyboard features new graphical Task Manager for Windows 3.1



\$89⁹⁵
BYTE Special!

MS-KBD \$89.95

Dynamic RAM

**DUE TO CURRENT MARKET CONDITIONS,
CALL FOR CURRENT DRAM PRICES!**



| Part # | Size | Speed | Type | Price |
|---|---------|-------|------|--------|
| 1MX9-80X3 | 1M x 9 | 80ns | SIMM | 37.95 |
| SPECIAL FOR BYTE CUSTOMERS ONLY! | | | | |
| 1MX9-60X3 | 1M x 9 | 60ns | SIMM | 46.95 |
| 4MX9-80X9 | 4M x 9 | 80ns | SIMM | 169.95 |
| 16MX9-70X9 | 16M x 9 | 70ns | SIMM | 699.00 |
| 1MX36-70 | 1M x 36 | 70ns | SIMM | 184.95 |
| 2MX36-70 | 2M x 36 | 70ns | SIMM | 374.95 |
| 4MX36-70 | 4M x 36 | 70ns | SIMM | 619.00 |

PC to TV Converter Box

This compact unit converts your VGA output so that you can connect to a big-screen TV or other NTSC monitor. Use it to videotape a presentation using your VCR, so you can play back the presentation without a computer.



\$129⁹⁵
BYTE Special!

VGA-NTSC \$129.95

*Note: Outputs S-video and composite video for use with TV or video recorder

Bulk Diskettes

Order these preformatted 3-1/2" and 5-1/4" floppy diskettes in bulk and save!



| Description | 250 | Quantity | 50 |
|---------------------------|--------|----------|--------|
| MD20-BULK | .25 ea | | .29 ea |
| 5-1/4" 360Kb DS/DD disks | | | |
| MD2H-BULK | .41 ea | | .45 ea |
| 5-1/4" 1.2Mb DS/HD disks | | | |
| 3.5D-BULK | .35 ea | | .39 ea |
| 3-1/2" 720Kb DS/DD disks | | | |
| 3.5HD-BULK | .39 ea | | .44 ea |
| 3-1/2" 1.44Mb DS/HD disks | | | |

Only available in multiples of 50 or 250 diskettes

Super Multi-I/O Card

This card combines 13 I/O ports on one card to maximize the number of free slots in your system! Four high-speed 16C550-compatible serial ports are included along with interfaces for 2 IDE and 4 floppy drives, plus 2 parallel and one game port.



MCT-IMS+ \$169.95

Connect 16 PCs to 1 Printer

Plug one transmitter in each of up to 16 PC compatible parallel printer ports.



- Extends the parallel printer up to 1,250 ft.
- Transfers up to 11,000 characters per second
- Time-out independently adjustable on each transmitter to 5, 15 or 30 seconds

CEXT Transmitter for PC \$49.95

CEXR Receiver for printer \$49.95

Seagate Hard Drives

Upgrade to a new, high-quality, high-capacity Seagate hard drive.

| | | |
|---|-----------------------------------|---------|
| ST-3491A | 428Mb, 14ms, 120Kb, IDE-Fast ATA | 209.95 |
| ST-3660A | 545Mb, 14ms, 120Kb, IDE-Fast ATA | 249.95 |
| ST-5850A | 850Mb, 11ms, 256Kb, IDE-Fast ATA | 299.95 |
| SPECIAL FOR BYTE CUSTOMERS ONLY! | | |
| ST-31220A | 1.08Gb, 12ms, 256Kb, IDE-Fast ATA | 479.95 |
| ST-5660N | 545Mb, 12ms, 256Kb, Fast SCSI-2 | 339.95 |
| ST-31230N | 1.05Gb, 10ms, 512Kb, Fast SCSI-2 | 569.00 |
| ST-32430N | 2.1Gb, 10ms, 512Kb, Fast SCSI-2 | 1049.00 |
| ST-32550N | 2.1Gb, 9ms, 512Kb, Fast SCSI-2 | 1249.00 |
| ST-15150N | 4.2Gb, 9ms, 1024Kb, Fast SCSI-2 | 1995.00 |



\$299⁹⁵
BYTE Special!

OverDrive™ Processors

BOXDX40DP100 \$289.95
Plugs into 33MHz 486SX or 486DX
BOXDX40DPR100 \$289.95
Replaces 33MHz 486SX or 486DX CPU
BOXDX40DP75 \$219.95
Plugs into 25MHz 486SX or 486DX
BOXDX40DPR75 \$219.95
Replaces 25MHz 486SX or 486DX CPU
BOXDX20DP-66 \$179.95
Plugs into 33MHz 486SX or 486DX
BOXDX20DPR-66 \$179.95
Replaces 33MHz 486SX or 486DX CPU



intel

Cooling Fans

Make your 586 CPU run cooler with this specially designed fan. It features easy snap-in installation so you don't have to remove your CPU from the motherboard.



586-FAN \$29.95

Fan for 60 and 66MHz processors

586-FAN-R \$79.95

Above with electronic refrigeration device

FREE JDR CATALOGS!

**PC PRODUCTS
AND ELECTRONIC
COMPONENTS**

**CALL
TOLL-FREE**

1-800-538-5000



14,400 bps Fax/Modem

MCT's new internal 14,400 bps modem features voice capability, providing nine voice mail boxes, fax on demand, system access plus standard fax and data capabilities.



MCT-144IV \$79.95



Sales 1-800-538-5000

**Toll-Free Fax Ordering
1-800-538-5005**

**Local/International
1-408-494-1400**

**Order
24-Hours-A-Day
By Phone or Fax**


KEY CODE 1065

TERMS: For shipping & handling include \$5.00 for ground & \$7.50 for air. Orders over 1 lb. and foreign orders may require additional shipping charges—contact our Sales Dept. for the amount. CA residents must include applicable sales tax. Prices subject to change without notice. We are not responsible for typographical errors. We reserve the right to limit quantities and to substitute manufacturer. All merchandise subject to prior sales. A full copy of our terms is available upon request. Items pictured may only be representative. JDR, the JDR logo, JDR Microdevices, and the MCT logo are registered trademarks of JDR Microdevices. Modular Circuit Technology is a trademark of JDR Microdevices. Copyright 1995 JDR MICRODEVICES. Other trademarks are the property of their respective owners.

Take Action and You'll Get Professional Performance



- New 15" Promate 5FGE flat Square monitor.
- Ergonomic layout of control panel to ensure user - friendly comfort and simplicity.
- Power consumption drops to only 3 Watts in sleep mode.
- Innovative options include a multi media base, design to fit all PC monitors.
- More information please contact with us immediately.



ACTION ELECTRONICS CO., LTD.

Head office

198, Chung Yuan rd., Chung Li Industrial Zone, Taoyuan, Taiwan Roc.
Tel: 886-3-4515494 Fax: 886-3-4520697

Taipei Sales Office Tel: 886-2-5965955 Fax: 886-2-5928138

U.S.A. Office - Action Computer Technolog, Inc.
Tel: 818-813-1506 Fax: 818-813-1504



Computex Taipei

Taipei, Taiwan

June 5-9, 1995 Booth NO. : B536, B635



MPR II VCCI DHHS



All brand names and trademarks are the property of their registered owners.
The Energy Star emblem does not represent EPA endorsement of any product or services.

Circle 213 on Inquiry Card.

Lose 500 pounds in 10 minutes

with a Rose keyboard monitor switch



Call today for free catalog

- ◆ Print servers
- ◆ Data switches
- ◆ Keyboard/video control

800-333-9343

P.O. Box 742571 ◆ HOUSTON, TEXAS 77274
TEL 713/933-7673 ◆ FAX 713/933-0044

Streamline your computer room by reducing excess equipment. Access up to 256 CPU's from a single keyboard, monitor, and mouse. ServeView is our best-selling switch, has every feature you can imagine, and installs in minutes. Compare price, features, performance, quality, and support and you'll find Rose can't be beat.

Call us to discuss your application or to receive your free information kit.



VGA Splitters



HRT
HALL RESEARCH
TECHNOLOGIES
800-959-6439
714-641-6607 fax: 6698
1506 Brookhollow Dr.,
Santa Ana, CA 92705

Celebrating Our 11th year!

Toll-Free Support
One Year Warranty
Quantity Discounts

MADE IN
USA

- Display your PC's screen on many monitors simultaneously
- Perfect for demos, training and remote monitoring
- Proven wideband amplifier assures bright and crisp image - **GUARANTEED!**
- Automatically access one PC from two keyboards with ease
- Quality monitor and keyboard extension cables available to 500 feet
- Exclusive video switches, multiplexers and other unique products

Circle 244 on Inquiry Card.

VU-TEK® Vision Care Filters™

*A View You
Can Work With!*



For more info. or dealer near you
CALL 1-800-269-8801

Vu-Tek® Vision Care Filters™
625 Alaska Ave., Torrance, CA 90503
FAX 1-310-320-9357

Vu-Tek® has the most complete line of anti-glare filters to give you the ultimate in glare control and screen contrast enhancement. The light management properties control both filter glass glare and monitor glass glare. **The result:** A monitor that's very easy on your eyes.

- **Conductive and Non-Conductive Filters**
Conductive filters block up to 99.99% ELF/VLF E-field radiation and are available in:
Light, Med. & Dark Tints: 31%, 53% & 62%
- **Circular Polarizers & Privacy Screens**
- **Four Frame Styles:** Custom and Universal
- **Affordable Prices**

Circle 270 on Inquiry Card.

Thinking of Bar Codes ...



Think Videx!!

If you need a quality bar code reader small enough to fit in the palm of your hand, Videx has a bar code reader for you.

The TimeWand I offers credit-card sized portability, ideal in time and document tracking applications. The rugged DuraWand can take the punishment typically found in

delivery and security applications. The TimeWand II offers the durability and computing power necessary in applications ranging from hospital patient care to warehouse inventory.

Call today to receive a free information kit on Videx portable bar code readers.

See us at COMDEX, booth #M5426

1105 N.E. Circle Blvd., Corvallis, OR 97330

503-758-0521 • Fax 503-752-5285



Videx, TimeWand, and DuraWand are registered trademarks of Videx, Inc. GCO575

Circle 226 on Inquiry Card.

SILICON WAREHOUSE
HARD DRIVES

CONNER

420 MB CFS420A 14MS 3.5" HH IDE \$181
540 MB CFA540A 12MS 3.5" HH IDE \$212
850 MB CFA850A 12MS 3.5" HH IDE \$285
1060 MB CFP1060S 9MS 3.5" HH SCSI \$494
1275 MB CFA1275A 12MS 3.5" HH IDE \$432
2150 MB CFP2105 8MS 3.5" HH SCSI \$879

Seagate

428 MB 3491A 12MS 3.5" HH IDE \$186
545 MB 3660A 12MS 3.5" HH IDE \$213
545 MB 5660N 12MS 3.5" HH SCSI \$335
2150 MB 32550N 8MS 3.5" HH SCSI \$1108
2150 MB 32550W 8MS 3.5" HH SCSI \$1258

Maxtor®

540 MB 7540AV 12MS 3.5" HH IDE \$213
850 MB 7850AV 12MS 3.5" HH IDE \$269

Chicony

Genoa
SYSTEMS CORPORATION

MAGITRONIC Motherboards

486DX2 66 3 VLB AMD CPU AWARD BIOS 256K \$279
486DX2 80 3 VLB AMD CPU AWARD BIOS 256K \$279
486DX4 100 3 VLB AMD CPU AWARD BIOS 256K \$374
PENTIUM 66 3 PCI 3 VLB 2 ISA INTEL CPU 512K \$598
PENTIUM 90 4 PCI 1 VLB 4 ISA INTEL CPU 256K \$945

MICROPOLIS®

2100 MB 4221 8MS 3.5" HH SCSI \$1039
4300 MB 3243 8.5MS 3.5" HH SCSI \$1681
9100 MB 1991 12MS 5.25" FH SCSI \$3117

WESTERN DIGITAL

425 MB AC2420 12MS 3.5" HH IDE \$182
540 MB AC2540 11MS 3.5" HH IDE \$219
850 MB AC2850 10MS 3.5" HH IDE \$296
1080 MB AC31000 10MS 3.5" HH IDE \$419

Call for Memory, CD-ROMs, and All Other Pricing

(800) 347-4887



Government / University P.O.'s Accepted

Circle 255 on Inquiry Card (RESELLERS: 256).

Wireless
Printing

NEW!

Share Printers Without
Wires or a Network

GoPrint™

Wireless Printer Sharing

GoPrint is as fast as printing through a wired connection and faster than printing over a network. GoPrint saves you the cost of wiring and installing an expensive network. And, since GoPrint is plug-and-play ready, in minutes your printers can now be located where you need them. Even if they are located behind walls or around corners.

- ▲ Up to 8 printers can be used by any number of PCs.
- ▲ Prints up to 500 feet indoors.
- ▲ Works with 100% IBM compatible PCs and printers.
- ▲ Both DOS and Windows.
- ▲ Uses high performance 2.4 GHz Spread Spectrum Radio.
- ▲ Plugs into computer's parallel port and printer's Centronics connector.
- ▲ Adapter required for each PC and printer.
- ▲ No additional software or cards.



Call 1-800-492-2320 to order!

AeroComm, Inc. 13228 W 99th Lenexa, KS 66215
Trademarks are the property of the respective owners.

Circle 271 on Inquiry Card
(RESELLERS: 272).

MAY 1995 BYTE 239

Voice Boards from New Voice. Now the others are obsolete. (Scary, isn't it?)

Computer Telephony Integration (CTI) is one of the fastest growing markets. Pick the voice board with performance that screams. Our sophisticated 2, 4, or 8 port models provide the best building blocks for success. Used in applications such as:

- Int'l Callback/Debit Card
- Interactive Voice Response
- Voice Mail/Messaging
- Automated Attendant
- Fax Back/On-Demand
- Tele-conferencing
- 800/900 Services
- Telemarketing
- Audiotex
- Talking Yellow Pages
- T1 Interface Support

1893 Preston White Drive
Suite #120
Reston, VA 22091

Tel (703) 648-0585
Fax (703) 648-9430

New
oice

Circle 247 on Inquiry Card.

CONTROL ALL YOUR PC SERVERS

FROM ONE KEYBOARD, MONITOR AND MOUSE

with **MasterConsole®**

COMPARE QUALITY AND PRICE PERFORMANCE!

- Save Space, Cut Costs & Centralize Control with 100% Reliability
- "Plug and Play" Any Mix of PCs & All Video; Supports PS/2 & Serial Mouse
- Desktop or Rackmount Models for 2, 4, 8, 16 PCs, Expand to 64
- Keyboard & Mouse Emulators for Error Free PC Operation and Autoboot
- AUTOSCAN™ to Monitor All PCs



"No other solution stacks up."

CALL TODAY!
(908) 874-4072 X 71

RARITAN COMPUTER, INC. 10-1 Ilene Court, Belle Mead, NJ 08502 Fax (908) 874-5274

30-DAY MONEY BACK GUARANTEE FULL 1-YEAR WARRANTY

See Us at NetWorld Interop, Booth #4098 + FOSE Booth #3031

INTERNATIONAL:

France: (33) 1-64 67 64 67

Germany: (49) 180-522-8222

Ireland: (353) 1-454-0589

Italy: (39) 2-66800548

Japan: (81) 3-3255-1517

Korea: (82) 2-412-5775

Netherlands: (31) 10-4423313

Sweden: (46) 020-788850

Switzerland: (41) 22-7532200

Taiwan: (886) 2-218-1117

United Kingdom: (44) 244-520222; (44) 344-424-333

See us at COMDEX Spring,

Booth #N6567

INTERNATIONAL RESELLERS INQUIRIES WELCOME — CONTACT RCI (908) 874-4072

Circle 245 on Inquiry Card (RESELLERS: 246).

Computer Telephony Voice Card Developer Kits



As a leader in Computer Telephony Integration platforms, PIKA is not only redefining technology standards but also the standards of vendor commitment to CTI software developers.

Contact us to find out about our latest offerings in DSP based multi-line voice cards with developer kits for DOS, Windows, OS/2 and NT.

PIKA TECHNOLOGIES INC.

155 Terence Matthews Cres. Kanata, Ontario K2M 2A8, Canada

Tel: 1-613-591-1555 Fax: 1-613-591-1488

Email: info.pika@pika.ca



Circle 240 on Inquiry Card (RESELLERS: 241).

Rhetorex Voice Processing boards make CTI a reality.

If you're asking "what's CTI," you're missing one of the hottest new technologies going.

Computer Telephony Integration links PC-based computer applications to the telephone network, providing voice/fax mail, interactive voice response, voice/fax servers and more.

Interested? Maybe you're already developing a CTI application. Then it's time to discover Rhetorex.™

For the best value in CTI technology—from our 2 and 4 port DSP-based voice and fax processing boards, to our 24-port platform—give Rhetorex a call. And start making CTI a reality today.



RHETOREX

Rhetorex, Inc., 200 E. Hacienda Ave., Campbell, CA 95008-6617

Tel. (408) 370-0881; Fax (408) 370-1171

All trademarks identified by the ™ symbol are trademarks of Rhetorex, Inc. All other trademarks belong to their respective owners. © 1993 Rhetorex, Inc.

Circle 224 on Inquiry Card.

LET YOUR COMPUTER DO THE TALKING!

**Integrated
Voice/Fax Mail**

integrates major voice/fax applications plus program control into one full-featured high performance software. PC-AT/386/486 based. Menu driven. Easy to use. Full support for Rhetorex, New Voice, Dialogic, Bicom, Pika, TTI and Intel voice and fax hardware. Supports up to 32 voice lines and up to 8 fax lines.

Hardware + Software Kits **\$595**
2 voice lines kit starts at

Fax-on-Demand lines: **818-368-4566** or
818-368-8848

SigmaTech Software

Tel: (818) 368-6132 Fax: (818) 368-7859

10801 Bismarck Ave., Northridge, CA 91326 USA
(Resellers/Dealers/OEMs/Private labels are welcome)

- Automated Attendant
- Unlimited Audiotex
- Voice Mail
- Talking Yellow pages
- Telemarketing
- Fax Mail
- Fax-on-Demand
- Fax Broadcasting
- Date/Party lines
- Int'l Call Back

Circle 235 on Inquiry Card (RESELLERS: 236).

GET THE MESSAGE - OR ELSE!**WINDOWS-BASED**

- ◆ Voice Mail
- ◆ Auto - Attendant
- ◆ Fax - On - Demand
- ◆ Packages from \$295

1-800-685-4884

(Developer/OEM packages available) VISA - MC - AMEX - COD

Don't trade your life for a lost message!

TALKING TECHNOLOGY, INC.

1125 Atlantic Avenue, Alameda, California, 94501
Voice: 510-522-3800 Fax: 510-522-5558



Circle 225 on Inquiry Card.

**Turbocharge your modem
connections with. . .****TurboPort/RA™ controllers**

Delivering fast, reliable connections for high-speed modems, TurboPort serial I/O controllers supply the speed you need for remote access. Supports Windows, NetWare, OS/2 and more.

Faster than standard serial ports

Supports data rates up to 460.8K bps—4 times faster than V.34 modems.

Maximizes modem speeds

Software-configurable. Offers automatic software/hardware flow control. Each port serviced by a 16C650 UART. For ISDN terminal adapters or modems of all types—9600 bps, 14.4K bps, 28.8K bps and above.

Multiple-strike surge protection

The only serial board for remote PC users with complete ESD protection to every signal.

For more information, call 1-800-782-7428

VISA and MasterCard accepted.



Star Gate Technologies, Inc.
29300 Aurora Rd. • Solon, OH 44139 USA
216-349-1860 • Fax 216-349-2056

© 1995 Digi International Inc. All rights reserved.
All brand and product names mentioned are trademarks or registered trademarks of their respective holders.

Circle 233 on Inquiry Card.

**Turbocharge your ISDN
connections with. . .****TurboPort/RA™ controllers**

Now there's a serial I/O controller that will keep up with ISDN terminal adapters. TurboPort controllers support data rates up to 460.8K bps—more than you need for Basic Rate Interfaces.

Faster than standard serial ports

TurboPort controllers break the 19.2K bps speed constraint of typical ISDN-to-PC connections and readily support 64- and 128K bps (2B + D) data transmissions. These low-cost controllers easily handle data compression that requires even higher baud rates!

Maximizes ISDN connections

EIA-232/EIA-423 combination provides unmatched reliability and speed in ISDN-to-PC connections. Offering automatic hardware/software flow control, the advanced TurboPort hardware eliminates costly re-transmissions and data loss.

For more information, call 1-800-782-7428

VISA and MasterCard accepted.



Star Gate Technologies, Inc.
29300 Aurora Rd. • Solon, OH 44139 USA
216-349-1860 • Fax 216-349-2056

© 1995 Digi International Inc. All rights reserved.
All brand and product names mentioned are trademarks or registered trademarks of their respective holders.

Circle 234 on Inquiry Card.

\$499
q100

**PC-in-a-Box**

Portable OEM system with core functions of a PC. DOS applications run from ROM with no change. Complete development support is provided. Uses KS-9 F8680 CPU card with 256K SRAM, DOS, PCMCIA, LCD, keypad, 1 srl, 4 hr batt. \$599 q1

KILA

Boulder, CO 80301 USA

Tel 303.444.7737

Fax 303.786.9983

Circle 219 on Inquiry Card.

Siliconrax "The Industrial Computer Specialists"**FULL LINE OF
RACKMOUNT
PRODUCTS**

- Rackmount Systems: 386 to dual pentiums
- Rackmount Chassis: Over 20 different models
- Rackmount Monitors: 5" to 20" (dual monitors also available)
- Rackmount Keyboards: full travel, membrane
- Drive Enclosures: Disk/CD array enclosures
- Redundant P/S: Hot swap, up to 3 P/S

**SINGLE
BOARD
COMPUTERS**

- CPU cards: 386/486/pentium, ISA/EISA/PCI/VLB bus
- Passive backplanes: 3 slots to 20 slots, segmented backplane
- PC/104 modules: Over 15 different modules
- NEMA 4/12 (workstations): 9", 10", 14" CRT, TFT, or EL display

1080 E. Duane Ave., Bldg. G, Sunnyvale, CA 94086 800-700-8560

Circle 269 on Inquiry Card.

Rackmount Solutions

RACKMOUNT COMPONENTS - QTY 25 PRICING

| | |
|----------------------------------|-------|
| Rackmount Chassis 19"x7"x17" | \$131 |
| Rackmount VGA Monitor | \$531 |
| Rackmount Monitor Shelf | \$113 |
| Rackmount Cherry Keyboard Drawer | \$200 |

RACKMOUNT PLATFORMS - Qty 1 Pricing

| | | | |
|-------------------|--------|-------------|-------|
| RMS486DX2-66 EISA | \$1593 | RMS486SX-33 | \$915 |
| RMS486DX-33 | \$1136 | RMS386SX-33 | \$665 |

RACKMOUNT CHASSIS - 15 Models up to 20 Board Slots
SLOT CPU BOARDS - EISA/ISA 486, 486SX, 386, 386SX
RACKMOUNT MONITORS - Super VGA & Monochrome
RACKMOUNT KEYBOARDS - High Quality Cherry KB
RACKMOUNT SWITCH - Video/KB up to 12 CPUs
RACKMOUNT CABINET - Modular from 21" to 96" high

Exclusive International Distributor Program now Available

VALLEY TECHNOLOGY INC.

2468 Armstrong Street, Livermore CA 94550
(510) 447-2030 FAX: (510) 447-4559



Circle 228 on Inquiry Card.

Industrial PC Solutions



Rackmount PCs

Industrial PC Chassis

Industrial Workstations


Panel Display PCs

Pentium/486/386 CPU Cards

RS-232/422/485 Interface

Analog and digital I/Os

Data Acquisition



Call 800-800-6889 to receive a **FREE** 100-page Solution Guide for your OEM or system integration needs.

ADVANTECH

750 E. Arques Ave.
Sunnyvale, CA 94086
408-245-6678, Fax 408-245-8268

Circle 214 on Inquiry Card.

250 MSPS A/D CARD



- ✓ Also available 12 bit, 60 MSPS A/D
- ✓ Free Scope Software
- ✓ Drivers in C, BASIC, Windows DLL, LabVIEW, LabWindows

| | | |
|--------|----------------|--------|
| CSLITE | 8 bit, 40MSPS | \$595 |
| CS250 | 8 bit, 100MSPS | \$3500 |
| CS2125 | 8 bit, 250MSPS | \$4995 |
| CS6012 | 12 bit, 60MSPS | \$6995 |

GaGe
1-800-567-GAGE

Gage Applied Sciences Inc.
5465 Vanden Abeele, Montreal, QC, Canada H4S 1S1
From outside North America, call +1-514-337-6893
Fax: (514) 337-8411, BBS: (514) 337-4317

Circle 216 on Inquiry Card.

Portable Data Acquisition for Notebook PCs

Measure volts, thermocouples, RTDs, strain gages, isolated high voltage, and more—up to 256 channels at 10 μ sec/channel. DOS, Windows, and icon-based software support included.

From \$695



12- or 16-bit
100 kHz DaqBooks™

High-speed PCMCIA or parallel port connection

(216) 439-4091
Fax (216) 439-4093



the smart approach to instrumentation™

IOtech, Inc. • 25971 Cannon Rd. • Cleveland, OH 44146

Circle 218 on Inquiry Card.

The Intelligent Solution For Data Acquisition



DAP 3200e™ Data Acquisition Processor™

Analog I/O to 769K samples per second
Digital I/O to 1.6M samples per second
Up to 512 analog inputs on one DAP™
Up to 128 digital inputs on one DAP
Up to 66 analog outputs on one DAP
Up to 1024 digital outputs on one DAP

On-board 486: SX, SX2, DX2, or DX4
Real-Time Data Acquisition—Windows or OS/2
Real-Time Process Control—Windows or OS/2
On-board FFT, FIR, PID,
and more
VBX Custom Control

Ask for **FREE** catalog and demo diskette.
206-453-2345 / fax 206-453-3199
e-mail to info@mstarlabs.com

MICROSTAR LABORATORIES

2265 116th Avenue NE
Bellevue, WA 98004

Circle 220 on Inquiry Card.

BLACK LIGHTNING

FAST SCSI-2
FAST ATA IDE
FLOPPY SUPPORT
HI-SPEED SERIAL
EPP/ECP PARALLEL
LIFETIME WARRANTY
30 DAY MONEY BACK
GUARANTEE
MADE IN USA



\$195.00



Control Concepts, Inc.
(800) 922-9259 x6444



Circle 239 on Inquiry Card.

Terminate SCSI Problems!

SCSI Vue™ Terminator

Features:

- Active Regulation
- Status Indicators
- Gold Contacts

Benefits:


- Improves SCSI Bus Performance
- Less Errors; More Reliable Data Transfer
- Diagnoses Problems
- Analyzes Signal Quality



High-Performance Active Diagnostic

• DOS • MAC • UNIX •

SCSI Vue™ Gold Cables



Features:

- Diagnostic Indicators
- Large Ferrite Filters
- Triple Shielding
- Double Gold 20u" Plated Connectors
- Extra Heavy 26 Gauge Wire

Benefits:


- No Loss Of Important Data
- Faster Performance
- Test Cable Integrity

Granite
D•I•G•I•T•A•L

3101 Whipple Rd., Union City, CA. 94587
Ph: 510-471-6442 Fax 510-471-6267

Circle 237 on Inquiry Card (RESELLERS: 238).

REMOVABLE STORAGE MODULES



FEATURES & OPTIONS:

- Supports most 3.5" hard drives
- IDE, or SCSI interfaces
- Hot removability
- Key lock ON/OFF security
- Fan cooling option
- Built-in SCSI ID selector switch option
- Ruggedized aluminum or low-cost plastic version
- Power/Drive activity LEDs
- Patent protected

RUGGED RACKMOUNT KEYBOARDS



19" rackmount keyboards

- 1U or 1.75" space
- 25 models
- Full travel and membrane types
- IBM PC XT/AT, PS2 compatible
- US and Intl. versions
- Spring-lock front panel
- Serial output 16mm, 2 button trackball

Call **JNL** at
1-800-283-5123

JNL Computer Products Inc.
4161 Business Center Drive
Fremont CA 94538
Tel.: 510-353-0262

INI
COMPUTER PRODUCTS INC.

Circle 252 on Inquiry Card (RESELLERS: 253).

CUSTOMIZE YOUR KEYBOARD

- Custom Key Imprinting - all brands!
- Custom Colored keys for IBM®, DEC®, Wyse®, Key Tronic®, Cherry®, and more!
- Custom and stock keytop label kits for software support & languages.
- Full color keyboard templates made to your exact specifications.
- Word Perfect keyboards.
- Cyrillic, Arabic, Hebrew, etc. Keyboards



CUSTOM HOTLINE 800 937-1337

from the leader in Keytop Innovations™

Dept. BYTE, 260 Justin Dr.
Cottonwood, AZ 86326

Hooleon
CORPORATION

520 634-7515
FAX 520 634-4620

Circle 217 on Inquiry Card.

Bright color. Bright price.

\$2,299.

SPECIAL OFFER!

The New **BOXLIGHT** ColorShow 1200 Projection Panel. Call now and order our brightest true-color LCD panel at the special introductory price of only \$2,299. It's an unbeatable value-guaranteed.



- ◆ Compact & portable
- ◆ 640 x 480 resolution
- ◆ PC and MAC compatible
- ◆ Free remote and cables

Your direct source for all the bright answers.

- ◆ Widest selection
- ◆ Instant availability
- ◆ Overnight shipping
- ◆ 30-day guarantee

BOXLIGHT™
CORPORATION

17771 Pford Dr. N.E., Poulsbo, WA 98070
206/779-7901 • Payment: VISA, MasterCard,
American Express, COD and Purchase Orders
(some restrictions). Leasing and rental options
available. 30-Day Money-Back Guarantee.

Call Today 1-800-762-5757

Circle 260 on Inquiry Card (RESELLERS: 261).

CD-R DESKTOP DUPLICATOR

"ONE TO ONE SR-4100T" greatly helps on your multimedia solution!

Features:

- 4X Speed duplication
- Hard drive to 2 discs simultaneously
- Bit to bit comparison
- Interactive easy operation
- As PC external drive
- Network up to 10 units
- *Single drive type available (SR-4100S)

Supported Formats

CD-ROM Mode 1
CD-ROM Mode 2
CD-DA, CD-I
Mixed Mode
CD-ROM XA Mode 2 Form 1
CD-ROM XA Mode 2 Form 2
VIDEO CD
Hybrid
ISO9660, HFS, UFS
Single Session
Multi Session

18min/disc



HOEI SANGYO CO., LTD.
TEL: 81-3-3665-3418 FAX: 81-3-3661-9147
12-15 NIHONBASHI-KOBUNACHO CHUO-KU, TOKYO 103 JAPAN

DISTRIBUTOR

MediaFORM Inc. — NORTH AMERICA —
TEL: 1-610-458-9200 FAX: 1-610-458-9554
LSK Data Systems GmbH — GERMANY —
TEL: 49-6071-24077 FAX: 49-6071-24079

Circle 279 on Inquiry Card
(RESELLERS: 280).

LINK YOUR PC TO THIS "PC"!



- Download your .EXE file
- Flash! Program is Installed

Only Micro/sys delivers embedded PCs this easy to use. CPU, RAM, FLASH, serial ports, I/O, V40 through 486. All ready-to-run. On-board firmware loads .EXE files into RAM for debug, or into flash for your final system. No hidden development costs. Save time & money - right out of the box. Starting at \$235. Qty 1.

FREE! 284 pg. Catalog

(818) 244-4600 • FAX (818) 244-4246

MICRO/SYS

Circle 281 on Inquiry Card.

\$79 Micro Genius™

QTY 1

C-programmable and smaller than a credit card! With ADC, RS232, RS485, parallel I/O, flash EPROM, real-time clock and more.



1724 Picasso Ave.
Davis, CA 95616
916.757.3737
916.753.5141 FAX

Call our AutoFAX
916.753.0618 from
your FAX. Request
catalog 18.



Circle 227 on Inquiry Card.

IF YOU THOUGHT A MODEM SECURITY SYSTEM COST TOO MUCH, THINK AGAIN.

Computer Break-In
Costs Company Over \$100,000.

CALL US!

Tel: 310-379-1189 or
24 Hour Fax-Back Info
310-597-7145

Don't let your modem lines be an open door for crime. Use MODEM LOCK with its powerful hardware DES encryption to protect your business. According to the FBI, computer crime costs business millions of dollars each year. Call our Fax-Back number now to learn more about how MODEM LOCK works with your hardware to lock out intruders.

ADVANCED ENGINEERING CONCEPTS, INC.

Circle 273 on Inquiry Card.

Tape Solutions

...The Tape Experts



- 9 TRACK
- 3480 • 3490 • 3490E
- LIBRARIES

Qualstar Corporation
6709 Independence Avenue
Canoga Park, CA 91303

FAX (818) 592-0116 TEL (818) 592-0061
(800) 468-0680

Circle 223 on Inquiry Card.

PC/Mainframe/Mini Information Exchange

Featuring
QUICKTAPE™



- Tape Transfer and Format Conversion
- EBCDIC ↔ ASCII Data Manipulation
- AS/400, TK50, and ¼" QIC Drives
- UNIX Tar and DEC Save Set Options
- Reseller Inquiries Invited

QUICKCOPY™ Tape Duplication

**READ/WRITE 9-TRACK
3480 • 8MM • DAT on
YOUR PC NOW!**

Call Us ... (317) 842-2077 or



**SHAFFSTALL
CORPORATION**

FAX: (317) 842-8294

1-800-248-3475

Media Conversion Systems Since 1973

Circle 242 on Inquiry Card (RESELLERS: 243).

250W/+24VDC Input
250W/-48VDC Input DC-to-DC Converter
Contact us for +12VDC input model !!



- ACE-925T: -40VDC to -57VDC
- ACE-925C: 18VDC to 30 VDC
- Input protection against wrong polarity
- Operating Temp: 0 C ~ 50 C
- Storage Temp: -40 C ~ +75 C
- Dimensions: 5 7/8 X 5 1/2 X 3 1/2



Western Region: 1-800-983-1177
Eastern Region: 1-800-886-2243

Circle 283 on Inquiry Card (RESELLERS: 284).

Talk To ME

VOICE PROCESSING SOFTWARE

The #1 Voice Processing Toolkit for MS-Windows

APPLICATIONS:

- Automated Attendant
- Voice Mail
- Audio Text
- IVR & HVR
- Fax On Demand
- Fax Back
- Inbound/Outbound
- Databases
- Powerful connectivity



Talk To ME
VOICE PROCESSING SOFTWARE

Language Support:

Talk To Me speaks your language! Talk To Me comes with drivers for all popular languages. Ask for the list.

Hardware Support:

Voice: All popular Dialogic hardware
Fax: Intel, GammaFax.

Distributor, dealer, VAR and OEM enquiries welcome.


More information?

Make sure you get our 100% functional Evaluation system.

1: By mail, incl. 400 p. manual (US\$ 75,-).

2: Download from TTM BBS (Free).

3: Via Internet, E-mail and WWW (Free).



Rietveld 10 • 3641 GS Mijdrecht The Netherlands Phone 31-2979-88365 Fax 31-2979-81241
TTM BBS 31-2979-88761 E-mail: ttm@xs4all.nl • http://www.xs4all.nl/~ttm/

Circle 265 on Inquiry Card (RESELLERS: 266).

Free Catalog
Available!

Save up to 65% on Postage
with **MAILER'S** Add ZIP+4
Print Labels
Verify Address
Postal presort lists
Eliminate duplicates

+4

Call **1-800-800-MAIL**
970 Calle Negocio, San Clemente, CA 92673

Circle 262 on Inquiry Card.

Talkie™ **INTEGRATED I.V.R.**

BUNDLE 4 PORTS-\$715

- INTERNATIONAL CALL BACK
- LONG DISTANCE RESELLER
- PREDICTIVE DIALERS
- DATE-LINES \ CHAT LINES
- CONFERRING
- VOICE-MAIL
- AUTO-ATTENDANT
- FAX-ON-DEMAND
- AUDIOTEX
- OUTDIALING
- TELEMARKETING
- APP-GEN & MORE

"Very good product for VARs"
Computer Telephony, Mar 94

Computer TELEPHONY
1-9-9-4
PRODUCT
OF THE YEAR

U.S.: 1-800-TALKIE4 Fax: 716-855-2244 CAN: 416-665-7638

Circle 277 on Inquiry Card (RESELLERS: 278).

BW-MultiConnect™ for Windows NT

Turns Windows NT into a NetWare
server for DOS & Windows clients.




Trademarks are the property of their respective owners.

Tel: (919) 831-8989, Fax: (919) 831-8990. ©1994 Beame & Whiteside Software, Inc. (057B)

--- On The Info Hwy. With Carl & Fred™ by Blick ---


Circle 229 on Inquiry Card.

E-Mail Made E-easy.



Now PC users on a Unix network can have a Windows-style, Windows-fast & easy interface to Internet and Unix email. Just use EMBLA!

- It's Windows "drag & drop" simple
- Remote users — save on your phone bill! Select and download only the mail you need.
- Supports MIME, IMAP & standard Windows socket API. Call one of the resellers listed below to order. For more information, contact ICL ProSystems at: marcomms@pro.icl.se
<http://www.pro.icl.se>



EMBLA™

Only
\$99
Single User
License

UniDirect
800-755-8649
sales@unidirect.com

software.net
800-617-SOFT
<http://www.software.net>

J.P. Brown (In Canada)
416-494-0472
davef@jpbrown@uunet.ca

Circle 274 on Inquiry Card (RESELLERS: 275).


BW-Connect™ NFS for DOS & Windows

Get a FREE upgrade to
Windows 95 version,* plus WWW
& Gopher servers.

- ✓ Full E-mail support for MIME attachments and the MAPI interface.
- ✓ Fully supports DHCP client and BOOTP client and server for easy, centralized TCP/IP administration.
- ✓ \$349 per user! (Substantial quantity discounts available).
- ✓ Factory Direct!
- ✓ FREE evaluation! Call today!


1-800-810-7898

*Provided user is under Beame & Whiteside Technical Support ("Support Services") contract at the time of the release. Trademarks are the property of their respective owners.
Tel: (919) 831-8989, Fax: (919) 831-8990. ©1995 Beame & Whiteside Software, Inc. (154B)



--- On The Info Hwy. With Carl & Fred™ by Blick ---

Circle 230 on Inquiry Card.



Build Instrumentation Applications on Windows PCs

The LabWindows/CVI Demo Disk is a free evaluation copy of LabWindows/CVI with an 88-page guide book. You can follow the instructions to build extensive Windows applications using GPIB, VXI, Serial, and plug-in DAQ instrumentation. The demo guide illustrates code-generation techniques, GUI development tools, event-driven programming techniques, instrument drivers, debugging and editing tools.

National Instruments

6504 Bridge Point Parkway, Austin, TX 78730
(512) 794-0100
(800) 433-3488 (U.S. and Canada)
Fax (512) 794-8411

Circle 221 on Inquiry Card.

Factory Data Collection



The TransTerm 5 is a work station data entry/display terminal for on-line shop floor data collection into PC/AT/PS-2 systems. The unit is one of a family of such terminals which feature LC displays for operator prompting and data entry via sealed touch keys or an optional barcode scanner or badge reader (Code39, UPC+). A multi-terminal network controller (up to 250 stations) and a dBASE IV compatible software package are also available. System costs start below \$300 per station. Options include display backlighting, barcode scanning, counter inputs, control output.

COMPUTERWISE®

302 N. Winchester • Olathe, KS 66062
913-829-0600 • 800-255-3739 • FAX 913-829-0810

Circle 215 on Inquiry Card.

FAST TRAK!
TRAINING SYSTEM

for Novell's CNE Certification



ONLY \$495
plus \$15 shipping
& handling

FREE Network Support Encyclopedia
on CD-ROM included!

Featuring the best-selling **Novell's CNE Study Guide** plus the complete **So You Wanna Be a CNE?! video series**

- Prepare for the Novell CNE exams.
- Train all your LAN managers for one low price.
- Study in the convenience of your home or office.
- Learn at your own pace.
- Save hundreds of dollars compared to live instruction!

Required Courses Covered: DOS / Microcomputer Concepts • NetWare 3.1x Administration • NetWare 3.1x Advanced Administration • NetWare 3.1x Installation & Configuration • Novell's new Networking Technologies • Novell's new Service and Support.

Three months free on-line support from live instructor via BBS included.

CALL 1-800-877-4889 ext. 28

United Education Centers
50 South Main, Pleasant Grove, UT 84062
801-785-7900 ext. 28

Circle 276 on Inquiry Card.

CGM for MS Windows

The Computer Graphics Metafile is the ISO/ANSI standard for the system independent storage of vector and raster based graphical information. Our Windows solutions give you easy access to this technology.

MetaPrint: The CGM printer driver for MS Windows. Installs and functions as a standard MS Windows printer driver. MetaPrint gives you immediate print to CGM capability from any application that uses the GDI print function.

HSIview: The CGM interpreter for MS Windows. Views and prints CGM and WMF files and also translates CGM to/from WMF. HSIview was developed for Microsoft for use with Word, PowerPoint, etc. and is available as both an enduser application and a developer DLL.

Besides CGM EMATEK supports other ISO/ANSI standards as well. Based on the Graphical Kernel System (GKS) and Computer Graphics Interface (CGI) standards our GSS graphic tools enable you to develop portable, device independent graphic applications. Call for an info pack today.

CGM-Standard
EMATEK

EMATEK GmbH
Subbelrather Straße 17
D-50823 Cologne, Germany
Phone: +49-221-512074
Fax: +49-221-529666
Email: gsscgi@ematek.de

Circle 248 on Inquiry Card.

**PC
TeX**

For High-Quality
Scientific Publishing,
use PCTeX
Typesetting Software.


Make all your documents and math formulas look their best!

For a free brochure & demo disk, call 800/808-7906


Personal TeX, Inc. 12 Madrona Street, Mill Valley, CA 94941

Fax: 415/388-8865 E-mail: ptl@crl.com

Circle 222 on Inquiry Card.



IMSL Numerical and Graphical Libraries



IMSL Numerical Libraries

(available for DOS, Macintosh, & Windows NT)

- C and Fortran function from native language syntax.
- Hundreds of copy-and-paste examples for quick-start benefits.
- More than 1,000 mathematical and statistical functions.

IMSL Exponent Graphics

(available for Windows NT)

- Presentation-quality graphs for Fortran and C development.
- Interactive graphics library with over 30 different plots in 2D and 3D.
- Built-in GUI to quickly modify plots, access your data, prototype results & perform "what if" analysis.

All products also available for UNIX workstations.

Request your **FREE PC Demo today!**

1-800-364-8880

Visual Numerics.

phone (713) 954-6785 fax (713) 781-9260

e-mail: marketing@houston.vni.com

Mosaic URL: <http://www.vni.com>

IMSL

AD9590

Circle 263 on Inquiry Card.

Learn C++ & Windows™-Based Programming...

Simply, Quickly!

With the OML Learning Series™ you can learn C/C++, object technology and Windows™-Based programming quickly and conveniently in the privacy of your home or office. The OML Learning Series features:

Visual Series™,
C/C++ Series™,
OOA/OOD Series™,
OLE Series™



Each series: \$249* (reg. \$400)
Any 2 series: \$399* (reg. \$750)
Any 3 series: \$549* (reg. \$1050)
All 4 series: \$649* (reg. \$1300)
LAN version: Call
* Limited Time Offer

800-6789-OML

Call us for
information,
and FREE
Demo
Software

Visa
MC
Amex



OBJECT
MANAGEMENT
LABORATORY
TEL: 805-373-8111
FAX: 805-373-8116

Circle 257 on Inquiry Card.

RS232-Tools for DOS, Windows, OS/2, NT

for Borland C/C++, IBM C/C++, MS C/C++, Visual C++,
WATCOM C/C++, Turbo/Borland Pascal (incl. Protected-Mode)

SuperCom is the development tool for exacting serial communication software. The same programming interface is used among different languages and operating systems.

- Interrupt driven: transmission, reception, line status, modem status. Up to 115,200 bps.
- Simultaneous COM 1, COM 36 (extendable).
- 8250, 16450, 16550 FIFO
- RTS/CTS, DTR/DSR, XON/XOFF and user defined.
- ANSI, TTY, VT52
- ASCII, XMODEM, XMODEM/CRC, YMODEM, YMODEM/BATCH, ZMODEM.
- User Event Routines under DOS and Windows. Under Windows user can even post messages to the application using *PostMessage*.
- Language independent DLL (Windows, NT, OS/2) which can be used for simultaneous transfers by applications.
- Multiserial board support (AST, ARNET, DigiBoard PC/X, HOSTESS, STARGATE). Reduces loading of CPU through support of intelligent DigiBoard PC/Xe, PC/Xi boards (up to 112 ports !!!).
- Modem support, RS422/485 support.
- Supports 286 DOS-Extender (e.g. PharLap, Borland)
- No resident drivers*. Just link the LIB. No Royalties.
- FREE technical support. FREE demo
- Full source code (C or Pascal and optimized ASM).
- SuperCom++ (C++ or Pascal OOP) included.

SuperCom for DOS only \$299**

SuperCom for Windows, OS/2 or NT each \$399**

SuperCom for DOS+Windows only \$528**

SuperCom for DOS+Windows+OS/2+NT only \$999**

(*Please specify C/C++ or Pascal package)

**Under DOS and Windows 3.x


Add for shipping: \$10 for national and \$25 for international. VISA, MC, Wire transfer



NEW!!! COMM-Enhancer for Windows 3.x

Forget the Windows 3.x COMM API limitations. Use the COMM-Enhancer and extend your Windows 3.x COMM API based applications. Up to 40 channels (COM1...COM40) and up to 115,200 bps. It uses SuperCom 3.1!

Price: \$299 (together with any SuperCom combo supporting Windows 3.x \$199!).



SuperMonitor the RS232 Protocol Analyser

SuperMonitor is very quickly attached to a serial data transmission and is a silent but watchful observer of the operation. SuperMonitor is able to execute not only simple short measurements but also long day and night runs. The continuous graphic user interface for DOS and Windows guarantees an easy operation. It uses SuperCom !!!

Price for DOS Version \$398, Windows 3.x Version \$498 (includes special Adapter, Cable and 16MB PC-Board)

ADONTEC Computer Systems Ltd.

Hoelderlinstr. 32, D-75433 Maulbronn / Germany

Phone: +49-7043-9000-20

FAX: +49-7043-9000-21

Pine Line International

7000 Malone Rd, Forestville, CA 95436, USA

Phone: +1-707-887-3400

FAX: +1-707-887-1015

DEMO on CompuServe. Forum: WINSKX, Key: RS232 or product name.

Circle 267 on Inquiry Card (RESELLERS: 268).

PowerResource



To Order, Call
1-800-268-9898

(416) 499-0594

Fax (416) 490-8993

SoftApproach Corporation

Unit 1803

2600 Don Mills Road

Willowdale, Ontario

Canada M2J 3B4

Order Now and Get a Free Upgrade of PowerResource for Windows 95!

Circle 282 on Inquiry Card.

Got
Fuzzy
Numbers?

12⁺
26
240⁺

NEW!

Conventional spreadsheets can't cope with uncertain or fuzzy numbers.

But now there's *FuziCalc*. This Windows spreadsheet uses revolutionary fuzzy math technology to achieve breakthrough performance.

Call now for **FREE** information.

800-472-6183

FuziCalc

The Fuzzy Spreadsheet™

FuziWare, Inc.

(615) 588-4144

Circle 254 on Inquiry Card.

Windows

Japanese on PC/Mac

日本語ソフトウェア

JapaneseWindows Kit

- Creates bilingual, Japanese/English Windows.
- You can run popular Japanese applications.

KCOMP for Windows

- Japanese word processor for MS-Windows.
- With OLE2.0 server feature, you can insert Japanese on English applications.

PC-Transer

- High end Japanese/English machine translation program.
- Incredible translation speed.

J-Scan


- Japanese OCR software.
- You can scan & save Japanese text with no typing



KUREO TECHNOLOGY LTD.

Call for details #
303-3600 Gilmore Way, Burnaby, B.C. V5G 4R8 CANADA
Tel: (604) 433-7715 Fax: (604) 433-3393

Circle 250 on Inquiry Card (RESELLERS: 251).

New!
Version 3.5

ORIGIN™

TECHNICAL GRAPHICS • DATA ANALYSIS •
DATA ACQUISITION • WINDOWS

ORIGIN is your complete laboratory data management solution, providing unrivaled flexibility, publication-quality technical graphing, and sophisticated data analysis capabilities in an easy-to-use Windows environment.

See us in Atlanta at Comdex, Booth #9326.

For a Free Demo, Call


1-800-969-7720

MicroCal Software, Inc., One Roundhouse Plaza, Northampton, MA 01060
Tel: 413-586-2013 • Fax: 413-585-0126

Circle 231 on Inquiry Card (RESELLERS: 232).

Windows

Stanford Graphics™ 3.0



The Ultimate Technical Graphics & Analysis Software

- Graph Gallery of 171 chart types for business, statistical and technical users.
- Comprehensive library of statistical functions.
- Interactive presentation-quality 2D and 3D graphics.
- Links large external data files to a 4-dimensional spreadsheet.
- Formula Visualizer graphically displays user-defined equations.
- Curve fitting, contouring, FFT's and data smoothing.
- Complete Windows compatibility, including DDE, OLE and True Type font support.

Available for Windows™ & Windows NT™

Call for a free InfoPak today!

1-800-729-4723

Visual Numerics.

phone (713) 954-6424 fax (713) 781-9260

e-mail: marketing@houston.vni.com

Mosaic URL: http://www.vni.com

STANFORD
GRAPHICS

AD9591

Circle 264 on Inquiry Card.

Something Missing?

Complete your BYTE collection by ordering Back Issues today!

| | 1992 | 1993 | 1994 | 1995 |
|----------------|--------------------------------|---|------|------|
| January | | | | |
| February | | | | |
| March | | | | |
| April | | | | |
| May | | | | |
| June | | | | |
| July | | | | |
| August | | | | |
| September | | | | |
| October | | | | |
| November | | | | |
| December | | | | |
| Special Issues | Windows '92 Portability '92 | Windows '93 B Guide Summer '93 B Guide Fall '93 | | |

Special Issues U.S. Delivery \$3.00 Foreign \$4.00

1990-91-92-93-94 U.S. Delivery \$6.00 Foreign \$8.00 Canada & Mexico \$6.50

All issues prior to 1990 U.S. Delivery \$3.00 Foreign \$4.00

All checks must be in U.S. funds and drawn on a U.S. bank.

The above prices include postage in the US.

Please indicate which issues you would like by checking (✓) the boxes. Send requests with payment to:

BYTE Back Issues, One Phoenix Mill Lane, Peterborough, N.H. 03458,
(603) 924-9281

Charge: ☐ MasterCard ☐ VISA ☐ American Express

Card # _____

Exp. Date _____

Signature _____

Name _____

Address _____

City _____

State _____ Zip _____

BYTE

Because the Experts decide.

All orders must be prepaid. Please allow four weeks delivery.

THE BUYER'S MART

A DIRECTORY OF PRODUCTS AND SERVICES

THE BUYER'S MART is a unique classified section organized by product category to help readers locate suppliers. Each ad has Inquiry numbers to aid readers requesting information from advertisers.

AD FORMAT: Each ad will be designed and typeset by BYTE. Do NOT send logos or camera-ready artwork. Advertisers should furnish typewritten copy. 2"x1 1/8" ads can include headline (23 characters maximum), descriptive text (300 characters is the maximum recommended) plus company name, address, telephone and fax number. 2"x2 1/4" ad has more space for descriptive text (850 characters is the maximum recommended).

DEADLINE: Ad copy is due approximately 2 months prior to issue date. For example: November issue closes on September 8. Send your copy and payment to: **THE BUYER'S MART**, BYTE Magazine, 1 Phoenix Mill Lane, Peterborough, NH 03458. For more information call: **Ellen Perham at 603-924-2598 or Mark Stone at 603-924-2695. FAX: 603-924-2683.**

RATES (Jan. 1995)

| | | 3-5 issues | 6-11 issues | 12 issues |
|-----------|-------------|---------------|----------------|--------------|
| 1 ad | \$731 | \$701 | \$614 | |
| 2"x1 1/8" | 2 ads/issue | - | - | 584 |
| | 3 ads/issue | - | - | 556 |
| | 1 ad | \$1,462 | \$1,402 | \$1,228 |
| 2"x2 1/4" | 2 ads/issue | - | - | 1,169 |
| | 3 ads/issue | - | - | 1,111 |

*****COLOR - Add \$100*****

ACCESSORIES

KEYBOARD, VIDEO, MOUSE, AUDIO

Extend signals from PC with **EXTENDER**
Split signals with **COMPANION/PC EXPANDER**
Switch signals among PCs with **COMMANDER**
Boosts signals up to 600 feet. Control up to 96 PCs with one keyboard, monitor and mouse.

CYBEX CORPORATION

4912 Research Dr., Huntsville, AL 35805

Phone: 205-430-4000 Fax: 205-430-4030

Inquiry 651.

STABILANT 22 CONTACT ENHANCER

"Highly recommended..." Jerry Pournelle

A long-term environmentally-safe, resident contact treatment; Stabilant 22 substantially improves the reliability of connectors and contacts for computers, bio-medical electronics, telecom, avionics, process control, CATV, video, audio, and automotive equipment.

D.W. Electrochemicals Ltd.

97 Newkirk Road (North) Unit 3, Richmond Hill,
Ontario L4C 3G4, Canada (905) 508-7500

Inquiry 652.

BAR CODE

Portable Reader

- ★ AA Battery Operated, 64K or 256K
- ★ Display messages and optional voice messages tell operator what to do. Messages are easily recorded (like answering machine) in any language. This unit is EASY!
- ★ Double duty as Non-portable Reader
- ★ 4x20 Supertwist LCD Display, 35 Rubber Keys
- ★ 2 Built-In Inventory Programs or create custom
- ★ Download tables and Pick Lists
- ★ Wand, CCD, or Laser Scanner Input
- ★ Serial Interface and Keyboard Interface
- ★ Reads 2of5, UPC/EAN, 128, Code 39, etc.
- ★ 2 year Warranty on Reader & Wand
- ★ 30 Day Money Back Guarantee
- ★ 64K Complete with Steel Wand - \$799
- ★ Small Size and very long battery life

Worthington Data Solutions

3004 Mission Street • Santa Cruz, CA 95060

408-458-9938 FAX 408-458-9964 800-345-4220

BAR CODE

Portable Bar Code Reader

- Use as a PORTABLE, WEDGE, or SERIAL
- 9V Battery Operation with Lithium Backup
- 2x16 Supertwist LCD Display
- 54 Key Keyboard with Separate Numeric Keys
- Real-time Clock Supports Date & Time Stamps
- Reads all Popular Bar Codes (16 types)
- Wand, CCD, Laser, or Serial Input Devices
- Built-In Program Generator
- Create Your Own Custom Programs
- 6 Built-In Inventory Programs
- Up to 250 Programs Can Reside in Memory
- Create up to 250 Data Files per Program
- Up to 250 Look-Up Files in Memory
- Built-In Calculator
- Supports Hayes Compatible Modems
- 64K Memory with Data Compression
- 30-day \$\$ Back Guarantee - 1 Year Warranty
- Complete Unit with WAND Scanner - \$795

AMERICAN MICROSYSTEMS

2190 Regal Parkway, Euless, TX 76040

(800) 648-4452 (817) 571-9015 FAX (817) 685-6232

NEW FOR 1995

COLOR

IN THE BUYER'S MART!!

Attract the attention of your customers with the addition of color to your ad.

Call Ellen Perham 603-924-2598 or
Mark Stone 603-924-2695 for Details
Fax 603-924-2683

Inquiry 653.

BAR CODE

Bar Code Readers

For PC, XT, AT, PS/2, Macintosh and Serial Terminals

- ★ Attaches as 2nd Keyboard, no software changes
- ★ Reads 2of5, 128, UPC/EAN, Code 39, etc.
- ★ External or Internal attachment on PC
- ★ Wand, CCD, Slot Badge, Magstripe or Laser
- ★ Supports DOS, Novell, UNIX, Mac OS, etc.
- ★ 100+ Configurable Options
- ★ Supports USA & International Keyboards
- ★ 2 Year Warranty, 30 Day \$ Back Guarantee
- ★ Direct From Manufacturer
- ★ Top Rated by Independent Review
- ★ Complete with CCD Scanner - \$624
- ★ Complete with Laser Scanner - \$784
- ★ Complete Wand only Reader - \$329

Worthington Data Solutions

3004 Mission Street • Santa Cruz, CA 95060 408-458-9938

800-345-4220

Labeling Software

For DOS and Windows with dot-matrix, LaserJet or DeskJet. Easy WYSIWYG design. Any format/size. Mix big text, bar codes, and PCX graphics. Formats for AIAG, KMart, Sears, MIL-STD, Penneys, WalMart. File Input. LabelRIGHT for DOS-\$279. LabelRIGHT for Windows-\$295.

30 Day Money Back Guarantee

Worthington Data Solutions

(408) 458-9938 800-345-4220

Cordless RF Wand and Laser

A cordless RF bar code wand or laser with a range of 100 feet. Plug-N-Play. No software needed. Attaches as 2nd keyboard. For IBM and Macintosh or any serial device. Complete Cordless Wand - \$695. Complete Cordless Laser - \$1775. Optional range extenders \$200 per 100' added.

Worthington Data Solutions

(408) 458-9938 (800) 345-4220

Windows Bar Code Fonts

Add bar codes to any font based Windows program. Fonts designed for dot matrix, DeskJet and LaserJet. Print Codabar, 2 of 5, Code 128, UPC/EAN and Code 39 inside your Windows program. TrueType fonts, bitmaps and metafile support included. Only \$199.

Worthington Data Solutions

(408) 458-9938 (800) 345-4220

BAR CODE READERS

For PC, XT, AT, PS/2, & Serial Terminals

- Emulates Keyboard: Works With Any Software
- Data Appears as Keyboard Input
- Uses Enhanced Decoding Algorithms
- Accepts Wand, Slot/Badge, CCD, Laser, Magnetic Stripe Reader, & RS232 Serial Input
- Reads All Popular Bar Codes (16 types)
- Reads HIGH, MEDIUM, & LOW density codes
- Auto-Discriminates Between Bar Code Types
- Easily Programmed with a Bar Code Menu
- Over 140 User Configurable Options
- Daisy Chain Up to 96 Readers
- Supports NOVELL Networks
- Supports US & INTERNATIONAL Keyboards
- Direct From Manufacturer
- 30-day \$\$ Back Guarantee, 1 Year Warranty
- Complete Unit with LASER Scanner - \$1095
- Complete Unit with WAND Scanner - \$299

AMERICAN MICROSYSTEMS

2190 Regal Parkway, Euless, TX 76040

(800) 648-4452 (817) 571-9015 FAX (817) 685-6232

BAR CODE PRINTERS

Only \$1,495!

Reseller Pricing Available

Impeccable Print Quality, Rugged Performance!

THARO SYSTEMS, INC.

P.O. Box 798, Brunswick, OH 44212-0798

216-273-4408 Fax: 216-225-0099

Inquiry 654.

THE BUYER'S MART

BAR CODE

Bar Code Printing Software LabelWorks for Windows

- Prints all Popular Bar Code Types (19 Types)
- Desktop Publishing Features: WYSIWYG, Scalable Fonts, Rulers, Guides, Lines, Shapes, Page Zooms (25%-400%), Templates
- Rotates Text, Bar Codes, and Graphics
- Supports Windows Compatible Fonts
- Choose From Over One Hundred Popular Label Formats or Design Your Own
- Rich Text Support: Mix Styles, Types, & Sizes
- Automatically Prints Serial Numbers
- Imports & Exports Graphic Files: TIFF, GIFF, BMP, PCX, WPG, WMF, TARGA
- Supports Virtually all Windows Compatible Printers (PostScript, Laser, & Dot Matrix)
- 30-day Money-Back Guarantee, \$295

*** CALL FOR FREE DEMO SOFTWARE ***

AMERICAN MICROSYSTEMS

2190 Regal Parkway, Euless, TX 76040
(800) 648-4452 (817) 571-9015 FAX (817) 685-6232

BARCODE & MAG. STRIPE SYSTEMS

- **Keyboard Wedge with HP**
Stainless Steel Wand/Mag. Stripe Reader **\$249**
- **Keyboard Wedge with SYMBOL LS2000**
or SP400 Laser & Mag. Stripe Reader **\$849**
- **Keyboard Wedge with PSC QuickScan**
Laser/Mag. Stripe Reader **\$699**
- **Software Wedge Decoder** with HP Stainless Steel
Wand or Laser Scanner (DOS & WIN-NT-232 or parallel) **\$189 +**
- All **Wedge Packages** include a Wand or Laser Holder
- **Mag. Stripe Encoder/Reader** (3 Trks)
w/Software **\$1099**
- **Printing Software** (DOS, WIN, UNCL...) **\$149 +**
- **Portable Data Terminals** (128K-4.2MB) **\$599 +**
- **Complete POS System:** 486 40Mhz, **\$1999**
4MB RAM, monitor, POS Software, SP212 Receipt Printer,
M-S Cash Drawer, pole display, HP stainless steel wand
and magnetic stripe reader with decoder
- **Application Software:** Inven, Asset, Tools, Time & Attend...
- **Radio Frequency Terminals** (spread spectrum/narrow band)
- Bar Code Printing Software (DOS) included with
each purchase
- Made in the USA • 30 Day \$\$ Back • Spanish
Dept. Avail. • Direct from Mfg.

BARCODE INTERNATIONAL SYSTEMS (BIS)

12140 Severn Way, Riverside, CA 92503 (909) 270-0016 Int'l
(800) 653-4252 US • (800) 219-5178 CAN • FAX (909) 270-0920

Inquiry 655.

CAD

Circuit Design Software for Windows
Easy-to-use schematic entry, PCB design, and
simulation software, starting at \$149 each.
Complete PCB package with schematics,
autorouter, and layout for 2-layer circuit boards,
\$399. Enhanced version with autoplacement,
more symbol libraries, and up to 16 layers, \$649.
CAM file outputs.

Mental Automation, Inc.

5415 136th Place, Se-Bellevue WA 98006
(206) 641-2141 FAX (206) 649-0767 BBS (206) 641-2846

Inquiry 656.

CAD/CAM

CONTOURING MOTION CONTROL FROM A PRINTER PORT!

NEW Indexer LPT™ software **\$249**
VERSION 3 VISA/MC

- Controls up to six step motors simultaneously.
- Linear and Circular Interpolation.
- New features to accommodate machine control.
- Easy-to-use DOS device driver. Super Manual.
- CAD-CAM interface available.

Ability Systems

Corporation, 1422 Arnold Ave.
Roslyn, PA 19001 (215) 657-4338
FAX: (215) 657-7815

Inquiry 657.

250 BYTE MAY 1995

CD-ROM

We Buy, Sell & Trade CD-ROMS & MEMORY CHIPS Resellers Wanted

Call or write for a free product update

Consolidated CDROM, Inc.

515 67th Ave Philadelphia PA 19126 USA
+1-215-276-3657 / +1-215-276-3854 fax

1-800-8-CDROMS

Inquiry 658.

INTERNET on CDROM!

LINUX Developers Resource 3 CD Set\$25
Stackware & more! Complete materials to install & run!
CICA Windows 3 CD Set\$25
Thousands of plug & play windows programs! 250+ games!
INTERNET Tools CD-ROM\$30
Networking tools & utilities for DOS & UNIX
BSDisc (NetBSD & FreeBSD)\$35
Ready to use formats with install scripts
USENET 2 CD Set\$25
comp.sources & alt. sources + many FAQ's from other groups
SOURCE CODE CD-ROM\$30
4.4 BSD-Lite, X11R6, MACH, Andrew Windowing
PERL & TCL/TK CD-ROM\$35
Utility lang + command lang & toolkit for X-Windows
STANDARDS 2 CD Set\$30
RFC's, IEN's, CCITT/ITU Bluebook, Windows Sockets
MS-DOS 2 CD Set (SimTel Archive)\$25
10,000+ DOS programs, utilities, BBS software & docs

MC, VISA & AMEX **1-800-800-6613**

tel: +1-602-526-9565

InfoMagic fax: +1-602-526-9573

P.O. Box 30370, Flagstaff, AZ 86003-0370 info@infomagic.com

Inquiry 659.

CD ROM TOWERS & JUKEBOX SERVERS FOR ALL OPERATING SYSTEMS!

No Device Drivers/ MSCDEX needed,
Complete Kit Networks CD Roms,
unlimited user license, DISCPORT.

"JES, NONE BETTER AT ANY PRICE"

Call NOW: 1 (800) 482-1866 305-271-0076

Inquiry 660.

EVERY CD ROM YOU'LL EVER NEED TO CREATE EXCITING MULTIMEDIA

MULTIMEDIA MEGA BUNDLE

5 DISCS AT AN AMAZING PRICE!!!

GRAPHICS, AUDIO, MULTIMEDIA, MEGA I & II

\$49.95- **\$39.95** if you mention BYTE!

KNOWLEDGE MEDIA INC.

435 NUNNELEY RD., PARADISE, CA 95969
(800) 78 CD ROM, (916) 872-7487, (916) 872-3826 FAX

Inquiry 661.

COMMUNICATIONS

Frame Relay, X.25, BSC, HDLC, SDLC

Use our rock solid, compliant, inexpensive and robust
synchronous products for your PC project. On board protocol
support reduces PC overhead.

- Support for MS-DOS, Windows, Unix, OS/2, Netware and others.
- CCITT and ISO compliant X.25, HDLC.
- Frame Relay blanket certified for any application.
- Test and datascopes programs for easy debugging.

Sangoma Technologies Inc.

Tel 1-800-388-2475 905-474-1990
Fax 905-474-9223

CD-ROM

New and Updated CDROM Titles

Cica MS Windows CDROM, Thsnds of Windows prgrms...\$29.95
Giga Games CDROM, Games for DOS/Windows.....\$39.95
Space and Astronomy, Thsnds NASA images/data.....\$39.95
C User Group Library, C source code Dec 93.....\$49.95
Simtel MSDOS CDROM, DOS Shareware/Freeware.....\$29.95
QRZ Ham Radio CDROM, FCC Callsign Db & Shrw.....\$29.95
Hobbes OS/2 CDROM, OS/2 Shareware/Freeware.....\$29.95
Source Code CDROM, 650 Mb source, DOS/Unix.....\$39.95
Gutenberg Project, Literature and docs.....\$39.95
Linux Operating Sys, 386/486 OS, X11, full src.....\$49.95
FreeBSD Operating Sys, Ver 1.0, kml src, X/GNU.....\$39.95
Libris Britannia, MSDOS Tech/Sci/Engineer.....\$69.95
X11R5/Gnu CDROM, Full src, SPARC binaries.....\$39.95
Nebula for NeXTSTEP, Prgrms for Intel NeXTSTEP.....\$59.95
Ada Programming CDROM, Compilers, source, docs.....\$39.95
Aminet CDROM, Amiga Shareware/Freeware.....\$29.95
CDROM Caddies, Lifetime Guarantee.....\$4.95

Top quality CDROMs. 100% satisfied or full refund.

WALNUT CREEK CDROM

4041 Pike Lane, Ste D-212, Concord, CA 94520
1-800-786-9907 Visa/MC AMEx, Fax: 1-510-674-0821

Inquiry 662.

COMPUTER BOOKS

COMPUTER BOOKS ONLINE

Easy online ordering at our Internet, CompuServe, &
NIFTYServe stores. 15% off most books from 140
publishers for computer professionals. GO CBK,
www.computersbooks.com/books.html, or ftp info.txt from
ftp.computersbooks.com. Worldwide shipping. E-mail to
info@compbooks.com for information.

CompuBooks

RR1 Box 271D 512-321-9652
Cedar Creek TX 78612 USA Fax 512-321-4525

Order line 800-880-6818

COMPUTER INSURANCE

INSURES YOUR COMPUTER

SAFWARE Computerowner's coverage provides
replacement of hardware, media and purchased
software. As little as \$49 a year covers accidents,
theft, power surges and more. One call does it all.

1-800-800-1492

SAFWARE, The Insurance Agency Inc.

PO Box 02211, 2929 N. High St., Columbus, OH 43202
Now available in Ontario!!!

Inquiry 663.

COMPUTER TELEPHONY

Write your own Voice Mail software

Create advanced, multi-line voice/fax mail systems with
VOS™, the Editors' Choice. Complete language for
computer/telephone integration. VOS supports databases,
LANs, voice recognition, text-to-speech, conferencing,
switching and more.

Call for free booklet *Get into Interactive Voice.*

Parity Software

US: 415-989-0330 fax: 415-989-0441
Europe: +45-3940.8803 fax: +45-3940-7803

CREDIT CARD PROCESSING

Take Charge!

PC-Credit makes it easy to add credit card, debit
card and check guarantee services to your DOS or
Windows applications. Our products include
Libraries, DLLs, TSRs and easy to interface
programs that will provide the solutions to your most
demanding single or multi-user applications.

Go Software, Inc.

31 Sherborne Rd., Savannah, GA 31419
(800)-725-9264
(912) 925-4048 Fax (912) 927-0214

Inquiry 664.

DATA RECOVERY

We Can Save It!

All Platforms - All Storage Devices
Proprietary techniques so advanced we
rescue data others simply abandon.

DRIVESAVERS

Restoring data since 1985

1-800-440-1904

415-883-4232

Inquiry 665.

Ontrack DATA RECOVERY

• Professional service recommended by major hard
drive manufacturers • Expertise in virtually every
operating system & media storage device • 24-hour
support with weekend, priority, & on-site service
available • For fast, successful results, call:

MM:1-800-872-2599 • CA:1-800-752-7557

Europe: +44 (0)181 974 5522 • Japan: (0429) 32-6365

Corp. Headquarters: 6321 Bury Drive, Eden Prairie, MN 55346

Inquiry 666.

The Data Recovery CompanySM

Total RecallTM

800/743-0594
719/380-1616 INTL
719/380-7022 FAX
2462 Waynoka Road
Colorado Springs, CO 80915

Don't take chances with
your important data! Let
our team of specialists
quickly evaluate and re-
cover your data from most
storage systems and oper-
ating platforms. We have
the experience you need to
get back up and running, at
a price you can afford to
pay. References and ref-
erral programs available.

Inquiry 667.

DATA/DISK CONVERSION

THE #1 CHOICE in disk & tape conversion

for many leading corporations, government agencies,
law firms, and companies in every industry-world-wide.

Free test • Satisfaction guaranteed

Graphics Unlimited Inc.

3000 Second St. North, Minneapolis, MN 55411
(612) 588-7571 FAX: (612) 588-8783
1-800-745-7571

Inquiry 668.

CONVERSION SERVICES

Convert any 9-track magnetic tape to or from
over 5000 formats including 3 1/2", 5 1/4", 8" disk
formats & word processors. Disk-to-disk con-
versions also available. Introducing CD-ROM
conversions. Call for more info.

Pivar Computing Services, Inc.

165 Arlington Hgts. Rd., Dept. #B, Buffalo Grove, IL 60089
(800) Convert (708) 459-6010

Disk & Tape Conversion Services

Or do it yourself with **The File Analyst!** It overcomes all file
translation and transfer problems. Analyzes unknown files!
Makes old files into perfectly structured import or
client/server files! Search, remove & replace data/codes.
Convert between any format, any database, any report
generator, ASCII, delimited, EBCDIC, split, scan, verify, &
more. Commercial and Professional editions used daily all
over the world!

THE FILE ANALYST **RALPH GARNER ASSOCIATES, INC.**
"The Ultimate File Analyzer
& Reformatter" 99 Madison Ave., New York, NY 10016
Tel. 212-779-7667

Inquiry 669.

DATA/DISK CONVERSION

WE WROTE THE BOOK!

Deal *direct* with the company who developed the
systems that most others use...
SHAFFSTALL! Tape/Diskette
Transfer/Conversion/Duplication. PC/Mini/
Mainframe/Workstation Tape Transfer. WP to
WP Document Conversion Services.

1-800-357-6250

317-842-2077

Shaffstall Corporation

(Fax) 317-842-8294

Inquiry 670.

EDUCATION

B.S. & M.S. in COMPUTER SCIENCE

The American Institute For Computer Sciences offers an in-
depth home study program to earn your Bachelor of Science
at home. B.S. subjects covered are: MS/DOS, BASIC,
PASCAL, C, C++, Data File Processing, Data Structures &
Operating Systems. M.S. program includes subjects in
Software Engineering and Artificial Intelligence. Ada and
Using Windows courses also available. Accredited Member:
World Association of Universities and Colleges.

AMERICAN INST. for COMPUTER SCIENCES

2101-BY Magnolia Ave., Suite 200, Birmingham, AL 35205

1-800-767-2427 • 1-205-323-6191

Inquiry 671.

ACCREDITED B.S.C.S. DEGREE

Computer Science degree program includes C, C++, Assembly
Language, Visual Basic, Database Design, Basic, Pascal,
Networks, Fortran, Ada, Artificial Intelligence, Software Design,
many more. Software provided at no extra charge. Also degree
programs in Electronics & Computer Engineering Technology.
Accredited member: Distance Education and Training Council,
which is recognized by the U.S. Department of Education.

Free Catalog: 1-800-955-2527

Grantham College of Engineering

Grantham College Road, Sildell, LA 70469-5700

Inquiry 671.

FLOPPY DISKETTE

3.5" FLOPPY DISK RELIABLE & DURABLE

- We are a manufacturer licensed by Sony Corporation.
- Our disks are all 100% Tested and Certified Error Free with guaranteed
Clipping Level.
- Available products: 2HD, 2DD, video tape, CD jewelry box.
- Our own brand MEGA, OEM or bulk pack are also available.
- Duplicators & wholesalers are welcome.

YHC Cassette Ind. Ltd.

75 Saintsbury Square

Scarborough, Ont.

M1V 3K1 Canada

Tel: (416) 321-1179

Fax: (416) 321-8451

INMARK IND. LTD.

1A Man Fong Industrial Bldg.

7 Cheung Lee Street,

Chai Wan, Hong Kong

Tel: (852) 5582203

Fax: (852) 8973700

Inquiry 672.

FLOW CHARTS

COBOL STRUCTURE CHARTS

The new PowerStructure for Windows generates
incredible structure charts **DIRECTLY** from your
COBOL source - **STRUCTURED** or **NOT!** Forget
manual flowcharting. PowerStructure will diagram
your spaghetti code, do it in seconds, and free
programmers for more important work.
Now just \$149.

CyberMetrics

5541 S. Marine Drive., Tempe, AZ 85283

(602) 838-3310

Inquiry 673.

WINDOWS FLOWCHARTER \$129

RFFlow 3.0 is a professional drawing tool for
flowcharts & org. charts. Requires Microsoft Win-
dows; 500 shapes auto adjust in size; diagonal lines
and curves; auto line routing and re-routing; OLE
server; click on a shape to bring up a sub-chart;
import/export bitmaps and metafiles; Call for free
trial disk.

RFF ELECTRONICS

1053 Banyan Court, Loveland, CO 80538

Phone: (970) 663-5767

FAX: (970) 669-4889

Inquiry 673.

FOREIGN LANGUAGES

OVER 150 LANGUAGES

Translation, Language Learning
Tutorials, Fonts, Dictionaries and
Language Systems for DOS, Mac and Windows.
Japanese, Chinese, Spanish speaking staff.
Call us first for best prices and expert support.
Character Language Resources
2130 Sawtelle Blvd. 304A, Los Angeles, CA 90025
800-569-2099 FAX 310-996-2303

Inquiry 674.

HARDWARE

Pre-Owned Electronics, Inc.TM

THE Independent Provider, serving the Dealer,
Professional, Corporate, Government, and
Educational Buyer since 1985.

APPLE II® & MACINTOSH® SYSTEMS • PARTS • EXCHANGE REPAIRS

Call for a Catalog... **800-274-5343**

INT'L: 617-275-4600 • FAX: 617-275-4848

205 BURLINGTON ROAD • BEDFORD, MA 01730

Inquiry 675.

HEWLETT-PACKARD

Buy - Sell - Trade

| | |
|------------------------|-------------|
| LaserJet | ColorPro |
| DeskJet | DraftPro |
| RuggedWriter | DraftMaster |
| Electrostatic Plotters | DesignJet |

HP 9000 Workstations and Vectras also available.

Ted Dasher & Associates

4117 Second Ave., S. Birmingham, AL 35222

Phone: (205) 591-4747 Fax: (205) 591-1108

(800) 638-4833 E-mail: sales@dasher.com

Inquiry 676.

LANS

Little Big LAN

The most flexible network

- Peer to Peer LAN to 250 nodes
- \$75 total software cost, not per node!
- Link via serial, parallel, or Modems
- Also via Ethernet or Arcnet, or mix!
- Typically only 40k of RAM

Information Modes

817-387-3339 / P.O. Drawer F, Denton TX 76202
Fax 817-382-7407 Orders 800-628-7992

Inquiry 677.

LASER CHECKS

LASER CHECKS

PERSONALIZED WITH YOUR NAME AND LOGO

IN SAFETY BACKGROUND

CALL (714) 773-5811 OR TOLL FREE

1-800-252-6427 Fax 1-800-439-0158

FOR SAMPLE (ETC.)

:MAGNETIC ENCODING:

MICR-COMP, Inc.

689 S. State College Blvd., Suite A

Fullerton, CA 92631

Inquiry 678.

PROGRAMMERS TOOLS

DON'T DEVELOP NETWORK APPLICATIONS

without **NPPC**, a powerful library subroutine
package with the simplest API available anywhere!
Window and DOS, IPX or NetBIOS. Use with any
language supporting C subroutine calls: C, C++,
Visual Basic, FoxPro, etc. 30 day \$ back
guarantee. Download a free demo from our BBS.
NPPC for Windows or DOS - \$195 w/source \$395.

SYNERGY SOLUTIONS, INC.

2150 South Country Club, Suite 1, Mesa, AZ 85210
(602) 545-9797 FAX (602) 545-9827 BBS (602) 545-0232

Inquiry 679.

THE BUYER'S MART

PROGRAMMING TOOLS

dBASE file access from C++, Basic

CodeBase gives complete database management with multi-user dBASE, FoxPro or Clipper file compatibility from C, C++, Basic or Pascal. Get visual design software and royalty free client-server. Unconditional money back guarantee!

Call **Sequiter Software Inc.** for details!
403-437-2410 FAX 403-436-2999

Inquiry 680.

PUBLICATIONS

SCSI MYSTERIES UNVEILED

Whether a neophyte or an expert, find what you need in the "SCSI Bench Reference", "SCSI Tutor", and "SCSI Encyclopedia".

ENDL Publications

408-867-6642 Fax: 408-867-2115
Receive immediate information via FaxAccess.
Dial 408-741-1600 from the handset,
order #8 and find instructions on voice menu.

Inquiry 681.

SECURITY

Leaders in Software Security

EVERLOCK and **EVERKEY II** copy protection. Features include - Encryption, Serialization, Remotely resettable access flags, date limits, execution counts and network user limits - and much more! Free demo available.

Call today and ask about our low cost Trial Kits!

Az-Tech Software, Inc.

201 East Franklin St., Richmond, MO 64085-1883
(800) 227-0644 (816) 776-2700 FAX (816) 776-8398

Inquiry 682.

THE ULTIMATE SOFTWARE SECURITY

- STOPCOPY family - UNCOPIABLE copy protection
- STOPVIEW software encryption
- NETLIMIT network license metering
- DOS, Windows, Macintosh, OS/2, support
- No source code changes required - for ANY of our products in ANY environment
- Our products destroy ALL of our competition
- Call for FREE demo disk, or to discuss our products' MANY options

BBI Computer Systems, Inc.

14105 Heritage Lane, Silver Spring, MD 20906
800/TRY-ABBI • 800/679-2224 • 301/871-1094 • FAX:301/460-7545

Inquiry 683.

CRYPTKEY SOFTWARE LICENSING SYSTEM

"Hardware key protection without the hardware key"

- CrypKey is a **software protection tool**, offering
- complete security from any disk copy program
 - complete compatibility with any MS-DOS or MS WINDOWS based machine
 - complete invisibility - no disk key, no hardware key, less support calls
 - instant disaster recovery
 - protect programs distributed on CD-ROM, BBS, or Internet!

CrypKey is a **sales tool**, allowing you to sell your program

- by increments - enable the options the customer purchased
- by number of runs - e.g., sell 100 calculations for \$100.00
- by time period - e.g., lease or demo your program for 60 days

CrypKey uses a numeric key that can be transmitted by phone, fax, or email. Sell your customers more options, more copies, more time or more runs instantly, just by making a telephone call. (great for overseas customers or distributors) CrypKey is produced by Kenonic Controls Ltd. - engineering and software since 1972.

Kenonic Controls Limited

7175-12th Street South East
Calgary, Alberta, Canada T2H 2S6
(403) 258-6200 • fax: (403) 258-6201

Inquiry 684.

SECURITY

Cop's CopyLock II

Professional software protection with TRUE Machine Install. Option Board safe. DOS, OS2, Networks, Windows, Trace 3000. DialCOPS Access Control for mass distribution via CD-ROM or Internet. Known and used world-wide since 1984.

LINK Data Security

Int'l: + 45 3123-2350 Fax: + 45 3123-8448

Inquiry 685.

KEY-LOK™ SECURITY

Piracy survival 11 years proves effectiveness of powerful multilayered security. Algorithmic response. Programmable memory. Economical. Transparent to PARALLEL/SERIAL port, Counters/Real-Time-Clock. Multi-product/feature licensing. DOS/NT/UNIX/OS2. Access control systems and disk drive locks.

MICROCOMPUTER APPLICATIONS

3167 E. Otero Circle, Littleton, CO 80122
1-800-4KEYLOK (303) 770-1917 FAX: (303) 770-1863

Inquiry 685.

SERIAL ANALYZER

COM-Watch PROFESSIONAL

Use your PC (even your notebook) to troubleshoot RS-232, RS-422 or RS-485 communications at a fraction of the cost of purchasing specialized equipment. This menu driven software lets you monitor bi-directional communications at speeds to 115,200 baud. Package includes RS-232 cable adapter.

CER • P.O. Box 48 • Amherst, NH 03031

Tel. (603) 673-8110 • Fax (603) 673-7892

Inquiry 686.

SOFTWARE PACKAGING

FREE SOFTWARE PACKAGING CATALOG

Everything you will need to Package, Distribute, and Ship Your Software! From manuals and binders to mailers and shippers

LABELS • LABELS • LABELS

For your diskettes, plain or custom printed dot matrix or laser printer... free samples

FREE CATALOG

Hice & Associates

8586 Monticello Dr., West Chester, OH 45069
Phone/Fax: 513-779-7977

Inquiry 687.

SOFTWARE/BUSINESS

Teach your computer to think

without programming. Use Brainmaker neural networks for:

Financial Forecasting, Marketing Predictions, Pattern Recognition, Assessments, Medical/Chemical Research, Inventory Forecasting, and more! Reads most databases & spreadsheets. **Unconditional 30-day money back guarantee.**

DOS/Windows/Mac versions starting at \$195.

Call for FREE brochure. California Scientific Software

916/478-9040 Fax 916/478-9041

800/284-8112

Inquiry 688.

DATA ENTRY SOFTWARE

Full featured, heads-down data entry with two-pass verification, edit language, operator stats, much more! Designed for the PS/2®, PC, XT, AT or compatibles.

PCs from \$395 LAN version available

FREE 30 day trial

Computer Keyes Tel: 206/776/6443
21929 Makah Rd., Fax: 206/776-7210
Woodway, WA 98020 USA: 800/356-0203

SOFTWARE/ENGINEERING

Circuit Simulation

New LOW COST SPICE Tools

Introducing ICAP/4Lite

Affordable SPICE

Experience Analog and Mixed signal simulation like you've never seen before

"Just like being at the Bench."

includes:

- New IsSpice4; Real Time Interactive Display
- UNLIMITED Circuit Size!
- Integrated Schematic Editor
- Model Libraries, more than 5000 Parts
- Windows, Windows NT

Full SPICE programs starting at \$95. Complete systems with schematic entry, IsSpice4, models, and waveform graphics only \$595.

Call or Fax for your Free Demo kit

P.O. Box 710, San Pedro, Ca 90733-0710

Tel (310) 833-0710

FAX (310) 833-9658 **intusoft**

Inquiry 689.

SuperFILTER

Active + Passive + Digital + Switched Cap

- LP, HP, BP, All pass and Notch • 150+ Topologies
- All conventional types • Cascade up to 5 different types
- Component & Non-Ideal OpAmp parameters specified
- Frequency or Time Domain plots of Group Delay Time Gain, Phase • Best fit of unknown w/ "filter recognizer" • Monte Carlo/Sensitivity analysis • \$745 • Free Demo

Tatum Labs, Inc.

1287 N. Silo Ridge, Ann Arbor, MI 48108

313-663-8810 FAX 313-663-3640

Inquiry 690.

SOFTWARE/GRAPHICS

New Version!

AccuSoft Image Format Library 5.0

Programmers: Add support for 36 raster file formats instantly!

TIFF, JPEG, PCX, TARGA, DIB, DCX, GIF, BMP, WMF, PICT, WPG, EPS, Group 3, Group 4
New Formats: Photo CD, PhotoShop, ASCII, KoFax, RLE, LaserData, CALS, ATT, CLP, XWD, IMG, IFF, SUN, XBM, ICO, IOCA, CX2, XPM, CUT, Brooktrout, MAC, MSP.

Guaranteed to read all raster images in existence in the listed formats!

- * Import, export, scanning, conversion, compression
- * Printing, display, image processing
- * Supports all languages
- * Fax formats and multi-page images
- * Rotate, zoom, scale, color reduction
- * Thumbnails, sharpen, special-effects
- * Windows, NT, WinPro Gold 32, VBX, VBX32
- * Watcom, OS/2, MAC, UNIX, Clipper, FoxPro

AccuSoft Corp. Call 800-525-3577

Two Westborough Business Park Westborough, MA 01581 USA

TEL (508) 898-2770 FAX (508) 898-9662

Inquiry 691.

Autodesk's DWG OEM

- ◆ Programmers' Toolkit to Read/Write AutoCAD DWG & DXF Files.
- ◆ Object oriented, modular, database-like access to CAD data.
- ◆ View, Print, Plot and Pick Modules.
- ◆ Available for C/C++ for DOS, X-DOS, Windows, Sun, and other Unix systems.

Autodesk OEM Sales

1301 Marina Village Parkway, Alameda, CA 94501
Phone: (510) 337-7203 Fax: (510) 523-2880

Inquiry 692.

SOFTWARE/GRAPHICS

DbCAD dev 1.3 DLLs

Create, select, edit, import (DXF, DWG), all the AutoCAD 2D vector entities, in a graphics database (DBF). Display raster images (RLC, RLE, BMP) on which you can overlay vector drawings (DWG, WMF, graphic DBF). Manage a graphic window (pan, zoom, overview, pick). Print by using Windows driver and fonts.

Channel inc. U.S.A.
+617-863-0068

Inquiry 693.

CAD Developers Kit

TG-CAD Professional 5.5, a 'C' Win/DOS SDK. Read/Write/View PCX/GIF files & DXF to R12. Create fonts & text. Ray Tracing & Shading. Hundreds of 2D & 3D routines. Comes as DOS Lib., Win Lib. & Win DLL. Source available. Free Technical White Paper available. Call or write today.

Disk Software, Inc., Box 941152
Plano, TX USA 75094-1152
800-635-7760, Fax 214-423-7288

Inquiry 694.

SOFTWARE/SCIENTIFIC

VTX Scientific Desktop Publishing

- Scalable Fonts • Font effects • Typeface customization
- Equations • Tables • Graphics • Foreign languages
- Multi-lingual spell & hyphenation • IDE • On-line help
- Dos, Dos-32 and Windows versions • From \$199

TEX of Tomorrow—Notices of AMS, March 1991

Call now for a **FREE DEMO DISK**

MicroPress, Inc.
68-30 Harrow Street, Forest Hills, NY 11375
Tel (718) 575-1816 Fax (718) 575-8038

Inquiry 695.

EXPERIMENTAL DATA FITTING

SCIENTIST™ is the leader in experimental data fitting. Fit combinations of user-defined algebraic and differential equations or Laplace transforms — also splines and interpolating functions. Includes 3D plotting and a scientific worksheet. Requires Windows. \$295. Model libraries also available.

MicroMath Scientific Software
1-800-942-6284 Fax: (801) 943-0299

Inquiry 696.

SOFTWARE/SECURITY

COPY PROTECTION & MORE

REGISTRATION MANAGER is a powerful utility used to encourage registration AND a database you customize to track your user demographics. Select the level of encouragement, from gentle reminder to full blown copy protection.

StanBrite SOFTWARE
(801) 882-3546 fax to 801-882-3017

Inquiry 697.

SOFTWARE/VOICE/FAX

HIGH LEVEL C LIBRARIES

Multi-Voice and Multi-Fax are complete development C toolkits to access all the features for most voice and fax processing boards available today. It helps you write MULTI-LINE VOICE (and/or) FAX APPLICATION in minutes. Many example programs and libraries are delivered with fully commented source code. VISA/MC Accepted.

Multi-Voice for Dialogic, Rhetorex, or Powerline II: \$599
Multi-Voice for Single Line Watson Board: \$99
Multi-Fax for CAS (Intel SatisFAXtion): \$199

ITI SOFTWARE
Fax-On-Demand for information: (514) 835-2216
Tel: 514-597-1692 Fax: 514-526-2362 BBS: 514-835-5945

SPEECH RECOGNITION

TALK TO YOUR PC

DragonDictate™ speech dictation system lets you use your PC in DOS or Windows entirely by voice.

914 937-2376
SRPA, INC. Members Nationwide

Inquiry 698.

UNIX FOR PCS

LINUX

RELEASE 1.1

32 bit Unix compatible OS for 386, 486, 586's

Includes C, C++, Obj. C, Pascal, smalltalk, Perl.X11 R6, TCP/IP, UUCP, PPP, Slip, NFS, VI, emacs, Openlook, plus much more. Supports: SCSI, IDE, ESDI, MFM, VGA, S3, CGA, CD-Rom, Soundblaster, full man pages, 600 pg. manual included. *Full Internet support* \$59.95 on CD-ROM, \$69.95 on disks, Dr. Linus Book \$49.95.

Linux Systems Labs, 49884 Miller Ct. Chesterfield, MI 48047
(800) 954-2938, (810) 716-1700, fax (810) 716-1703

Inquiry 699.

VAX TO PC TRANSLATION

Vax Basic to Visual Basic

10 passes of your code plus over 300 tests on every Vax line. Problem code is commented and a solutions manual included. Also Visual Basic example step by step.

PC version \$395, Vax \$2000 plus per PC license.

Mikado Computing Ltd.

309 Regent St., London W1R 8AL, UK
• Call +44 171 323 5423 (24hrs messaging)
• Fax +44 171 911 5104
• e-mail 100114.1110@Compuserve.com

Inquiry 700.

WEATHER SATELLITES

Weather reception with Laptop or PC using PCMCIA satellite decoder and software

View cloud formations, watch storms develop, measure sea surface temperatures and plot course using range/bearing tools from NOAA polar orbiting weather satellite images captured live on your laptop computer!

Also captures geostationary satellites and HF Marine Fax. Portable system used by mariners, aviators, computer hobbyists and professionals. Complete systems available including:

PCMCIA type II card/software and VHF receiver/antenna.
QFS WeatherFAX, 6404 Lakerest Court, Raleigh, NC 27612
Phone/fax: (919) 847-4545, EMail: jdahl@cybernetics.net

WIDE AREA NETWORK

Access/LAN Wide Area Network

LAN dial-up system. Access databases from remote locations. Up to 32 lines. Multitasking. Connect to Novell, LANtastic, WindowsNT, POWERLan, AS400 & others. Arcnet, Ethernet, T-Ring, TCP/IP. Use dial-up or dedicated lines with modems & multiplexers. Network & remote printing. **Runs at LAN speed.** Ideal where access to centralized data is req'd.

Computation Software Corporation
1-800-267-4855 Fax (905) 770-6877

Inquiry 701.

WINDOWS

* FREE INTERNET

217-322-1111

Full Access 14.4K 8/N/1 All Nodes
Service is FREE *You Pay L.D. Charge
Voice Help 1-217-322-1212

Inquiry 702.

WINDOWS

THE ULTIMATE BBS

FREE FREE FREE FREE FREE FREE

Latest Windows and DOS Utils, Pgms, Source Code, Lively CHAT, online games, Internet Access and more and all FREE. Call from home or office up to 14.4K and download for FREE. (n/8/1)

217-792-3663

Customer Service 415-281-4429

Inquiry 703.

There Are 275,000 Good Reasons to Advertise in the BYTE Deck!

The BYTE Deck mails to a select group of **275,000 BYTE subscribers** who are proven direct market buyers. In fact, BYTE subscriber surveys show that many readers prefer to buy through the mail order/direct channel:

Direct Channel Preference for Purchases of:

Software 69%

Computer Systems 63%

Peripherals 62%

Networking 45%

Source: 1994 Subscriber Study

The average BYTE reader influences the purchase decisions of **107 others**, works in a company with more than **1,000 employees**, and influences **more computer product purchases** than any other person in his/her organization. The BYTE readership provides quality leads. **Why settle for anything less?**

Call Brian Higgins today at (603) 924-2596 or fax your order to (603) 924-2683.

The BYTE Reader: Simply the Best

BYTE DECK



Circle 704 on Inquiry card.

ADVERTISER CONTACT INFORMATION

To order products or request FREE information, call advertisers directly or send in the response card by mail or fax! Let them know you saw it in **BYTE!**

Inquiry No. Page No. Phone No.

| | | |
|--|------------|----------------------------|
| A | | |
| 283-284 ACI | 244 | 800-983-1177 |
| 213 ACTION | 238 | +886-3-4520697** |
| 267-268 ADONTEC GMBH | 247 | +49-7043-40440** |
| 273 ADVANCED ENGR. CONCEPTS | 244 | 310-379-1189 |
| * ADVANCED MICRO DEVICES (N.A.) | 77 | 800-222-9323 |
| 271-272 AEROCOMM WIRELESS INC | 239 | 800-492-2320 |
| 150-151 AERONICS INC | 141 | 512-258-8040 |
| 61 ALADDIN KNOWLEDGE SYSTEMS | 84 | 800-223-4277 |
| 557 ALTEX ELECTRONICS (NE) | 230 | 800-531-5369 |
| 557 ALTEX ELECTRONICS (SO) | 230 | 800-531-5369 |
| 214 AMERICAN ADVANTECH | 242 | 800-800-6889 |
| 62 AMERICAN POWER CONVERSION | 32-33 | 800-800-4APC dept A2 |
| * AMERICAN POWER CONVERSION | 32A-B | |
| 144-145 AP PROFESSIONAL | 14-15 | 619-699-6735 |
| 553-554 APE PTACEK ENGR. GMBH | 40IS 9 | +49-89-604395** |
| 533-534 ARISTO GRAPHIC SYS | 40IS 15 | +49-40-54747-111** |
| 159 AT&T GLOBAL INFO SOLU (N.A.) | 59-61 | 800-447-1124 ext 1050 |
| 195 AVALAN TECHNOLOGY | 235 | 508-429-3179** |
| B | | |
| 229 BEAME & WHITESIDE S/W | 245 | 800-810-7898 |
| 230 BEAME & WHITESIDE S/W | 245 | 800-810-7898 |
| * BEAME & WHITESIDE S/W | 40IS 10 | 919-831-8989 |
| 531 BEAME & WHITESIDE S/W | 40IS 11 | 919-831-8989 |
| 130 BEAME & WHITESIDE S/W (N.A.) | 189 | 800-216-8450 |
| 63-64 BELL & HOWELL INC (INT'L) | 149 | 708-675-7600 |
| 63-64 BELL & HOWELL INC (N.A.) | 149 | 800-SCAN-494 |
| 450 BIX | 259 | 800-695-4775 |
| 501-502 BOCA RESEARCH INC | 40IS 6 | 407-997-6227 |
| 260-261 BOXLIGHT CORP | 243 | 800-762-5757 |
| 171 BTG | 74 | 703-876-1920** |
| * BYTE BACK ISSUES (INT'L) | 135 | 603-924-2607 |
| * BYTE EDITORIAL SURVEY | 194 | |
| * BYTE EURODECK (INT'L) | 120 | 603-924-2533 |
| * BYTE NETWORKING ON DISK | 180 | |
| 65 BYTE ON CD ROM | 186 | |
| * BYTE READER | 209 | 603-924-9281 |
| * BYTE REPRINTS (INT'L) | 124 | 603-924-2525 |
| * BYTE SUB MESSAGE | 200 | |
| * BYTE SUB MESSAGE | 40IS 21 | |
| * BYTE MOVING | 40IS 32 | |
| * BYTE WAREHOUSE | 201 | |
| C | | |
| 200 CADSOFT COMPUTER INC | 229 | 407-274-8355 |
| 152 CALIFORNIA PC PRODUCTS INC | 188 | 800-394-4122 |
| 551-552 CALLUNA TECHNOLOGY LTD | 40IS 23 | +44-(0)1592 630920** |
| 503 CHERRY MIKROSCHEALTER GMBH | 40IS 26-27 | +49-9643-18-206 |
| 506 COBAL BLUE | 40IS 30 | 404-518-1116 |
| * COLORADO MEMORY SYSTEMS | 109 | 800-451-0907 |
| 549-550 COMBYTE INC (INT'L) | 91 | 303-229-0660 |
| * COMPAQ (N.A.) | 16A-L | |
| 66 COMPAQ (N.A.) | 28-29 | 800-853-9518 |
| 504-505 COMPEX INC (INT'L) | 65 | 714-630-7302 |
| 68 COMPUTER ASSOCIATES/ UNICENTER | 103 | 800-225-5224 dept 10500 |
| 67 COMPUTER ASSOCIATES/ VISUAL OBJECTS | 69 | 800-225-5224 dept 14500 |
| * COMPUTER BOOK CLUB (N.A.) | 145 | 717-794-2191 |
| * COMPUTER BOOK CLUB (N.A.) | 144A-B | |
| 179 COMPUTER DISC WAREHSE | 212-213 | 800-959-4CDW |
| 507 COMPUTER FRIENDS | 40IS 28 | 503-626-2291 |
| 508 COMPUTER QUICK | 40IS 20 | 415-861-8330 |
| 180 COMPUTERLANE UNLTD | 220 | 800-526-3482 |
| 215 COMPUTERWISE | 246 | 800-255-3739 |
| 239 CONTROL CONCEPTS INC | 242 | 800-922-9259 ext 6444 |
| * COPIA INTERNATIONAL LTD | 184 | 708-682-8898 |
| 69 COREL DRAW 5 | 31 | 613-728-0826 ext 3080 |
| 129 CREATIVE LABS INC | 57 | 800-998-5227 |

Inquiry No. Page No. Phone No.

| | | |
|---|---------|----------------------------|
| 178 CREATIVE MINDS | 89 | 800-701-0889 |
| 70-71 CTX INTERNATIONAL INC | 96 | 909-595-6293** |
| 181-182 CYBEX CORP | 215 | 205-430-4030** |
| 183-184 CYBEX CORP | 223 | 205-430-4030** |
| 509-510 CYBEX CORP (INT'L) | CIII | 205-430-4030** |
| D | | |
| 201 DALLAS SEMICONDUCTOR | 235 | 800-258-5061 |
| 139-140 DATA STORAGE MARKETING INC (N.A.) | 118 | 800-543-6090 |
| 166-167 DATADISC | 45 | 800-DATADISC |
| 185 DATALUX CORP | 214 | 800-DATALUX |
| * DATAPRO (INT'L) | 28-29 | 800-328-2776 |
| * DATAPRO | 72-73 | 800-328-2776 |
| 72-73 DATAPRODUCTS | 169 | 800-980-0374 |
| * DELL COMPUTER CORP (N.A. DEMO) | CVI | 800-433-3409 |
| * DELL COMPUTER CORP (N.A. DEMO) | CVIII | 800-232-5618 |
| * DELL COMPUTER CORP (N.A.) | CVI | 800-274-4635 |
| * DELL COMPUTER CORP (N.A.) | CVII | 800-247-6819 |
| * DELL COMPUTER CORP (N.A.) | CVIII | 800-232-5617 |
| 286 DELPHI INTERNET SERVICES | 197 | 800-695-4005 |
| 74 DELRINA FORMFLOW | 142 | 800-268-6082 |
| 287-288 DELTEC / NSSI | 196 | 800-335-8321 |
| 75-76 DIGIBOARD | 193 | 800-755-0107 |
| 547-548 DIGITAL INFORMATION SERVICES (EUROPE) | 40IS 19 | +41-22-7910885** |
| 543 DISTINCT CORP | 40IS 14 | 408-366-8933 |
| 186 DISTRIBUTED PROCESSING TECH | 234 | 800-322-4378 |
| E | | |
| 564 ECEL (DIGICOM) (INT'L) | 145 | +886-2-772-3407** |
| 565 ECEL (DIGICOM) (INT'L) | 147 | +886-2-772-3407** |
| 248 EMATEX GMBH | 246 | +49 221 529666 |
| 541-542 ERGOTRON EUROPE | 40IS 13 | +31 20 696.60.65 |
| 511-512 EUTRON | 40IS 24 | +39 35 201003 |
| 77-78 EXABYTE CORP | 19 | 800-EXABYTE |
| F | | |
| 539-540 F & H SIMULATIONS (INT'L) | 59 | +31 13 427 516** |
| 513-514 FAST HARDLOCK | 40IS 5 | +49-89-539800-20 |
| 148-149 FAST MULTIMEDIA | 105 | +49-89-50206-199** |
| 529 FIRST INTERNATIONAL COMP | 40IS 2 | +886-2-718-2782** |
| 187-188 FIRST SOURCE INT'L | 226 | 714-448-7750 |
| 254 FUZIWARE INC | 247 | 800-472-6183 |
| G | | |
| 216 GAGE APPLIED SCIENCES INC | 242 | 514-337-6893 |
| * GATEWAY 2000 | 38-39 | 800-846-2058 |
| 79 GLENCO ENGINEERING (INT'L) | 139 | 708-808-0300 |
| 80 GLENCO ENGINEERING (N.A.) | 139 | 800-562-2543 |
| 237-238 GRANITE DIGITAL | 243 | 510-471-6442 |
| 515 GREY MATTER LTD | 40IS 17 | +44-(0)1364-53071 |
| H | | |
| 244 HALL RESEARCH & TECH INC | 239 | 800-959-6439 |
| 279-280 HOEI SANGYO CO LTD | 243 | +81-3-3661-9147** |
| 217 HOOLEON CORPORATION | 243 | 520-634-7515 |
| 559 HUMMINGBIRD COMMS LTD (INT'L) | 77 | 905-470-1203 |
| I | | |
| 170 IBM | 37 | 800-3-IBM-OS2 |
| 291 IBM | 123 | 800-IBM-4FAX** ext 3079 |
| 291 IBM | 123 | 800-IBM-4FAX** ext 3078 |
| 274-275 ICL (EMBLA) | 245 | 703-648-3326** |
| 157-158 ICONOVEX INC | 182 | 800-943-0292 |
| 81 INTERGRAND RESEARCH | 195 | 209-651-1203 |
| 174-175 INTEK TECHNOLOGIES | 191 | 404-815-5283 ext 3504 |
| * INTEL CORPORATION | 10-11 | 800-538-3373 |
| 544 INTERSIS AUTOMACAO | 40IS 22 | +351 441 2247 |
| 218 IO TECH | 242 | 216-439-4091 |
| 127-128 ITERATED SYSTEMS | 110 | 800-437-2285 |
| J | | |
| 189 JAMECO ELECTRONICS | 219 | 800-831-4242 |
| * JDR MICRODEVICES | 237 | 800-538-5000 |

Inquiry No. Page No. Phone No.

| | | |
|-------------------------------------|---------|--------------------------|
| 252-253 JNL COMPUTER PRODUCTS | 243 | 510-353-0262 |
| K | | |
| 219 KILA | 241 | 303-444-7737 |
| 292-293 KINGSTON TECHNOLOGY | 130 | 714-435-1850 |
| 250-251 KUREO TECHNOLOGY INC | 248 | 604-433-7715 |
| L | | |
| 203-204 L A TRADE | 232 | 800-433-3726 |
| 82-83 LAHEY COMPUTER SYSTEMS | 192 | 800-548-4778 |
| 136 LANSOURCE TECHNOLOGY | 198 | 416-535-3555 |
| * LEXMARK | 159 | 800-891-0399 ext 231 |
| 517 LOGIC PROGRAMMING ASSOC | 40IS 29 | 800-949-7567 |
| M | | |
| 262 MAILER'S SOFTWARE | 245 | 800-800-MAIL |
| * MCGRAW-HILL MAGAZINES | 92 | |
| * MCGRAW-HILL ON-LINE | 93 | |
| 165 MENAI CORP | 190 | 800-GAMELON |
| 198 MICRO 2000 | 221 | 800-864-8008 |
| 191-192 MICRO SOLUTIONS COMP PROD | 225 | 800-295-1214 |
| 231-232 MICROCAL SOFTWARE INC | 248 | 800-969-7720 |
| 535-536 MICRODATA SYSTEM SRI | 40IS 30 | +39 1 87 988 460 |
| 84-85 MICROGRAFX | 151 | 800-877-3040 |
| 199 MICRO-INTERNATIONAL INC | 228 | 800-967-5667 |
| 131 MICRON COMPUTER | CII-1 | 208-465-3434 |
| * MICROSOFT CORP | 2-3 | 800-719-5577 dept NYV |
| 220 MICROSTAR LABORATORIES | 242 | 206-453-2345 |
| * MICROWAY | 150 | 508-746-7341 |
| 281 MICRO/SYS | 244 | 818-244-4600 |
| 528 MINICOM / CLASSNET VIDEO | 40IS 16 | +972-2-518593 |
| 518-519 MINOLTA GMBH (EUROPE) | 40IS 21 | +49-511-7404-401 |
| 96-97 MINUTEMAN | 112 | 214-446-7363 |
| 522-523 MINUTEMAN | 40IS 31 | 214-446-7363 |
| 210 MIPS DATALINE AMERICA INC | 233 | 800-898-8560 |
| 87 MKS / MORTICE KERN SYSTEMS | 140 | 519-884-2251 |
| N | | |
| 88-89 NANA USA CORP (N.A.) | 65 | 310-325-5202 |
| 221 NATIONAL INSTRUMENTS | 246 | 512-794-0100 |
| 520-521 NATIONAL INSTRUMENTS | 40IS 25 | 512-794-0100 |
| 566 NETWORK (INT'L) | 118 | +49-89-14312-486** |
| 190 NEVADA COMPUTER | 224 | 800-982-2925 |
| 247 NEWVOICE | 240 | 703-648-0585 |
| 169 NEXGEN | 111 | 408-435-0202 |
| 90-91 NORTON-LAMBERT | 71 | 805-964-6767 |
| 92 NSTL | 205 | 610-941-9600 |
| 569-570 NSTL | 40IS 19 | 610-941-9600 |
| 93 NUMBER NINE COMPUTER SYSTEMS | 106 | 800-GET-NINE |
| O | | |
| 257 OBJECT MANAGEMENT LAB | 247 | 800-6789-OML |
| 153 OBJECTS INC | 42 | 508-777-2800 |
| 516 OLIVETTI S.P.A. (INT'L) | 60-61 | +39-2-45361 |
| 530 ON TIME MARKETING | 40IS 32 | +49-40-437472 |
| * ORACLE CORP (N.A.) | 20-21 | 800-492-9870 ext 4981 |
| 208-209 ORCHESTRA MULTISYSTEMS | 236 | 800-237-9988 |
| * OSBORNE MCGRAW-HILL | 46-47 | 800-822-8158 |
| P | | |
| 205 PACIFIC COAST MICRO | 222 | 619-581-6040 |
| * PC EXPO NEW YORK | 136 | 800-829-3976 |
| 206 PC'S COMPLEAT | 216-217 | 508-624-6400 |
| 98 PERSOFT INC | 183 | 800-368-5283 |
| 222 PERSONAL TEX | 247 | 800-808-7906 |
| 524 PHILIPS MONITORS (INT'L) | 20-21 | +31 40 73 39 83** |
| 240-241 PIKA TECHNOLOGIES | 240 | 613-591-1555 |
| 99-100 PINNACLE MICRO | 9 | 714-727-3300 |
| 102 PKWARE INC | 66 | 414-354-8699 |
| 101 PKWARE INC | 152 | 414-354-8699 |
| 146-147 PLEXTOR | 199 | 800-886-2683 |
| * POLLUTION SOLUTION | 230 | |
| 103 POPKIN S/W & SYSTEMS INC (N.A.) | 179 | 212-571-3434 |

ADVERTISER CONTACT INFORMATION

| Inquiry No. | Page No. | Phone No. | Inquiry No. | Page No. | Phone No. | Inquiry No. | Page No. | Phone No. |
|-------------------------------------|----------|--------------------------|--|----------|--------------------------|--|----------|------------------------|
| * PROFOUND (N.A.) | 120 | 800-375-6093 | 235-236 SIGMA TECH SOFTWARE | 241 | 818-368-6132 | 228 TRI VALLEY TECHNOLOGY INC | 242 | 510-447-2030 |
| * PROFOUND (N.A.) | 120 | 800-688-5583 | * SILICON GRAPHICS (N.A.) | 135 | 800-800-7441 ext D440 | 118-119 TRIPP LITE | 138 | 312-755-8741 |
| 132-133 PROXIMA CORP | 94 | 800-447-7692 ext 652 | 255-256 SILICON WAREHOUSE | 239 | 800-347-4887 | 265-266 TTM NEDERLAND | 244 | +31-2979-88365 |
| 156 PSI (N.A.) | 167 | 800-PSI-0852 PC#00140 | 269 SILICONRAX | 241 | 800-700-8560 | U | | |
| Q | | | 154-155 SMITH MICRO SYSTEMS & SOFTWARE (N.A.) | 124 | 714-362-2345 | 276 UNITED EDUCATION CENTERS | 246 | 800-877-4889 ext 28 |
| * QMS | 163 | 800-841-0760 ext 5052 | 282 SOFTAPPROACH CORP | 247 | 800-268-9898 | V | | |
| 104 QNX SOFTWARE SYSTEMS LTD | 185 | 800-676-0566 ext 1005 | 112 SOFTWARE SECURITY | 153 | 203-656-3932** | 226 VIDEX INC | 239 | 503-758-0521 |
| 223 QUALSTAR CORP | 244 | 800-468-0680 | 172-173 SOFTWAY AMERICA INC | 44 | 303-670-5345 | 120-121 VIEWSONIC | 6-7 | 909-869-7976 |
| 105-106 QUARTERDECK OFFICE SYS | 67 | 310-392-9851 | 560-561 SOLID COMPUTER GMBH (INTL) | 179 | +49-89-3159146** | 263 VISUAL NUMERICS | 247 | 800-364-8880 |
| 107-108 QUTECH INC | 210 | 800-553-1170 | 525-526 STAC ELECTRONICS (INTL) | CIV | +44-1-344-302900 | 264 VISUAL NUMERICS | 248 | 800-729-4723 |
| R | | | 113-114 STAC ELECTRONICS (N.A.) | 91 | 800-677-6232 ext 521 | 270 VU-TEK VISION CARE FILTERS | 239 | 800-269-8801 |
| 567-568 RACAL AIRTECH (INTL) | 167 | +44-(0)1844-201832** | 233 STAR GATE TECHNOLOGIES | 241 | 800-782-7428 | W | | |
| 211-212 RAIDTEC CORP | 233 | 404-664-6066 | 234 STAR GATE TECHNOLOGIES | 241 | 800-782-7428 | 122 WALKER, RICHER & QUINN | 132 | 206-217-7100 |
| 109 RAINBOW TECHNOLOGIES | 79 | 800-852-8569 | 115 STATSOFT | 101 | 918-583-4149 | 123 WATCOM SQL | 27 | 519-886-3700 |
| 245-246 RCI | 240 | 908-874-4072 ext 71 | 125-126 SYMANTEC | 53 | 800-489-9914 ext 5518 | 142-143 WIBU (INTL) | 44 | +49-721-93172-22** |
| 562-563 RECOGNITA (INTL) | 189 | +36-1-2018925 | 125-126 SYMANTEC | 55 | 800-628-4777 ext 9AP2 | 142-143 WIBU (U.S.) | 44 | 301-570-3497 |
| 196 RECORTEC INC | 231 | 800-729-7854 | T | | | 141 WINBOOK COMPUTER CORP (N.A.) | 13 | 800-468-0366 |
| 224 RHETOREX INC | 240 | 408-370-0881 | 134-135 TADPOLE TECHNOLOGY | 35 | 800-232-6656 | 197 WORLDWIDE TECHNOLOGIES | 218 | 215-922-0116** |
| 193-194 ROSE ELECTRONICS | 238 | 800-333-9343 | 277-278 TALKIE | 245 | 800-TALKIE-4 | X | | |
| S | | | 225 TALKING TECHNOLOGY INC | 241 | 800-685-4884 | 555-556 XEROX IMAGING SYS (INTL) | 13 | +44 1734 261913** |
| 164 SAMSUNG ELECTRONICS | 165 | 201-229-4053 | 116 TEKTRONIX | 81 | 800-835-6100 ext 1037 | Z | | |
| 110-111 SAMTRON DISPLAYS INC (N.A.) | 147 | 310-537-7000 | 537-538 TELELINK AG | 40IS 22 | +41-42-431081** | 124 ZEOS INTERNATIONAL | 82-83 | 800-554-5226 |
| 137-138 SCEPTRE TECHNOLOGIES | 117 | 800-788-2878 | 160-161 TEXAS MICRO | 129 | 713-541-8200 | 227 Z-WORLD ENGINEERING | 244 | 916-757-3737 |
| 202 SCITECH INTERNATIONAL | 227 | 800-622-3345 | * TEXAS MICRO | 128A-B | 713-541-8200 | * Correspond directly with company. | | |
| 545-546 SEH | 40IS 29 | +49-521-94226-0 | 168 THE LEARNING CURVE | 64 | 813-736-2295 | Regional Edition Definitions: | | |
| 242-243 SHAFFSTAL CORP | 244 | 800-248-3475 | 117 TOSHIBA AMERICA INC | 24-25 | 800-457-7777 | CD - Ads only appear in Canada Edition | | |
| | | | | | | DEMO - Ads only appear in Demographic Edition | | |
| | | | | | | EUROPE - Ads only appear in Europe Edition | | |
| | | | | | | IS/INTL - Ads only appear in International Edition | | |
| | | | | | | MW - Ads only appear in Midwest Region Edition | | |
| | | | | | | N.A. - Ads only appear in North America Edition | | |
| | | | | | | NE - Ads only appear in Northeast Region Edition | | |
| | | | | | | PC - Ads only appear in Pacific Coast Region Edition | | |
| | | | | | | SO - Ads only appear in Southern Region Edition | | |
| | | | | | | U.S. - Ads only appear in U.S. Edition | | |
| | | | | | | WORLD - Ads only appear in World Edition | | |

BYTE ADVERTISING SALES STAFF

Diane Lieberman, Director, Sales Operations, One Phoenix Mill Lane, Peterborough, NH 03458, Tel. (603) 924-2518, Fax: (603) 924-2683

NATIONAL ACCOUNTS

Jonathan Sawyer (603) 924-2665
McGraw-Hill Publications
1221 Avenue of Americas—28th Floor
New York, NY 10020
FAX: (212) 512-2075

NEW ENGLAND

ME, NH: Upstate NY, VT, MA, RI, CT,
ONTARIO
CANADA & EASTERN CANADA
Sanford L. Fish (617) 860-6344
Merle Model (617) 860-6221
McGraw-Hill Publications
24 Hartwell Avenue
Lexington, MA 02173
FAX: (617) 860-6899

EAST COAST

NY, NYC, NJ, DE, DC, MD, PA, VA
Michael Feinberg (212) 512-4811
Susan Rastelli (603) 924-2656
McGraw-Hill Publications
1221 Avenue of Americas—28th Floor
New York, NY 10020
FAX: (212) 512-2075

SOUTHEAST

NC, SC, GA, FL, AL, TN, MS, AR, LA,
KY, WV
MaryAnn Goulding (404) 843-4782
Margot L. Swanson (603) 924-2651
McGraw-Hill Publications
4170 Ashford-Dunwoody Rd., Suite 520
Atlanta, GA 30319
FAX: (404) 252-4056

MIDWEST

IL, MO, KS, IA, ND, SD, MN,
WI, NE, IN, MI, OH
Lori Silverstein (614) 899-4908
Ed Ware (603) 924-2664
McGraw-Hill Publications
921 Eastwind Drive, Suite 118
Westerville, OH 43081
FAX: (614) 899-4999

SOUTHWEST

ROCKY MOUNTAIN
CO, OK, TX
Jennifer Walker (214) 701-8496
Kevin Lary (603) 924-2527
McGraw-Hill Publications
14850 Quorum Dr., Suite 380
Dallas, TX 75240
FAX: (214) 991-6208

NORTH PACIFIC

NORTHERN CA, OR, ID, MT, WY, UT
Roy J. Kops (415) 513-6861
James Ball (603) 924-2662
SILICON VALLEY, HI, WA, AK,
W. CANADA
Susan Werner (415) 513-6862
James Ball (603) 924-2662
McGraw-Hill Publications
1900 O'Farrell Street, Suite 200
San Mateo, CA 94403
FAX: (415) 513-6867

SOUTH PACIFIC

ORANGE COUNTY
SAN DIEGO COUNTY
Beth Dudas (714) 753-8140
Mark Spero (714) 753-8140
Brad Dixon (603) 924-2574
McGraw-Hill Publications
15635 Alton Pkwy., Suite 290
Irvine, CA 92718
FAX: (714) 753-8147

Peterborough, NH Office: Inside Sales FAX: 603-924-2683 Advertising FAX: 603-924-7507

Hardware/Software Showcase

The Buyer's Mart/Classifieds
Northern U.S.: Mark Stone (603) 924-2695
Southern U.S.: Ellen Perham (603) 924-2598
BYTE Publications
One Phoenix Mill Lane
Peterborough, NH 03458

BYTE Deck

Brian Higgins (603) 924-2596
BYTE Publications
One Phoenix Mill Lane
Peterborough, NH 03458

EURO-DECK

Joseph Mabe (603) 924-2533
BYTE Publications
One Phoenix Mill Lane
Peterborough, NH 03458

Regional Advertising Sections

Brian Higgins (603) 924-2596
Fax: (603) 924-2683

INTERNATIONAL ADVERTISING SALES STAFF

Gary Lucas, European Sales Director, 34 Dover Street, London W1X 4BR, England, Tel. +44 171 4956780, Fax: +44 171 4956734

UNITED KINGDOM, BENELUX

Gary Lucas (+44 171 495 6780)
Jonathan McGowan
(+44 171 495 6781)
McGraw-Hill Inc.
34 Dover St.
London W1X 4BR
England
FAX: +44 171 4956734

GERMANY, SWITZERLAND, AUSTRIA

Jürgen Heise
McGraw-Hill Inc.
Liebigstrasse 19
D-60323 Frankfurt
Germany
Tel: +49 69 7140 7140
FAX: +49 69 7140 7146

ITALY, FRANCE, SPAIN, PORTUGAL, SCANDINAVIA

Zena Coupé, Amanda Blaskett
A-Z International Sales Ltd.
70 Chalk Farm Road
London NW1 8AN
England
Tel: +44 171 2843171
FAX: +44 171 2843174

ISRAEL

Dan Ehrlich
Ehrlich Communications Intl.
P.O. Box 99
Herzliya 46101
Israel
Tel: +972 9 586245
Tel: +972 9 586246
FAX: +972 9 585685

TAIWAN

Janet Wang
Third Wave Publishing Corp.
2nd Fl., No. 19-2, Lane 231
Fu Hsing North Road
Taipei 105
Taiwan R.O.C.
Tel: +886 2 7136959
FAX: +886 2 7189467

HONG KONG

Zoe Yen
Third Wave Publishing Corp.
Unit 2, 6F Hing Wah Center
82-94 To Kwa Wan Road
Kowloon, Hong Kong
Tel: +852 764 3830
FAX: +852 764 3857

KOREA

Young-Seoh Chinn
JES Media International
6th Fl., Donghye Bldg.
47-16, Myungil-Gu
Kangdong-Gu
Seoul 134-070, Korea
Tel: +82 2 4813411
FAX: +82 2 4813414

JAPAN

Mr. Hirokazu Morita
Senior Managing Director
Japanese Advertising
Communications, Inc.
Three Star Building
3-10-3 Kanda Jimbocho
Chiyoda-Ku,
Tokyo 101
Japan
Tel: +81 3 32614591
FAX: +81 3 32616126

AUSTRALIA

Phil Bush
National Advertising Services
7-13 Parraween Street
Cremorne NSW 2090,
Australia
Tel: +61 2 908 9329
FAX: +61 2 953 8274

SINGAPORE, INDIA, INDONESIA, PAKISTAN, PHILIPPINES, OTHER ASIAN AND PACIFIC COUNTRIES

Jenny Kao
Third Wave Publishing Corp.
2nd Fl., No. 19-1, Lane 231
Fu Hsing North Road
Taipei 105, Taiwan
R.O.C.
Tel: +886 2 7136959 ext. 226
FAX: +886 2 7189467

MALAYSIA

H.K. Lim
Servex (Malaysia) Sdn. Bhd.
5th Floor, Bena Tower
160, Jalan Ampang
50450 Kuala Lumpur
Malaysia
Tel: +60 3 2624592
FAX: +60 3 2624591

Subscription Customer Service
U.S. 1-800-232-2983
Outside U.S. +1-609-426-7676

For a New Subscription
U.S. 1-800-257-9402
Outside U.S. +1-609-426-5526

INDEX TO ADVERTISED PRODUCTS

For FREE product information from individual advertisers, circle the corresponding inquiry numbers on the response card!

To receive information for an entire product category, circle the category number on the response card!

Category No.
Inquiry No.

Page No.

HARDWARE

1 ACCESSORIES/SUPPLIES

| | | |
|---------|----------------------------|-----|
| 150-151 | AERONICS INC | 141 |
| 244 | HALL RESEARCH & TECH INC | 239 |
| 270 | VU-TEK VISION CARE FILTERS | 239 |

2 ADD-IN BOARDS

| | | |
|---------|------------------------------|--------|
| 501-502 | BOCA RESEARCH INC | 40IS 6 |
| 75-76 | DIGIBOARD | 193 |
| 189 | JAMECO ELECTRONICS | 219 |
| 93 | NUMBER NINE COMPUTER SYSTEMS | 106 |
| 240-241 | PIKA TECHNOLOGIES | 240 |
| 107-108 | QUATECH INC | 210 |
| 255-256 | SILICON WAREHOUSE | 239 |
| 233 | STAR GATE TECHNOLOGIES | 241 |
| 234 | STAR GATE TECHNOLOGIES | 241 |
| 225 | TALKING TECHNOLOGY INC | 241 |

3 BAR CODING

| | | |
|-----|-----------|-----|
| 226 | VIDEX INC | 239 |
|-----|-----------|-----|

4 COMMUNICATIONS/ NETWORKING

| | | |
|---------|-----------------------------|---------|
| 271-272 | AEROCOMM WIRELESS INC | 239 |
| 557 | ALTEX ELECTRONICS (NE) | 230 |
| 557 | ALTEX ELECTRONICS (SO) | 230 |
| 72-73 | DATAPRODUCTS | 169 |
| 541-542 | ERGOTRON EUROPE | 40IS 13 |
| 291 | IBM | 123 |
| 528 | MINICOM/CLASSNET VIDEO | 40IS 16 |
| 247 | NEWVOICE | 240 |
| 240-241 | PIKA TECHNOLOGIES | 240 |
| 245-246 | RCI | 240 |
| 224 | RHETOREX INC | 240 |
| 193-194 | ROSE ELECTRONICS | 238 |
| 545-546 | SEH COMPUTERTECHNIK GMBH | 40IS 29 |
| 235-236 | SIGMA TECH SOFTWARE | 241 |
| 560-561 | SOLID COMPUTER GMBH (INT'L) | 179 |
| 233 | STAR GATE TECHNOLOGIES | 241 |
| 234 | STAR GATE TECHNOLOGIES | 241 |
| 225 | TALKING TECHNOLOGY INC | 241 |
| 265-266 | TTM NEDERLAND | 244 |

5 COMPUTER SYSTEMS

| | | |
|---------|-----------------------------------|---------|
| 159 | AT&T GLOBAL INFO SOLUTIONS (N.A.) | 59-61 |
| 171 | BTG | 74 |
| * | COMPAQ (N.A.) | 16A-L |
| 66 | COMPAQ (N.A.) | 28-29 |
| 139-140 | DATA STORAGE MARKETING INC (N.A.) | 118 |
| 185 | DATALUX CORP | 214 |
| * | DELL COMPUTER CORP (N.A.) | CIII |
| * | DELL COMPUTER CORP (N.A.) | CIV |
| 547-548 | DIGITAL INFO SERVICE (EUROPE) | 40IS 19 |
| * | GATEWAY 2000 | 38-39 |
| 291 | IBM | 123 |
| * | INTEL CORP | 10-11 |
| 219 | KILA | 241 |
| 131 | MICRON COMPUTER | CII-1 |
| 169 | NEXGEN | 111 |
| 569-570 | NSTL | 40IS 19 |
| 92 | NSTL | 205 |
| 205 | PACIFIC COAST MICRO | 222 |
| 206 | PC'S COMPLEAT | 216-217 |
| 196 | RECORTREC INC | 231 |
| * | SILICON GRAPHICS (N.A.) | 135 |
| 269 | SILICONRAX | 241 |
| 560-561 | SOLID COMPUTER GMBH (INT'L) | 179 |
| 228 | TRI VALLEY TECHNOLOGY INC | 242 |
| 124 | ZEOS INTERNATIONAL | 82-83 |

Category No.
Inquiry No.

Page No.

6 DATA ACQUISITION

| | | |
|---------|---------------------------|-----|
| 214 | AMERICAN ADVANTECH | 242 |
| 216 | GAGE APPLIED SCIENCES INC | 242 |
| 218 | IO TECH | 242 |
| 220 | MICROSTAR LABORATORIES | 242 |
| 107-108 | QUATECH INC | 210 |
| 160-161 | TEXAS MICRO | 129 |

53 DIAGNOSTIC EQUIPMENT

| | | |
|-----|------------|-----|
| 198 | MICRO 2000 | 221 |
|-----|------------|-----|

7 DISK & OPTICAL DRIVES

| | | |
|---------|---------------------------|-----|
| * | COLORADO MEMORY SYSTEMS | 109 |
| 239 | CONTROL CONCEPTS INC | 242 |
| 237-238 | GRANITE DIGITAL | 243 |
| 292-293 | KINGSTON TECHNOLOGY | 130 |
| 191-192 | MICRO SOLUTIONS COMP PROD | 225 |
| 99-100 | PINNACLE MICRO | 9 |
| 134-135 | TADPOLE TECHNOLOGY | 35 |

8 DISKETTES/DUPLICATORS

| | | |
|---------|--------------|-----|
| 150-151 | AERONICS INC | 141 |
|---------|--------------|-----|

9 FAX BOARDS/MACHINES

| | | |
|---------|-------------------|-----|
| 240-241 | PIKA TECHNOLOGIES | 240 |
|---------|-------------------|-----|

10 GRAPHICS TABLETS/MICE/ PEN INPUT

| | | |
|---------|------------------------|---------|
| 533-534 | ARISTO GRAPHIC SYSTEMS | 40IS 15 |
|---------|------------------------|---------|

11 KEYBOARDS

| | | |
|---------|---------------------------|------------|
| 503 | CHERRY MIKROSCHALTER GMBH | 40IS 26-27 |
| 185 | DATALUX CORP | 214 |
| 217 | HOOLEON CORP | 243 |
| 252-253 | JNL COMPUTER PRODUCTS | 243 |

12 LAN HARDWARE

| | | |
|---------|--------------------------|---------|
| 271-272 | AEROCOMM WIRELESS INC | 239 |
| 501-502 | BOCA RESEARCH INC | 40IS 6 |
| 504-505 | COMPEX INC (INT'L) | 65 |
| 181-182 | CYBEX CORP | 215 |
| 183-184 | CYBEX CORP | 223 |
| 509-510 | CYBEX CORP (INT'L) | CIII |
| 541-542 | ERGOTRON EUROPE | 40IS 13 |
| 187-188 | FIRST SOURCE INT'L | 226 |
| 545-546 | SEH COMPUTERTECHNIK GMBH | 40IS 29 |

13 LAPTOPS & NOTEBOOKS

| | | |
|---------|------------------------------|---------|
| 564 | ECEL (DIGICOM) (INT'L) | 145 |
| 565 | ECEL (DIGICOM) (INT'L) | 147 |
| 529 | FIRST INTERNATIONAL COMPUTER | 40IS 2 |
| * | JDR MICRODEVICES | 237 |
| 199 | MICRO-INTERNATIONAL INC | 228 |
| 516 | OLIVETTI S.P.A. (INT'L) | 60-61 |
| 206 | PC'S COMPLEAT | 216-217 |
| 134-135 | TADPOLE TECHNOLOGY | 35 |
| 117 | TOSHIBA AMERICA INC | 24-25 |
| 141 | WINBOOK COMPUTER CORP (N.A.) | 13 |
| 124 | ZEOS INTERNATIONAL | 82-83 |

14 MAIL ORDER

| | | |
|-----|-----------------------------|---------|
| 557 | ALTEX ELECTRONICS (NE) | 230 |
| 557 | ALTEX ELECTRONICS (SO) | 230 |
| 179 | COMPUTER DISCOUNT WAREHOUSE | 212-213 |
| 180 | COMPUTERLANE UNLTD | 220 |
| 189 | JAMECO ELECTRONICS | 219 |
| 190 | NEVADA COMPUTER | 224 |
| 206 | PC'S COMPLEAT | 216-217 |
| 197 | WORLDWIDE TECHNOLOGIES | 218 |

Category No.
Inquiry No.

Page No.

15 MEMORY/CHIPS/ UPGRADES

| | | |
|---------|-------------------------------|-------|
| * | ADVANCED MICRO DEVICES (N.A.) | 77 |
| 187-188 | FIRST SOURCE INT'L | 226 |
| * | INTEL CORP | 10-11 |
| 189 | JAMECO ELECTRONICS | 219 |
| 203-204 | L A TRADE | 232 |
| 169 | NEXGEN | 111 |
| 197 | WORLDWIDE TECHNOLOGIES | 218 |

16 MISCELLANEOUS HARDWARE

| | | |
|---------|----------------------------|-----|
| 152 | CALIFORNIA PC PRODUCTS INC | 188 |
| 279-280 | HOEI SANGYO CO LTD | 243 |
| 81 | INTEGRAND RESEARCH | 195 |
| 205 | PACIFIC COAST MICRO | 222 |

17 MODEMS/MULTIPLEXORS

| | | |
|---------|------------------------|---------|
| 501-502 | BOCA RESEARCH INC | 40IS 6 |
| * | JDR MICRODEVICES | 237 |
| 233 | STAR GATE TECHNOLOGIES | 241 |
| 234 | STAR GATE TECHNOLOGIES | 241 |
| 537-538 | TELELINK AG | 40IS 22 |

18 MONITORS & TERMINALS

| | | |
|---------|-----------------------------|-------|
| 213 | ACTION | 238 |
| 70-71 | CTX INTERNATIONAL INC | 96 |
| 185 | DATALUX CORP | 214 |
| 88-89 | NANAO USA CORP (N.A.) | 65 |
| 208-209 | ORCHESTRA MULTISYSTEMS | 236 |
| 524 | PHILIPS MONITORS (INT'L) | 20-21 |
| 164 | SAMSUNG ELECTRONICS | 165 |
| 110-111 | SAMTRON DISPLAYS INC (N.A.) | 147 |
| 137-138 | SCEPTRE TECHNOLOGIES | 117 |
| 120-121 | VIEWSONIC | 6-7 |

19 MULTIMEDIA/CD-ROM

| | | |
|---------|-----------------------------|--------|
| 553-554 | APE PTACEK ENGINEERING GMBH | 40IS 9 |
| 260-261 | BOXLIGHT CORPORATION | 243 |
| 129 | CREATIVE LABS INC | 57 |
| 166-167 | DATADISC | 45 |
| 148-149 | FAST MULTIMEDIA | 105 |
| 279-280 | HOEI SANGYO CO LTD | 243 |
| 146-147 | PLEXTOR | 199 |
| 132-133 | PROXIMA CORP | 94 |
| * | SILICON GRAPHICS (N.A.) | 135 |
| 117 | TOSHIBA AMERICA INC | 24-25 |

57 PCMCIA

| | | |
|---------|------------------------|---------|
| 551-552 | CALLUNA TECHNOLOGY LTD | 40IS 23 |
|---------|------------------------|---------|

20 PRINTERS/PLOTTERS

| | | |
|---------|-----------------------|---------|
| 271-272 | AEROCOMM WIRELESS INC | 239 |
| 63-64 | BELL & HOWELL INC | 149 |
| 507 | COMPUTER FRIENDS | 40IS 28 |
| 72-73 | DATAPRODUCTS | 169 |
| * | LEXMARK | 159 |
| 518-519 | MINOLTA GMBH (EUROPE) | 40IS 21 |
| * | QMS | 163 |
| 116 | TEKTRONIX | 81 |

21 PROGRAMMABLE HARDWARE

| | | |
|---------|----------------------|--------|
| 513-514 | FAST HARDLOCK | 40IS 5 |
| * | JDR MICRODEVICES | 237 |
| 281 | MICRO/SYS | 244 |
| 109 | RAINBOW TECHNOLOGIES | 79 |
| 142-143 | WIBU | 44 |
| 227 | Z-WORLD ENGINEERING | 244 |

FREE PRODUCT INFORMATION

For free product information from companies featured in this issue, circle the appropriate inquiry number below and mail this card today. For quickest response, fax to 1-416-620-9790!

Product Category Information

To receive information for an entire category, circle the appropriate number on the adjacent card.

- Hardware**
- Accessories/Supplies 1
 - Add-in Boards 2
 - Bar Coding 3
 - Communications/Networking 4
 - Computer Systems 5
 - Data Acquisition 6
 - Diagnostic Equipment 53
 - Disks & Optical Drives 7
 - Diskettes/Duplicators 8
 - Fax Boards/Machines 9
 - Graphics Tablets/Mice/ Pen Input 10
 - Keyboards 11
 - LAN Hardware 12
 - Laptops & Notebooks 13
 - Mail Order 14
 - Memory/Chips/Upgrades 15
 - Miscellaneous Hardware 16
 - Modems/Multiplexors 17
 - Monitors & Terminals 18
 - Multimedia/CD-ROM 19
 - PCMCIA 57
 - Printers/Plotters 20
 - Programmable Hardware 21
 - RAID Drive Arrays 26
 - Scanners/OCR/Digitizers 22
 - Security 52
 - Tape Drives 23
 - UPS/Power Management 24
 - Voice Technology 55
- Software**
- Business 25
 - CAD/CAM 26
 - Communications/Networking 27
 - Data Acquisition 28
 - Database 29
 - Educational 30
 - Engineering/Scientific 31
 - Entertainment 32
 - Graphics 33
 - Macintosh 34
 - Mail Order 35
 - Mathematical/Statistical 36
 - Miscellaneous Software 37
 - On-Line Services 38
 - Operating Systems 39
 - OS/2 54
 - Programming Languages/Tools 40
 - Security 41
 - Shareware 42
 - Software Duplication 43
 - Spreadsheets 44
 - Unix 45
 - Utilities 46
 - Windows 47
 - Word Processing 48
- General**
- Books/Publications 49
 - Recruitment 50
 - Miscellaneous 51

Fill out this coupon carefully. Please Print.

Name _____ Title _____

Company _____ Address _____

City _____ Country _____ Code _____

Phone _____ Fax _____

A. My job function is best classified as (check one):

- ☐ 1 [] Company Management
- ☐ 2 [] IS/MIS/IT Management
- ☐ 3 [] Systems Engineering/Integration
- ☐ 4 [] Systems/Networking Consulting
- ☐ 5 [] Departmental Management (non-IS/MIS)
- ☐ 6 [] Technical Services Support
- ☐ 7 [] Other (please describe)

13 [] Other (please specify): _____

C. Please indicate which specific fields of interest are important to you so that BYTE may serve you with supplemental information that best meets your needs (select all that apply):

- ☐ 14 [] UNIX and Workstations
- ☐ 15 [] Networking (LANs, WANs, and Telecommunications)
- ☐ 16 [] Multimedia
- ☐ 17 [] Reselling/Systems Integration
- ☐ 18 [] Applications Development
- ☐ 19 [] Other (explain): _____

D. My responsibilities require that I be involved with the following operating system environments (check all that apply):

- ☐ 20 [] DOS
- ☐ 21 [] OS/2
- ☐ 22 [] Mac/OS

23 [] UNIX (any, including Solaris)

24 [] Windows

25 [] Windows/NT

26 [] NetWare

27 [] Other (please describe): _____

E. The number of employees at my location and company-wide area (check one in each column):

| | At My Location | Company-Wide |
|----------------|----------------|--------------|
| 10,000 or more | 28 [] | 33 [] |
| 5,000 to 9,999 | 29 [] | 34 [] |
| 1,000 to 4,999 | 30 [] | 35 [] |
| 100 to 999 | 31 [] | 36 [] |
| Under 100 | 32 [] | 37 [] |

May 1995

93 97 99

Valid until July 31, 1995

Inquiry Numbers 1-187

| | | | | | | | | | | | | | | | | |
|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 |
| 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 |
| 35 | 36 | 37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 |
| 52 | 53 | 54 | 55 | 56 | 57 | 58 | 59 | 60 | 61 | 62 | 63 | 64 | 65 | 66 | 67 | 68 |
| 69 | 70 | 71 | 72 | 73 | 74 | 75 | 76 | 77 | 78 | 79 | 80 | 81 | 82 | 83 | 84 | 85 |
| 86 | 87 | 88 | 89 | 90 | 91 | 92 | 93 | 94 | 95 | 96 | 97 | 98 | 99 | 100 | 101 | 102 |
| 103 | 104 | 105 | 106 | 107 | 108 | 109 | 110 | 111 | 112 | 113 | 114 | 115 | 116 | 117 | 118 | 119 |
| 120 | 121 | 122 | 123 | 124 | 125 | 126 | 127 | 128 | 129 | 130 | 131 | 132 | 133 | 134 | 135 | 136 |
| 137 | 138 | 139 | 140 | 141 | 142 | 143 | 144 | 145 | 146 | 147 | 148 | 149 | 150 | 151 | 152 | 153 |
| 154 | 155 | 156 | 157 | 158 | 159 | 160 | 161 | 162 | 163 | 164 | 165 | 166 | 167 | 168 | 169 | 170 |
| 171 | 172 | 173 | 174 | 175 | 176 | 177 | 178 | 179 | 180 | 181 | 182 | 183 | 184 | 185 | 186 | 187 |

Inquiry Numbers 375-561

| | | | | | | | | | | | | | | | | |
|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| 375 | 376 | 377 | 378 | 379 | 380 | 381 | 382 | 383 | 384 | 385 | 386 | 387 | 388 | 389 | 390 | 391 |
| 392 | 393 | 394 | 395 | 396 | 397 | 398 | 399 | 400 | 401 | 402 | 403 | 404 | 405 | 406 | 407 | 408 |
| 409 | 410 | 411 | 412 | 413 | 414 | 415 | 416 | 417 | 418 | 419 | 420 | 421 | 422 | 423 | 424 | 425 |
| 426 | 427 | 428 | 429 | 430 | 431 | 432 | 433 | 434 | 435 | 436 | 437 | 438 | 439 | 440 | 441 | 442 |
| 443 | 444 | 445 | 446 | 447 | 448 | 449 | 450 | 451 | 452 | 453 | 454 | 455 | 456 | 457 | 458 | 459 |
| 460 | 461 | 462 | 463 | 464 | 465 | 466 | 467 | 468 | 469 | 470 | 471 | 472 | 473 | 474 | 475 | 476 |
| 477 | 478 | 479 | 480 | 481 | 482 | 483 | 484 | 485 | 486 | 487 | 488 | 489 | 490 | 491 | 492 | 493 |
| 494 | 495 | 496 | 497 | 498 | 499 | 500 | 501 | 502 | 503 | 504 | 505 | 506 | 507 | 508 | 509 | 510 |
| 511 | 512 | 513 | 514 | 515 | 516 | 517 | 518 | 519 | 520 | 521 | 522 | 523 | 524 | 525 | 526 | 527 |
| 528 | 529 | 530 | 531 | 532 | 533 | 534 | 535 | 536 | 537 | 538 | 539 | 540 | 541 | 542 | 543 | 544 |
| 545 | 546 | 547 | 548 | 549 | 550 | 551 | 552 | 553 | 554 | 555 | 556 | 557 | 558 | 559 | 560 | 561 |

Inquiry Numbers 749-935

| | | | | | | | | | | | | | | | | |
|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| 749 | 750 | 751 | 752 | 753 | 754 | 755 | 756 | 757 | 758 | 759 | 760 | 761 | 762 | 763 | 764 | 765 |
| 766 | 767 | 768 | 769 | 770 | 771 | 772 | 773 | 774 | 775 | 776 | 777 | 778 | 779 | 780 | 781 | 782 |
| 783 | 784 | 785 | 786 | 787 | 788 | 789 | 790 | 791 | 792 | 793 | 794 | 795 | 796 | 797 | 798 | 799 |
| 800 | 801 | 802 | 803 | 804 | 805 | 806 | 807 | 808 | 809 | 810 | 811 | 812 | 813 | 814 | 815 | 816 |
| 817 | 818 | 819 | 820 | 821 | 822 | 823 | 824 | 825 | 826 | 827 | 828 | 829 | 830 | 831 | 832 | 833 |
| 834 | 835 | 836 | 837 | 838 | 839 | 840 | 841 | 842 | 843 | 844 | 845 | 846 | 847 | 848 | 849 | 850 |
| 851 | 852 | 853 | 854 | 855 | 856 | 857 | 858 | 859 | 860 | 861 | 862 | 863 | 864 | 865 | 866 | 867 |
| 868 | 869 | 870 | 871 | 872 | 873 | 874 | 875 | 876 | 877 | 878 | 879 | 880 | 881 | 882 | 883 | 884 |
| 885 | 886 | 887 | 888 | 889 | 890 | 891 | 892 | 893 | 894 | 895 | 896 | 897 | 898 | 899 | 900 | 901 |
| 902 | 903 | 904 | 905 | 906 | 907 | 908 | 909 | 910 | 911 | 912 | 913 | 914 | 915 | 916 | 917 | 918 |
| 919 | 920 | 921 | 922 | 923 | 924 | 925 | 926 | 927 | 928 | 929 | 930 | 931 | 932 | 933 | 934 | 935 |

Inquiry Numbers 1123-1309

| | | | | | | | | | | | | | | | | |
|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| 1123 | 1124 | 1125 | 1126 | 1127 | 1128 | 1129 | 1130 | 1131 | 1132 | 1133 | 1134 | 1135 | 1136 | 1137 | 1138 | 1139 |
| 1140 | 1141 | 1142 | 1143 | 1144 | 1145 | 1146 | 1147 | 1148 | 1149 | 1150 | 1151 | 1152 | 1153 | 1154 | 1155 | 1156 |
| 1157 | 1158 | 1159 | 1160 | 1161 | 1162 | 1163 | 1164 | 1165 | 1166 | 1167 | 1168 | 1169 | 1170 | 1171 | 1172 | 1173 |
| 1174 | 1175 | 1176 | 1177 | 1178 | 1179 | 1180 | 1181 | 1182 | 1183 | 1184 | 1185 | 1186 | 1187 | 1188 | 1189 | 1190 |
| 1191 | 1192 | 1193 | 1194 | 1195 | 1196 | 1197 | 1198 | 1199 | 1200 | 1201 | 1202 | 1203 | 1204 | 1205 | 1206 | 1207 |
| 1208 | 1209 | 1210 | 1211 | 1212 | 1213 | 1214 | 1215 | 1216 | 1217 | 1218 | 1219 | 1220 | 1221 | 1222 | 1223 | 1224 |
| 1225 | 1226 | 1227 | 1228 | 1229 | 1230 | 1231 | 1232 | 1233 | 1234 | 1235 | 1236 | 1237 | 1238 | 1239 | 1240 | 1241 |
| 1242 | 1243 | 1244 | 1245 | 1246 | 1247 | 1248 | 1249 | 1250 | 1251 | 1252 | 1253 | 1254 | 1255 | 1256 | 1257 | 1258 |
| 1259 | 1260 | 1261 | 1262 | 1263 | 1264 | 1265 | 1266 | 1267 | 1268 | 1269 | 1270 | 1271 | 1272 | 1273 | 1274 | 1275 |
| 1276 | 1277 | 1278 | 1279 | 1280 | 1281 | 1282 | 1283 | 1284 | 1285 | 1286 | 1287 | 1288 | 1289 | 1290 | 1291 | 1292 |
| 1293 | 1294 | 1295 | 1296 | 1297 | 1298 | 1299 | 1300 | 1301 | 1302 | 1303 | 1304 | 1305 | 1306 | 1307 | 1308 | 1309 |

Inquiry Numbers 188-374

| | | | | | | | | | | | | | | | | |
|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| 188 | 189 | 190 | 191 | 192 | 193 | 194 | 195 | 196 | 197 | 198 | 199 | 200 | 201 | 202 | 203 | 204 |
| 205 | 206 | 207 | 208 | 209 | 210 | 211 | 212 | 213 | 214 | 215 | 216 | 217 | 218 | 219 | 220 | 221 |
| 222 | 223 | 224 | 225 | 226 | 227 | 228 | 229 | 230 | 231 | 232 | 233 | 234 | 235 | 236 | 237 | 238 |
| 239 | 240 | 241 | 242 | 243 | 244 | 245 | 246 | 247 | 248 | 249 | 250 | 251 | 252 | 253 | 254 | 255 |
| 256 | 257 | 258 | 259 | 260 | 261 | 262 | 263 | 264 | 265 | 266 | 267 | 268 | 269 | 270 | 271 | 272 |
| 273 | 274 | 275 | 276 | 277 | 278 | 279 | 280 | 281 | 282 | 283 | 284 | 285 | 286 | 287 | 288 | 289 |
| 290 | 291 | 292 | 293 | 294 | 295 | 296 | 297 | 298 | 299 | 300 | 301 | 302 | 303 | 304 | 305 | 306 |
| 307 | 308 | 309 | 310 | 311 | 312 | 313 | 314 | 315 | 316 | 317 | 318 | 319 | 320 | 321 | 322 | 323 |
| 324 | 325 | 326 | 327 | 328 | 329 | 330 | 331 | 332 | 333 | 334 | 335 | 336 | 337 | 338 | 339 | 340 |
| 341 | 342 | 343 | 344 | 345 | 346 | 347 | 348 | 349 | 350 | 351 | 352 | 353 | 354 | 355 | 356 | 357 |
| 358 | 359 | 360 | 361 | 362 | 363 | 364 | 365 | 366 | 367 | 368 | 369 | 370 | 371 | 372 | 373 | 374 |

Inquiry Numbers 562-748

| | | | | | | | | | | | | | | | | |
|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| 562 | 563 | 564 | 565 | 566 | 567 | 568 | 569 | 570 | 571 | 572 | 573 | 574 | 575 | 576 | 577 | 578 |
| 579 | 580 | 581 | 582 | 583 | 584 | 585 | 586 | 587 | 588 | 589 | 590 | 591 | 592 | 593 | 594 | 595 |
| 596 | 597 | 598 | 599 | 600 | 601 | 602 | 603 | 604 | 605 | 606 | 607 | 608 | 609 | 610 | 611 | 612 |
| 613 | 614 | 615 | 616 | 617 | 618 | 619 | 620 | 621 | 622 | 623 | 624 | 625 | 626 | 627 | 628 | 629 |
| 630 | 631 | 632 | 633 | 634 | 635 | 636 | 637 | 638 | 639 | 640 | 641 | 642 | 643 | 644 | 645 | 646 |
| 647 | 648 | 649 | 650 | 651 | 652 | 653 | 654 | 655 | 656 | 657 | 658 | 659 | 660 | 661 | 662 | 663 |
| 664 | 665 | 666 | 667 | 668 | 669 | 670 | 671 | 672 | 673 | 674 | 675 | 676 | 677 | 678 | 679 | 680 |
| 681 | 682 | 683 | 684 | 685 | 686 | 687 | 688 | 689 | 690 | 691 | 692 | 693 | 694 | 695 | 696 | 697 |
| 698 | 699 | 700 | 701 | 702 | 703 | 704 | 705 | 706 | 707 | 708 | 709 | 710 | 711 | 712 | 713 | 714 |
| 715 | 716 | 717 | 718 | 719 | 720 | 721 | 722 | 723 | 724 | 725 | 726 | 727 | 728 | 729 | 730 | 731 |
| 732 | 733 | 734 | 735 | 736 | 737 | 738 | 739 | 740 | 741 | 742 | 743 | 744 | 745 | 746 | 747 | 748 |

FREE PRODUCT INFORMATION

For free product information from companies featured in this issue, circle the appropriate inquiry number below and mail this card today. For quickest response, fax to 1-416-620-9790!

*See reverse side
for card.*

1. For FREE product information from individual companies, circle the corresponding inquiry numbers on the Response Card!

2. Print Your Name and Address

Answer questions "A" through "E" and mail or fax card to 1-416-620-9790.

3. Product information will be rushed to you from the selected companies!

BYTE

INQUIRY MANAGEMENT SYSTEM
P.O. BOX 1663
Buffalo, NY 14205-1663

PLACE
POSTAGE
HERE

BYTE

Mc
Graw
Hill

FREE PRODUCT INFORMATION

For free product information from companies featured in this issue, circle the appropriate inquiry number below and mail this card today. For quickest response, fax to 1-416-620-9790!

Product Category Information

To receive information for an entire category, circle the appropriate number on the adjacent card.

Hardware

| | |
|---------------------------|----|
| Accessories/Supplies | 1 |
| Add-in Boards | 2 |
| Bar Coding | 3 |
| Communications/Networking | 4 |
| Computer Systems | 5 |
| Data Acquisition | 6 |
| Diagnostic Equipment | 53 |
| Disks & Optical Drives | 7 |
| Diskettes/Duplicators | 8 |
| Fax Boards/Machines | 9 |
| Graphics Tablets/Mice/ | |
| Pen Input | 10 |
| Keyboards | 11 |
| LAN Hardware | 12 |
| Laptops & Notebooks | 13 |
| Mail Order | 14 |
| Memory/Chips/Upgrades | 15 |
| Miscellaneous Hardware | 16 |
| Modems/Multiplexors | 17 |
| Monitors & Terminals | 18 |
| Multimedia/CD-ROM | 19 |
| PCMCIA | 57 |
| Printers/Plotters | 20 |
| Programmable Hardware | 21 |
| RAID Drive Arrays | 56 |
| Scanners/OCR/Digitizers | 22 |
| Security | 52 |
| Tape Drives | 23 |
| UPS/Power Management | 24 |
| Voice Technology | 55 |

Software

| | |
|---------------------------|----|
| Business | 25 |
| CAD/CAM | 26 |
| Communications/Networking | 27 |
| Data Acquisition | 28 |
| Database | 29 |
| Educational | 30 |
| Engineering/Scientific | 31 |
| Entertainment | 32 |
| Graphics | 33 |
| Macintosh | 34 |
| Mail Order | 35 |
| Mathematical/Statistical | 36 |
| Miscellaneous Software | 37 |
| On-Line Services | 38 |
| Operating Systems | 39 |
| OS/2 | 54 |
| Programming Languages/ | |
| Tools | 40 |
| Security | 41 |
| Shareware | 42 |
| Software Duplication | 43 |
| Spreadsheets | 44 |
| Unix | 45 |
| Utilities | 46 |
| Windows | 47 |
| Word Processing | 48 |
| General | |
| Books/Publications | 49 |
| Recruitment | 50 |
| Miscellaneous | 51 |

Fill out this coupon carefully. Please Print.

Name _____ Title _____
 Company _____ Address _____
 City _____ Country _____ Code _____
 Phone _____ Fax _____

A. My job function is best classified as (check one):

- 1 ☐ Company Management
 2 ☐ IS/MIS/IT Management
 3 ☐ Systems Engineering/Integration
 4 ☐ Systems/Networking Consulting
 5 ☐ Departmental Management (non-IS/MIS)
 6 ☐ Technical Services Support
 7 ☐ Other (please describe)

B. What is your organization's primary business activity at this location (check one):

- 8 ☐ Business Services (Finance, Banking, Insurance, Healthcare, Professional)
 9 ☐ Commerce/Industry (Retail, Wholesale, Construction, Mining, Manufacturing, Transportation)
 10 ☐ Reseller/OEM (VAR, VAD, Systems/Network Integrator, Computer Product Manufacturer)
 11 ☐ Government (Federal, State, Municipal, Military)
 12 ☐ Computer Services (Support, Training, Consulting)

Inquiry Numbers 1-187

| | | | | | | | | | | | | | | | | |
|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 |
| 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 |
| 35 | 36 | 37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 |
| 52 | 53 | 54 | 55 | 56 | 57 | 58 | 59 | 60 | 61 | 62 | 63 | 64 | 65 | 66 | 67 | 68 |
| 69 | 70 | 71 | 72 | 73 | 74 | 75 | 76 | 77 | 78 | 79 | 80 | 81 | 82 | 83 | 84 | 85 |
| 86 | 87 | 88 | 89 | 90 | 91 | 92 | 93 | 94 | 95 | 96 | 97 | 98 | 99 | 100 | 101 | 102 |
| 103 | 104 | 105 | 106 | 107 | 108 | 109 | 110 | 111 | 112 | 113 | 114 | 115 | 116 | 117 | 118 | 119 |
| 120 | 121 | 122 | 123 | 124 | 125 | 126 | 127 | 128 | 129 | 130 | 131 | 132 | 133 | 134 | 135 | 136 |
| 137 | 138 | 139 | 140 | 141 | 142 | 143 | 144 | 145 | 146 | 147 | 148 | 149 | 150 | 151 | 152 | 153 |
| 154 | 155 | 156 | 157 | 158 | 159 | 160 | 161 | 162 | 163 | 164 | 165 | 166 | 167 | 168 | 169 | 170 |
| 171 | 172 | 173 | 174 | 175 | 176 | 177 | 178 | 179 | 180 | 181 | 182 | 183 | 184 | 185 | 186 | 187 |

Inquiry Numbers 375-561

| | | | | | | | | | | | | | | | | |
|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| 375 | 376 | 377 | 378 | 379 | 380 | 381 | 382 | 383 | 384 | 385 | 386 | 387 | 388 | 389 | 390 | 391 |
| 392 | 393 | 394 | 395 | 396 | 397 | 398 | 399 | 400 | 401 | 402 | 403 | 404 | 405 | 406 | 407 | 408 |
| 409 | 410 | 411 | 412 | 413 | 414 | 415 | 416 | 417 | 418 | 419 | 420 | 421 | 422 | 423 | 424 | 425 |
| 426 | 427 | 428 | 429 | 430 | 431 | 432 | 433 | 434 | 435 | 436 | 437 | 438 | 439 | 440 | 441 | 442 |
| 443 | 444 | 445 | 446 | 447 | 448 | 449 | 450 | 451 | 452 | 453 | 454 | 455 | 456 | 457 | 458 | 459 |
| 460 | 461 | 462 | 463 | 464 | 465 | 466 | 467 | 468 | 469 | 470 | 471 | 472 | 473 | 474 | 475 | 476 |
| 477 | 478 | 479 | 480 | 481 | 482 | 483 | 484 | 485 | 486 | 487 | 488 | 489 | 490 | 491 | 492 | 493 |
| 494 | 495 | 496 | 497 | 498 | 499 | 500 | 501 | 502 | 503 | 504 | 505 | 506 | 507 | 508 | 509 | 510 |
| 511 | 512 | 513 | 514 | 515 | 516 | 517 | 518 | 519 | 520 | 521 | 522 | 523 | 524 | 525 | 526 | 527 |
| 528 | 529 | 530 | 531 | 532 | 533 | 534 | 535 | 536 | 537 | 538 | 539 | 540 | 541 | 542 | 543 | 544 |
| 545 | 546 | 547 | 548 | 549 | 550 | 551 | 552 | 553 | 554 | 555 | 556 | 557 | 558 | 559 | 560 | 561 |

Inquiry Numbers 749-935

| | | | | | | | | | | | | | | | | |
|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| 749 | 750 | 751 | 752 | 753 | 754 | 755 | 756 | 757 | 758 | 759 | 760 | 761 | 762 | 763 | 764 | 765 |
| 766 | 767 | 768 | 769 | 770 | 771 | 772 | 773 | 774 | 775 | 776 | 777 | 778 | 779 | 780 | 781 | 782 |
| 783 | 784 | 785 | 786 | 787 | 788 | 789 | 790 | 791 | 792 | 793 | 794 | 795 | 796 | 797 | 798 | 799 |
| 800 | 801 | 802 | 803 | 804 | 805 | 806 | 807 | 808 | 809 | 810 | 811 | 812 | 813 | 814 | 815 | 816 |
| 817 | 818 | 819 | 820 | 821 | 822 | 823 | 824 | 825 | 826 | 827 | 828 | 829 | 830 | 831 | 832 | 833 |
| 834 | 835 | 836 | 837 | 838 | 839 | 840 | 841 | 842 | 843 | 844 | 845 | 846 | 847 | 848 | 849 | 850 |
| 851 | 852 | 853 | 854 | 855 | 856 | 857 | 858 | 859 | 860 | 861 | 862 | 863 | 864 | 865 | 866 | 867 |
| 868 | 869 | 870 | 871 | 872 | 873 | 874 | 875 | 876 | 877 | 878 | 879 | 880 | 881 | 882 | 883 | 884 |
| 885 | 886 | 887 | 888 | 889 | 890 | 891 | 892 | 893 | 894 | 895 | 896 | 897 | 898 | 899 | 900 | 901 |
| 902 | 903 | 904 | 905 | 906 | 907 | 908 | 909 | 910 | 911 | 912 | 913 | 914 | 915 | 916 | 917 | 918 |
| 919 | 920 | 921 | 922 | 923 | 924 | 925 | 926 | 927 | 928 | 929 | 930 | 931 | 932 | 933 | 934 | 935 |

Inquiry Numbers 1123-1309

| | | | | | | | | | | | | | | | | |
|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| 1123 | 1124 | 1125 | 1126 | 1127 | 1128 | 1129 | 1130 | 1131 | 1132 | 1133 | 1134 | 1135 | 1136 | 1137 | 1138 | 1139 |
| 1140 | 1141 | 1142 | 1143 | 1144 | 1145 | 1146 | 1147 | 1148 | 1149 | 1150 | 1151 | 1152 | 1153 | 1154 | 1155 | 1156 |
| 1157 | 1158 | 1159 | 1160 | 1161 | 1162 | 1163 | 1164 | 1165 | 1166 | 1167 | 1168 | 1169 | 1170 | 1171 | 1172 | 1173 |
| 1174 | 1175 | 1176 | 1177 | 1178 | 1179 | 1180 | 1181 | 1182 | 1183 | 1184 | 1185 | 1186 | 1187 | 1188 | 1189 | 1190 |
| 1191 | 1192 | 1193 | 1194 | 1195 | 1196 | 1197 | 1198 | 1199 | 1200 | 1201 | 1202 | 1203 | 1204 | 1205 | 1206 | 1207 |
| 1208 | 1209 | 1210 | 1211 | 1212 | 1213 | 1214 | 1215 | 1216 | 1217 | 1218 | 1219 | 1220 | 1221 | 1222 | 1223 | 1224 |
| 1225 | 1226 | 1227 | 1228 | 1229 | 1230 | 1231 | 1232 | 1233 | 1234 | 1235 | 1236 | 1237 | 1238 | 1239 | 1240 | 1241 |
| 1242 | 1243 | 1244 | 1245 | 1246 | 1247 | 1248 | 1249 | 1250 | 1251 | 1252 | 1253 | 1254 | 1255 | 1256 | 1257 | 1258 |
| 1259 | 1260 | 1261 | 1262 | 1263 | 1264 | 1265 | 1266 | 1267 | 1268 | 1269 | 1270 | 1271 | 1272 | 1273 | 1274 | 1275 |
| 1276 | 1277 | 1278 | 1279 | 1280 | 1281 | 1282 | 1283 | 1284 | 1285 | 1286 | 1287 | 1288 | 1289 | 1290 | 1291 | 1292 |
| 1293 | 1294 | 1295 | 1296 | 1297 | 1298 | 1299 | 1300 | 1301 | 1302 | 1303 | 1304 | 1305 | 1306 | 1307 | 1308 | 1309 |

13 ☐ Other (please specify):

C. Please indicate which specific fields of interest are important to you so that BYTE may serve you with supplemental information that best meets your needs (select all that apply):

- 14 ☐ UNIX and Workstations
 15 ☐ Networking (LANs, WANs, and Telecommunications)
 16 ☐ Multimedia
 17 ☐ Reselling/Systems Integration
 18 ☐ Applications Development
 19 ☐ Other (explain):

D. My responsibilities require that I be involved with the following operating system environments (check all that apply):

- 20 ☐ DOS
 21 ☐ OS/2
 22 ☐ Mac/OS

- 23 ☐ UNIX (any, including Solaris)
 24 ☐ Windows
 25 ☐ Windows/NT
 26 ☐ NetWare
 27 ☐ Other (please describe):

E. The number of employees at my location and company-wide area (check one in each column):

| | At My Location | Company-Wide |
|----------------|-----------------------------|-----------------------------|
| 10,000 or more | 28 <input type="checkbox"/> | 33 <input type="checkbox"/> |
| 5,000 to 9,999 | 29 <input type="checkbox"/> | 34 <input type="checkbox"/> |
| 1,000 to 4,999 | 30 <input type="checkbox"/> | 35 <input type="checkbox"/> |
| 100 to 999 | 31 <input type="checkbox"/> | 36 <input type="checkbox"/> |
| Under 100 | 32 <input type="checkbox"/> | 37 <input type="checkbox"/> |

May 1995 **93 97 99**
 Valid until July 31, 1995

Inquiry Numbers 188-374

| | | | | | | | | | | | | | | | | |
|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| 188 | 189 | 190 | 191 | 192 | 193 | 194 | 195 | 196 | 197 | 198 | 199 | 200 | 201 | 202 | 203 | 204 |
| 205 | 206 | 207 | 208 | 209 | 210 | 211 | 212 | 213 | 214 | 215 | 216 | 217 | 218 | 219 | 220 | 221 |
| 222 | 223 | 224 | 225 | 226 | 227 | 228 | 229 | 230 | 231 | 232 | 233 | 234 | 235 | 236 | 237 | 238 |
| 239 | 240 | 241 | 242 | 243 | 244 | 245 | 246 | 247 | 248 | 249 | 250 | 251 | 252 | 253 | 254 | 255 |
| 256 | 257 | 258 | 259 | 260 | 261 | 262 | 263 | 264 | 265 | 266 | 267 | 268 | 269 | 270 | 271 | 272 |
| 273 | 274 | 275 | 276 | 277 | 278 | 279 | 280 | 281 | 282 | 283 | 284 | 285 | 286 | 287 | 288 | 289 |
| 290 | 291 | 292 | 293 | 294 | 295 | 296 | 297 | 298 | 299 | 300 | 301 | 302 | 303 | 304 | 305 | 306 |
| 307 | 308 | 309 | 310 | 311 | 312 | 313 | 314 | 315 | 316 | 317 | 318 | 319 | 320 | 321 | 322 | 323 |
| 324 | 325 | 326 | 327 | 328 | 329 | 330 | 331 | 332 | 333 | 334 | 335 | 336 | 337 | 338 | 339 | 340 |
| 341 | 342 | 343 | 344 | 345 | 346 | 347 | 348 | 349 | 350 | 351 | 352 | 353 | 354 | 355 | 356 | 357 |
| 358 | 359 | 360 | 361 | 362 | 363 | 364 | 365 | 366 | 367 | 368 | 369 | 370 | 371 | 372 | 373 | 374 |

Inquiry Numbers 562-748

| | | | | | | | | | | | | | | | | |
|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| 562 | 563 | 564 | 565 | 566 | 567 | 568 | 569 | 570 | 571 | 572 | 573 | 574 | 575 | 576 | 577 | 578 |
| 579 | 580 | 581 | 582 | 583 | 584 | 585 | 586 | 587 | 588 | 589 | 590 | 591 | 592 | 593 | 594 | 595 |
| 596 | 597 | 598 | 599 | 600 | 601 | 602 | 603 | 604 | 605 | 606 | 607 | 608 | 609 | 610 | 611 | 612 |
| 613 | 614 | 615 | 616 | 617 | 618 | 619 | 620 | 621 | 622 | 623 | 624 | 625 | 626 | 627 | 628 | 629 |
| 630 | 631 | 632 | 633 | 634 | 635 | 636 | 637 | 638 | 639 | 640 | 641 | 642 | 643 | 644 | 645 | 646 |
| 647 | 648 | 649 | 650 | 651 | 652 | 653 | 654 | 655 | 656 | 657 | 658 | 659 | 660 | 661 | 662 | 663 |
| 664 | 665 | 666 | 667 | 668 | 669 | 670 | 671 | 672 | 673 | 674 | 675 | 676 | 677 | 678 | 679 | 680 |
| 681 | 682 | 683 | 684 | 685 | 686 | 687 | 688 | 689 | 690 | 691 | 692 | 693 | 694 | 695 | 696 | 697 |
| 698 | 699 | 700 | 701 | 702 | 703 | 704 | 705 | 706 | 707 | 708 | 709 | 710 | 711 | 712 | 713 | 714 |
| 715 | 716 | 717 | 718 | 719 | 720 | 721 | 722 | 723 | 724 | 725 | 726 | 727 | 728 | 729 | 730 | 731 |
| 732 | 733 | 734 | 735 | 736 | 737 | 738 | 739 | 740 | 741 | 742 | 743 | 744 | 745 | 746 | 747 | 748 |

FREE PRODUCT INFORMATION

For free product information from companies featured in this issue, circle the appropriate inquiry number below and mail this card today. For quickest response, fax to 1-416-620-9790!

See reverse side
for card.

1. For FREE product information from individual companies, circle the corresponding inquiry numbers on the Response Card!

2. Print Your Name and Address

Answer questions "A" through "E" and mail or fax card to 1-416-620-9790.

3. Product information will be rushed to you from the selected companies!

BYTE

INQUIRY MANAGEMENT SYSTEM

P.O. BOX 1663

Buffalo, NY 14205-1663

PLACE
POSTAGE
HERE

BYTE

McGraw
Hill

INDEX TO ADVERTISED PRODUCTS

| Category No. Inquiry No. | | Page No. | Category No. Inquiry No. | | Page No. | Category No. Inquiry No. | | Page No. |
|--|--------------------------------|------------|---|------------------------------------|----------|-------------------------------|---------------------------------|----------|
| 56 RAID DRIVE ARRAYS | | | 221 | NATIONAL INSTRUMENTS | 246 | 103 | POPKIN S/W & SYSTEMS INC (N.A.) | 179 |
| 186 | DISTRIBUTED PROCESSING TECH | 234 | 29 DATABASE | | | 282 | SOFTAPPROACH CORP. | 247 |
| 211-212 | RAIDTEC CORP | 233 | 68 | COMPUTER ASSOCIATES UNICENTER | 103 | 125-126 | SYMANTEC | 53 |
| | | | 215 | COMPUTERWISE | 246 | 125-126 | SYMANTEC | 55 |
| | | | * | ORACLE CORP (N.A.) | 20-21 | 122 | WALKER, RICHER & QUINN | 132 |
| 22 SCANNERS/OCR/ DIGITIZERS | | | | | | 123 | WATCOM SQL | 27 |
| 63-64 | BELL & HOWELL INC | 149 | 30 EDUCATIONAL | | | 41 SECURITY | | |
| 562-563 | RECOGNITA (INT'L) | 189 | 517 | LOGIC PROGRAMMING ASSOCIATES | 40IS 29 | 61 | ALADDIN KNOWLEDGE SYSTEMS | 84 |
| | | | 276 | UNITED EDUCATION CENTERS | 246 | 201 | DALLAS SEMICONDUCTOR | 235 |
| 52 SECURITY | | | 31 ENGINEERING/SCIENTIFIC | | | 511-512 | EUTRON | 40IS 24 |
| 273 | ADVANCED ENGINEERING CONCEPTS | 244 | 506 | COBALT BLUE | 40IS 30 | 513-514 | FAST HARDLOCK | 40IS 5 |
| 503 | CHERRY MIKROSCHALTER GMBH | 40IS 26-27 | 539-540 | F & H SIMULATIONS (INT'L) | 59 | 79 | GLENCO ENGINEERING (INT'L) | 139 |
| 513-514 | FAST HARDLOCK | 40IS 5 | 515 | GREY MATTER LTD | 40IS 17 | 80 | GLENCO ENGINEERING (N.A.) | 139 |
| 109 | RAINBOW TECHNOLOGIES | 79 | 544 | INTERIS AUTOMACAO | 40IS 22 | 567-568 | RACAL AIRTECH (INT'L) | 167 |
| 142-143 | WIBU | 44 | 127-128 | ITERATED SYSTEMS | 110 | 109 | RAINBOW TECHNOLOGIES | 79 |
| | | | 517 | LOGIC PROGRAMMING ASSOCIATES | 40IS 29 | 112 | SOFTWARE SECURITY | 153 |
| 23 TAPE DRIVES | | | 222 | PERSONAL TEX | 247 | 142-143 | WIBU | 44 |
| 150-151 | AERONICS INC | 141 | 32 ENTERTAINMENT | | | 45 UNIX | | |
| 549-550 | COMBYTE INC (INT'L) | 91 | 178 | CREATIVE MINDS | 89 | 506 | COBALT BLUE | 40IS 30 |
| 77-78 | EXABYTE CORP | 19 | 33 GRAPHICS | | | * | COPIA INTERNATIONAL LTD | 184 |
| 191-192 | MICRO SOLUTIONS COMP PROD | 225 | 533-534 | ARISTO GRAPHIC SYSTEMS | 40IS 15 | 543 | DISTINCT CORP | 40IS 14 |
| 223 | QUALSTAR CORP | 244 | 69 | COREL DRAW 5 | 31 | 559 | HUMMINGBIRD COMM LTD (INT'L) | 77 |
| 242-243 | SHAFFSTALL CORP | 244 | 248 | EMATEK GMBH | 246 | 172-173 | SOFTWAY AMERICA INC | 44 |
| | | | 84-85 | MICROGRAFX | 151 | 122 | WALKER, RICHER & QUINN | 132 |
| 24 UPS/POWER MANAGEMENT | | | 210 | MIPS DATALINE AMERICA INC | 233 | 46 UTILITIES | | |
| 283-284 | ACI | 244 | 88-89 | NANAO USA CORP (N.A.) | 65 | 61 | ALADDIN KNOWLEDGE SYSTEMS | 84 |
| 62 | AMERICAN POWER CONVERSION | 32-33 | 132-133 | PROXIMA CORP | 94 | 178 | CREATIVE MINDS | 89 |
| 287-288 | DELTEC / NSSI | 196 | 35 MAIL ORDER | | | 198 | MICRO 2000 | 221 |
| 522-523 | MINUTEMAN | 40IS 31 | 179 | COMPUTER DISCOUNT WAREHOUSE | 212-213 | 102 | PKWARE INC | 66 |
| 96-97 | MINUTEMAN | 112 | 508 | COMPUTER QUICK | 40IS 20 | 101 | PKWARE INC | 152 |
| 118-119 | TRIPP LITE | 138 | 36 MATHEMATICAL/ STATISTICAL | | | 105-106 | QUARTERDECK OFFICE SYSTEMS | 67 |
| 55 VOICE TECHNOLOGY | | | 515 | GREY MATTER LTD | 40IS 17 | 282 | SOFTAPPROACH CORP | 247 |
| 265-266 | TTM NEDERLAND | 244 | 222 | PERSONAL TEX | 247 | 168 | THE LEARNING CURVE | 64 |
| | | | 115 | STATSOFT | 101 | 47 WINDOWS | | |
| | | | 263 | VISUAL NUMERICS | 247 | * | COPIA INTERNATIONAL LTD | 184 |
| 25 BUSINESS | | | 37 MISCELLANEOUS SOFTWARE | | | 543 | DISTINCT CORP | 40IS 14 |
| 262 | MAILER'S SOFTWARE | 245 | 530 | ON TIME MARKETING | 40IS 32 | 254 | FUZIWARE INC | 247 |
| 84-85 | MICROGRAFX | 151 | 168 | THE LEARNING CURVE | 64 | 157-158 | ICONOVEX INC | 182 |
| 132-133 | PROXIMA CORP | 94 | 38 ON-LINE SERVICES | | | 250-251 | KUREO TECHNOLOGY INC | 248 |
| 168 | THE LEARNING CURVE | 64 | 450 | BIX | 259 | 165 | MENAI CORPORATION | 190 |
| 555-556 | XEROX IMAGING SYSTEMS (INT'L) | 13 | 286 | DELPHI INTERNET SERVICES | 197 | 231-232 | MICROCAL SOFTWARE INC | 248 |
| | | | * | PROFOUND (N.A.) | 120 | 88-89 | NANAO USA CORP (N.A.) | 65 |
| 26 CAD/CAM | | | 156 | PSI (N.A.) | 167 | 282 | SOFTAPPROACH CORP | 247 |
| 533-534 | ARISTO GRAPHIC SYSTEMS | 40IS 15 | 39 OPERATING SYSTEMS | | | 264 | VISUAL NUMERICS | 248 |
| 200 | CADSOFT COMPUTER INC | 229 | 170 | IBM | 37 | 141 | WINBOOK COMPUTER CORP (N.A.) | 13 |
| 535-536 | MICRODATA SYSTEM SRI | 40IS 30 | * | MICROSOFT CORP | 2-3 | 48 WORD PROCESSING/DTP | | |
| 27 COMMUNICATIONS/ NETWORKING | | | 104 | QNX SOFTWARE SYSTEMS LTD | 185 | 157-158 | ICONOVEX INC | 182 |
| 195 | AVALAN TECHNOLOGY | 235 | 105-106 | QUARTERDECK OFFICE SYSTEMS | 67 | 555-556 | XEROX IMAGING SYSTEMS (INT'L) | 13 |
| 531 | BEAME & WHITESIDE SOFTWARE | 40IS 11 | 40 PROGRAMMING LANGUAGES/TOOLS | | | | | |
| * | BEAME & WHITESIDE SOFTWARE | 40IS 10 | 267-268 | ADONTEC GMBH | 247 | 49 BOOKS/PUBLICATIONS | | |
| 130 | BEAME & WHITESIDE SOFTWARE | 189 | 506 | COBALT BLUE | 40IS 30 | 144-145 | AP PROFESSIONAL | 14-15 |
| 229 | BEAME & WHITESIDE SOFTWARE | 245 | 67 | COMPUTER ASSOCIATES VISUAL OBJECTS | 69 | 65 | BYTE ON CD ROM | 186 |
| 230 | BEAME & WHITESIDE SOFTWARE | 245 | * | COPIA INTERNATIONAL LTD | 184 | * | BYTE READER | 209 |
| 504-505 | COMPEX INC (INT'L) | 65 | 248 | EMATEK GMBH | 246 | * | COMPUTER BOOK CLUB, THE (N.A.) | 145 |
| 74 | DELIRINA FORMFLOW | 142 | 515 | GREY MATTER LTD | 40IS 17 | * | OSBORNE MCGRAW-HILL | 46-47 |
| 543 | DISTINCT CORP | 40IS 14 | 559 | HUMMINGBIRD COMM LTD (INT'L) | 77 | 51 MISCELLANEOUS | | |
| 187-188 | FIRST SOURCE INT'L | 226 | 174-175 | INTEK TECHNOLOGIES | 191 | * | BYTE BACK ISSUES (INT'L) | 135 |
| 274-275 | ICL (EMBLA) | 245 | 82-83 | LAHEY COMPUTER SYSTEMS | 192 | * | BYTE EDITORIAL SURVEY | 194 |
| 136 | LANSOURCE TECHNOLOGY | 198 | 517 | LOGIC PROGRAMMING ASSOCIATES | 40IS 29 | * | BYTE EURODECK (INT'L) | 120 |
| 90-91 | NORTON-LAMBERT | 71 | * | MICROWAY | 150 | * | BYTE NETWORKING ON DISK | 180 |
| * | ORACLE CORP (N.A.) | 20-21 | 87 | MKS / MORTICE KERN SYSTEMS | 140 | * | BYTE REPRINTS | 124 |
| 98 | PERSOFT INC | 183 | 257 | OBJECT MANAGEMENT LABORATORY | 247 | * | BYTE SUB MESSAGE | 40IS 21 |
| 154-155 | SMITH MICRO SYSTEMS & SOFTWARE | 124 | 153 | OBJECTS INC | 42 | * | BYTE SUB MESSAGE | 40IS 32 |
| 560-561 | SOLID COMPUTER GMBH (INT'L) | 179 | 530 | ON TIME MARKETING | 40IS 32 | * | BYTE SUB MESSAGE | 200 |
| 525-526 | STAC ELECTRONICS (INT'L) | CIV | | | | * | BYTE WAREHOUSE | 201 |
| 113-114 | STAC ELECTRONICS (N.A.) | 91 | | | | * | DATAPRO (INT'L) | 28-29 |
| 277-278 | TALKIE | 245 | | | | * | MCGRAW-HILL MAGAZINES | 92 |
| 265-266 | TTM NEDERLAND | 244 | | | | * | MCGRAW-HILL ON-LINE | 93 |
| 122 | WALKER, RICHER & QUINN | 132 | | | | 566 | NETWORLD (INT'L) | 118 |
| | | | | | | * | PC EXPO NEW YORK | 136 |
| 28 DATA ACQUISITION | | | | | | * | POLLUTION SOLUTION | 230 |
| 520-521 | NATIONAL INSTRUMENTS | 40IS 25 | | | | | | |

SOFTWARE

| | | | | | | | | |
|--|--------------------------------|---------|---|------------------------------------|---------|-------------------------------|--------------------------------|---------|
| 25 BUSINESS | | | 37 MISCELLANEOUS SOFTWARE | | | 47 WINDOWS | | |
| 262 | MAILER'S SOFTWARE | 245 | 530 | ON TIME MARKETING | 40IS 32 | * | COPIA INTERNATIONAL LTD | 184 |
| 84-85 | MICROGRAFX | 151 | 168 | THE LEARNING CURVE | 64 | 543 | DISTINCT CORP | 40IS 14 |
| 132-133 | PROXIMA CORP | 94 | 38 ON-LINE SERVICES | | | 254 | FUZIWARE INC | 247 |
| 168 | THE LEARNING CURVE | 64 | 450 | BIX | 259 | 157-158 | ICONOVEX INC | 182 |
| 555-556 | XEROX IMAGING SYSTEMS (INT'L) | 13 | 286 | DELPHI INTERNET SERVICES | 197 | 250-251 | KUREO TECHNOLOGY INC | 248 |
| | | | * | PROFOUND (N.A.) | 120 | 165 | MENAI CORPORATION | 190 |
| 26 CAD/CAM | | | 156 | PSI (N.A.) | 167 | 231-232 | MICROCAL SOFTWARE INC | 248 |
| 533-534 | ARISTO GRAPHIC SYSTEMS | 40IS 15 | 39 OPERATING SYSTEMS | | | 88-89 | NANAO USA CORP (N.A.) | 65 |
| 200 | CADSOFT COMPUTER INC | 229 | 170 | IBM | 37 | 282 | SOFTAPPROACH CORP | 247 |
| 535-536 | MICRODATA SYSTEM SRI | 40IS 30 | * | MICROSOFT CORP | 2-3 | 264 | VISUAL NUMERICS | 248 |
| 27 COMMUNICATIONS/ NETWORKING | | | 104 | QNX SOFTWARE SYSTEMS LTD | 185 | 141 | WINBOOK COMPUTER CORP (N.A.) | 13 |
| 195 | AVALAN TECHNOLOGY | 235 | 105-106 | QUARTERDECK OFFICE SYSTEMS | 67 | 48 WORD PROCESSING/DTP | | |
| 531 | BEAME & WHITESIDE SOFTWARE | 40IS 11 | 40 PROGRAMMING LANGUAGES/TOOLS | | | 157-158 | ICONOVEX INC | 182 |
| * | BEAME & WHITESIDE SOFTWARE | 40IS 10 | 267-268 | ADONTEC GMBH | 247 | 555-556 | XEROX IMAGING SYSTEMS (INT'L) | 13 |
| 130 | BEAME & WHITESIDE SOFTWARE | 189 | 506 | COBALT BLUE | 40IS 30 | | | |
| 229 | BEAME & WHITESIDE SOFTWARE | 245 | 67 | COMPUTER ASSOCIATES VISUAL OBJECTS | 69 | 49 BOOKS/PUBLICATIONS | | |
| 230 | BEAME & WHITESIDE SOFTWARE | 245 | * | COPIA INTERNATIONAL LTD | 184 | 144-145 | AP PROFESSIONAL | 14-15 |
| 504-505 | COMPEX INC (INT'L) | 65 | 248 | EMATEK GMBH | 246 | 65 | BYTE ON CD ROM | 186 |
| 74 | DELIRINA FORMFLOW | 142 | 515 | GREY MATTER LTD | 40IS 17 | * | BYTE READER | 209 |
| 543 | DISTINCT CORP | 40IS 14 | 559 | HUMMINGBIRD COMM LTD (INT'L) | 77 | * | COMPUTER BOOK CLUB, THE (N.A.) | 145 |
| 187-188 | FIRST SOURCE INT'L | 226 | 174-175 | INTEK TECHNOLOGIES | 191 | * | OSBORNE MCGRAW-HILL | 46-47 |
| 274-275 | ICL (EMBLA) | 245 | 82-83 | LAHEY COMPUTER SYSTEMS | 192 | 51 MISCELLANEOUS | | |
| 136 | LANSOURCE TECHNOLOGY | 198 | 517 | LOGIC PROGRAMMING ASSOCIATES | 40IS 29 | * | BYTE BACK ISSUES (INT'L) | 135 |
| 90-91 | NORTON-LAMBERT | 71 | * | MICROWAY | 150 | * | BYTE EDITORIAL SURVEY | 194 |
| * | ORACLE CORP (N.A.) | 20-21 | 87 | MKS / MORTICE KERN SYSTEMS | 140 | * | BYTE EURODECK (INT'L) | 120 |
| 98 | PERSOFT INC | 183 | 257 | OBJECT MANAGEMENT LABORATORY | 247 | * | BYTE NETWORKING ON DISK | 180 |
| 154-155 | SMITH MICRO SYSTEMS & SOFTWARE | 124 | 153 | OBJECTS INC | 42 | * | BYTE REPRINTS | 124 |
| 560-561 | SOLID COMPUTER GMBH (INT'L) | 179 | 530 | ON TIME MARKETING | 40IS 32 | * | BYTE SUB MESSAGE | 40IS 21 |
| 525-526 | STAC ELECTRONICS (INT'L) | CIV | | | | * | BYTE SUB MESSAGE | 40IS 32 |
| 113-114 | STAC ELECTRONICS (N.A.) | 91 | | | | * | BYTE SUB MESSAGE | 200 |
| 277-278 | TALKIE | 245 | | | | * | BYTE WAREHOUSE | 201 |
| 265-266 | TTM NEDERLAND | 244 | | | | * | DATAPRO (INT'L) | 28-29 |
| 122 | WALKER, RICHER & QUINN | 132 | | | | * | MCGRAW-HILL MAGAZINES | 92 |
| | | | | | | * | MCGRAW-HILL ON-LINE | 93 |
| 28 DATA ACQUISITION | | | | | | 566 | NETWORLD (INT'L) | 118 |
| 520-521 | NATIONAL INSTRUMENTS | 40IS 25 | | | | * | PC EXPO NEW YORK | 136 |
| | | | | | | * | POLLUTION SOLUTION | 230 |

GENERAL


| | | | | | |
|------------------------------|--------------------------------|---------|-------------------------|--------------------------|---------|
| 49 BOOKS/PUBLICATIONS | | | 51 MISCELLANEOUS | | |
| 144-145 | AP PROFESSIONAL | 14-15 | * | BYTE BACK ISSUES (INT'L) | 135 |
| 65 | BYTE ON CD ROM | 186 | * | BYTE EDITORIAL SURVEY | 194 |
| * | BYTE READER | 209 | * | BYTE EURODECK (INT'L) | 120 |
| * | COMPUTER BOOK CLUB, THE (N.A.) | 145 | * | BYTE NETWORKING ON DISK | 180 |
| * | OSBORNE MCGRAW-HILL | 46-47 | * | BYTE REPRINTS | 124 |
| 51 MISCELLANEOUS | | | * | BYTE SUB MESSAGE | 40IS 21 |
| * | BYTE BACK ISSUES (INT'L) | 135 | * | BYTE SUB MESSAGE | 40IS 32 |
| * | BYTE EDITORIAL SURVEY | 194 | * | BYTE SUB MESSAGE | 200 |
| * | BYTE EURODECK (INT'L) | 120 | * | BYTE WAREHOUSE | 201 |
| * | BYTE NETWORKING ON DISK | 180 | * | DATAPRO (INT'L) | 28-29 |
| * | BYTE REPRINTS | 124 | * | MCGRAW-HILL MAGAZINES | 92 |
| * | BYTE SUB MESSAGE | 40IS 21 | * | MCGRAW-HILL ON-LINE | 93 |
| * | BYTE SUB MESSAGE | 40IS 32 | * | NETWORLD (INT'L) | 118 |
| * | BYTE SUB MESSAGE | 200 | * | PC EXPO NEW YORK | 136 |
| * | BYTE WAREHOUSE | 201 | * | POLLUTION SOLUTION | 230 |
| * | DATAPRO (INT'L) | 28-29 | | | |
| * | MCGRAW-HILL MAGAZINES | 92 | | | |
| * | MCGRAW-HILL ON-LINE | 93 | | | |
| 566 | NETWORLD (INT'L) | 118 | | | |
| * | PC EXPO NEW YORK | 136 | | | |
| * | POLLUTION SOLUTION | 230 | | | |

EDITORIAL INDEX

For more information on any of the companies covered in articles, columns, or news stories in this issue, circle the appropriate inquiry number on the response card. Each page number refers to the first page of the article or section in which the company name appears.

| Inquiry No. | Page No. | Inquiry No. | Page No. | Inquiry No. | Page No. | Inquiry No. | Page No. |
|-------------|------------------------------------|--------------------------|----------|-------------|---------------------------------------|--------------------------|----------|
| A | | | | | | | |
| 1131 | Ability Plus Software | 206 | | 1111 | Lead Technologies | 208 | |
| 1023 | ACI | 40IS 28 | | 1352, | Lexmark International | 154 | |
| 1271 | ACI US | 75 | | 1369 | | | |
| | Adaptec | 48, 97 | | 1065 | Ligature Software | 40, 206 | |
| 1272 | Adobe Systems | 75, 97 | | 1063 | Logiccode Technology | 204 | |
| | Advanced Logic Research | 41 | | | Loral Data Systems | 26 | |
| | AER Energy Resources | 41 | | 1301 | Lotus Development | 75 | |
| 1029 | AFP Solutions | 40IS 29 | | M | | | |
| 1338 | Aiwa Computer Systems | 204 | | 1302 | Macromedia | 62, 75 | |
| 978 | Alacrity Systems | 143 | | 1360 | Mannesmann Tally | 154 | |
| 1161 | Altec Lansing Multimedia | 187 | | 1036 | Martignoni Electronics | 40IS 18 | |
| 1147 | American Megatrends | 125 | | 1170 | Maxis | 187 | |
| 1273 | American Small Business Computers | 75 | | 1150 | MediaMagic | 125 | |
| | Annex Research | 48 | | 1059 | Mercury Interactive | 40IS 32 | |
| 977, | Apple Computer | 75, 85, 107, | | | MetaCase Consulting | 34 | |
| 1167, 1274 | | 113, 131, 154, 177, 187 | | 1303 | Metrowerks | 75 | |
| 1346 | | | | 1304 | Micrografix | 75 | |
| 1067 | Arcland | 208 | | 1046 | Micro-Integration | 40IS 20 | |
| 1275 | Artisoft | 75 | | 1324 | Micron Computer | 23, 202 | |
| | Asahi/Optrex | 40 | | 1330 | MicroNet Technology | 202 | |
| 1276 | Ashlar | 75 | | | Micropolis | 48, 97 | |
| 1051 | AST Europe | 40IS 31 | | 976, | Microsoft | 23, 48, 62, 75, 85, 107, | |
| | AST Research | 41, 48 | | 1006, | 1305 | 121, 133, 187, 40IS 3 | |
| | AT&T | 41, 113, 125 | | 1138 | Micro Telesis | 207 | |
| 1277 | ATI Technologies | 75 | | 1333 | MicroTouch Systems | 203 | |
| 1278 | Autodesk | 75 | | 984 | MindWorks | 143 | |
| 1135 | Avalan Technology | 207 | | | miro Computer Products | 34, 97 | |
| 1040 | Axis Communications | 40IS 22 | | 1049 | Mitsubishi Electric | 40IS 20 | |
| B | | | | | | | |
| 1134 | BBN Software Products | 208 | | | MLL Software & Computer Industries | 34 | |
| 1072 | Bentley Systems | 206 | | 1142 | Mortice Kern Systems | 125, 207 | |
| 1148 | Best Data Products | 125 | | | Motif | 40 | |
| 1060 | Biscom | 203 | | | Motorola | 40, 173 | |
| 1279 | Blyth Software | 75 | | N | | | |
| 1149 | Boca Research | 125 | | 1306 | Nanac USA | 75 | |
| 1002, 1280 | Borland International | 22, 75, 133 | | 1307, | NEC Technologies | 75, 154, | |
| | Brooktrout Networks Group | 36 | | 1361 | | 40IS 3 | |
| | Bytecom | 34 | | | NetFrame Systems | 48 | |
| C | | | | | | | |
| | Cabletron Systems | 113, 181 | | | Network Peripherals | 48 | |
| | CAE Electronics | 26 | | 1022 | Network Utilities (Systems) | 40IS 27 | |
| 982 | Caere | 40, 143 | | 979 | Newport Canyon Associates | 143 | |
| 1281, | Canon Computer Systems | 75, | | 1146, | Novell | 48, 75, 175 | |
| 1347, | 1364, 1365 | 154 | | 1308 | | | |
| 1163 | CD Hardware | 187 | | 1145 | Nu-Mega Technologies | 208 | |
| | CellWare | 34 | | O | | | |
| 1282 | CE Software | 75 | | 1151 | Objix Multimedia | 125 | |
| | Cine-Med | 26 | | | Olivetti | 34 | |
| 1283 | Clarix | 75 | | | 1&1 Telecommunications | 40IS 3 | |
| 1168 | Clary | 187 | | 1309 | Oracle | 22, 48, 75 | |
| 1284 | Compaq Computer | 30, 41, 48, 75 | | 1057 | Oracle Education Systems | 40IS 31 | |
| 1285 | Computer Associates International | 75 | | 1329 | Orchid Technology | 97, 202 | |
| | Comtest | 34 | | P | | | |
| 1169, | Connectix | 75, 187 | | 983 | PaperClip Imaging Software | 143 | |
| 1286 | | | | | Peacock | 34 | |
| 1341 | Conner Peripherals | 48, 204 | | 1033 | Performance Technology | 40IS 29 | |
| 1287 | Corel | 75 | | 1136 | Phar Lap Software | 208 | |
| 1143 | Creative Interaction Technologies | 207 | | 1069 | PinPoint Software | 206 | |
| 1035, | Cristie Electronics | 40IS 23, | | 1062 | Plasmon Data | 204 | |
| 1052 | | 40IS 29 | | | PolyCon Data Systems | 34 | |
| D | | | | | | | |
| 1137 | DataCal | 207 | | 1043 | Portable Add-ons | 40IS 18 | |
| 1326 | Data Electronics | 202 | | 1339 | Portrait Display Labs | 203 | |
| 1348 | DataProducts | 154 | | 1323 | Primax Electronics | 40, 204 | |
| 1140 | DataViews | 208 | | 1053 | ProtoSoft | 40IS 30 | |
| 1288 | Dell Computer | 48, 62, 75 | | 1133 | ProtoView Development | 207 | |
| | Delrina | 40, 125 | | | Psion | 34 | |
| 1289 | Diamond Multimedia Systems | 75 | | Q | | | |
| 1349, | Digital Equipment | 48, 62, 154 | | | Q-Logic | 48 | |
| 1356, | 1366, 1367 | | | 1353, | QMS | 154 | |
| 1139 | DigitalTalk | 41, 206 | | 1362, 1372 | | | |
| | Doceo Publishing | 97, 107 | | 1162 | Quanta Press | 187 | |
| 1021 | Dr. Materna | 40IS 29 | | 1310 | Quark | 75 | |
| | Dr. Neuhaus | 34 | | R | | | |
| | Telecommunications | | | 1422 | R&R Software | 40IS 32 | |
| | | | | 1003 | Radius | 107 | |
| | | | | | RadVision | 34 | |
| E | | | | | | | |
| | Electrogig | 34 | | S | | | |
| 1334 | Electronics for Imaging | 203 | | 1172 | Rascal Software | 187 | |
| 1357, | Epson America | 154 | | 1020 | Real Time Systems | 40IS 25 | |
| 1368 | | | | 1421 | Rhetorex | 40IS 32 | |
| | Ethicon Endo-Surgery | 26 | | 1109 | Robert McNeel & Associates | 208 | |
| 1056 | Eurosoft | 40IS 30 | | S | | | |
| 1025 | Eurosoft Technology | 40IS 27 | | 1026 | Saber Software | 40IS 24 | |
| 1132 | EZPower Systems | 207 | | | Seagate Technology | 48 | |
| F | | | | | | | |
| | F&H Simulations | 34 | | | Sequent Computer Systems | 48 | |
| | Fast Multimedia | 34 | | 1061, | Sharp Electronics | 75, 204, | |
| 1031 | Fontware | 40IS 27 | | 1311 | | 40IS 3 | |
| 1173 | Forminco | 187 | | 1423 | Shuttle Technology | 40IS 23 | |
| | Formula Systems | 34 | | 1325 | Sigma Designs | 202 | |
| | Forrester Research | 95, 113 | | 1321 | Socket Communications | 202 | |
| 1028 | 4-Sight | 40IS 28 | | | SoftBox | 36 | |
| 1342 | Fox Network Systems | 204 | | 1312 | Softkey International | 75 | |
| 1290 | Frame Technology | 75 | | 1313 | Software Publishing | 75 | |
| 1291 | Franklin Quest | 75 | | | Solid Computer | 34 | |
| 1358 | Fujitsu Computer Products | 154, | | | Sony | 97, 125, 40IS 3 | |
| | | 40IS 3 | | | Spa Software | 34 | |
| | Future Domain | 48 | | 1164 | Spectrum Holobyte | 187 | |
| 1165 | FWB | 187 | | 1152 | Spectrum Signal Processing | 125 | |
| G | | | | | | | |
| | Gartner Group | 30 | | 1107 | Spicer | 207 | |
| 1292 | Gateway 2000 | 23, 48, 75, | | 1045 | Spider Systems | 40IS 22 | |
| | | 97, 187 | | | Standish Industries | 40 | |
| 1038 | G. Diehl ISDN | 40IS 22 | | 1335 | StarTech Computer Products | 203 | |
| 1327 | Global Village | 203 | | 1032 | Sunbelt International | 40IS 24 | |
| | Communication | | | 1047 | Sundance | 40IS 23 | |
| | GT&E | 41 | | | Multiprocessor Technology | | |
| | Gupta | 22 | | 1314 | Sun Microsystems | 48, 75 | |
| H | | | | | | | |
| 1293 | Hayes Microcomputer Products | 75 | | 1315 | SunSoft | 48, 75 | |
| 1058 | Headway Technology | 40IS 31 | | | Sybase | 23 | |
| 1294, | Hewlett-Packard | 48, 75, 143, 154 | | 1316 | Symantec | 75 | |
| 1350, 1371 | | | | | SYM Media | 34 | |
| | High Techsplanations | 26 | | 1042 | SysConnect | 40IS 20 | |
| 1039 | HILAN | 40IS 22 | | T | | | |
| 1005 | Horizons Technology | 107 | | | Tally Systems | 30 | |
| 1024 | Hummingbird | 40IS 28 | | | Tandem Computers | 48 | |
| | Communications | | | 1071 | Target Systems | 206 | |
| 1328 | Husky Computers | 202 | | 1044 | Technology Concepts | 40IS 18 | |
| I | | | | | | | |
| 1295 | IBM | 41, 48, 75, 113, 125, | | 1041 | Tedas | 40IS 18 | |
| | | 187, 40IS 3 | | 1370, | Tektronix | 154 | |
| 1221 | IBM Personal Computer | 119 | | 1373 | | | |
| | Igel | 34 | | 1030 | Telelogic | 40IS 25 | |
| 1073 | Ilog | 206 | | 1332 | Telequip | 203 | |
| 981 | ImageFast Software | 143 | | 1354 | Texas Instruments | 154 | |
| | Systems | | | | 3Com | 113, 181 | |
| 1050 | Imax | 40IS 21 | | 1074 | Tobit Software | 208 | |
| | Innovative Software | 34 | | 1048 | Toshiba | 40IS 3, 40IS 18 | |
| 1004, | Intel | 23, 41, 75, 107 | | 1317 | Toshiba America | 75 | |
| 1296 | | | | | Information Systems | | |
| 1066, | Intergraph | 75, 208 | | 1166 | Traveling Software | 187 | |
| 1297 | | | | | Tricord | 48 | |
| 1298 | Interleaf | 75 | | U | | | |
| 1171 | Interplay Productions | 187 | | 1344 | U.S.A. Communications | 204 | |
| | Intersoft | 34 | | 1318 | U.S. Robotics | 75 | |
| 1299 | Investment Intelligence Systems | 75 | | V | | | |
| 1331 | I.R.I.S. America | 202 | | 1319 | ViewSonic | 75 | |
| 1300 | Island Software | 75 | | 1322 | Visioneer | 40, 203 | |
| K | | | | | | | |
| 1034 | Kagama | 40IS 25 | | 1037 | Vobis | 40IS 21 | |
| 1055 | Kinesix | 40IS 30 | | | Vocaltec | 36 | |
| 1068 | Kolvox Communications | 206 | | | VoiceBit | 34 | |
| 1054 | K2 Software | 40IS 30 | | W | | | |
| | Developments | | | 985 | Watermark Software | 143 | |
| 1351, | Kyocera Electronics | 40, 154 | | 980 | Westbrook Technologies | 143 | |
| 1359 | | | | | Western Digital | 48, 113 | |
| L | | | | | | | |
| | Lagercrantz Communications | 34 | | 1001 | Wolfram Research | 137 | |
| | LANsource Technologies | 40 | | 1320 | WordPerfect/Novell Applications Group | 75 | |
| | | | | X | | | |
| M | | | | | | | |
| | Macromedia | 62, 75 | | 1355, | Xante | 154 | |
| 1360 | Mannesmann Tally | 154 | | 1363 | | | |
| 1036 | Martignoni Electronics | 40IS 18 | | 1374 | Xerox | 40, 154 | |
| 1170 | Maxis | 187 | | | Xerox Imaging Systems | 40 | |
| 1150 | MediaMagic | 125 | | 1007 | Xing Technologies | 107 | |
| 1059 | Mercury Interactive | 40IS 32 | | Z | | | |
| | MetaCase Consulting | 34 | | | Zenith | 41 | |
| 1303 | Metrowerks | 75 | | | | | |
| 1304 | Micrografix | 75 | | | | | |
| 1046 | Micro-Integration | 40IS 20 | | | | | |
| 1324 | Micron Computer | 23, 202 | | | | | |
| 1330 | MicroNet Technology | 202 | | | | | |
| | Micropolis | 48, 97 | | | | | |
| 976, | Microsoft | 23, 48, 62, 75, 85, 107, | | | | | |
| 1006, | 1305 | 121, 133, 187, 40IS 3 | | | | | |
| 1138 | Micro Telesis | 207 | | | | | |
| 1333 | MicroTouch Systems | 203 | | | | | |
| 984 | MindWorks | 143 | | | | | |
| | miro Computer Products | 34, 97 | | | | | |
| 1049 | Mitsubishi Electric | 40IS 20 | | | | | |
| | MLL Software & Computer Industries | 34 | | | | | |
| 1142 | Mortice Kern Systems | 125, 207 | | | | | |
| | Motif | 40 | | | | | |
| | Motorola | 40, 173 | | | | | |
| N | | | | | | | |
| 1306 | Nanac USA | 75 | | | | | |
| 1307, | NEC Technologies | 75, 154, | | | | | |
| 1361 | | 40IS 3 | | | | | |
| | NetFrame Systems | 48 | | | | | |
| | Network Peripherals | 48 | | | | | |
| 1022 | Network Utilities (Systems) | 40IS 27 | | | | | |
| 979 | Newport Canyon Associates | 143 | | | | | |
| 1146, | Novell | 48, 75, 175 | | | | | |
| 1308 | | | | | | | |
| 1145 | Nu-Mega Technologies | 208 | | | | | |
| O | | | | | | | |
| 1151 | Objix Multimedia | 125 | | | | | |
| | Olivetti | 34 | | | | | |
| | 1&1 Telecommunications | 40IS 3 | | | | | |
| 1309 | Oracle | 22, 48, 75 | | | | | |
| 1057 | Oracle Education Systems | 40IS 31 | | | | | |
| 1329 | Orchid Technology | 97, 202 | | | | | |
| P | | | | | | | |
| 983 | PaperClip Imaging Software | 143 | | | | | |
| | Peacock | 34 | | | | | |
| 1033 | Performance Technology | 40IS 29 | | | | | |
| 1136 | Phar Lap Software | 208 | | | | | |
| 1069 | PinPoint Software | 206 | | | | | |
| 1062 | Plasmon Data | 204 | | | | | |
| | PolyCon Data Systems | 34 | | | | | |
| 1043 | Portable Add-ons | 40IS 18 | | | | | |
| 1339 | Portrait Display Labs | 203 | | | | | |
| 1323 | Primax Electronics | 40, 204 | | | | | |
| 1053 | ProtoSoft | 40IS 30 | | | | | |
| 1133 | ProtoView Development | 207 | | | | | |
| | Psion | 34 | | | | | |
| Q | | | | | | | |
| | Q-Logic | 48 | | | | | |
| 1353, | QMS | 154 | | | | | |
| 1362, 1372 | | | | | | | |

BIX: Your Coach to the Internet!



The Internet connects you with more than 10 million people, at universities, companies, and other online services. Now, get full access to the Internet free of charge when you subscribe to BIX! You'll also get expert assistance from BIX moderators who can help you find your way around the Internet.

These experts can guide you through the many services and features available, and help you find the information you're looking for. Anytime you need help, just join our special 'internet' conference and get fast answers to your questions.

As you become more familiar with the Internet, you'll be able to download files from all over the world using FTP, connect to other sites and services through telnet, read and reply to Usenet Newsgroups, access utilities like finger and whois, and much more! BIX and the Internet together provide the largest and most effective technical resource for computing professionals.

And with over 600 local access numbers in the U.S., plus telnet access via the Internet, BIX makes it easy to connect. Try BIX today through our special 5 for Free offer - and become part of the top technical team!

New Member
5 hours for Free
Introductory Offer

Give BIX a try with our new 5 for Free Offer! Join BIX today and get 5 hours of evening and weekend access for free!

Take the rest of the calendar month to explore BIX, and then continue for our standard \$13 monthly membership fee. Further details and complete rate information are provided during registration. Using any communications program, dial 1-800-695-4882. At the "logon" prompt enter bix.

Then at the "name?" prompt enter bix.byte39. If you have any questions, call us at 1-800-695-4775 (voice). Or fax us at 617-491-6642.

Send Internet mail to info@bix.com. Windows users can order BIXnav, our graphical interface for BIX, for easy point and click access. Details are available during registration.

BIX

If you can hack it

Under the 5 for Free plan, daytime rates (\$9/hr.) apply for access during prime time hours. The 5 for Free offer is valid for first-time members only.

Circle 450 on Inquiry Card.

So, Where's the IT Payoff?

Spend \$1 trillion and what do you get? Productivity payoff—or just deeper in debt?

Businesses that expected a big productivity payoff from investing in IT (information technology) are, in many cases, still waiting to collect. Numerous studies indicate how frequently this has been the case, despite massive investments over the past 25 years. During the past decade, businesses have invested \$1 trillion in technology—but economic productivity has remained stagnant.

Those who see a productivity payoff argue that it debunks the productivity paradox. However, a careful analysis shows that any payoff can be attributed more to changes in management practices—downsizing, business reengineering, foreign outsourcing—than to use of technology.

So, the productivity paradox does indeed exist. But what causes it? Most readers long on computer experience must have had that nagging feeling that all is not right in computerland—that maybe writing your own letters because you now have a word processor, instead of having the office secretary do it, and doing your own desktop publishing aren't all they're cracked up to be. The time spent learning some of these programs can be counterproductive. However, this is just the tip of the iceberg and a superficial cause of the productivity bust.

Aside from the obvious, such as poor management, lack of experience, and poor use of tools, the biggest productivity inhibitors, surprisingly, are external.

Commercial software is a good example. It's extremely buggy. This wasn't always the case. The age of the mainframe was the age of quality software. Today's competitive "get it out the door before they do" mentality forces beta-quality software on users who expect production quality. The Intel Pentium debacle is just the latest bug perpetrated on us. Underlying flaws are found in just about every piece of personal computer software being sold today. There is not one among us who has not experienced these little peculiarities—from compression programs eating entire hard disks to conflicts between device drivers. All these diminish our productivity.

Aside from an extremely high number of bugs in its software, the personal computer has also spawned an almost unimaginable number of people professing expertise in its deployment. The problem is twofold. One, many consultants are not the experts they claim to be. Two, the personal computer consultant is about as useful as the mainframe consultant. Both know only half the equation. Both will provide only those solutions they excel in. In other words, hire a consultant with dBase experience, and you get a dBase solution.

Of course, there is nothing wrong with dBase consul-



MARK KOZLOWSKI © 1995

tants. The problem is that organizations often hire anyone carrying a laptop and having a good command of technospeak. What they get is seldom a productive solution to their business problem.

Larger companies armed with professional MIS staffs have the wherewithal to make better technology decisions and hence have a better chance of increasing productivity. But even these larger organizations are at risk.

Not everyone is an expert at everything, so the dutiful MIS type leans heavily on advice gleaned not from his or her peers but from trade publications. This is a fatal flaw. If you compare other industries to the computer industry, you'll notice a disturbing trend. In most other industries, the trade magazines and newsletters are edited and written, for the most part, by industry experts. On the other hand, the majority of computer-industry magazines and newsletters are written by journalists and freelancers with little technology experience.

Not too long ago, I read an article in a major industry weekly about building an expert system. Being somewhat of an expert in this particular area, I closely examined the freelanced article. I found no fewer than 20 mistakes. The danger here is that nonexperts reading this article are taking flawed advice—with ramifications that can seriously affect the bottom lines of their organizations.

A few thousand years ago, the Romans had some good advice for those venturing into the marketplace armed with many dollars but little experience. Eloquent sounding in Latin, *caveat emptor* is especially meaningful for those searching for the high road to productivity today. Let the buyer beware. ■

Jessica Keyes is president of New Art Communications, a consulting firm based in New York City. She formerly was managing director of technology for the New York Stock Exchange. She is the author of seven books, including The McGraw-Hill Multimedia Handbook and Solving the Productivity Paradox. You can reach her on BIX c/o "editors" or on the Internet at newart@panix.com.

Our Family Tree is Branching Out!



AutoBoot Commander

The original AutoBoot; lets you monitor and operate multiple PCs or file servers with just one keyboard, monitor and mouse.



Personal Commander

All the features of the AutoBoot in a smaller, more personal size. Measuring under 8" across, the Personal Commander is perfect for the desktop.



Slimline Commander

The most streamlined member of the AutoBoot family. At only 1.75" high, the Slimline Commander can be fitted easily into your computer rack using a minimum of space.



AutoBoot Commander 4xP

Adds multiuser, multi-media & multiplatform capabilities to the Commander line; up to 4 users can access multiple PC, Mac & Sun computers from one central location!

Cybex Corporation
4912 Research Drive Huntsville AL 35805 USA
(205) 430-4000 (205) 430-4030 fax

PC is a registered trademark of International Business Machines Corporation. Mac is a registered trademark of Apple Computer, Inc. Sun is a trademark of Sun Microsystems. Cybex, AutoBoot, Slimline, and Commander are trademarks of Cybex Corporation.

COME SEE US AT

COMDEX Spring in Atlanta, GA, April 24-27 1995 Booth #N5762



Remote Control Software. Rated **#1**. Over and Over and Over...

☒ **#1 Overall
Evaluation**

☒ **#1 Overall
Power**

☒ **#1 Overall
Usability**

☒ **#1 Performance**

☒ **#1 Versatility**


☒ **#1 Ease of
Learning**

☒ **#1 Ease of Use**

Stac

STORAGE & COMMUNICATIONS

7 Bracknell Beeches, Old Bracknell Lane
Bracknell, Berkshire RG12 7BW England
Phone: (44) 1 344 302 900 • Fax (44) 1 344 302 922



The 45-page review for *Software Digest* covered all the bases. It was the most extensive review ever done on remote control software. In the end, the experts called ReachOut Remote Control simply "the best program in the...evaluation." It outscored the competition in not one, not two or three, but in seven categories. In its report for *Software Digest's* June '94 issue, National Software Testing Laboratories wrote:

NSTL recommends ReachOut Remote Control for its excellence in almost every category. No other program matches its number of features or ease of use, and it is the unanimous choice for best program in the testers' general usability evaluation.

The recommendation confirms the findings of exhaustive corporate evaluations. And it parallels assessments by such leading publications as *Byte*, *LAN Magazine*, *PC User*, *Network Computing*, *Government Computer News* and *InfoWorld*.

But why not judge for yourself? We will be happy to send you more information on the NSTL report. Better yet, take advantage of our 60-day money-back guarantee and order your copy of ReachOut today. In Europe call (+44) 344 302900; fax 344 302922. All other countries, call U.S.A. (619) 794-4333; fax (619) 794-4575 for your nearest dealer location.

Before you know it, you'll be using ReachOut. Over and over and over...

THE MOST COMPREHENSIVE REVIEW OF REMOTE CONTROL SOFTWARE

| SOFTWARE DIGEST RATING | OVERALL EVALUATION | PROGRAM |
|---------------------------|-----------------------|-------------------------|
| ★★★★ | 8.5 | Reachout Remote Control |
| ★★★ | 7.5 | HERE |
| ★★★ | 7.3 | HERE |
| ★★★ | 7.3 | HERE |

Circle 525 on Inquiry Card (RESELLERS: 526).